

A
B
C
D
E
F
G
H
I
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z


THE
OSLER LIBRARY
MCGILL UNIVERSITY
MONTREAL
Acc. 13051

Dr Louis Marceau
b. 1849
McKell m d 1872

practiced
Napierville, P.Q.

pres. by his niece
Miss Irene Marceau
3610 Durocher St.
Montreal

Nov. 24, 1959



Anal Fissure

Apply Garrow Oil, several
times daily. — Record, Oct. 1878

II Ague

R Tinct. Iod. Co. ℥vi
Syrup. Acacia ℥xviii

Dose. A teaspoonful in a wine glassful
of water three times a day after meals

Scenic American 1879

Albumen Water —

White of one egg

Water, one pint

Sweetened with Glycerine

Flavored with Orange flower water

Use ad libitum

C. M. S. J. (6/81) 682

Ague

Acetate of Potash

1589

Dr. Brigham

R	Iodide of Potash	ʒi
	Syrup Aurantii Costi	ʒiv
	Syrup Peruvian Bark	ʒiv
dose - A tablespoonful in water every morning R. Orr		
R	Sulph. Morph	grs ii
	Aether Chlor	ʒ ii
	Vinum Ipecac	ʒ ii
	Syrup Sola	ʒi
	Aqua	ʒ iii
dose - A teaspoonful		

3 B

C

D

E

F

G

H

I

K

L

M

N

O

P

Q

R

S

T

V

X

Z

4

5

B

C

D

E

F

G

H

I

K

L

M

N

O

P

Q

R

S


T

V

X

Y

Z



7

B

C

D

E

F

G

H

I

K

L

M

N

O

P

Q

R

S

T

V

X

Y

Z

3

B
C
D
E
F
G
H
I
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

1 Burns, and Scalds

Alkaline Treatment; Record Vol. vi. 283

2 Bronchitis, Chronic

R. Stockholm tar ʒʒ

Alcohol ʒʒ

Tinct. Bals. Tolu. ʒi

" " Peru. ʒʒ

Syrup. Simp. ʒvi

Dissolve the tar in the alcohol and
then add the balsams &c.

Dose. A tablespoonful four times a day
1876 Dr. H. Brisset

3 Bran Crackers

for Constipation

A tablespoonful of flour,
one pint of wheat bran,
two tablespoonfuls of white sugar,
and water enough to make them
all into a pasty mixture. Make in
cakes and bake in oven till hard
Byford

Blennorrhagia

Chloral 1 part
 Rose Water 80 parts
 Use as injection. Union Med 1880. 625

Black Eye

R. Muriate of Ammonia ʒii
 Vinegar ʒii
 Water ʒii

Keep the contusion wet with this lotion

C. M. A. Vol 6 - 219

Bright's Disease

Dried pods of soap bean Two handfuls
 Water Three quarts

Boil slowly for three hours until it is reduced to three pints. Use no drink of any kind but this. Use hot or cold the patient drinking as much as he can conveniently

1884

Scientific American

THE PHYSICIAN HIMSELF

AND

What he should Add to his Scientific Acquirements.

BY

D. W. CATHELL, M. D.,

Late Professor Pathology, College Physicians and Surgeons, Etc.

BALTIMORE, MD.

The Second Edition,

Enlarged, Rearranged and divided into Chapters, **is now ready.**

The Second Edition makes a handsomely bound octavo volume, 208 pages, pica type, green cloth cover, with polished red edges.

PUBLISHED BY

CUSHINGS & BAILEY, 262 W. Baltimore St., BALTIMORE, MD.,

Who will send it by Mail to any address on receipt of \$1.25.

THE BIBLE SOCIETY OF GREAT BRITAIN
AND IRELAND
PRINTED BY RICHARD CLAY AND COMPANY, LTD., BUNGAY, SUFFOLK
LONDON: 1954

PRINTED IN GREAT BRITAIN

D. M. GILLBERT, M.A.

THE BIBLE SOCIETY OF GREAT BRITAIN AND IRELAND

THE BIBLE SOCIETY OF GREAT BRITAIN AND IRELAND

Dr. Jensen's Pepsin as a Solvent in Abuminous Obstructions in the Bladder.

13

Dr. Hollman (Nederl Weekbl., 18, p. 272) reports the case of an old man aged 80 years, suffering from retention of urine, in whom the introduction of a catheter failed to produce the desired result. It was found that the bladder contained coagulated albuminoid masses mixed with blood. A few hours after the injection of about 16 grains of Dr. Jensen's Pepsin dissolved in water, a large amount of a dark, viscid, fetid fluid readily escaped by the catheter.—London Medical Record.

Brachitis to abort
acute


Pot. Citratis	℥i
Syrap. Specac	℥i
Juccus Limonis	℥ii
Aquae	℥iii

Two teaspoonfuls every three hours.
Med. World 58/213. M. M. of Vol. XVII 158

13 oils

Sulphuric Acid dil. gets ~~xxx~~
in a tumblerful of water
~~Three~~ times a day.

1873



C
D
E
F
G
H
I
L
M
N
O
P
Q
R
S
T
V
W
X
Y
Z

16

C
D
E
F
G
H
I
L
M
N
O
P
Q
R
S
T
V
W
X
Y
Z

18

C
D
E
F
G
H
I
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Constipation - See page 11, 21, 22, 23-25

" 28, 29, 30,

Chloasma Uterina See page 21

Corns " " 22

Cough Mixtures " " 22, 27, ²⁸145, 202, 203

Care's " " 201.

Cataract Nasal " " 26, 27

Cerebrospinal Meningitis " " 27

Cancer " " 172

Chelblains " " 28

Cement " " 28

Cystitis " " 29

Chorea " " 29

See also (1)
No. Page
3 11

Constipation

R Magnesia Sulph., ʒii
Ferri Sulph., gr xvi
Acidi Sulphuric. dil ʒi
Aqua 0i

One ounce in a tumbler of iced water, every morning on rising.
Thomas D. J. Women - Page 245

2 Habitual Constipation in the Female

At night give ten grains of blue mass and early the next morning two tablespoonfuls of castor oil. If this does not remove all the hardened faeces give a "gravity injection" filling up the lower bowel
Record Oct. 1878

3 Cloasma Uterina

Le Masque
Paint the spots with Tinct. Iodine until the skin exfoliates. If much irritation is produced apply cold cream for a time
Record Vol. IV Page 64

4 Corns

Tinct. Ferri Mur. One drop
 applied night & morning

Record Vol I. 236

5 Soothing Cough Mixture

R

Acid. Hydrocyan. ʒʒ

Sol. Morph ʒii

Syr. Simp. ʒi

Aquae ad ʒviii

A deperlspoonful every six hours

6 Constipation of Pregnancy

R

Ext. Tarax.

.. Gentian.

Pill. Rhei Co. aa grs. XXXV

Ferrum Sulphas grs. XX

Divide into 24 pills

Dose - One night & morning

Prof. D. MacCallum
 McGill

Howards Pills

R Ext Bellad	gr̄ss \checkmark
" Amx bow	gr̄ss $\overline{\text{xiii}}$
" alon	$\text{E} \overline{\text{ii}} \text{ss}$
ol Corny oph	gr̄ss \checkmark

~~Sept~~ pil 24.

Use - One at night
when necessary

Howards Hills

Top of the
hill was
quite
flat

the
hill

the
hill

7 Colon cases

The symptoms of faecal accumulation are. a yellow spot between the cornea and inner canthus.

A triangular, red, glazed patch on end of the tongue.

Tenderness in course of the vagus.

Tenderness along the colon and round the back.

Women can't bear anything tight

Men unbutton their pants.

Eruations, Farts with difficulty

Lop of memory and sexual power

Pain in back of the neck

Pain over the sacrum

June 10. 1876

Geo. Wood

Treatment

^a R^x Ext. Stram. gr $\frac{1}{8}$

" Hyos. gr $\frac{iii}{4}$

Inject one each night on retiring

Use Bismuth freely

D
E
F
G
H
I
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Colon cases, continued

b. Every morning take an enema of soap and water until no more scybalae are seen

c ^{Rx} Cortex Sambucus Canadensis
 .. Celastrus Scandens
 Urtica Primitiva aa lb. fs

Put each into a separate, closely covered, earthen dish. Add one quart of water. Simmer over a slow fire 36 hours, dont boil. yet have enough heat to prevent fermentation. Strain and add together. Evaporate to three pints, dont boil, strain, add alcohol fort. Zviii

Dose. Zj to Zij in a small wine-glassful of water after each meal

a, b, & c are to be used together, when the faecal accumulations are pretty well removed either of the following Purgative Pills may be used.

Colon cases, concluded

d. Rx

Ext. Nucis Vom. gr. $\frac{1}{4}$ " Rhei gr. $\frac{1}{2}$ " Alo. Ag. gr. $\frac{1}{4}$ " Bellad. gr. $\frac{1}{4}$ Sapo. Castil. grs ii

Make one pill

Dose - One at bedtime when necessary

e.

Rx Ext. Tarax

" Leptandrin aa grs. iii " Podv. gr. $\frac{1}{4}$ " Bellad. gr. $\frac{1}{3}$

Make one pill

Dose - One at bedtime when necessary

The above treatment for Constipation accompanied with faecal impaction in the colon was brought to the notice of my former partner Geo. Wood by J. M. Baxter Washington D.C. Surgeon General of the U.S. Army

8 Caris

See V. no. 2, Page 201

9 Godwin's Cough Syrup

See V. no 3 Page 202

10 Cough Mixture. (Downs Mixture)

See V. no. 4. Page 203

11 To allay Cough & secure rest in Phthisis

See V. no 5 Page 203

12 Post-Nasal Catarrh

R

Pot Iod ʒii

Nasal

Ayr. Darga. ʒiii

Catarrh

Teaspoonful before each meal

R

2 M. Sassafras. ʒii

Glycerine ʒiv

Have patient sniff up the nose twice daily a teaspoonful

13 Hot Compress.

Used in Hemiplegia, Elymenorrhoea. After pain

Hot
CompressSlip a flannel in Alcohol
and sprinkle freely with Pepper

14 Cough Mixture.

R

Pol. Nitras ʒi

Vin. Ipecac.

Syrup. Scilla aa ʒss

Sumb. Canaph. Co. ʒvi

A teaspoonful three or four times daily

1880

dr. R. Crank

15 Cerebro ~~Spinal~~ Meningitis

R

Break
neck

Finch Calabar bean ʒip

Al. Ext. Ergot ʒiiss

A teaspoonful every two hours, in a little water.

1872

Geo. Wood

Nasal Catarrh

R Pulv. cubebi ʒii

Myr. Auranti ʒiii

Aq. Menth. pip. ʒii

Aquam ad ʒviii

A teaspoonful every two or three hours

C. M. D. Vol. 6. 168

D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Cancer

See, Page 172.

Cough mixture

Gum arabic, 2 ounces.
 Water, 15^o ounces.
 Honey, 7¹/₂ ounces.
 Paregoric, 1 ounce.
 Vinegar, 1 ounce.

Dose - a table spoonful every four hours
 1882 Mrs Racicot

Cement

Mix lime with soft Putty
 1882 alph. Carriere

Chilblains

Paint with tinct Iodine

1883

A. A. Macean

Constipation

℞t Cascara Sagrada fl 3i
 ℞t. Malt 3i
 ℞t Nucis Vom 3i

Syr. Simp

shake - 3i before each meal

Meth. 71 | 298

Cystitis

see page 191

(see Med. B. 51/207)

℞. *Ext. triticum repens* ʒii
Syrupi ʒii

Two teaspoonfuls in water 5 or 6 times daily - ^{used 1871} Med. Bulletin

Constipation

℞. *Extract Aloe* ʒss
 Pil " *Nux Vom.* grs. vi
 Saluti's " *Hyos.* grs. xx
Pulv. Ipecac. gr. i

Make 20 pills - One at bed time

Cough mixtures

In Phthisis early stage, see Page 195

Chorea ℞. *Zinc Sulph.* ʒi
Liq. Valerian ʒi
Aqua ʒviii

A teaspoonful, three times a day at meals.

1885

Dr. Benoit

D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Constipation

℞ ℞. Cal. Casgara Sagrada ʒi½

Glycerine ʒi½

Incl. Nux Vomica ʒii

℥ teaspoonful before meals

Nephthemia see pages 31, 33, 34

Dropsy " " 31, 32, 33, 35

1 Diphtheria

Tinct Ferri mur. $\mathfrak{z}\text{ii}$
 Pot. Chlor. $\mathfrak{z}\text{i}$
 Glycerine $\mathfrak{z}\text{i}$
 Aquae ad. $\mathfrak{z}\text{iv}$

Teaspoonful, every two hours. Record Vol. VI, 296

2 Dropsy

"La belle iclaire" Chelidonium majus

A popular remedy among French Canadians.

A handful in three half pints of wine or water.

Dose - A wineglassful three times a day

The officinal dose is, Fld. Extract 10-20 drops.

It acts as a drastic hydragogue and diuretic

Chel. maj $\mathfrak{z}\text{i}$

White wine $\mathfrak{O}\text{ij}$

3 Dyspepsia

Digestive tonic

One rennet, washed and chopped

Sherry wine, $\mathfrak{O}\text{j}$

Macerate for twelve days, then decant, filter, and add.

Dilute nitro-muriatic acid, $\mathfrak{z}\text{ii}$

Tinct of nux vomica, $\mathfrak{z}\text{ii}$

Subnitrate of Bismuth, $\mathfrak{z}\text{ii}$

One tablespoonful in a quarter of a tumbler of water before each meal - Thomas, Dis. Women, 245

D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

4 Dropsy

Pulv. Gambooge
Tinct Squills
Pot. Nit.
White Wine

grs XL
3v̄i
3ʒ
Oj Dose ʒss bedtime
Dr Vernon

1878

5 Delirium Tremens

a. R Pot. Brom. ʒiʒ
Chloral Hyd. ʒiʒ
Syrup. Auranti
Aquaæ ad aa ʒii

Dose ʒʒ every hour until sleep is procured
Bellevue Hospital

6 b. R Chloral Hyd. grs xxx
Pot. Brom. grs xl

Give at bedtime. In smaller doses through the day
if necessary
Roosevelt Hospital

7 Diarrhoea, Infantile.

See V. 1., Page 201.

8 Dropsy

(No. 5733)
Wight & Co.℞ Inf. Digit. ʒiv
Pot. Acet ʒssDose-Adult, 1 table spoonful every two hours
.. Child, 1 teaspoonful "

Record Vol 5-68

9 Diphtheria

Pot. Chlor. (saturated solution)

1 to 20. Dose | child over 3 ʒ table spoonful hourly
.. under 3 .. depts spoonful ..

C. M. S. Journal Vol 6-182

Stop when system is saturated ^{in 12 hours} marked by morose
or nausea. In addition to the above Benoit
& I used Fruct Cinchona as an Antiseptic & Tonic
& to counteract the depressing ^{effect} of the chlorate

10. Dandruff

℞ Myd. Ichloral 192 grains

Aq. dist. ʒ ounces

Sponge scalp thoroughly with half
ounce of the solution every morning

Med. Brief 580, 717

E
F
G
H
I
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Diarrhoea

Diarrhoea

Zn. Oxid grs. 54
Soda Bicarb gr. 7½

Divide in 4 powders, one every 6 hours
C. M. R. Vol. VII. 104

Diphtheria

℞ Carbolic Acid one drachm
Glycerine nine ounces
Water add to 24 ounces

Use as a gargle

Dr. Haynes. 1882

Diphtheria

Sulphuric Acid 4 drops
Water ¾ of a tumbler

Use as a gargle and take a swallow of it
occasionally. The acid coagulates a membrane.

Australian Treatment

1853

Detroit Free Press

JENSEN'S PEPSIN IN DIPHTHERIA.

Dr. Edwin Rosenthal, acting on the suggestion of Dr. L. Wolff, has used an acidulated concentrated solution of pepsin, as an application to the membranes of diphtheric patients, for which there seemed to be no other than tracheotomy, and reports that it acted like a charm, dissolving the membranes, admitting a free access of the blood, and placing them soon on the road to convalescence. The solution he used was

℞ Jensen's Pepsin.....3j.
Acidi hydrochloric, C. P.....gtt. xx.
Aque q. s. ft.fl. ʒ j.

M. S. Apply copiously every hour with a throat mop. — From the Medical Bulletin.

DiarrhoeaCanadian
children

Pulv. Opia

Pulv. Plumbei Acet.

Pulv. Camphorae a.a. ʒi

Fl. oil no. 30.

One pill every 5 hours.

Condys pill

and at Notre Dame. in bed 83/18

Dysmenorrhoea

By Ammon Brom.

Pot. Brom. aa ʒii

Dysmenorrhoea

Aqua

ʒvi

Dose - A teaspoonful every six hours
in a wineglassful of water until relief
Take three times a day for a few
days before expected time in half drachm
doses.

1878 Dr. Brigham

Dropsy - diuretic mix.

Pot. Bitart ʒvi

Pot. Nitrar ʒv

Rad. Serpentaria ʒiii

Pulv. Scillae ʒiii

Qm Oil

not to be in
vaginal cases

A tablespoonful one hour before meals. Stops 3 days
between the bottles. Dr. Knapp

E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Zattention
help
ation

Hot water in Dyspepsia

Temp. of water - Like hot tea
 Quantity " " " " - one half to one and a half pints
 Times of taking - 1 to 2 hrs before each meal, $\frac{1}{2}$ hr. before bedtime
 Mode of " - Should be sipped in 15-30 minutes
 For Thirst - a pinch of Nitre & Salts
 Additions to " - Mentha - Cinnamon - Ginger - Pepper - Inf. water
 " Constipation - Mg Sulp \bar{z} or Turax \bar{z}
 Liquids at meals - Not more than 8 ounces
 1883 London Lancet Nov. 389

Dysphtheria℞. F. 2. Aur \bar{z} viAqua \bar{z} vFor a child, a dessert spoonful ^{undiluted} every hour for 12 hrs.

L. S. 86/372

Diarrhoea - (St. John's cholera)

Tinct. Opium two ounces

Hofmann's Anodyne two ounces

Essence of Peppermint two ounces

Tinct. of Red Pine one drachm

Tinct. of Ginger two drachms

Half a teaspoonful to a tea spoonful every 3 to 6 hours
N. Goubaud

Diarhoea of Phthisis

Lactic Acid	$\mathfrak{z} \text{ i}$	4 grams
Chlorodyne	M xv	1 gram
Mucilaginous drink	$\mathfrak{z} \text{ iv}$	120 grams

To be taken by the tablespoonful in the
24 hours.

E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

A NIGHT BELL.

C. J. COVERNTON & CO
Dispensing Chemists,Corner of Bleury and Dorchester Street
MONTREAL.

PRESCRIPTIONS DISPENSED AT ALL HOURS OF THE NIGHT.

R_x

A l'interieur

Potass. chlorat. grs ʒss

ʒjss par jour.

et localement

application du collyre
suivant.

Acid. borac. ʒj

Aqua destill. ʒij

ʒjss par jour

non Camen of the eye

ATTENDANCE—10 TO 12 P.M.

ATTENDANCE BOOK

Benjamin
COTTON

A NIGHT BELL.

C. J. COVERNTON & C^o
 Dispensing Chemists,
 Corner of Bleury and Dorchester Stre
 MONTREAL.

R_x

Acid: Boracicum ℥ij

Zinci Sulph. ℥ij

Aq. distil. ad ℥v

F. Collym

At. Bourque J. G.

O. H. DAMON,

DRUGGIST,

SHURTLIFF BLOCK, COATICOOK, P. Q.

Coaticook, _____ 187

M,

Quintus Litchell pro VIII

Dei sicut in die IIII

Agna ad III

Eczema, Chronic

Eczema

Calciclic Acid $\mathfrak{z}\text{i}$

Lard $\mathfrak{z}\text{viii}$

Page 178

Ellis, Diseases of Children

Eye pain

Eye
Pain

Morph acet. grs x

In Cod. $\mathfrak{z}\text{i}$

Apply to temple of affected side
night & morning

1880

Dr. S. J. Anderson

Epilepsy

Epilepsy

R. Pot. Brom $\mathfrak{z}\text{ii}$

Aqua Oi

A tablespoonful three times a day for life

Dr. Hammond N.Y.

D. Harris 1879

Eye
Sedative

\mathfrak{z} Liq Amm

$\mathfrak{z}\text{i}$

Spts Camphor

$\mathfrak{z}\text{ss}$

Common Salt

one handfull

Water

\mathfrak{z} XXV

most accurate

E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Eczema

Collodion

externally

Linct. arsenicalis

10 drops t.i.d

externally

1583

sl. Lafontaine

Eye Wash

Acid. Boracicum

℥ii

Zinc. Sulph.

gr. ii

Aq. distil.

ad ℥vi

1583

Beupre

Ear Ache

Olive oil

one ounce

chloroform

one drachm

Put 25 or 30 drops in the ear. then stop the ear with cotton wool.

Am. med 84/42

Ear Stopper

To shut out all sound.

Put a little ointment in a rib of muslin & fill opening

Eczema

Coal tar size of an egg
 { Raw linseed oil one half pint
 (in a boiler)

Boil some hours.

1888

Narcism Jarcean

F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

44

F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

46

F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

48

F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

50

1 Faradization.

"CM Record" Vol. 6 Page 105

2 Foreign bodies in the Throat.

Blow forcibly in the ear. (Record Vol 6)

3 Foreign bodies in the Nose.

Blow forcibly in the mouth

4 Felon, Cure

Soft lye soap

Flax seed meal

Felon on Corn meal q.s.

Forma salve on poultice. Renew every
twelve to twentyfour hours

1880

Therapeutic Gazette

5' Fever Gastric of children

Rx

Gastric
Fever

Sweet spirit of nitre

 $\mathfrak{z} \frac{1}{2} \text{ii}$

Sup. carb. of Soda

 $\mathfrak{z} \text{ii}$

Water to

 $\mathfrak{z} \text{viii}$ $\mathfrak{z} \text{ss}$ qh 2-4 as long as fever lasts

Am. Journ. Med Sci. Jan 41

1891

E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Foreign body swallowed.

dry solid diet for
a day or two then dose of Oil

Lanc. 264, 284, (1881)

Fer	℞ Linct Ferri Mur.	ʒii
Mur.	Pot. Cit	ʒi
	Syr. Limon	ʒiʒ
	Aquae ad	ʒvi

Use - a tablespoonful

J. G. Reed

℞		
II		
Fer	Linct Ferri chloridi	1 ounce
Mur.	Syr. Aurant. Cost	½ ounce
	Chlorate Potash	2 drachms
	Syrup Orings	3 ounces
ʒi	℥d	M. B. 80/534

G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

54

G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

56

G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

58

G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

60

1 Gonorrhoea ^R

Quinae Sulphat gr. xv.

Acid. Sulphuric, dil. ℥i

*

Glycerinae, ℥vi

Aqua, ℥ii

℥i injected three a day and retained for some time in urethra

Record Vol. iii. 518

2 Gravel

R Soda. Carb. ℥ii

Pot. Nibras ℥i

Aquae ad. O ii

Use as a drink

1873

Dr Geo. Wood

3 Gonorrhoea

^R Tinct. Ferric chlor 1/2 ounce

Tinct. Balaust 1/2 ounce

Tinct. Cardam. 3 drachms

Glycerine 3 ounces

Teaspoonful three times a day before meals
in a little water

Ind. of 81/428

G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Gonorrhoea

□ Cordys fluid $\mathfrak{z}iii - iv$
 Water os

Small syringeful many times daily in
 all stages. L. Lane. 88/288

Goitre

R. Pot. Dod $\mathfrak{z}iii$

Limb. Dod. $\mathfrak{z}i$

Syr. Aurant. $\mathfrak{z}ii$

Aqua $\mathfrak{z}x$

a tablespoonful t.d. Mr. Carriere

H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

64

H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

66

H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

68

H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

70

1 HÆMOPTYSIS

Hæmoptysis Throw, into the mouth and throat with an atomizer a saturated solution of Gallic Acid

C. M. Record Vol. I. 116

2 Hoarseness - "Dysphonia Clericorum"

Hoarseness a few drops of Nitric Acid in a glass of sweetened water, twice daily
Rev. LeRoy Hooker

3 Headache

Specific for Headache
Pot. Brom. ℥ii
Tinct Aconite ℥i
Syrup Simp
Aqua distil aa ℥ii

Adepts spoonful every hour or two until relieved
Record Vol. 8-157

4 Hæves in hoars

Hæves One pound of Sugar
Given in three doses with water

H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Hiccough

Hiccough

White wine vinegar on
a little lump of sugar

M. Med. 1880

Hemorrhage Post Partum Hemorrhage See Page 131

Headache

Soda Salicyl. gr^{ss} - iii

Every 1/4 or 1/2 hour until relief

Broun

M. Med 86 / 445

Headache -

If urine is alkaline or
distill. acid. give acids freely.
med abs. 88/14

Horse remedies

I Curbs Splints

Liment Iodii 3i

Apply daily

W. A. Stuart

II Safe diuretic

One tablespoonful of Cream
of Tartar given two or three times
along with feed of oats

1882

Steve Ennis

III Warts

See Page 211

IV Heaves

See Page 71

V Pink Eye

Dextro Linnic 30 grs in feed
3 times a day

VI Blisters

Cantharides 1 Lard 4

or
red Binoxide of Mercury 1 Lard 8 to 12

Rub in hair being cut. 3rd day oil with
sweet oil

I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Scratches

Glycerine ℥iv

Acid Carb. ℥℥

Ed. Gervais

Scratches

Acid. Carb. ℥ub. xx

Plumb. Acet ℥ ii

Sulphur. ℥ i

Lard ℥ iii

Wash well with soap & water dry well &
then apply twice a day

H. Boissillon M.D.

Purgative for Scratches

Pulv Aloes ℥ vii

Pulv Ginger ℥ i

Lard q.s

make ball 3 inches long. H. Boissillon M.D.

Headache in P.O.W.

Lard of mint ℥℥ x

Opb. with. Milk ℥℥

Lard of fig ℥℥

Lice

Take Black Tobacco 1 pound
 Water 1 pintful
 Boil
 Wash the animal well with soap
 and water until hair is all
 Then apply the tobacco juice
 thoroughly

Scratches

Pulv. Pot. Iod.	$\frac{3j}{\text{ir}}$
" Pot. Chlor	$\frac{3j}{\text{viii}}$
Pulv. Colchicum Root	$\frac{3j}{\text{v}}$
Pulv. Rhei	$\frac{3j}{\text{viii}}$

Give a table spoonful in feed three
 times a day. Rub scratches. do not
 wash apply vaseline once a day.

1886

e. c. g.

T
 J
 K
 L
 M
 N
 O
 P
 Q
 R
 S
 T
 U
 V
 W
 X
 Y
 Z

76

T
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

78

I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

80

I Bleached Tinct. of Iodine

R Tinct. Iod.

Glycerine aa ʒi

Soda. sulphuris ʒi

Rub. the sulphur to a powder in a small mortar, add the glycerine gradually then pour in the tincture and triturate gently until a solution is made

II Irritation of the Bladder in Women

R

Tinct. Canth gutt. viii

Aqua ʒ viii

A table spoonful every three hours

1877

Dr Fuller

III Incontinence of Urine

R

Spice gum 2 drachms

Jamaica cum 4 drachms

Teaspoonful morning & evening

M. B. 1180. 403

I
K
L
M
N
O
P
Q
R
S
T
U
V
W
Y
Z

Itch

IV

℞ Acetate of Lead ʒi

Red Precip. ʒii

Burgundy Pitch ʒii

Turpentine ʒvʒi

Lard ʒviii

Melt together and stir till cool

1876

P. Bourgeois

IV

Itch

℞ Hy. Oxid. Rub. ʒii

Pix. Burg. ʒii

Ol. Tereb. ʒiv

Butyrum ʒviii

☆ First melt the fresh butter, then add the pitch as it cools add the turpentine, and finally the precipitate. Apply night and morning

1879

dbr. Benoit

VI

Itch

Sublimed Sulphur 4 drms.

White Mellisore 1 "

Nitrate of Potash ½ grain

Soft Soap 4 drms.

Prepared Lard 2 ʒ

1881

London Hospital

VII Itch

Pot. Iod. grs. 64

Itch

Water ʒi

Lard ʒi

Dissolve the Iodide in the water and mix.

Tilbury Fox

VIII Itch

Hardly

2 parts

1 part

12 parts

Sulphur 6 ounces

Pot. Bicarb. 3 drachms

Lard q.s. 16-24 ounces

Apply locally twice a day

Med. Ref. 81/463

IX Itch

Acid. Carb. ʒss

Acid. Acet. ʒii

Aqua ʒvi

Ol. Bergamot gut. x

One or two applications

Med. Ref. 644/81

☆

To prepare No. V.

Powder the pitch & mix in the oxide
melt in the turpentine then add to
melted butter and stir until it is cool.

J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

INK Ext. Logwood
 Tinct. Ferri Mur aa ζiv
 Methylated Alcohol Or

Itch

Acid. Sulphuric	ζi	1
Pot. Sulphas	ζiii	3
Aqua	Oii	40

To be applied with a sponge.
 Kendall 1887

J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

86

J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

88

K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

90

K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

92

K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

94

L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

96

L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

98

L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

100

Lumbago

^a Opbalth. Nit. ʒi

To be taken at bedtime

Lumbago
or
muscular

^b Sod. Bicarb ʒi

Rheumatism

Aqua ʒiv

To be taken in the morning

Dr. J. Leavitt

580 S. Kirkland

Liniment

^{1/2} Chloroform

alcohol

Aq. Ammon.

(1 bigan 9mt
2 aqua)

Tinct. Camph.

(amp. ʒii
distilled O)

Tinct. Aconite Rad aa 2 ounces

Spts. N. A. Ether 6 ounces

md. 18752/6'08

Lumbago

Colloidal

Fr Sod.

Aq. Ammon. aa ʒii

applied locally

Leonards 86/42

L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

Lupus

Arsenic, internally
 Dupuis Acid Nitrate of Mercury, externally
 1886 H. Piffard New York
 Robt Howard

Lips, Sore

Zinc Sulphat gr. xx
 Pb. Acet. gr. x
 Pulv. Kerns gr. x
 Salve Acid Tannic gr. v
 Aquae ℥ i
 Apply frequently. Med. Wash

Leugol's Solution

℞
 Leugol Iodine 5 grains
 Iodide of Potassium 20 grains
 Water 2 ounces

Bathe enlarged gland two or three times a day

Lemonade (without lemons)

Loaf sugar lbs 1 1/2

Boiling water Qts. 3

Citric Acid 3 i

Boil, then skim, when nearly
cold add 22 drops Ess. of Lemon

5/85

Mrs. W^m DalpeM
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

104

M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

106

M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

108

M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

110

Mastitis

apply Alum salt & water locally

1884

Mrs. J. J. Fortin

Menorrhagia or Metroorrhagia

Poh Chlor

ʒi

Fls Rh. Puzos

ʒi

aq

ʒiv

ʒi td.

Tait

Milk
leg

Rx

Carbonate of Magnesia

ʒβ - ʒi

Smct colchicum

gut. x

gr 4

Dr. J. S. Haynes

M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

112

N
O
P
Q
R
S
T
U
V
W
X
Y
Z

114

N
O
P
Q
R
S
T
U
V
W
X
Y
Z

116

N
O
P
Q
R
S
T
U
V
W
X
Y
Z

118

N
O
P
P
R
S
T
U
V
W
X
Y
Z

120

1 Night Sweats

℞ Tinct. Bellad.

Whisky aa ʒii

For External use

Record Vol. VI Page 133

2 Night Sweats

1877

Cold Sage Tea - Dr. Fosberg

3 Nasal Catarrh

Pot. Chlor. ʒi- to O; ter die preceded by Common salt ʒi to O; tepid water, and replaced every fourth week by Nitrate of lead. Use the douche for several months. Record Vol 9-336

4 Neuralgia

"Faceache"

Sal. Ammoniac ʒss

Three or four times a day the first day and ten to fifteen grains three times a day for a week. If it does not do good the fifth dose stop it

June 14. 79

Harper's Bazar

N
O
P
Q
R
S
T
U
V
W
X
Y
Z

5 Nervous Debility

Nervous
DebilityAcid Phos del $\mathfrak{z} \text{iii}$ Sol. Strych. $\mathfrak{z} \text{i}$ Tr. Card. Co $\mathfrak{z} \text{p}$ Syr. simp. $\mathfrak{z} \text{v} \text{p}$

A teaspoonful three times a day at meals

1877

Dr. Brigham

6 Night Sweats

R

Atropa sulphas 1 grain

Morph sulphas 4 grains

Ac. sulph arom 3 drachms

Aqua 6 drachms

Ten to twenty drops at night

Med. Bf. Oct. 1879-215

7 Night Sweats

Acidi Sulphurici $\mathfrak{z} \text{ii} \text{p}$ Tinct. Opii $\mathfrak{z} \text{i}$ Syrupi aurantii $\mathfrak{z} \text{i}$ Aqua ad $\mathfrak{z} \text{viii}$

Sig. Two tablespoonfuls three times a day.

1881

Canada Liver

Nausea & Vomiting

Rx

Cereasote	30 drops
Acet. Acid	40 drops
Morph. Sulph.	3 grains
Aq. Purae	2 ounces

dose for an adult, a teaspoonful in a little water

Med. W. 81/496

Ingrowing Toe Nail

I ^R Pure Carbolic AcidII ^R Pot. Permangan. ʒ ii

Aqua ʒ vi

apply 2-6 times daily

III

Liquor Potassae ʒ ii

Aqua ʒ i

Apply on cotton wool to margin of nail and ulcerated surface. In a few days nail is softened -

Med. W. 85/232

O
P
Q
R
S
T
U
V
W
X
Y
Z

124

Fond Dad:
DARLING HOW'S BABY? BLESS HER
DEAR LITTLE TUTSY-
PUTSY.



Maiden Lady

GOOD GRACIOUS!



THEY RUNG HIM UP THE WRONG NUMBER.

WINDSOR DRESSING

OVER.

J. H. Bufford & Sons.

THE WINDSOR DRESSING.




An elegant liquid polish
for Ladies and Children's
boots and shoes.

Does not harden or crack
the leather.

Does not soil the skirts in
wet weather.

Is profitable for both buyer
and seller.



O
P
Q
R
S
T
U
V
W
X
Y
Z

126

O
P
Q
R
S
T
U
V
W
X
Y
Z

128

O
P
Q
R
S
T
U
V
W
X
Y
Z

130

Otorrhea

Record Vol 8. 86 - Blowdry borax

Shock ℞ Spts Vini Gallici ʒi
 in Tinct. Opii ʒii
 Haemorrhage S. a teaspoonful every half hour
 F. G. Thomas

O
P
Q
R
S
T
U
V
W
X
Y
Z

132

P
Q
R
S
T
U
V
W
X
Y
Z

134

P
Q
R
S
T
U
V
W
X
Y
Z

136

P
Q
R
S
T
U
V
W
X
Y
Z

138

P
Q
R
S
T
U
V
W
X
Y
Z

140

1 Phimosis.

Operation by rubberligature. "Union" Vol. 8. No 3

2 Phthisis

Arrest by Special Exercise. "Record" Vol. V. Page 280

3 Piles.Powdered falls ʒi
Cerate ʒiv

Mix. Apply night & morning

Piles

If painful, add to the above

Ointment Fabr. Jui gro xv

1880

alp. Benoit

4 Piles

Tinc. Aloes 1 ounce

Piles

Comp tinc Gent. 4 ounces

Quinine 20 grs.

Cark of Iron 4 drachms

One teaspoonful three times a day

Piles

Med. Bp. Oct 29, 1888

5

Carbolic Acid gut. xx

Piles

Glycerine ʒi

Inject cold water & med apply

P
O
R
S
T
U
V
W
X
Y
Z

to cure Phthisis

rest	Morph. Mur.	gr. 1/4
prevent	Atropia	gr. 1/90
sweating	Capsicum	gr. i.
	P. l. Ala et Angh.	gr. iii

Victoria Park Hospital C.M.R. vol. vi. 236

Pertussis

Pot. Brom.	grs x
Syrup. Spec. Ac.	℥ x
Aqua	℥ i

dose, teaspoonful for young child etc.
1881

Dr. Guerin

Pruritus Vulvae

Sulphurous Acid

Apply whenever itching comes on

Baking Soda : one tablespoonful

Water one teacupful

Cured Mrs. J. Demault when she had been scratching for three years
and had tried every thing else

Piles - Internal & Bleeding

Internal

℞ Aqd. Ext. Ergot ʒʒ
Water ʒʒ

Inject after every evacuation

Piles

Pulv. Sennae

P. O. Bitart

Pulv. Sulph. aa ʒʒ

Pulv. Zingiber ʒʒ

• A teaspoonful in molasses
every morning.

℞
Ext. Bellad

Plumb. Acet aa ʒʒ

Acid Lannic ʒiv

Ung. Adipis q. s

Used in connection with preceding
Rp. After washing with water introduce
a peice in anus three times a day

L. Elden

OR
S
T
D
A
A
Y
Z

Piles

Popular remedy

One finely powdered olive pencil

Lard One table spoonful

Fistulae.

Peter's

℞ Ext. Op. 1 eg. = gr. 1/6

Pills

℞ Ext. Bel 1/2 eg. = gr. 1/12

7526 Wright

For cure of Phthisis. Give one or

two at night. Un. Med 1879/212

nasal
Polypus

Tannic Acid twenty grains?

Water one drachm.

Inject ten to twenty minims

Leonard 7/84

Pertussis

- Ergot Al. Sol. 5-10 minims

" 7/84

Procurator of anus

℞ Soda hyposulphat

ʒi

Acid Carbolic

gr x

Glycerin

ʒi

aq. distil

ʒvii

As a lotion

Un. Med 88/40

Rx Sol. Morph Hydrochlor.

Cough
in
Phthiis.
early
stage

Spts of chloroform
Vin. Ipecac aa M^{iii}
Oxymel Squill
Vel Syrup Tolu M^{xx}
Gum Arabic mucilage M^{xx}
Water to ʒ^{i}

Swallow slowly. Take 3 or 4 times at night,
avoid in day time. L. Linn. 4/54/248

Cough
Phthiis
late stage

Rx Methylated Spirits ʒ^{ii}
Co. Tr. Card ʒ^{vi}
Aqua ʒ^{vii}

A tablespoonful three times a day

Cough
in early
stage

Bioph Sulph grs^{iv}
Pot. Cyan. grs^{ii}
Syr. Tolu ʒ^{i}
Aqua ad ʒ^{ii}

A teaspoonful qd 4-6 or often

1837.

Tampier

U
V
W
X
Y
Z

Acute Pleurisy

Tinct. Acute	30 minims
Pot. Acet	½ ounce
Mor. Sulph.	½ grain
Pot. Cit. liquid	2 ounces
Syr. Tolu	1 ounce
℞	q̄s

Pleurisy

Chronic Pleurisy

℞ Pot. Iod	2 drachms
Tinct. Digital.	2 "
Tinct. Op. Camph	1½ ounce
Aqua	½ "
℞	4 d

Un. Med 86/89

Whooping Cough

Quinine

Pertussis

℞ Quinine grs v-viii	(for children under three)
grs x-xl	(for older children & adults)
Water	℞ i

A teaspoonful every 1-2 hours. do not give anything to destroy the taste

Q
R
S
T
U
V
W
X
Y
Z

148

Q
R
S
T
U
V
W
X
Y
Z

150

Q
R
S
T
U
V
W
X
Y
Z

152

R
S
T
U
V
W
X
Y
Z

154


R
S
T
U
V
W
X
Y
Z

156

R
S
T
U
V
W
X
Y
Z

158

R
S
T
U
V
W
X
Y
Z



O. H. DAMON,

DRUGGIST,

SHURTLEFF BLOCK, COATICOAK, P. Q.

Coaticook, _____ 187

R/

Syr Scilla

vin Sassa aa ʒii

Pot nit ʒi

Syr Tolu ʒi

(4 Belladonna grs. ^{ʒii})

Aqua ad ʒviij

ʒi ss ʒ

For cough

O. H. DAMON,

DRUGGIST,

SHURTLEFF BLOCK, COATICOAK, P. Q.

Coaticook, _____ 187

R

℞ Calabar bean

ʒij

Ext. Ergot

ʒiij

ʒiij in a little water.

℞ Saltpetre of Soda & Carbonic Acid.

For cerebral Spinal

meningitis

m

90

21 1/2

3

12

8

40

40

50

O. H. DAMON,

DRUGGIST,

SHURTLEFF BLOCK, COATTOOK, P. O.

187

Coatook,

3/4

The Colabor bear,

Ext. Report

3/4

3/4

* Report of ...

The Colabor bear

...

Artima

WM. A. DYER & CO.

SUCCESSORS TO MEDICAL HALL BRANCH,

Pharmaceutical & Dispensing Chemists,

14 & 16 PHILLIPS SQUARE,

MONTREAL.

SUNDAY ATTENDANCE:—OPEN ALL DAY FOR SUPPLY OF MEDICINES.

SUNDAY ATTENDANCE:—OPEN ALL DAY FOR SUPPLY OF MEDICINES.

R

Polass. Iodid. ʒi
℞ Belladonnae ʒij
Glycerini ʒij
Aq (ad) ʒiv

ʒij / ʒ teaspoonful
3 times a day

Wm A Dyer *Stewart*

NIGHT BELL ATTENDANCE AT ANY HOUR.

Rx

Ppt. Sod. $\mathfrak{z} \text{iii}$

Tr. Bellad. $\mathfrak{z} \text{vi}$

Tr. Columbae $\mathfrak{z} \text{i}$

Aq. (ad) $\mathfrak{z} \text{viii}$

A tablespoonful
after meals

Dec 15

J. Stewart

O. H. DAMON,

DRUGGIST,

SHURTLEFF BLOCK, COATICOAK, P. O.

Coaticook, _____ 187

℞ Tinct. Valerian ʒiv
Tinct Lavendulae Co. ʒiss
Syrupus Aurantii ʒii
Aqua. ad. ʒiv

Dose - a dessert spoonful
qh 4 or ad lib.

For Hysteria

G. W. DAWSON,

DRUGGIST,

SHURTLEFF BLOCK, COATICOOK, P. O.

187

Coaticook,

3iv Tinct. Valerian R

3iv Tinct. Sassafras

3ii Symplic. Sassafras

3iv Symplic. Sassafras

Loss - a Sassafras

of H. or Sassafras

To H. Sassafras

O. H. DAMON,

DRUGGIST,

SHURTLEFF BLOCK, COATICOAK, P. Q.

Coaticook, July 20th 1872

℞ Tinct Ergotae
Tinct. Digit. aa ℥ii
Acidi Gallici ℥i
Magn. Sulphatis ℥vi
Acid. Sulphuric. dil ℥i
Infusi Rosae acidi ad ℥viii

Dose a sixth part every 3 hours
till haemorrhage is arrested

For Haemoptysis

- 1) The vital power must be supported
- 2) The heart kept steady by digitalis
- 3) Congestion must be relieved by salines
- 4) Clotting must be promoted by styptics
& free admission of cold air
- 5) The bleeding part must be kept at rest by position, enforced silence
& soothing the cough.

1 Rheumatism, Chronic℞ Pot. Iod. grs. xl

Tinct. Guaiac.

" Gent. aa ʒi vel Dissol. Gargol ʒi Alcohol ʒiij

Dose - A tablespoonful three times a day

Oct. 1876

Dr. B. Damon

2 Rust. to remove from Steel.

Cover the spots with
Sweet Oil and in two days
rub with a piece of fresh
lime until the rust disappears.

1881

Wm. J. Evangelist

Rheumatism Acute3 Acidi Salicyli $\frac{1}{2}$ ounce

Liq. Ammon. Acet 2 ounces

Aq. distil 3 ounces

Gynph. Cortex Aurum 1 ounce

Dose - A tablespoonful every ^{two} ~~four~~hours as long as the pulse does
not beat below 84

Mr. J. S. 2/151

 B
S
T
U
V
W
X
Y
Z

Liniment for Rheumatism

Rheumatism ℞ Turb Opium
 " Bellad.
 " Iodine
 " Guaiacum
 Spts Camphor aa 1 part

1885

Dr. Benoit

S
T
U
V
W
Y
Z

164

S
T
U
V
W
X
Y
Z

166

167

S
T
U
V
W
X
Y
Z

1168

169

S
T
U
V
W
X
Y
Z

1170

1 Spermatorrhoea

a. \mathcal{R}
 Strych. Sulph. gr \ddagger
 Ferri Pyrophosphas
 Quin. Sulph. aa ʒʒ
 Acid. Phos. dil
 Syrup. Zingiber. aa ʒii

A teaspoonful after each meal.

b. \mathcal{R}
 Pot. Iodii grs xxxii
 Albas Aqueous sacor. ʒiv
 Aquae ad ʒviii

A tablespoonful before meals

(Use a & b together)

1873 An. Geo. Word

2 Scarlet Fever

\mathcal{R} Acid. Muriat fʒi
 Syr. Simp. fʒii
 Pot. Chlorate ʒiii
 Aquae Rosae fʒiv

For child six years old give one half tablespoonful
 every two hours

Record Vol. II, Page 42

S
T
U
V
W
X
Y
Z

3 Styptic

See prescription No 1 Page 191

4 Sciatica

Turpentine ʒij

Honey ʒij

Sciatica

A teaspoonful three times a day, before meals.

1881

St Anne

See also, C.M.R. Vol. 5, 212

5 Salve for Cancer

℞ Ext. Eucalypti ½ drachm

Vaseline 2 "

Acid Salicylic 1 "

Apply to tumor & wear it constantly

Med. Bk. 81/523

Sugar-Serb

Sulphate of Copper one grain

Glycerine one drachm ounce

Put a few drops in test-tube add half an ounce of Liq. Pot.
 boil, add few drops of urine boil. Sugar throws down
 the yellow oxide ʒij - 1 dram of sugar. Med. Bk. 81/665

T
U
V
W
X
Y
Z

174

T
U
V
W
Y
Z

176

T
U
V
W
Y
Z

178

T
U
V
W
X
Y
Z

180

1 Tinnitus Aurium.

Put a few drops of Sulphuric Ether on cotton wool and put it in opening of external meatus. Lean the ear upon the palm of the hand until the ether is all volatilized.

1878

Dr. Thysault

2 Tinea

Remove the scales or scabs and apply Tinct. Iod.

Dr. Wm. Stuart

3 Toothache

R

Rub. Camp ʒvi

Aeth. Sulp. ʒi

Can be used as local anaesthetic to extract tooth without pain. C. p. Record Vol VIII 253

Tonic

Tr. Nux Vom. ʒi

Syr Simmii ʒiii

Aqua ʒiv

ʒii t.d. before meals

Resperandus

T
U
V
W
X
Y
Z

Lozenge for Sore Throat

Pulv. Loaf Sugar 7 ounces
 " Cubebs 7 "
 " Gum Arabic 7 "
 " Liquorice Root 4 "
 essence of Anise $\frac{1}{2}$ ounce
 Old Ext. Conium Mac. 3 drachms.

Aqua q.s. to make full mass. Roll out thin
 cut with open hole strimble. Dry without heat
 Med. Bf. 81, 54

Tape Worm

¹⁴Pumpkin Seed 3i
 White Sugar 3j

Tape
 Worm

Pound fine & mix. A teaspoonful every
 two hours till all is taken following the
 last dose with Castor oil & ol. turbinth.

Med. Bf. 1379/243

184

TANNING PROCESS.

To 12 quarts Soft Water,
Add 4 ozs. Borax,
4 " Saltpetre,
4 " Sulphuric Acid,
4 " Glauber Salts,
3 lbs. Salt,
3 " Cutch,
1 pint of Wheat Flour.

The Hides must be handled often while tanning.

The Cutch may be left out in tanning Furs.

U
V
W
X
Y
Z

187

U
V
W
X
Y
Z

188

U
V
W
Y
Z

190

I Elongated Mvula

Styptic

& Acid Tannic $\mathfrak{z}\text{ij}$

Water $\mathfrak{z}\text{vi}$

Record Vol. IX Page 15

II Urine. alkaline,

Couch grass 2 ounces

Boiling water 1 pint

Pot. chlorate 4 drachms

Q table spoonful every 3 hours.

U
V
W
X
Y
Z

192

193

V
W
Y
Z

194

195

V
W
Y
Z

196

197

V
W
Y
Z

198

199

V
W
Y
Z

200

20
20

1 Vomiting in Infants

Where the milk is thrown up in hard curds add lime water and crackers or stale bread finely crumbled to the milk. It softens the curd and thus gives access to the gastric juice.

When there is diarrhoea or debility in these cases use

Rx Pulv. Doveri grs. vii
 .. Rhei grs. ii
 Quinine gr. i

Make ten powders, and give one three times a day to child of six or seven months

1875

Dr Gilbert

2 Vilattis Solution

Rx

Zinci Sulphatis
 Cupri Sulphatis aa grs xv
 Liq. Plumbi subacet. ʒss
 Aceti alb. ʒiij

3 Coderre's Rough Syrup

R

Used in
Acute
Cases.

Tinct. Camph. Co. ʒi

" Digit. ʒii

Pulv. Scilla. ʒii

Ant. Pot. tart.

Morph. sulph. aa gr.

Syrup. simp. ʒiv

One or two teaspoonfuls three or four
times a day

1878 Dr. Benoit

4 "Downs Elixir"

R Oil of Anise

Opium

Bloodroot aa ʒss

Licorice ʒii

Loaf Sugar lbs. ii

Alcohol O.ʒ

Soft Water O.ʒss

A teaspoonful two or three times a day

Sedative
Cough
Mixture

5

Rx

To allay
cough &
severe
rest in

Tinct Bellad. ʒii
Syrup Scill. ʒii
Morph Sulph. griv
Syrup Tolu. ad ʒiv

Phthisis

A teaspoonful at bed time repeated if
necessary
New Remedies Oct. 1879

6 Vomiting of Pregnancy

Rx

Atropia Sulphas gr i
Morph Sulphas gr iv
Ac. Sulph Brom ʒiii
Aqua ʒv

Len to twenty drops three times a day

Med B J Oct. 1878. n 213

7 Vomiting of Pregnancy

Rx Pot. Brom. ʒii
Sr. Gent Co ʒp
Aq. ad. ʒviii

A tablespoonful night & morning

L. J. Marcus

Vomiting
Pregnancy

W
Y
Z

204

205

W
Y
Z

206

207

W
Y
7

208

209

W
Y
Z

210

1 Warts

Warts Arg. Nit 3i
 Acid. Nit. Mur. 3i

Apply with fine brush. Cures in four days

Record Vol V-92

Warts 2
 on
 Horses

R
 Acid Sulphuric. 3p
 Sulphur q.s.

Mix until thickness of paste & apply
 with a stick or glass rod.

1880

Camille Broseau

3 Warts.

Warts

Rub with Salammoniac slightly wet
 three times a day for a few days.

1881

Hall's J. of Health

4 Warts Venereal

Sprinkle twice daily equal
 parts of Tannin & Burnt Alum

ms.B.1.67.151

W
 Y
 7

212

R

Wash

Red

Ling Sulphat. grs vi

Spts Lavandul.

" Rosamarin. aa ℥ii

Aqua ℥vss

213

Y
Y
Z

214

215

Y
Y
Z

216

217

Y
Y
Z

218

219

V
Y
Z

220

221

Y
Y
Z

Cholera - prophylactic

℞ Jod gut. i

Trop gut. ii - iv

to .

Lecend 86/92

Cough Mixture

½ pint flaxseed

1 quart water boil to a jelly

½ lb. white sugar

1 pint Brandy

1 tablespoonful Canada balsam, mix

a wineglassful tid or

a tablespoonful every two hours.

1886

Miss D. A. Douglas

Constipation

Bitter apple (Colocynthis) ℥i

Whiskey or Gin ℥xxx

Dose - ℥j at night. (Begin with ℥i doses)

1854

Mrs M. Remillard

Constipation Glycerine

Inject one half to one teaspoonful
of pure Glycerine

Med Abs. 87/365

Chorea

Purk arsenic until it excite vomiting
In mild of ten begin with Fowler's solution
5 minims in an ounce of water thrice daily.
In 3 days increase to 10 minims, in 3 days more
to 15 minims, in 3 more to 20 minims and so
on until you attain 35 minims. then
withdraw for 2 days and gradually reduce
Med abs. 14/85.

Chilblains

Acid muriatic	1 part
Water	10 parts

Apply with a sponge

224

225

Y
7

226

227

Y
Z

228

229

Y
Z

230

231

7

232

233

Z

234

235

Z


236

237

238

239

240



MS

Acc. no. 261

1870

Sm

125



