

CUS417/66.5  
dup.

30/4/70

Caught a petite at canal basin

28 *Iscia* numerous small ascus  
in stomachs were 5-2 small fish  
perch. bars & chub

2/5/70

numerous flukes in the peritoneal  
cavity of a chub. attached to the  
intestines. see slide no.

7/5/70. From a cut fish caught in the  
canal 10 *Iscia*. in the liver there were  
numerous encysted trematodes

1028/66/5

7/5/20

dup

From the intestine (Diolema)  
Cat-fish 10 Tenia

The Dape worm is about from  
 $\frac{1}{4}$  to 1 inch  $\frac{1}{2}$  in length  
very extensible. dark prominent  
can be seen with the naked eye.  
four in number, no hootlets

The disks are capable of voluntary  
movement one disk moves  
in front of the other and taking  
each others place

The water vascular system  
presents a double set of tubes ~~two~~  
on each side which communicate  
across the lower segments.

at the head a dense network of  
vessels as large as the primary  
trunks occupy the front of the  
head and spaces between the suckers

Two Distomes were also found  
in the intestines

Numerous encysted round worms  
in the liver,

a Cysticercus in the Kidney

~~1028/66/6~~

12/5/70

dup

In the duodenum found  
several, were about  $\frac{1}{2}$  a dozen  
ascaris

---

13/5/70

From four perch. A cysticercus, probably  
from the liver. The scolex of the tape worm of the pike  
in ~~two~~ of the liver there were encysted  
nematodes

In the rectum of three there were  
some of the *Spodochyda*? similar  
to those found in the eel

In the intestine there was a curious  
worm with a bell shaped retractile  
head

Coiled around the base of the ovula  
there was a large worm fluke?

~~1028/66/4~~