



379

AVES ACCIPITRES FALCO



382
Falco alpinus.

F. cere pedibusque flavis, dorso cineres, abdomine
albido fasciis transversalibus fuscis, cauda
fasciis quatuor nigricantibus.

An sexu tantummodo a *F. gentili* distinctus,
differt tamen evidenter quod totus subtus albi-
dus fasciis crebris fuscis transversalibus; in
singula scilicet pluma fasciis numerantur
tres quatuor vel quinque; ipsa rachis etiam
fusca, unde quasi lineis longitudinalibus
notatur. Femora etiam fasciis angustis trans-
versalibus praedita. Alia autem *F. gentili*
Linnaei simillimus quod Caput, dorsum, Alas
& Caudam, quae corpore longior est; ejusdem
etiam est magnitudinis; cauda 11 unciis &
corpus 9 unciis mensuratur. Rectrices
duodecim. Remiges primariae sex; secun-
dariae decem & sex.

Habitat in Norvegia

Falco islandicus

F. *capra pedibusque flavis, supra fuscus fasciis pallidis, subtus albidus maculis nigricantibus, cauda corpore brevior.*

Falco gentili Linn: major. Caput supra sordide lutescens maculis longitudinalibus crebris nigricantibus. Rostrum coralloescens dentibus validis in maxilla utraque. Dorsum supra fuscum maculis transversalibus numerosis albidis. Ala supra fusca obsolete fasciata subtus pallidiores. Pectus & Abdomen albida, maculis fuscis in Pectore longitudinalibus in Abdomine rotundatis. Femora albida fasciis transversis fuscis. Cauda corpore brevior, scilicet novem uncis longa, pallida, fasciis duodecim fuscis. Rectrices duodecim aequales. Corpus longitudine duodecim unciarum.

Habitat in Islandia.

388

394

Falco gentilis.

*F. cera pedibusque flavis, dorso cinereis, abdomine
lutescente maculis longitudinalibus fuscis,
cauda fasciis quatuor nigricantibus.*

Linn: Syst: Nat: p. 89. 12.

383

Falco Islandicus Fuscus ^{10. n. 58}
The Brown Iceland Falcon ^{lo longior}

Falco gentilis ^{petricus R.}
The Falcon Gentile ^{e. decem sp.}

Falco gentilis.

Varietas.
a variety of the Falcon Gentile

Falco gentilis.

F. cere pedibusque flavis, dorso cinereo, abdomine
 lutescente maculis longitudinalibus fuscis,
 cauda fasciis quatuor nigricantibus.

Linn: Syst: Nat: p. 89. 12.

Descriptio Linnæi in Fauna suecica p. 20. n. 58
 bona est, adde quod cauda corpore paulo longior
 sit, adeoque pone alas extenditur. Rectrices 12.
Remiges primariae sex, secundariae decem & 1/2.

John G. ...

I am ...

...

388

200

385

0


Lanarius

Talco cera pedibus rostraque caeruleis.
maculis albis nigraque longitudinalibus

L. S. N. p. 91.

Habitat in Europa migratorius

The Lanner



388

~~388~~

386

0

Lanarius Americanus

Falco Cera et Prostro nigrescentibus

*Pedibus Glaucis Corpore subtus
maculis longitudinalibus nigris
notato dorso et alis fuscis.*

*Habitat in America septentrionale
apud Sinum Hudsonis*

*The American Lanner
from Hudsons Bay*


Edw. av. t. 53.

[Faint, mirrored handwriting, likely bleed-through from the reverse side of the page. The text is illegible due to fading and mirroring.]

Falco

*Cera et rostro cinereo. Iridibus
ferrugeniis pedibus nudis. Viridibus
palpebris albis. capite fusco lineis
Nigris infra oculis usque ad
Scinciput et a. Rostro super maxillas
extendentibus gula collo pectore
abdomine et femoribus fuscis
maculatis. Nigris longitudinalibus
Striatis Superiore parte corporis
ex fusco Nigrescat Cauda lineis
nigris. Notata*

The Black Falcon. Edw. P. 4



AVES ACCIPITRES FALCO

PEREGRINUS.

ST. AUGUSTINE, FLORIDA

P. B. GRAYSON

389

CIVES

ACCIPITRES FALCO

390

o pectora
fronto
cuius alarum

It in Canada
is.

ed Falcon.
Northern

the Lagopus
name of
them to the

which I take
given me by Mr
pus of many other
Canada & Labrador

To

Taylor White Esq^r

at the Boarding Hospital

Mr Pennell presents his
compliments to Mr White &
acquaints him that the Falcu
in the Fales peregrina familia
vide tab 24. of an Italian
work now at Mr White's
bookseller Fleetstreet.

Monday morning.

AVES

ACCIPITRES FALCO 390

Falco

Lagopus.


falco Lagopus. rostro nigro ~~peera~~
flava. pedibus lanatis. frontoalbo. corpore fusco. fasciis alarum
albis. pedibus flavis.mas ut opinor. Habitat in Canada
& America Septentrionalis.

The Rough Footed Falcon.

From Canada & the Northern

parts of America.

it is supposed to feed on the Lagopus
& from thence to take its name orperhaps from being feathered to the
toes like the LagopusThis bird & the next which I take
to differ in sex only were given me by Mr
Banks together with the Lagopus & many other
birds which he brought from Canada & Labrador




Falco

391

Falco Lagopus

Falco Lagopus. rostro nigro Cera
 flava. pedibus lanatis fronte albo
 Corpore fusco albo variegato. Cauda
 fasciis albis notata. pedibus flavis.
 Femina ut opinor. Habitat in Canada
 & Labrador.

The Rough Footed Falcon
 The female as I suppose.



AVES ACCIPITRES FALCO

PEREGRINUS

Falco. Peregrinus femina.

capite, Pedibusq; luteis. rostro plumbeo
palbris luteis. pars superior Niger lineis
transversalibus caeruleis notatis.

gula albescit. pectore flavescit maculis
oblongis in parte superiore pectoris sed
rotundis inferiore notatur.

venter pallidus Striis nigris transversalibus
sicut etiam sunt Femores et pars inferior
Caudae. fronte albo.

Falco peregrinus niger aldrov. v. Will. p. 77

39v

AVES ACCIPITRES FALCO

The Ash Coloured Buzzard. v Edw² 53

APR 2 1878

The Hon. Secy of the Interior

AVES ACCIPITRES FALCO.

AMERICANUS

Falco Americanus magnus.

Buteo Americanus.

The Great American Falcon

THE AMERICAN

AMERICAN

AMERICAN

AMERICAN

AMERICAN

A. VES ACCIPITRES Falco

30. • *Palumbarius* L. J. N. p. 130 en

5

30. *F. Cera nigra, margine pedibus q₃
flavis, Corpore fusco, rectricibus facis
pallidis, Superciliis albis.*

habitat in Europa. Gallinis infestus. L. J. N. p. 91


356

The Goshawk

lib.

or spots.

yes



AVES ACCIPITRES Falco

20 SPARVERIUS. L.N. p 128

20. Falco cerea lutea, capite fusco, vertice
abdomine q rubro. alis caeruleis centibus.

Accipiter minor (Lesteb. carol. 1 p. 5. t. 5.

ÆSALON carolinensis Brisson: av. p 386
t 32. fig. 1. Habitat in America.

Femina caput cingitur maculis nigra.

The small Carolina Hawk.

These Birds were sent from Carolina if
the same species with those described by
Linnæus the difference of colour may have
been occasioned by age.

but the spots on the Breast & thighs agree
so to the European Æsalon that I make no
doubt but that Brissonius gave the name
of his bird from the similitude of stripes
or spots.

AVES ACCIPITRIS Falco

to STERNAEUS

Falco ...
...
...

ALBION ...

...
...

...

The ...

...

...

...

...

...

...

...

...

399
AVES

397

ACCIPITRES

FALCO

12,

Milvus.

*F. cera flava, cauda forficata, corpore
ferrugineo, capite albidore. L. S. N. p. 89*

The Kite.

1811

St. Michael's, County of York, England

Procurator, Office of the Admiralty

St. Michael's

399

AVES ACCIPITRES FALCO

MILVUS RUBESCENS

ALLEN R. BROWN

ALLEN R. BROWN

AVES ACCIPITRES FALCO:

Leuco-Cephalus

Falco. capite linea nigra ente ex
 collo infra oculos ad rostrum protracta
 rostro nigro sed in parte superiore circa
 nares luteo. Corpore fusco. lineis parvis
 in extremitate Plumarum. sparsim
 Notator, Rectricibus nigrescentibus.
~~cruribus~~ femoribus vestitis cruribus
 nudis flavis. cera decet.

The Bald Buzzard

Faint, illegible handwriting, possibly bleed-through from the reverse side of the page. The text is mirrored and difficult to decipher.

AVES ACCIPITRES Falco.

29. *Cruginosus*

*F. cerea fusca, corpore griseo, vertice gula
axillis pedibusque luteis. L. S. N. p. 91*

Habitat in Europa.

The Moor Buzzard

1771

From the ...
...
...

The ...

15

Buteo

403

*F. cera pedibusque luteis, corpore fusco.**abdomine pallido maculis fuscis. L. S. N. p. 90**Habitat in Europa**The Buzzard.*

1781

The
Burgess

408 AVES ACCIPITRINAE

AVES 406 ACCIPITRES FALCO.

25

Spivorus.

T. cera nigra, pedibus seminudis flavis,

capite cinereo, cauda fascia cinerea apice

albo.

L. S. N. p. 91

Habitat in Europa

The Honey Buzzard

1857

1857

1857

1857

1857

1857

1857

408

AVES

ACCIPTRES

Falco

PLUMED

407

L. L. N. p 127. ed. n.

AVES

ACCIPTRES

FALCO

Accipiter Caruleus

Cera pedibus Tridibusq³ aureis
remigiis Nigris. Uropigio Albo
Corpore caerulecente pectore ventre
et cauda palescente.

The Hen Harrier.

Joseph Chamberlain

Dear Mother, I have just received
your letter of the 11th inst. and
am glad to hear from you.
I am well and hope these few lines
will find you the same.

Yours affectionately,
The Hon. J. Chamberlain

408

AVES

ACCIPIRES

Falco

14 SUB BUTEO. *L. J. N. p. 127. ed. n.*


*Femina Precedentis
anglice*

Will. orn. p. 72.

The Ring Tail

ibus

The Sparrow Hawk



AVES ACCIPITRES FALCO

31. *Nisus*.

*F. cerea viridi, pedibus flavis, pectore albo
 fusco undulato, cauda fasciis nigricantibus*

Habitat in Europa. L. S. N. p. 92.

The Sparrow Hawk.

1811


The Treasurer, Bank.

AVES ACCIPITRES FALCO

Fringularius Ceruleus

*Cera iridibus pedibusq; flavis. rostro
 nigrescente capite dorso et alis
 Carulescentibus circa oculos nigrescat
 guttore lutca. Pectore et abdomine
 palida. Striis transversulibus luteis,
 Femoribus albis Lineis luteis
 tenuioribus Cauda carulea fascis
 nigris transversulibus notata.*

The Blue Sparrow Hawk



Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

Handwritten text, likely bleed-through from the reverse side of the page.

16

414
Tinnunculus

*T. cerea pedibusque flavis, dorso rufo punctis
nigris pectore maculis longitudinalibus.*

*fuscis, cauda rotundata, L. S. N. p. 90.
Habitat in Europa.*

Thekestrell.

416
AVES ACCIPTRES Falco

10. CYANEUS L. L. Ned: 12. p. 126

10 Falco cere & pedibus flavis, corpore
caeruleo-canescente, arcu superciliari
albo gulam cingente.

Habitat in Europa, & Africa

The Blue Falcon.

This Bird was drawn from a very
fine specimen in British museum.

it varies from the description of Linnæus
who describes the cere to be white & the
feet fulvous which I suppose to mean a
clay colour. but this variety may arise from
age or sex. painted July 1771

ALICE BENTLEY

My dear Alice
I have just received your letter
and am glad to hear from you
I am well and hope these few lines
will find you the same.

I have not much news to write
at present. I am still in the
same place and doing the same
work. I hope to see you
soon. Write again when you
have a chance.

Yours affectionately,
Alice Bentley

418
417
Asalon.

F. rostro caruleo, iridibus fuscis,

Dorso et parte superiore caruleo. et

ferugineo variegato parte inferiore

albicante maculis nigris longitudi-

nalibus magnitudine merulam

vix superans.

Will. Orn. p. 85

The Martin.

1811

of the

... ..

... ..

... ..

... ..

... ..

The

Excubitor.

L. cauda cuneiformi lateribus alba dorso cano.

alis nigris macula alba. L. S. N. p. 94

Habitat in Europa

Exhibitor.

I certify that the above is a true and correct copy of the original.

Witness my hand and seal this 1st day of June 1864.
Notary in Charge

11. *Lanius.*

*Rostrum rectiusculum, dente utrinque
versus apicem, basi nudum.*

*Lingua lacera. L.S.N. p. 93
The Butcher Bird.*

London

My dear Sir

I have the pleasure to inform you

that your order for 1000
The British Bank

419

Excubitor Americanus

Capite et dorso cinereis pectore

palide rufescente Striis griseis

Transversulibus uropigio albo

alis nigris tectricibus albis

Habitat in Pennsylvania

The American

Ask Coloured Butcher Bird

