Lemur

Tardigradus

1. Lemur ecaudatus. Mus. Ad. Fr. 1. p. 3.

Simia, ecaudata, unguibus indicis subulatis

Animal Cyno cephalum tardigradum Seb.
mus. 1. p. 55. t. 35. f. 1. 2. & t 47. f. 1

Animal elegantissimum robinsoni. rai. quadr. 161.

Habitat in Zeylona.

Statura Sciuri. subferruginea, linea dorsali subfusca; Gula albidiore, Linea Longitudinalis oculis interjecta albida. facies tecta, auriculæ nudæ

Pedum palmæ plantæq nudæ
ungues rotundati. indicum Plantarum vero subulati. cauda fere nulla. mammæ 2 in pectore, 2 in abdomine versus pectus.
animal tardigradum, audiu Excellens, monogamum
Linneus Sys. Naturæ p. 30.

the Sloth.
Mr Solander called it ye Lazy.

A p. 44 ed 12

2

la. pet.

dis solis

es, pisces.

MAMMALIA PRIMATES Lemur

3. MACACO.

Lemur caudatus niger, collari barbato L. S. A p. 44 ed 12

Lemur Cauda floccosa, corpore fusco. Gron. zooph. 22

Prosimia Fusca Briss quadr. 220.

Simia. Sciurus Sanguinosus fuscus ex Johanna insula. pet. goz. t. 17. f. 5. Mancauco Edw. av. 5. t. 217.

Habitat in Madagascar. Cubibe purum servat, radiis solis delectatur; dormit in loco tenebroso; respuit ova, carnes, pisces. Plantarum ungues indicis fere subulati.

The Black Mocock.

This beast belonged to the late D. of Cumberland

MAMMALIA PRIMATES CIRCOPETHECUS

Albo Nigroque variegatus

cercopethecus { cuno cephalus / corpore albo facie pedibus caudaq; nigris. maculis nigris in humeris & genibus notatus. auribus comosis albis rasone elongata.
magnitudo Mocauci.

The Black & White Monkey

MAMMALIA GLIRES Sciurus

4 FLAVUS L.S.N. p. 86. e. n.

Sciurus. auriculis subrotundis,
pedibus pentadactylis
corpore cinereo.

Sciurus Cauda cirrheti, pilis brevibus
auriculis subrotundis. Amoen Acad 1 p. 281

Habitat in America Carthagenæ.

The Yellow Squirell from
Carthagena.

MAMMALIA PRIMATES Lemur

4. CATTA S.S.N. p. 45 ed. nov. i. e 12.

Lemur Laudatus, cauda albo nigroq annulata. Mus. Ad. Fr. 3 p 5.

Simia Sciurus madagascariensis, sive maucauco Edw. av. 177 t 197

Prosimia cinerea, cauda cincta annulis albis & nigris Brisson. 9 vad 222

Habitat in Madagascar, mitissima, scandit omnibus pedibus ut simia

Victitat fructibus, oleribus. radicibus; cibos tenet manibus, tardius cula

placida & tranquilla murmurat ut Felis.

Ungues Indicis & palmarum non longiores aut tubulati.

THE MOCOCK

MAMMALIA PRIMATES LEMUR

4. CATTA

THE MOCOCK

MAMMALIA PRIMATES LEMUR.

5. VOLANS

Lemur caudatus membrana ambiente Volitans f. N. S. p 45

Cato-simius volans camelli. Pet. gaz. 14-t. 9. f. 8. act. angl. 277 n. 1065.

Vespertilio admirabilis. Bont. jav. 68-t. 69.

Felis volans ternatea. seb. mus. 1. p. 93. t. 58 f. 2. 3.

Habitat in asia. victitans fructibus arborum.

MAMMALIA PRIMATES LEMUR.

4. VOLANS

MAMMALIA FERÆ CANIS.

CANIS.

Dentes. Primores superiores VI laterales longiores distantes
intermedii lobati.
Inferiores VI laterales lobati.
Canarii solitarii. incurvati
Molares VI. / VII (plures ve quam in reliquis.

Cánes sunt Familiares aut Feroces.

Familiaris. cauda (sinistrorsum) recurvata.

Species a Linneo descript sunt 11.

1 Domesticus
2 Sagax
3 Grajus
4 Molossus
5 aquaticus
6 meleteus
7 Fricator
8 vertagus
9 Aviculanius
10 extrarius
11 Ægypticus

Feroces Linei sunt 8.

1 Lupus
2 Hyæna
3 Vulpes
4 Alopex
5 Lagopus
6 Aureus
7 Mexicanus
8 Thous

54

49

Lupus

C. cauda incurvata. L. S. N p. 39

Habitat in Europæ Sylvis frigidioribus.

Mas.

The Wolf.

The Male in ye Tower of London

50

Canis

Dentes Primores superiores sex laterales longiores distantes: inter=
=medii lobati.
Inferiores VI. laterales lobati.
Lanarii solitarii, [illegible]vati
Molares; VI. f. VII (plures ve quam in reliquis.

The Dog kind.

54

50

Lupus

Canis. cauda incurva, fœmina

The Female

Wolf.

Lupus major

Canis Cauda pensile major

The largest Wolf
From the Collection of ye Duke
of Cumberland

54

53

52

MAMMALIA FERÆ Canis

LUPUS

Aureus

Canis. Lupus Aureus dictus L.S.N P40

Habitat in India orientale

The Jackal.

a Male from ye Collection of

The Duke of Cumberland.

54

53

MAMMALIA FERÆ Canis

LUPUS

1 AFRICANUS

LUPUS. CANIS. CAUDA Paululo incurvato
Corpore parte superiore griseo inferiore rufo
Genis ~~albis~~ infra Oculos albis.
Collo ruffescente.

Habitat in Babare & Africa

The Jackall
from Barbara.

This Beast is said to hunt for the Lion
& is therefore called the Lyons provider

This Difers greatly from the Lupus
Aureus which is found in India & at
Bengal. this beast hunts alone the
other in great numbers together.

Lupus

canis, cauda pensile magna
nigrescente, dorso etiam nigrescente
pilis albis interstincto & a latere
linea nigra horizontale finito,
ventre griseo femoribus & cruribus
externe luteis internee albicantibus.

Lupus Niger

Lupus toto corpore Nigrescente

The Black Wolf.

MAMMALIA FERÆ Canis

Hyæna

Canis. cauda recta anulata, pilis cervicis erectis, auriculis nudis L S N p. 40

Habitat in India

The Hyæna.

59

Vulpes

Canis cauda recta; apice albo nigro. L. S. N. p. 40.

Habitat in Europa asia & Africa.

The Fox.

MAMMALIA FERÆ Canis

VULPES

Alopex

Canis cauda recta; Apice
nigro. L. S. N. p. 40

Vulpes campestris vulgo

Habitat in Europa Asia.

61

Lagopus

Canis cauda recta, Apice concolore.

L. N. S. p. 40. Vulpes cœrulescens Faun. Suec.

Habitat in Alpibus Lapponiis,
& Siberia

Pedes densissimæ pilosæ ut in Lepore

The Gray Fox

MAMMALIA FERÆ. CANIS

VULPES. VARIEGATUS

Vulpes. magnitudo minor quam
vulpes communis.
colore auribus & parte inferi-
-ore flava. caudæ apice
alba- digitis in pedibus
porticis. albus.
ceteris partibus nigris.
habitat in America boreale

The Variegated Fox
from North America.

MAMMALIA FERÆ Canis

VULPES. FUSCUS.

Vulpes. toto corpore fusco
nigracente.

64

MAMMALIA FERÆ. Canis

VULPES

MOOSAL.

Vulpes CAUDA ABREVIATA.
auribus pedibus q nigrescentibus
~~pectinibus~~ ceteris fuscis.

Habitat in Turcomania

The Moosal
from Turkey.
Height 1f. 6. Length from the nose
to ye Tail 2 feet. the Tail very short.

MAMMALIA FERÆ Felis

65

13. Felis

Dentes primores æquales,
molares terni
Lingua retrorsum aculeata
Ungues retractiles.

Species Linæo descript. 7.

1 Leo.
2. Tygris
3 Pardus
4 Onca
5 Pardalis
6 Catus
7. Lynx.

MAMMALIA FERÆ Felis

Felis

Leo.

cauda elongata, corpore
helvulo L. S. N. p. 45.

66

MAMMALIA FERÆ FELIS

LEONA

MAMMALIA FERÆ FELIS

LEO

LEO cauda elonga.
corpore helvulo.
magnitudo precendenti major
colore rufo pedibus albis.
Habita in Morocco.
invencus in Turra Londinensis.

The large Morroco
Lyon.
This Beast & its Lineage
were a Present to K. G: ye 2d.

MAMMALIA FERÆ Felis

LEONA

Precedentis Femina.

Peperit in turra Londinensis

MAMMALIA FERA FELIS

LEO

FLAVUS

LEO. MAXIMUS JUBATUS.

COLOR Flavus juba
caudaq; nigrascente
Habitat in AFRICA TRIPOLY

The yellow or Cream Coloured
Lyon
this is the Largest Lyon I have
seen. it was in the Menagerie
of the late Duke of Cumberland
but since in the Tower of London

MAMMALIA FERÆ FELIS

LEONA FLAVA

Leona precedentis Femina

Habitat in TRIPOLY

The Yellow Lioness
from the Collection of the
Late Duke of Cumberland

71

MAMMALIA FERÆ FELIS

TIGRIS

FELIS CAUDA elongata
corpore maculis omnibus virga-
tis

Habitat in Asia

The Tiger.

This Beast was brought by D Clive
from Benghall

MAMMALIA FERÆ. Felis

PARDUS

Felis cauda elongata.
corpore maculis superioribus
orbiculatis inferioribus virgatis

Habitat in India
The Panther

MAMMALIA FERÆ Felis.

Onca

Felis. cauda mediocri,
corpore flavescente,
ocelis nigris rotundo-angulatis
medio flavis in parte superiore
sed maculis rotundis parte
inferiore

The Once

75

MAMMALIA FERÆ FELIS

Onca Femina

Femina Precedentis

77

MAMMALIA FERÆ Felis

PARDALIS

FELIS CAUDA Elongata.
Corpore maculis superioribus
virgatis, inferioribus orbiculatis

Habitat in America

The Leopard

MAMMALIA FERÆ FELIS

VENATOR

FELIS COLOR Palide-fuscus maculis nigris. auribus rotundis magnitudo minor quam leopardus

Habitat in India orientale apud Benghall

The Hunting Tiger

This Beast is kept Tame and used by Hunters

79

MAMMALIA FERÆ FELIS

CATUS LEONIS

Felis colore flavente labiis &
mustachiis albis. fundo nigro
magnitudine Leopardo æqualis
Habitat

THE LYON CAT

This Beast was brought from
Senegal Jan 21. 1760.

80

MAMMALIA FERÆ. Felis

CATUS MONTANUS

FELIS parte superiore Colore fusco nigrescente
ore & genibus albis.
parte inferiore albido
fronte & facie nigrescentibus
lineis subtus Inoxilas & nucha caudæ
magnitudine Pardo æqualis.
Habitat in Virginea.

The Virginian Mountain Cat

I had the Skin of this Beast from
other parts of America under the
name of the Tiger Skin. it is said
this creature climbs trees with great
ease & watches in a Tree for its prey.

MAMMALIA FERÆ FELIS

CATUS BARBARICUS.

FELIS Montanus colore Niger est in toto corpore Superiore ~~et~~ ad pedibus partibus inferioribus albus. Magnitudine æquat ~~leon~~ pardale.

Habitat In maritimis Barbariæ

The Black Mountain Cat
brought from the Coast of Barbary
June 1759.

82

MAMMALIA FERÆ FELIS.

CATUS MONTANA BARBARICA
FAMINA

The female Mountain Cat
from Barbary

From the Collection of
the Duke of Cumberland

83

MAMMALIA FERÆ FELIS PARDALIS

FELIS cauda elongata corpore maculis superioribus virgatis, inferioribus orbiculatis Linei. 62. n. ed. S.N

Cato-Pardus mexicanus Hern mex 512

Catus Pardus seu Catus Americanorus Rai Ludd r. 169.

Habitat in America.

viso Corcarbores adscendit; simias eludit.

Magnitudo Melis, vide Descriptio in L S N. p. 62 edit nov.

The Leopard cat or American Cat.

MAMMALIA FERÆ FELIS

CATUS ONCÆUS STRIATUS

FELIS corpore longitudinaliter striatus. maculis fuscis in marginibus nigris cauda & parte inferiore abidis. nigro maculatis.

THE TYGER CAT

or

The Striped Ounce Cat.

MAMMALIA FERÆ. FELIS

FELIS MACULATUS

FELIS CAUDA elongata.

colore rufo pallente nigro
maculato sed linea dorsali nigra
& maculis fuscis marginibus nigris
in humeris striato.

Magnitudo major quam felis
Domesticus.

Habitat Africa

The Spotted Mountain Cat.