

311

# MAMMALIA PECORA OVIS

## OVIS

CORNUA CONCAVA, Retorsum versa  
- - - - - inforta, rugosa.

DENTES PRIMORES inferiores VIII.  
LANARII nulli.

Species Linnaei'

1 Aries.

rustica f

anglica e

hispanica d

Poly cerata e

africana f

laticandata g

2 Guineensis

3 Stroprieros.

MAMMAL RECORDS

210

CORNUA CONCAVA

LEPTODACTYLUS

DENTES TRIOMERAS

LAVATI

Scaphiopus

Scaphiopus

Scaphiopus

Scaphiopus

Scaphiopus

Scaphiopus

Scaphiopus

Scaphiopus

Scaphiopus

MAMMALIA PECORA BOS

BOS

CORNUA concava, anteriusum versus, lunata  
lævia.

DENTES PRIMORES inferiores VIII.  
LANARII nulli.

Species Linnaei

- 1 Taurus. Bos. cornibus extorrisum curvatis  
paleoribus laxeis.
- a. Bos. Gesner quadrup. 25
- B. Ursus.
- 2 Bonasus
3. Bison
- 4 Grunniens
- 5 Bubalis
- 6 Indicus
- B Bubalis Africanus.

MAMMALIA PERCORA 808

208

CORONA CALLIGRAPHY  
BY JAMES L. BROWN

DEVENTES PRIMORES INGENIORES VIII  
TANARII VIII

Wrote except  
about 1000000 others, and, among  
them, several of  
the following were added.  
Doubtless  
most of  
which are  
incorrect  
dates  
which I  
received about 10

175

MAMMALIA PECORA capra.

9. BEZOARTICA. L.S.N. p. 96 ed. nov.

C. cornibus crenatis arcuatis totis  
annulatis, at gula barbata.

Hircus cornibus arcuatis ab imo, ad summum  
fere annulatis. Brisson. quad 69. n. 10  
Hircus bezoarticus. Aldr. bisule. 756. Rai quad 30  
Capri. Cervus kampf. amoen 399 t. 407. f. 2.

Habitat in Persia.

Pro fert tape in ventriculo abomaso Bezoar  
Orientalis.

### The Bezoar Goat

This Drawing is from the Beast in the  
British Museum.

it measured from the top of the head exclusive  
of y<sup>e</sup> horns 3 feet 3 3/4 of an inch.

The tenth of the horn from the Root to y<sup>e</sup>  
bending 10 <sup>1</sup>/<sub>2</sub> from thence to the tip 5 <sup>1</sup>/<sub>2</sub>  
the face from the top of the head to y<sup>e</sup> bottom of y<sup>e</sup>  
horn is 1 ft 5 inches

from the Chin to ye bottom of the Shoulder  
1 foot 2

from thence to ye knee 1 ft. 3 in

from the knee to ye bottom of ye foot 1  $\frac{1}{3}$  in

The length of the body from the Breast  
to the Tail is 3 ft 11  $\frac{1}{2}$  in

the height from the Bottom of the  
back to the Ground is 3 ft. 8 in ch.

The Colour of a yellow & cream Colour  
yet the streak of the face & fore part  
of the legs is black.

it has a beard under the Chin & on  
the sides of his mouth not on the breast  
as Linnaeus mentions.

it is a

## MAMMALIA. PECORA. CAPRA

N<sup>o</sup>. 14. ANGORENSIS

174

## MAMMALIA. PECORA. CAPRA

## 13 AMMON.

13 C. Cornibus. arcuatis semicirculari  
subtus planiusculis; palmaribus latiss.  
pilosis. gula imberbi.

Rupi-capra cornibus orientis. Act. - 10  
Petrop. 1756 v. 4. p 388. t. 8. f. 2. 3.

Capra Ammon Gmel. 3169:

Tregalaphus or Musimon Gesn. quad. 155  
Bell. it. 57.

Habitat in Siberia. Gmelin. but  
Corpus statura & magnitudinis orientis  
pubis fulvis longioribus. albida sunt be female  
cornua, nigra sunt canorum, nores,  
collum & thorax barbata. Brisst. 31. animal  
in venis e sum but not when

nudet  
dicta.  
hispanica  
erecta

from the chin to ye bottom of the shoulder  
size of KADDE ALIAMMAM

1 foot?

from  
from

KADDE ALIAMMAM

MUMMA

kindness of it running down

to shoulder of shoulder of either

the back. And was about as high as

The  
get  
of  
it

the  
as the back. And not more than 1000

it

## MAMMALIA. PECORA. CAPRA

N<sup>o</sup>. 14. ANGORENSIS

C. Angorensis lana ad pedes, usque dependet  
nivea, sericum provocante camelina dicta.  
cornua corta, ad latera protracta, ut ovis hispanica.  
Auriculae planae lanceolate delinatae, nec errecte  
canaliculatae. L. S. N. ed. 12. p. 95.

Habitat in Angora.

## The Mohair Goat.

This goat or sheep for it difficult to distinguish which I had presented to me by Mr Fremeau a very worthy merchant who had a house in Smyrna. But afterwards came to reside in England & lived at Hackney they were sent as the male & female but differed so little I suspected them to be female.

The Drawing is so exact and agrees so well with the above description of Linnaeus that it is not to be doubted but it is the animal he intended to describe. but the preceding description by the title *B. Hircus Angorensis* is of a different species. which also came from Angora. whose hair is long and silky but not like Wool. it was remarkable that when

one of the Beasts I kept till it died the other stood  
over it till it died also. I thought with no  
other Distemper than grief, which I have also  
observe to have hapened to some birds.

the silk this produces of a Snow white  
color hanging down in long carls to its feet  
is a sufficient distinction by which it may  
be known from all other animals but as it  
wears a beard I should be inclined to class it  
rather among the Sheep then Goats. if Linnaeus  
had not called it a Goat, it feeds cheifly on  
the young branches & bark of the Oak. & is  
bred in Angora which was by the ancient  
called Galatia.

MAMMALIA. PECORA. capra.

*Hircus Angorensis*

L.S.N. p.94. ed. 12. *Hircus B.*

*C. angorensis*. Tournet. it. 2. p. 85 c. 155. Bris.  
quadr. 64. Hapeloq. iter. 200. Clear. mus. t. 10. f. 2  
Habitat in Oriente, in Montosis. *Hircus &*  
*capra cum Haedo, vicitans ramulis variis,*  
*frondibusq; arborum lichenibus, hospitatur in Europa*  
*Pecus infidum, bellicorum, saliens, salax, hircum*  
~~obesus~~ decorticans; *corio ferace indutum, lana*  
*caprina rectum; cruris barbatum, caseorum*  
*pedum castratio singularis. Edit etiam cicatam.*

*The Angora He-Goat.*

This goat or its Female was brought from  
angora in the year 1770. but differs entirely  
from the goat next described as the Angora  
goat in his 2<sup>d</sup> Description. & of which see the  
Description of fig. Lervin after N.<sup>o</sup>.

This animal having a beard I place among the  
goats.



202 1

190

MAMMALIA PECORA

OVIS

Laticaudata mas

ovis Platycera Arabica L.S.N.70

The Broad Tailed Ram

This was brought by Lord Clive  
from India. I suppose from Delhi

Библиотека Академии наук Узбекистана

Книга для чтения

2113

202

195

191

## MAMALIA PECORA

Ovis

Laticaudata Femina

Ovis Laticaudata

Ovis platyura Arabiae L.S.N.70

The Broad Tail Ewe

This was broad by at Clive from India

AUGUSTA MARY

RIDGE


MAMALIA PECORA . BOS

BONASUS

Bos. cornibus in se flexis,

juba longissima L.S.N. 71.

The Bonasus



200

MAMALIA PECORA

Bos

BUBALIS INDICUS. MAS

The Indian Buffalo.

This Beast belonged to the  
late Duke of Cumberland

ANNUAL REPORT

ANNUAL REPORT

ANNUAL REPORT


MAMALLA PECORA. BOS

Bubalis

Bubalis. Bos cornibus resupinatis  
in fortis, antice planis. L.S.N. 72

The Buffalo.

The size of a large Ox




MAMALIA PECORA. BOS

BUBALIS INDICUS. Femina

The Indian Buffalo. Female

This Beast belonged to the D. of Cumberland



202

MAMALIA PECORA Bos

BUBALUS ORIENTALIS mas

THE CHINESE BUFFALO

The height 2 f' 9.

THE  
LAW  
OF  
THE  
LAND  
AND  
THE  
PEOPLES  
OF  
CHINA

MAMALIA PECORA Bos

BUBALUS Orientalis. Femina.

The Chinese Buffalo.

The height 2 foot 9 inches. Length  
from the Neck to  $\varnothing$  Tail 2 ft 8.

The length of  $\varnothing$  Head 11 Inches.

1800 AUGUSTA ALLEGRA

1800 AUGUSTA ALLEGRA

1800 AUGUSTA ALLEGRA

1800 AUGUSTA ALLEGRA

207

206


MAMMALIA PECORA. BOS

BUBALUS ORIENTALIS. femina.

habitat montibus aricot in  
the East Indies.

The Female Oriental Buffalo

with a Bunch on the Neck.



2092

MAMALIA PECORA. BOS.

BUBALUS PARVUS INDICUS


Habitat in China.

cornibus aure brevioribus. L.S. N. 72.

N.B. this is the 5<sup>th</sup> described by Linnaeus

The Small Chinese Buffalo.

The Length 2 foot 10 inches height 2 ft 9



---

MAMALIA PECORA

---

BOS.

Cornua, concava, anterorsum versa

lunata, cervia.

Dentes Primores inferiores VIII.

Lanciarii nulli.

