

214

MAMMALIA BELLUÆ, Rhinoceros

36 Rhinoceros

II. BRUTA

214 213

motissimi

5. LEPHAS. Dentes primores nulli

sidens

Cancri superiores elongati

Proboscis longissima, prehensilis

Corpus nudiusculum.

Maximus 1. Elephas Rani quadr. 123. syst. nat. 11

Set: mus. 1. t. III. f. 1.

Elephantus. Gesner quadr. 377. Aldr

quad. l. 1. c. 9. Ionst. quad. 39 t. 78. f. 9

habitat in Zeylonæ paludosis ad

amnes, dit Ramos, cocos, quilan

Dunc Lemina. Frumentum.

It seems right to place the
Camell kind. after the Elephant
& before the horse.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
990
991
992
993
994
995
996
997
998
999
1000

7.14

214

MAMMALIA BELLUÆ, Rhinoceros

36 Rhinoceros

Dentes Primores utrinque II. remotissimi
obtusi

Cornu solidum, conicum, naso insidens

Species linei. sunt 2.

1 unicornis

2 Bicornis

2019-00181 201138 ALIAMMAM

2019-06-05 R 35

missionary. II Superior stations & towns
in India

2012-02-01, 10:00, 1000m, 1000m, 1000m, 1000m, 1000m

211781.1

Bisexuals

MAMMALIA BELIUAE. Rhinoceros

I. UNICORNIS.

Rhinoceros. Gesn. quadr. 842. Aldr. bisule. 878 Ionst
 quadr. 98. t. 39 Bonc. jav. 50. t. 51. Bergen. Orat. 1796. t. 1.
 Raii quadr. 122. Edn. av. t. 221. f. 2. Z. S. N. 104.

Habitat in Africa. India

PERIODUS PRIMORIS superius VI
 tenuis pallidus
 INFERIORES VERNACULAS
 LANARII solitarii, inclusi
 utrinque remoti.
 PERIES. vulgaris radiata.
 specie diversa vel
 tenuis
 tenuissima
 tenuissima

terol sp. ad. 188 mm. long. very compressed.
1.2 D 31. Aro 10-12. 3. 52. 40. 2. 100. 82. 29. 200
- 400. V. L. D. S. 1. 185. 2. 40. 40. 221. 2. 200. 100
- 200. 200. 200. A. 1. 10. 200.

217

— POLUX SUS

225

MAMMALIA BELLUÆ. Equus
VI BELLUÆ.

DENTES Primores obtusi truncato

PEDES ~~VIXIVLATI~~.

33 EQUUS
DENTES PRIMORES superiores VI
erecto paralleli.

INFERIORES VI prominentiores
CANARI Solitarii, inclusi;
utrinque remoti.

PEDES, ungula indivisa,
Species Linnei nunc

1. Cabalus
2. Asinus.
3. Zebra.

MAMMILLIÆ BEFLUENS
ÆVIÆ

DENTES PLUMOSA
PES VIXIATI

EGDUS 8.

DENTES PRIMORES

ALBIDI

INFERIORES ALBIDI

PANIS ALBIDI

COLLO ALBIDI

EGDUS 8. 27. 3. T

ALBIDI

EGDUS 1

EGDUS 2

EGDUS 3

217

MAMMALIA BELLUA. Sus

SUS

DENTES PRIMORES superiores IV, convergentes
in prominences

215

MAMMALIA BELLUA

EQUUS.

Dentes Primores superiores VI
~~recto - parallel'~~

Inferiores VI prominentiores
Laterr. solitarii, inclusi utriusque remanent

Pedes ungula indivisa.

The Horse

WVWVLTIV BEFLUAE EDUNAS
VI BEFLUAE

St. 25

W

oanda
Jew

217

MAMMALIA BELLUA. Sus

Sus

DENTES PRIMORES Superiores IV, convergentes
in prominences

215

MAMMALIA BELLUA. Equus.

ZEBRA

Equus fasciis fuscis versicolor, Taminia

Habitat in India Orientale. L.S.N. 74

This Beast belonged to the ~~King~~

Queen of England presented by P. Clive

WILHELMI BEITRÄGE
V. B.I.ET IV

W
1.
mitte
Jah

MAMMALIA BELLUS. Sus

Sus

DENTES TRIMORES Superiores IV, convergentes

INFERIORES VI prominences

LANARII Superiores II breviores

Inferiores I exserti.

ROSTRUM truncatum, prominens, mobile.

Species linei.

1. *Serofa*2. *Sus*3. *Sus chinensis*2. *PORCUS*3. *Tajacu*4. *Hydrocharris*.5. *Babyrussa* .

MANUFACTURED BY
WILLIAM BELL LTD.

232

THE END OF THE TRIAL OF THE
WIDOW OF A PROMINENT
LAWYER IN PLAINFIELD,
TENNESSEE, 1855.

১৯৭৯-৮০

Digitized by srujanika@gmail.com

... PRACTICALLY

MAMMALIA BELLUAE SUS

SCROFA

SUS dorso antice setoso, cauda pilosa Fauv

see. 21. Tineen. acad. 5. p. 461.

Aper Gesn. quad. 872. Aldr. bisule. 937. Ionst.
quad. 74. Raj. quadr. 96.

The common Swine

This sow came from Shetland.

ЗАМЕЧАНИЯ

БЕРОЯ

Самоиздание, означенное 2.12.

1849. 12. 25. в селе Бероя.

Лист № 1. 1849. Бероя.

Бероя. Бероя.

Бероя. Бероя.

Бероя. Бероя.

218

MAMMALIA BELLVEÆ Sus.

S MADAGASCARENSIS

Sus Pilosis longifureis Cauda brevissima.

Colore fusco nigrescente.

Habitat in Madagascar.

The Madagascar Swine.

from the Collection of the Duke of Cumberland.

Painted from the Animal in the British
Museum by J. S. Lamb

ALIAMMAM
MADAGASCARIS

EMINENTIS SINGULATISSIMIS PERIODIS
SOLITARIIS VIVENTIBUS IN
MADAGASCARIIS.

220

MAMMALIA BRUTA MYRMECOPHAGA

MYRMECOPHAGA

s. DIDACTYL.

Myrmecophaga palnis didactylis plantis
Tetradactylis, canda V. Losa. & J. N. 8.
in Museo Britanico Specimen conservatum
est. auribus rotundis rostro brevi, corpore
villoso fuscō magnitudine Sciuri vulgaris.

The Ant Bear

Painted from the Animal in the British
museum. the size is the same as in the Drawing

BRITISH LIBRARY ALIUMMAM

WYRMECOPHYCE

DRAGASAY

is the first name of a genus of
red algae. It was introduced
and was first described as well as
named by some author whose name is
now lost or unknown. The
name means "water plant".

W& H. A.

W. H. A. is the name of a
genus of red algae which is now
known to be valid. The name

221

Mammalia. Bestiæ

Dasyrus

Novem-cinctus

Dasyrus. cingulis novem,
Palms, tetra-dactylis;
Plantis pentadactylis. Mus. ad. Fr. 6.
Tatue Brasiliensis Margrav:
Habitat in America meridionali. L.S.N. 55

The Brazilian Armadillo.

From an animal belonging to Dr Southwell

water - island mall

apple P

certain - more

more silvery. suggest
; salt water, wind
. D. R. B. and. I. probably it will
; suggest variety with water
of M. D. I think more evident in this latter

. All around and more like
Cortado. But if you'd I would say more P

IV MAMMALS A Genera

222

IV GLIRES

21. *Hystrix*. Corpus Spinis tectum
22. *Lepus* Dentes primoribus superiores duplicati
23. *Castor* Dentes primores superiores angulo recto excavat
24. *Mus* Dentes primores superiores subalati
25. *Sciurus* Dentes primores superiores cuneati. Inf
comprepsi.
26. *Noctilio*. Dentes primores inferiores in
manus palmato-volabiles.

LA MAMMATA V GENEV

LA CITRES

MUSICA RISQUIS CERUM H. 15

Adindeo unirep. ceterumq. etiam
tonare obit. duplo unirep. unirep. etiam obit. 15.
idem ad unirep. unirep. etiam obit. 15.
unirep. itenam unirep. unirep. etiam obit. 15.

infimis

Ad unirep. unirep. etiam obit. 15.
etiam obit. etiam obit.

222

MAMMALIA CL. IRES *Hystrix*.

21. HYSTRIX. L: S. N. 76. ed. 12^a.

Species Descriptæ Lineo 4.

1. *Cristata*
2. *prehensilis*
3. *dorsata*.
4. *macroura*.

...

...

...

...

...

...

...

...

MAMMALIA CILIRES. Lepus

225

221 E

MAMMALIA CILIRES HYSTRIX

222

23. HYSTRIX
CRISTATA

rei
bus.

cristata. I. H. palmis tetradactylis,

plantis, pentadactylis, capite cristato,


cauda abbreviata. L. S. p. 56. habitat in Aria

The Porcupine

The Crested Porcupine from Aria.

Vol 6

CH 1



225

MAMMALIA GLIRES. Lepus

22. LEPUS U.S.N.M.

223
MAMMALIA GLIRES Hystrix
PREHENSILIS
HYSTRIX

licet
oribus.

Prehensilis. 2. Hystrix pedibus tetradactylis
cauda elongata prehensili semi nuda.

Zon. sys. nat: p. 17.

Hystrix Bonn Jav. p. 54.

Cuandu brasiliensis. Marg. bras. 233. Pis.
amer. qq. Rairi Quadr. 208.

Heitztlacuatzin Hern Mex. 322.

Habitat in Asia et America meridionali.

The Porcupine with a long tail.

Vol 6.

Mr

ALBANY COUNTY
NEW YORK

MAMMALIA CLAVES. Lepus

22. LEPUS L.S.N.Y.

Dentes Primores II. superiores duplicati
interioribus minoribus.

SPECIES Lineo descriptae sunt

1. timidus

2 caudatus plane candidus

3 cuniculus

4 capensis

5 brasiliensis.

ALBANIA CULTURELLA PEGAS

ET PETUS SWAN

DEUTSCHES MUSEUM
MÜNCHEN
IMPERIUM AUSTRIACUM

1810. 12. 25. 10. 30. 12.

1. TITULUS

2. CANTABILIS PROGREGATIONIS

3. CANTABILIS

4. CANTABILIS

5. CANTABILIS

MAMMALIA CILIRES castor

232

23 CASTER

species Lineo de-

233

MAMMALIA CILIRES Lepus.

234

224

LEPUS Dentes Primores II.

superiores duplicati.
interioribus minoribus.

Tamidus

Lepus canda abbreviata, auriculis
apice nigris.

Lepus hafni: quad 69 Aldrov. dig. 247
Johns. quad t 65. Rau quad 107.

Habitat in Europa

The White Hare from Norway

ALATIA CULTA PEGAS

ET PEGAS PEGAS

DEUTERONOMIUM. LIBER DEUTERONOMIUM
ET PEGAS PEGAS

MAMMALIA GLIRES castor

232

23 CASTOR

COPIES Lineo da -

MAMMALIA GLIRES Lepus

LEPUS CANDIDUS

Lepus Candicatus plane candidus

234

Vol 6.

N 4

ALATRICIA REGINA

DE PELUS SWAN

Deus per suam

redire

MAMMALIA GLIRES CASTOR

232

23 CASTOR

cooper.

227

225

MAMMALIA GLIRES CUNICULUS

ANGLICANUS L. S. N. 77. c. n.

Cauda abbreviata, auriculis
nudatis L. Fa. suec. 26

Ges n. quad. 72. A CDr. digit. 382.

Foot - quad. t 63. Raii Quad 205.

Lepus cuniculus pilis tenissimis
& longissimis toto corpore vestitus Briss.

quad. 141.

Habitat in Europa australi, Anglia.
hic quadrat in effossis habitatrice
cuniculus antris arenosis. Prædatar
Falconibus. Mele. Putorio &c.

The Common English Rabbit

Vol 6

M 5

ALATUM CULTIVARIA PEGAS

DE PEGAS PEGAS

DE PEGAS PEGAS

PEGAS

MAMMALIA GLIRES. *Castor*

232

23 CASTOR

~~concreta~~

227

MAMMALIA GLIRES. *Lepus*

cuniculus.

C. Anglicanus s. vulgaris.

Precedenti Femina.

The Female, the Rabbit.

Vol 6

No 6

MANUSCRIPTA CLAVICELARIA

ET PEGAS. PSALM.

1551
1552

MAMMALIA GLIRES castor

232

23 CASTOR

COTTONSEED Lineo desribatae

227

MAMMALIA GLIRES LEPUS

cuniculus

ALBUS

Cuniculus albus auribus nigris.

The WHITE RABBIT

This is the Common tame Rabbit but never found wild in England. the Common rabbit when wild is oft white. and generally with red Eyes. but not black ears.

Vol. 6

Ny

MANUSCRIT DE LA
BIBLIOTHEQUE DE
LA VILLE DE PARIS

LETTRE DE
PARIS

1551
1552

MAMMALIA GLIRES castor

232

23 CASTOR

~~cooperi~~ Lineo descriptæ

MAMMALIA GLIRES LEPUS

228

HELANDICUS.

cuniculus fulcus. auribus longis.

The Dutch Rabbit
with great ears.

I know whether it is a native
of Holland.

Vol 6

W 8

MANUSCRIPT OF THE

PEACE OF WESTPHALIA

1648
1649

MAMMALIA GLIRES castor

232

23 CASTOR

COTTERUS Lineo descriptæ

229

MAMMALIA GLIRES Lepus

CUNICUS SIBERIAE

cunicus dorso & facie Nigris
partibus Posteriori paleo rufescens

Habitat in Siberia

The Siberian Rabbit.

I know not whether the excrescens
under the Chin is Natural or Acciden-
-tal having only seen one of this
Species.

Vol 6

ctg

ANNALES CLITERE. EGBUS

ET PELLUS. PS. M.

1551
1552

MAMMALIA GLIRES castor

232

23 CASTOR

~~COTONEUS~~ Lineo descriptæ

230

MAMMALIA. GLIRES. LEPUS

TURCICUS

Cuniculus unguis duplicatis.

viz. 5 recti & 5 inverted in ungulis
pedibus.

Habitat in Turkey.

The Turkey Rabbit.

it has ten nails or claws on each
foot 5 as common 5 inverted.

Vol 6

N 10

ALLEGORIA CULTIVARUM PEGAS

ET PEGASUS

1585
edius

MAMMALIA GLIRES castor

232

23 CASTOR

COTTONY Lineo descriptæ

Vol 6.

231

W 11

The Female Turkey Rabbit.

ALANIA CILICIA. Paphis

et PETUS, pma

1551
adversus

232

MAMMALIA GLIRES castor

23 CASTOR

coiffes Lineo descriptæ

MAMMALIA GLIRES MUS

Dentes PRIMORES

inferiores subulati.

Species Linei.

1. PORCELLUS
2. AGUTI
3. LEPORINUS
4. CITELLUS
5. LEMMUS
6. PACA
7. MARMOTA
8. MONAX
9. CRICETUS
10. TERRETRIS
11. AMPHIBUS
12. RATUS
13. MUSCUS
14. AYELLANA~~S~~RIUS
15. QUERCINUS
16. CRECARIUS
17. SYLVATICUS
18. STRIATUS
19. LONGIPES
20. JACULUS
21. VOLANS

ALTAICANA. REPUBLICA

DE PERU. 1825.

1825
radios

232

MAMMALIA GLIRES castor

23 CASTOR

SPECIES Lineo descriptæ

1. FIBER.

2. MOSCATUS.

3. ZIBETHICUS

LEADER'S
WAGNER'S
HANDBOOK
OF
PRACTICAL
EDITIONING.

235

3

MAMMALIA CLIRES CASTOR

CASTOR.

Dentes Primores Superiores truncati.
Angulo transverso excavati; inferiores
apice transversi.


Fiber

1. Fiber castor ^{canda} ovata plana. Linn. S. N. 58 ^{rg}
~~castor~~ Gese. prie. 185.
Fiber Bellonii.
Habitat in Europa Aree, America borealis
ad ripas fluviorum, vixitans corticibus
in primis populi tremula. Domos mire
extruit. L. S. N. 58

The Beaver.

Vol. 6

N 12



230

MAMMALIA GLIRES CASTOR TOR.

3 ZIBETHICUS

Castor; cauda longa, compresso-lan- ore
zecolata pedibus fisis. Q.N.J. D. 12.79) a
actylis


inferior

-museum
-is adda

223
232

235

233



56

235

233


QUADRUPEDES GLIRES CASTOR.

CASTOR Zibelinus

Castor zibelinus. capite rotundo ore
vibrissato. corpore fusco. cauda nuda
nigriscente. pedibus palmatis pentadactylis
palpebris albidis. Pennant quadr. 191
Habitat in America. dentes superiores & inferiores

The Musk Beaver.

this Drawing made from the British museum
where the french name Rats musque is add'd



235

MAMMALIA GLIRES MUS

1. PORCELLUS LSN. 79

Mus caudanulla, palinis tetradactylis; plantis
tridactylis. Lt. wgoth. 224 Amoen. Acad. p. 190 t 2.
cuniculus Indicus Gsn. quadr. 367. Aldr. digit. 391. 393
Porcellus indicus s. cuniculus indicus Jonst. quadr. 161
t. 63 f. 6 Edw. av294. f 2.

Mus s. cuniculus americanus guineensis porcelli pilis
by roce Raj. quadr. 223 Pis. 67 f. 102.
Cavia Cobaya. Margr. bras. 224. Pis. bras. 100
Habitat in Brasilia.

WILLIAM V. GULICK JR.
AUGUST 20, 1929

etiamque expositio amicorum. Huius certe
est origine, ut huius modi pugnatio. Et expositio
est per se, quod est, pugnatio.

WILLIAM V. GULICK JR.
AUGUST 20, 1929

WILLIAM V. GULICK JR.
AUGUST 20, 1929

250

227

236

MAMMALIA CILIRES Mus

3. LEPORINUS

Mus. cauda abbreviata. palmis tetra-
dactylis. Plantis tridactylis,

Abdomine albo. *X.S.N.* ed. nov. p. 80
Lepus Javensis. *Cates:* *Carol.* 3. p. 18 t. 18

Habitat Java, Sumatra.

Clures subrotundæ. Color rufus, abdomine
albo.

Descriptio

Mus capite Leporino, auribus nudis subrotundis;
Rubes centibus marginibus subnigris et
partibus inferioribus albis. rostro nudo

Palmis Tetradactylis Plantis tridactylis
landa minima vise apparente nuda.

Color fronte & Dorso nigrescentibus.

ventre flavescente. abdomine sub-albes-
cente. Femoribus rufis. lateribus
colore leporino. faciebus & giture
palescentibus

Mas & Femina sunt forma & colore
similes ut videtur in Collectione Magistri
Tenant. anno 1770.

2014 READING ALIAMIKAIR

S. PEGRIUS

12. *Acacia* *indica* *var.* *varia* *Lam.*
indigenist. *Watt*. *Indiaca* =
var. varia *Willd.* *varia* *A*
81 + 81 *q. g. (and) 200*. *Leaves*, *spines*
. *oblong*, *oval*, *lobed*, *H*,
numerous, *spines* *red*, *sharp*, *border*, *wavy*
. *odds*
integerrima

Chautaukia, where various, complete stages will
be required to represent various adult
stages now, with various adult stages
represented at all ages and in all
the successive ages and in all
which successive ages and in all
will have various stages of adult
development, before reached, these
various stages, representing and
representing each stage as well
as various stages of adult
1957 June 26

250

MAMMALIA GLIRES Mus

236

2 AGUTI.

Mus canda abbreviata, palmis tetradactylis plantis
tridactylis, abdomine flavescente. C. L. N p 80 ed. 12°
Paniculus candatus auritus, pilis ex rufa & fuso
mixtis rigidis Briss. quad. 143.

Mus Sylveticus americanus, porcelli pilis & voce Raii quad. 226
Aguti seu Acuti Marg. bras. 224. Pis. bras. 102. Johnst. quad. t. 63.

Habitat in Brasilia, Surinamo, Guinea.

Corpus pilis rigidis rufo-fuscentibus, Abdomine
flavescente.

VIAM CERAM ALIAM VAI

INTRODUCTION

• off some trees

250

MAMMALIA GLIRES MUS

237

14. AVELLANARIUS

~~Mus~~ Cauda elongata pilosa.

Mus cauda modicri pilosa, corpus
griseo, amictus subrotundis, palpis
tetradactylis, glans postdactylis
nixa f. marmota Americanus. Dangu
habitat in America septentrionali.

LIBRARY OF THE UNIVERSITY OF TORONTO

H. VERNAN RUS

Mrs. GORDON STYLING

MA

250

Mammalia. Griseo. Mus

238

Monas

Mus cana mediocre pilosa, corpore
griseo, auriculis subrotundis, palmis
tetradactylis, plantis pentadactylis.

monas f. Marmota Americana Ed. av. 109
habitat in America septentrionalis.

most vivid memory

now

again, seeing in his hands stuff
in large, silent boxes, in various, simple
old-fashioned style, a great host of
paper (?) covered with a coat of dust
the whole lot which is taken

250

MA

252
240

MAMMALIA GLIRES. SCIURUS

Sciurus

Dentes Primores II superiores cuneati
Inferiores compresi.

Species a Linnae descripta sunt 91

1. Vulgaris ✓
2. niger ✓
3. cinereus ✓
4. flavus ✓
5. Palmarum ✓
6. Getaetus ✓
7. Striatus *
8. Gles
9. Astuans
10. volans ✓
11. Sagitta

Species a L. non descripta c. q. m.

Virginianus. 5 in my book
Griseus. 6 in my Book
Frocto hudsonis. 4t in my book.

CA

Pisces A nodes

Muraena.

Anguilla.

A Muraena maxillo-inferiore
longirostris corpore unicolor.

L. S. N. 245

The Eel.

Flying Squirrel (Carolina)

MAMMALIA CLURES. Noctilio

250

241

urus /

282

6/21 missing

MAMMALIA CLURES Sciurus

vulgaris Ror. L. N. S. 86. en

1. Sciurus. auriculis apice barbatis,

palmis tetradactilis.

plantis pentadactilis.

Sciurus Gess. quad. 13. abr. Digit 398

Johnst. A. c. 66.

Habitat in Europe. Arboribus.

The Common English Squirrel.

CA

300

100

100

100

100

MAMMALIA GLIRES. Noctilio

250

MAMMALIA GLIRES Sciurus

NIGER

2. Sciurus niger Lates: Carol. 2. p. 73. t. 73
Sciurus mexicanus Hern. meso. 582.

Habitat in America meridionali. lis
in Mexico & Carolina

The Black Squirrel
from Carolina

No 24

107

108

250

MAMMALIA CLAVES. Noctilio

243

MAMMALIA PECORA SCIURUS

4 FLAVUS.

Sciurus auriculis subrotundis, pedibus
pentadactylis, corpore luteo.

Sciurus canadensis; pilis brevioribus, auriculis
subrotundis Amoen. acad: 1 p 281.

Habitat in America Carthagena

Magnitudine dimidio minor Sciuro vulgaris,
apicibus pilorum albis, Polex anticus solo fere
ungue constat. Q. S. N. ed. 12^o. p. 86

The Yellow Squirrel

From Carthagena

202152 AUGUST ALAMINADA

2014.17.4

Wrote to Mr. John D. Williams about the
matter of the sale of the property
of the old church in Calverton.
He said he was unable to do so,
as he had sold it to Mr. J. C. Gandy
and Dr. W. H. Gandy, who were
the owners of the property.

Wrote to Mr. John D.

Williams and
concluded with

MAMMALIA GLIRES Noctilio

250

MAMMALIA GLIRES Sciurus

244

246

Sciurus VIRGINIANUS

Sciurus virginianus dorso griseo
pedibus & ventre nigris
cauda striata.

acuminate
intermedia

Habitat - in America Virginia.

iris,

s

The Virginian Grey Squirrel
with a Black Belly & Feet.

Commonly called The Fox squirrel

This is not described

Vol 6


W 25

Vol 26

W 26

| Vol 6

W 27



MAMMALIA GLIRES Noctilio

250

MAMMALIA GLIRES Sciurus

245

CRISEUS

acumine-

Sciurus pedibus pentadactylis :
auribus naso & genio. albis. fonte nigro. wa
corpus partibus superioribus nigris,
pili albi interspersis partibus inferiis.
coribus albis canda nigra & albo
longitudinale striata.

ej inter

Magnitudo excedat ceteris Sciuris.

Habitat

The Black & White Squirrel


This is not described

Vol 26

No 26

Vol 6

No 27



250

MAMMALIA GLIRES. Noctilio

246

MAMMALIA GLIRES *Sciurus*

7. *FRETAE-HUDSONIS*


Sciurus tetradactylis auribus parvis acuminatis. colore partibus superioribus fuscis luteis interpersis ~~en~~^{nigris} inferioribus abidis cana
stris quinque transversalibus rotata cajus
corpore approximatis fuscis adteris nigris.
stria nigra transversalis notatur in partibus exterioribus
pedum magnitudine Sc. Vulgaris minor.

The Hudsons Bay Squirrel.

this is not described. 1770.

Vol 6

W 27



MAMMALIA GLIRES Noctilio

250

26. NOCTILIO

Descriptio

uti;

247

252.

MAMMALIA GLIRES Sciurus

♂ Linei 5 PALMARUM LINS. p. 86.

♂ SCIURUS subgriseus striis tribus
flavocantibus, cana qz,
albo nigro qz, lineata Bris. 2-156

Sciurus coloris ex rufi & nigro mixti
lineis in dorso flavocantibus. Bris. 2-156

Mustela Africana Clas exot 112


Habitat in America, non
canda distincta, erecta, non obumbrans

Pedes 4-5. Auriculae rotundæ.

Ground Squirrel from Africa

Vol 6

N 20



MAMMALIA CILIRES Noctilio

250

26. NOCTILIO

DENTES Primores II superiores acuti;

248

xx.

MAMMALIA CILIRES Sciurus

g. 6. G. GETULUS

6. Sciurus, getulus gesn. quad. 112

Sciurus, striis Quatuor albis longitudi-
-nibus.

Habitat in Africa.

The Ground Squirrel.

From Barbary.

Vol 6 -

No 29

Святыи Гавриилъ Антиохійскій

змѣотѣ

MAMMALIA CLURES. Noctilio

250

26. NOCTILIO

DENTES Primores II superiores acuti;
Inferiores bilabi

NARES Prominulæ, cylindrica, approximate.
Species dñiaæ sunt 3

1 AMERICANUS

2

Adm. 1830
Mammalia
Noctilio
Habitu in terra subtropica
sibcia, sub terra copia
pluvia distantiis pro pugna impo
magno labore quod id animal vel
peulo major, patua tetradactyla
plata pentadactyla. Forma longa
tuberculata

The Strong quod

in terra

WILLIAM MALLIA CULTURES Natives
of NOCTURNO
DENTES. PRIMORES II superiores tenui;
superiores pilosi
AVES. Pteromachus, Chrysolophus, Phasianus.
HYPERICANUS

5

251

2

2

MAMMALIA GLIRES SCIURUS

10 Lin. STRIATUS

Lin. 7. Sciurus Flavus striis quinque
fuscis longitudinalibus. mus. Ad. Fr.,
p. 8.

Sciurus minor virgatus. Act. petrop.
1760. v. 5. p. 344. t. 9. f. 1.

Rosselviss Kalm. itin. 2 p. 419.

Habitat in America Septentrionali,
Tiberia, sub terra concamerationibus
plurimi distinctis pro singula mense.

Magnitudine muris musculi vel
paucis major, palmae tetradactyle
plantae pentadactyle. Corpus striis
utriusq; duabus, prater dorsalem.

The Striped Squirrel
with 5 stripes.

ALIAMMAM
CLERES. Mocobio
de. NOCTURNO
DENTES. PRIMOS. II superiores
superiores posteriores

. D.D.

MAMMALIA GLIRES Sciurus 252

11. An. 10. VOLANS

Sciurus Hypochondrius prolixis
volans canda rotundata
Lin. Fn. S. p. 38.

ALIAMMATA CITRUS Mordillo
de Mordillo