

Newfoundland  
Murray Coll

✓ No 10. Dactyloctenium aegyptium  
Note State of Res.

10 a Neomphalus allied to or eudiplosa  
See Deshayes figures

10 b Fragment of Calamites just  
C. Suckrovi

10 c Lepidodendron Spillarsodes  
Note its scars of ribs  
- 9 in for the base  
& leaves &  
middle-veins.

12 a Peupta allied to Palmenolia  
See Deshayes figures

10 d Pulcherrata

12 b. ~~Stem~~ Styracis  
C. part of Lepidod

12 Roots of Amularia?

12 c Calamites  
? Suckrovi

10 E. Neomphalus ramosus  
Cordaites Presnupla

11 Leaves of Lepidod  
of Spillars

13 Stembergia  
55 Amularia ~~Supra~~ ?! ~~Stem~~  
plan

L. Britton

Sept

Conference

L. Britton

Sept

at New L. Simpson

Illinois

L. deplorable

L. deplorable

L. deplorable


L. deplorable

L. deplorable

my like  
but diff. leaf

Wm. W. W.

L. deplorable  
Wm. W. W.  
Sept 9, 1864  
Geo. W. W.



No matter  
how far  
I go  
I find

*[Faint, mostly illegible handwriting in the background, possibly bleed-through from the reverse side of the page.]*

New  
York

Mr Beuchert  
Father

Sash Indian Head  
Book

By R. J. J.

Two Flat Big Book

---

Sphenoptera <sup>Cheloniites</sup> <sup>soft</sup>  
Hoenigshaus

no 2 Marginal <sup>fruit</sup> <sup>Ch.</sup>  
Pteris <sup>advent</sup>  
<sup>very small</sup> <sup>2</sup> <sup>fruit</sup>

3 P. <sup>nae</sup> <sup>fruit</sup>  
22 P. <sup>arborescens</sup> <sup>fruit</sup> <sup>small size</sup>  
<sup>Hemidictyon</sup> <sup>fruit</sup> <sup>very small</sup>  
at <sup>to</sup> <sup>concolorata</sup>  
W. <sup>various?</sup> <sup>fruit</sup> <sup>small</sup>

2 <sup>Lepidod. Potocense</sup> <sup>fruit</sup> <sup>small</sup>  
<sup>Lepidod. Murrayi</sup>  
14 <sup>Lepidod. rubrus</sup> <sup>fruit</sup> <sup>small</sup>  
3 <sup>Lepidophyllum</sup> <sup>concolorata</sup>

Calamites <sup>Suckewii</sup>  
C. <sup>arteria</sup>  
Annularia <sup>sphenophylloides</sup>  
Cordaites <sup>brassifolia?</sup>  
3 <sup>Stemophora</sup> <sup>lanceolata</sup>  
Coal with <sup>aprotite</sup>  
like <sup>iron</sup> <sup>wood</sup>  
of <sup>Japan</sup>

21 <sup>Nemopterus</sup> <sup>variosus</sup>  
<sup>Lepidod. at</sup> <sup>Hemidictyon</sup>  
<sup>Lepidophyllum</sup>  
<sup>Pteris</sup> <sup>at</sup> <sup>to</sup> <sup>Nemopterus</sup>  
10 <sup>Sphenoptera</sup> <sup>fruit</sup>  
11 <sup>Bank</sup> <sup>of</sup> <sup>Lepidophyllum</sup>


(fruit  
spores)


Ed Dwyer  
New York

20 *Sperulium*  
? *dentatus* Brongt  
One of the forms  
referred to  
*Haemaphysalis*

5 *Sphenopne* of type of  
8 *Hypocnemidoptera* or 8 *califolia*  
cuticle  
very thick period  
pericarp hairy

11 Lepidofloros Leaves

10 Lepidodendron 

10a Neuropter. & Gled 

10b Columnata Suckowii

10c Neuropter ramens & Cordulia crassii

10d Peupl ? arbores

10e Lepidodendron



12 Annular ?

12a Osmolophus ? Schlottheim 2x8

12b Pyrenean fossils

12c Columnata Suckowii

12d Stem of annular ?

11b Spores & other leaves of Lepidoptera

11a Marachta clay & Carbonaceous

Operece                      Stembergia  
ss Annularis                  Longpa

205 ms  
190  
645