

New Zealand. Christchurch, Carlton Terrace.

Price-List of New Zealand Zoological Specimens

Henry Suter, Zoological Collector.

<u>Perifera</u> . in alcohol.	s.	d.	<u>Brachiopoda</u>	s.	d.
<i>Tethya ingalli</i> , Bowerb. and many others, not yet named, from low water and dredged.	-	6	<i>Terebratula rubicunda</i> , Sol.	-	3
<u>Hydrozoa</u> . in alcohol a number of Campanulariae, not named	*	*			
<u>Anthozoa</u> . in alcohol	*	*			
<i>Virgularia gracillima</i> , Kötliker	5	-	<u>Marine Mollusca</u>		
<u>Echinodermata</u>	*	*	<i>Lepidoplenus inquinatus</i> , Reeve. i. alc.	-	6
<u>Astroidea</u>	*	*	<i>Ischnochiton longicymba</i> , Gmel.	-	6
<i>Asterias calamarina</i> , Gray	4	-10	* <i>Plaxiphora biramosa</i> , Gmel.	5	-
<i>Asterina regularis</i> , Verill	-	6	cadata, Reeve	2	-
<i>Dichaster polyplax</i> , M. & T.	-	6	sutrix, Pilsbry	2	6
" <i>lutea</i> , Bonpl.	1	6	ovata, Hutton	2	6
" <i>irregularis</i> , Farquhar	1	-	<i>Acanthodites zelandicus</i> , Gmel.	-	6
<u>Ophidioidae</u>	*	*	porosus, Burrow	3	-
<i>Ophionereis schayeri</i> , M. & T.	1	6	" <i>violaceus</i> , Gmel.	3	-
<i>Ophiomyxa australis</i> , Lütken i. alc.	2	-	" <i>cortatus</i> , Ad. & Ang.	2	-
* <i>Amphima rosea</i> , Farg.	2	6	<i>Chiton quoyi</i> , Dérk.	-	6
" <i>elegans</i> , Beach i. alc.	1	-	" <i>pilliserratus</i> , Gmel.	2	6
" <i>pinilla</i> , Farg.	2	6	" <i>sinclairi</i> , Gray	2	-
<i>Ophiosega cylindrica</i> , Hutton	3	-	" <i>canaliculatus</i> , Gmel.	2	-
<u>Echinoidea</u>	*	*	<i>Onithochiton undulatus</i> , Gmel.	1	-
<i>Irochinius chlorostictus</i> , Val.	2	-10	<i>Acmasa lacunosa</i> , Reeve	-	6
<i>Echinocardium australe</i> , Gray	i. alc.		" <i>conoides</i> , Gmel.	-	3
<i>Arachnoides placenta</i> , L.	1	-	" <i>fragilis</i> , Chemn.	-	6
<u>Holothurioidae</u> . in alcohol	*	*	<i>Patella edentulum</i> , Reeve	-	3
<i>Caudina eviacea</i> , Hutton	4	-	" <i>ornata</i> , Dillo.	-	6
A species, not yet named, dredged in 7 fath.	3	-	" <i>v. inconspicua</i> , Gray	-	5
<u>Vermes</u> . in alcohol	*	*	" <i>radians</i> , Lynd.	-	6
A good number of Polychaeta, not yet named, from low water and dredged.	*	*	" <i>photidota</i> , Lov.	-	3
Several species of Oligochaeta.	*	*	" <i>kermadecensis</i> , Pilsbry	3	-
<u>Polychaeta</u> . in alcohol	*	*	<i>Spirimella lytteltonensis</i> , Smith	6 for	-
<i>Flabellina binderi</i> (Harvey) Bush	-	6	<i>Malotis iris</i> , Mart.	1	-
and others obtained by dredging			" <i>rugosa-filicata</i> , Chemn.	1/6 to	2
			<i>Lentus ambiguus</i> , Chemn.	1	-
			" animal in alcohol	3	-
			<i>Trochus viridis</i> , Lynd.	-	6
			" <i>riparius</i> , Gmel.	-	-
			<i>Cantharidus tenebrosus</i>		
			" <i>var. huttoni</i> , Smith		

<i>Cantharidus purpurescens</i> , Mart.	-	6	<i>Lecanorium nodiforme</i> , Lam.	1/10
" <i>pugillus</i> , Hutton	-	-	" " <i>clearum</i> , L.	no specif.
* " <i>sanguineus</i> var. <i>ciliata</i> , H.	-	6	" " <i>spongiorum</i> , Lam.	1/10
<i>Monodonta aestuans</i> , Gmel.	-	5	" " <i>oxillum</i> , Lew.	1/10
" <i>lugubris</i> , Gmel.	1/3 to	6	* <i>Cassis picum</i> , Lam.	2
" <i>subrotundata</i> , Gray	1/3 -	6	<i>Taron dubius</i> , Huds. (Fasciolariidae)	1
" <i>coracina</i> , Phil.	-	6	* <i>Siphonaria mandarina</i> , Duct.	1/10
" <i>melanoma</i> , Huds.	-	3	" " <i>dilatata</i> , Gmel.	2/10
" " <i>v. plumbea</i> , H.	-	6	* " " <i>nodosa</i> , Mart.	1/10
" <i>maria</i> , Frieschel	-	3	<i>Cominella maculata</i> , Mart.	1
" <i>atrovirens</i> , Phil.	-	3	" " <i>maculosa</i> , Mart.	1
<i>Gibbula nitida</i> , Ad. & Ang.	-	3	" " <i>cordifolia</i> , Chemn.	1
" <i>sucria</i> , Smith	1/6 to	1	" " <i>virgata</i> , Ad.	1
<i>Callierisma punctulatum</i> , Mart.	-	-	" " <i>lunata</i> , Phil.	1/6
<i>Turbo amagdus</i> , Mart.	1/10	2	* <i>Pisania lineata</i> , Mart.	1
" <i>v. tricostata</i> , Huds. 1/1-	2	-	" " <i>v. pertinax</i> , v. Huds.	1/6
* <i>Lepochyra fluctuata</i> , Huds.	-	6	" " <i>vittata</i> , Gmel.	1/6
* <i>Astralium cookii</i> , Chemn.	1/10	5	" " <i>bicornoides</i> , Reeve	1/6
" <i>imperiale</i> , Chemn.	1/6 to	3	" " <i>ancaratum</i> , Reeve	1/6
<i>Murta nigra</i> , Gray	-	6	<i>Columbella choera</i> , Reeve	1/6
<i>Littonina cincta</i> , Gmel.	-	3	* <i>Trophon patens</i> , H. & J.	1/6
" <i>manicata</i> , Lam.	-	3	" " <i>cheesemanii</i> , Huds.	1/6
<i>Foscarina varia</i> , Hutton	-	6	" " <i>duodecimus</i> , Gray	1/3 to
* <i>Nissota rugulosa</i> , Hutton	-	6	" " <i>plebejus</i> , Huds.	1/3 to
* " <i>purpurea</i> , "	3 for	6	<i>Pimpina succincta</i> , Mart.	1/10
" <i>improta</i> , "	3 "	6	" " <i>striata</i> , Mart.	1
" <i>rosea</i> , "	3 "	6	" " <i>scutina</i> , Gmel.	1/5
<i>Nissotina divaricata</i> , Huds.	12 "	6	" " <i>v. antila</i> , Juss.	1/4
" " <i>annulata</i> , Huds.	-	3	" " <i>haematum</i> , Mart.	1
* <i>Crepidula aculeata</i> , Gmel.	1 -	-	<i>Voluta pacifica</i> , Sol.	1/10
" <i>monoxyla</i> , Benson	-	6	<i>Ancilla amphalis</i> , Lew.	1/6
<i>Calyptraea calyptraformis</i> , L.	-	6	<i>Marginella infans</i> , Reeve	1/3
" <i>scutum</i> , Benson	-	6	* <i>Plumuloma zealandica</i> , Smith	1
* <i>Zanzibaria fragilis</i> , Lam.	1/10	2	<i>Terebra turtis</i> , Desh.	1/6
" <i>exigua</i> , Lam.	-	6	<i>Bulla australis</i> , Gray	1/6
<i>Cerithidea bicarinata</i> , Lam Gray	-	6	" " <i>quoyi</i> , Gray	1/3 to
" <i>subcarinata</i> , Lew.	-	3	<i>Haminea zealandica</i> , Gray	1
* <i>Odostomia lattea</i> , Ang.	-	6	<i>Strombanchaea novae-zeal.</i> Chesi. i. al.	5
* <i>Turbonilla zealandica</i> , Huds.	3 for	1	" " <i>polis plicata</i> , Hutton	2
<i>Turritella rotata</i> , Huds.	-	6	* <i>Siliqua felina</i> , Huds.	1
" <i>tricarinata</i> , Huds.	1/3 to	6	" " <i>tritula costellaria</i> , Ad.	1/3
<i>Tentacularia papillosa</i> , Mart.	1/10	6	<i>Unigibbula ovellaria</i> , Chemn.	1/3
" <i>vermis</i> , Mart.	-	6	<i>Siphonaria obliquata</i> , Lew.	1/6

*Siphonaria nealandica*, B. & G.  
*Oncidiella graciloides*, Gray. i. alio.  
*Spirula peronii*, Lam.  
*Mucula nisidula*, Ad.  
 " *lacunosa*, Nutt.  
 \* *Solenomya parkinsoni*, Smith 7/6 to  
*Orca decussata*, Sow.  
*Mytilus magellanicus*, Chemn.  
 " *latus*, Chemn. 7/6 to  
 " *edulis*, L.  
 " *ater*, Field.  
*Crenella imparata*, Herm. 7/3 to  
 \* *Gymnardia pusilla*, Gould  
*Pecten latirostratus*, Gray  
*Tellina glabrella*, Desh. 7/6 to  
 \* *Mactra discors*, Gray  
 " *aequilatera*, Desh.  
*Vanganella taylori*, Gray 7/6 to  
*Merodesma novae-zeal.* Chemn.  
 " *spissa*, Reeve  
*Dorisia austalis*, Gray  
*Venus stutchburyi*, Gray  
 " *modestima*, B. & G. 7/6 to  
*Sapre intermedia*, B. & G.  
*Psammobia stangeri*, Gray  
*Solenostolina nitida*, Gray

Mollusca, torr. et ag. adult.

*Potamopyrgus corolla*, Gould  
 " *antipodum*, Gray  
 " *cumingiana*, Pisch.  
*Hydrocena juncifolia*, Sp.  
*Lottia neritoides*, Gray  
 " " *v. gassieriana*, F.  
*Planorbis cornuta*, Gray  
*Achoracophorus bimaculatus*, B. & G. i. alio.  
 " *dubius*, Cockrell " "  
 " *papillatus*, Nutt. " "  
*Laoma marina*, Nutt.  
*Limnephilus erigone*, Gray  
 " *rumila*, Nutt.  
 " *glabrescens*, Sp.  
*inulina zebra*, Beaufort

S.	d.			
-	3	* <i>Flammulina perdita</i> , Nutt.	1	-
-	3	<i>Phasoura hypopelia</i> , Sp.	1	6
-	6	* <i>Therasia decidua</i> , Sp. " <i>teaversi</i> , Smith	1	6
-	3	<i>Lutera sise</i> , Gray	1	-
1	-	<i>Thalanthelis zeland. v. antipoda</i> , H. J.	1	6
-	6	* " <i>ignifica</i> , Reeve	1	-
-	6	* <i>Thaumatodon tan</i> , Sp.	1	6
-	4	<i>Charopa coma</i> , Gray " <i>buccinella</i> , Reeve	1	-
-	3	" <i>anguentus</i> , Reeve	1	-
-	6	" " <i>v. montivaga</i> , Nutt.	1	-
-	6	* " <i>caput-spinosae</i> , Nutt.	1	-
-	2	" <i>bianca</i> , Nutt.	1	3
1	-	* <i>Tapirina</i> , Nutt.	1	6
1	-	" <i>leucetta</i> , Nutt.	1	6
1	-	" <i>pseudocoma</i> , Nutt	1	6
2	-	<i>Phenacharopa novoseelandica</i> , Sp.	1	-
-	6	<i>Deschrodomes stipulatus</i> , Reeve	1	-
-	6	* <i>Otoconcha dimidiata</i> , Sp. i. alio.	1	6
-	6	* <i>Nhytida meizoni</i> , Nutt	1	-
-	6	* <i>Pangaphanta bushyi</i> , Gray	5	-
1	-	" " <i>hochstetteri</i> , Sp. 7/6 to	20	-
1	-	* <i>Schizoglossa novoseelandica</i> , Sp. i. alio.	10	-
-	6	<i>Unio mengoensis</i> , Gray	1	-
-	6	" " <i>v. bentonii</i> , Gld.	1	6
-	6	" " <i>v. depauperata</i> , Nutt.	1	6
-	6	" <i>zelebori</i> , Dunker	1	6
-	6	<i>Sphaerium novae-zeal.</i> Desh.	1	6
-	6	<i>Pisidium</i> " " <i>Prima</i>	1	3
<u>Crustacea. in alcohol.</u>				
-	6	<i>Lepidurus kirkii</i> , Thomson	1	6
-	6	<i>Betas australis</i> , Dana 3 for	1	6
-	2	<i>Peltipes spinosus</i> , Quoy	1	-
1	-	<i>Thalorchestia quoyana</i> , Dana 4 for	1	6
-	6	<i>Orchestia sylvicola</i> , Dana 2 "	1	6
-	6	<i>Nicca rubra</i> , Thoms.	1	6
-	6	<i>Melita tenuicornis</i> , Dana 3 for	1	-
-	6	<i>Calliopsis fluvialis</i> , Thomson 6 "	1	6
-	6	* <i>Phronima novae-zeal.</i> Powell	1	-
-	6	<i>Ideota elongata</i> , Miers	1	-
-	6	" <i>laevistriata</i> , Thomson	1	-

		s	d.
<i>Oniscus punctatus</i> , Thoms.	3 for	-	6
<i>Porcellio graniger</i> , Miers	3 -	-	6
<i>Sphaeroma gigas</i> , Beach	3 -	-	6
<i>Lironectes novae-zeal.</i> Miers	3 -	-	6
<i>Cirratula roessii</i> , List.	1	-	-
<i>Ligia quadrata</i> , Hutt.	1	-	-
<i>Anthuria</i> sp.	1	-	-
<i>Cassidina</i> neo-zealanica, Thoms.	1	6	-
<i>Paranephrops planifrons</i> , White zealandicus, White	2	-	-
<i>Palinurus edwardii</i> , Hutt.	2	-	-
<i>Leander affinis</i> , M. & dw.	2 for	1	-
" <i>flavatilis</i> , Thoms.	2 -	-	6
<i>Crangon australis</i> , Hutt.	1	6	-
<i>Pterostichus elongatus</i> , M. & dw.	-	6	-
<i>Eupagurus novae-zeal.</i> List.	3 for	-	6
<i>Porcellana rapicola</i> , Stimp?	2 -	2	-
<i>Paramithrax peronii</i> , M. & dw.	5	-	-
* <i>Leptomythax longimanus</i> , Miers	5	-	-
<i>Cancer novae-zealand.</i> J. & L.	2	-	-
<i>Heterozius rotundifrons</i> , M. & dw.	1	6	-
<i>Hemiplax histipes</i> , Heller	-	6	-
<i>Heteropagurus sexdentatus</i> , M. & dw. rennatus, M. & dw	1	6	-
<i>Cycloglyptus larvaxi</i> , M. & dw.	1	-	-
<i>Helice crassa</i> , Dana	1	-	-
<i>Pinnotheres pinnum</i> , L.	-	6	-
* <i>Gymnophthalmus australis</i> , M. & dw.	7	6	-
* <i>Halimus tuberculatus</i> , Kirk	10	-	-
<i>Halicarcinus planatus orbicularis</i> , F.	1	-	-
* <i>Nectocarcinus antarcticus</i> , J. & L.	5	-	-
* <i>Platyonyxus bipustulatus</i> , M. & dw.	3	-	-
<u>Pycnogonida</u> . in alc.			
* <i>Ammothaea dolini</i> , Thoms.	1	6	-
* <i>Oxyynchus aucklandicus</i> , Hock	1	-	-
<u>Orychophora</u> . in alc.			
<i>Peripatus novae-zeal.</i> Hutt.	2	-	-
<u>Insecta</u> .			
* <i>Deinacrida megacephala</i> , Buller i. alc.	2	-	-
Vegetable Caterpillar dry	2	6	-
<u>Urochorda</u>			
<i>Boltenia pachydermatina</i> , Herd.	-	6	-
and others, not named			

	5
<u>Pisces</u> . in alcohol.	-
<i>Tetradon richesi</i> , French.	2
* <i>Diplodus punctatus</i> , Rich.	2
* <i>Cynoglossus sinensis</i> , Hout.	3
<i>Chionodraco littoreus</i> , Forst.	2
<i>Raja naruta</i> , Sol.	2
<i>Callorhynchus antarcticus</i> , Gmel.	2
young in egg-case	-
<i>Hippocampus abdominalis</i> , Less.	1
<i>Unineura monopterygum</i> , Bleeker	2
<i>Caranx georgianus</i> , C. & V.	1
<i>Oligosoma fosteri</i> , Bleeker	1
<i>Clupea antipodum</i> , Hout.	2
<i>Tripterygion medium</i> , Guentz.	1
and many others	-

	4
* <i>Mantellus elegans</i> , Gray	-
* <i>Hoplodactylus maculatus</i> , Gray	3
* <i>Lygosoma pacificus</i> , Gray	4
<i>Lygosoma noco</i> , D. & B.	2

Of species marked with \* there is only a limited number on hand.

For spirit specimens the self-costing price for tin and alcohol will be charged.

All specimens are forwarded well packed at the risk and cost of consignee. Most species of the N. Zealand fauna not enumerated in this list, can be procured at reasonable price.

As I am going out regularly for dredging and trawling, new things are always coming in, especially Porifera, Echinodermata, Vermes, Mollusca, Crustacea etc.

Correspondence in  
English  
German  
French