

7#15

IS

A

[Faint, illegible handwriting and scribbles]

PARKINS & GOTTO,
MANUFACTURING
STATIONERS,
25, OXFORD STREET.

PRESENTED
MEDICAL LIBRARY
MCGILL UNIVERSITY

O.L. MS. Acc. 429 v.9

64625

ACC. NO.

REC'D 1948

610.8

G437

v.9



Sir George Duncan Gibb, Bart.


M.D. LL.D. M.A. F.G.S.

DAMAGE TO BOOKS

Readers are reminded that under the provisions of the Canadian Criminal Code any wilful damage to property constitutes a criminal offence for which severe penalties can be inflicted.

Minor damages render the offender liable to a fine of \$20.00, and he is also bound to compensate the owner up to a limit of \$20.00. Refusal to pay these sums is punished with imprisonment up to two months. (Sections 539-540).

More serious damage can be visited with a term of imprisonment up to two years. (Section 510-E).



4/0

~~Dup~~

e. 361

Dup

Purchased March 5th 1867

Gayle Demear Gift Md

Medical
Case Book

Volume 9

of

George Duncan Gibb M.D. LL.D.



64625

1 Follicular disease of Post nasal Mucous Membrane
with thick yellowish mucous secretion behind velum.

Clap MacKay, ^{abt} 22, brought to me March 11th 1867 by
her mother. They are from Edinburgh, & she was under Dr. Beattie
who advised for a white inhalation of Tar hisdic & tar Capsules.

I now at Clapham & rec^d to me by Dr. Tapsom there.

Had an affection of the throat 14 years, rose first & then the throat
after measles. Matter comes sometimes from the nose & throat.
Smell & taste much affected. 2 months ago had a bad attack,
with dysphagia & masses of matter passed from the back of the
throat, & sometimes from the nose. No pain anywhere unless at the
back of the eyes & a little on top of the head which is tender.
Least cold goes to the throat, no cough. Dr. B said there is always
a chronic state of inflamⁿ. now, & mem red from purple. Is very
nervous, had pain over heart from nervousness, digestion not good,
appetite fair. Many of her family have a discharge from the throat.
Can sing well, & voice is good. Had aphonia at sea side a year
after her first illness. Throat used to be very dry, has to drink to

By an Dad 8r 8

an M^ount 8r 32

an Aunt 3i

Dr Card Co aa 3i

W^h m^ouⁿ Tom 3i

Dr^g Aunt 3i 3i

Dr^g Aunt ad 3i 3i

c. mag. t. d

By Pot Boul 3p

Alum 8r x

Sp 3p

Sp ad 3p 3i

f. n. & e

Spang of Zn wh Siegel. &
advised it w^h Clarke -

eat well. Has been weak last 3 mos, I'm did not agree with her. Her throat feels as if tired. Takes Chemical food his die -
Larynx & Pharynx. Larynx normal, a little congestion of upper edge of the epiglottis. Congestion & thickening of mucous mem at back of the pharynx behind the nose, no ulcerⁿ. Nostrils in front capacious - no obstruction - Prognosis good. Healthy though a little thin - may discontinue Chemical diet, but take nourishing food, and to have wine in place of her Cock of brandy.

21st Got a cold, but the throat is better, the mucous mem is paler, esp^y in & behind the nose - dysmenorrhoea - spit on the hairy face from the inside
 Spray of Zn as before - than Beigel's screen - ^{1 of} Sir C Clarke's pills daily after dinner -
 Mother leaves for Scotland tomorrow -

April 8 Much better in every way, secretion less tenacious, more watery, mucous mem looks better too, is a little secretion on left side only. Used spray of Zn wh Seigel this morn - Pt omnia - [Came wh Mrs Jones

11th Mem rather raw & sarish, in other respects improving. Sol Nit aq to it.
 Spray of Zn wh Seigel - added ^{Glycerine} Zij to her 3rd of spray -

17th Secretion less altogether & is much better; the mem of pharynx upwards looks smooth, regular & of pale pink. Sol Nit aq to it. used spray wh Seigel too - Is comparatively cured, & leaves tonight for Edin - Pt his his die garg m & e spray daily, Sol Nit aq to pharynx q. 3 day - I wrote an account of her to her mother

3

whose letter reached me this morning from 17 George Square, Edin - & consented to her going to the Kyles of Bute, where she was last year with benefit.

Sept 19 Her mother wrote on 3rd that her daughters throat had not been quite so well, so I visited her at Pitlochevie on 19th.

& found the mucous membrane improving - but she had had a cold from ^{settling} W. St.

By am had 8x12
am 12x12
in card to
in museum on 3rd
in am 3/4
Apr ad Epist. C. mag. t.

By am
in card to 8x. XVI
Apr 3rd
Apr ad Epist. C. mag. t.
Apr 1 or 2 a day -

A gentle when
a card &
pills for n.

24 to Law her with Dr Burn in Edin. Pl. Om. To have a winters rest.

~~She died June 20th 1876 at~~

~~Epist. C. mag. t.
E.V.E. Epist. C. mag. t.~~

Mrs Barton, aet 39, brought to me March 13th 1867 by her husband from Sevenoaks in Kent. He comes up to South Lane twice a week. Mother of 5 Chil, last died, & youngest is 10 years old. Last child died 8 years ago from supposed secondary symptoms.

Her mother died of phthisis when she was an infant at 22, always delicate & husky since a child. Father subject to asthma. Had an Ulcerated throat some years ago, diseased some 5 or 6 years. Has had loss of voice. Tongue sore since last September, for which she has been treated by hot air. Was salivated previous to the sore tongue. Voice can now be used loud if necessary, & until the last 2 weeks was enabled to speak aloud. Has been 2 weeks at Portsmouth & got worse there. Has been aphonic for a long time, but the noise of laryngeal obstruction, now heard, has been present only 2 weeks - A croupy sound occasionally in hemming. Not much cough at present, but last night did so for $\frac{1}{2}$ an hour and expectorated much (O's) of ordinary phlegm - gradually getting thinner, especially of late. Dr Jackson of Portsmouth gave her med. ^{and} ~~her~~ she got worse, no appetite nor dysphagia, generally sleeps well unless disturbed by the cough - nothing unusual seen or felt about the neck. Taking ol. Marsh ordered by Mr Paget, who, with Dr

Lachsa went then to see me. Is thin slight, like a child.
 Scurvy. Some irrit, & spasm, all the thro' part acute; tongue with hard lumps on it. Genul swelling of both arytenoids & partly of the Respirator posteriorly. Ulceration below the arytenoids in the pharynx, in a small cluster of sacs. Epiglottis & vocal cords normal; larynx much closed above; difficult to draw breath.

Chest so small & narrow, tis like that of a child - it does not fill with air, & in many places, respiration is inaudible. There is some genul dulness - & bronchitic rales are heard posteriorly especially behind the right side. No doubt there is deposition of tubercle. Mr Page & Dr J both said her Chest was sound.

Mr An Ind 8r8
 Am Bunt 8r32
 Mr Camp Co Siv C. mag
 exed Scollar 3ij t.d
 Van Speere 3ij
 Put pot 8r32
 Spr Seregar 3ij
 Spr ad 3vij. Pa

By Wm but 3p
 Aer dulled 4x
 In Sulph 8r 47
 Glyce 3p
 Spr ad 3ij
 f. m & e

Spay of
 Fine wh
 Chamber
 his die for
 2 or 3 m.
 used it abscepl
 with hempst

Pt al much & Paul Wore -
 Prognosis anxious & serious -

May 8 she was so bad after leaving her that her life was de-
 spaired of, 3i Sulph Eth evy hour ^{for some time} & ether, given by old Dr Thompson
 He & Dr Lachsa thought it like spasmodic asthma; when so bad
 was not expected to live 4 hours - p 140. She got rid of a quantity of

phlegm & was retained. They say the lungs are now 6
 sound. She looks perfectly well, has no cough, sleeps well
 almost shuttles as quiet as an infant. Appetite very good
 eats a mutton chop with zest. Been taking my mix once
 a day. Voice is slightly croupy, but at times is smooth & soft.
 Lary. Congestion of supraglottis & epiglottis, last is a little swollen
 rather much irritable and secretion. Spicy 3. at seigel.

So taking a tonic p 8th I which she may continue.

By Am Ind 8/4
 Am Ind 8/32 c. may
 Spl am aut
 In can Co aa 3/4 his.
 In am 3/6
 Apr ad Evig m

By Bot Bot 3/6
 Allm 8/20
 8/ 3/6
 8/ ad 3/6 m
 g. m a e

~~Polig. D. D. m. r. d.~~
~~g. g. e. e. e.~~

Benedict Gott Esq, act , I presented for 13th March 1867 by
 letter, in answer to his dated Montreal 22 February -
 Ever since he was in England he has been troubled with a suc-
cession of colds in the head, affecting the nasal organs and
 with occasional want of taste and smell and a singular per-
version of the same, ringing in the ears and slight deafness.
 Lately his vision has suffered, particularly one eye, although
 nothing wrong can be seen. If I knew of any particular book
 treating on this particular class of complaint, he wished me to
 buy it & send it. He had also frequent attacks of neuralgia
 of the side of the head. He supposed that advancing age had
 something to do with it. In reply I said there was no partici-
 ular book on this affection, but that it was an affection of
 the mucous membrane from colds, commonly in my hands, & curable -

By An Esq June 88
 An Esq de 8x 32
 M an aut 31
 n card Co aw 31
 n mus an aw 31
 Sp aut 31
 Apr ad 31
 C. May. t. d.

By Warrant 31
 Ac bit del my 44
 Jfr 31
 Apr ad 31
 J. m. e
 Spuz of 3m 8 8 8
 wh Clark his die -

I sent him my list of Sarcoscypha partly, & told him to
use the copy of the list at page 99 - & I told him to pay
my fee of one guinea to Caroline -

J. J. Feaster

Dr. Feaster
6 Durabin St

~~Cont.~~

~~[Large scribbled-out signature]~~

Mr Edwin Sheppee, act 57, consulted me March 14 to 1867 with
 his wife. 11 Moore Place, Kensington Road - (Past the Female }
 Extreme debility & debility, very weak, can scarcely walk up stairs.
 Coughs at night, but with no expectoration - Much emaciated -
 Skin dark & dusky, as if affected with Ague - very shiny & cold
 sometimes, even all the over a fire. Tongue white, foul thick,
 fawnish, pulse small & quick. No pain. Acid odor of breath -
 palpitation - Cough in morning & cramp.

Chest - No apparent disease, but a murmur de soufflet heard all over
 Chest with 1st sound of heart - No rales - no apparent dis of the
 Uterus -

Must Quin Co 3/4 p. t. d.

Can't take all, to have spirit in place of it.

October 11 Has been to Maryate without any benefit & has returned
 greatly exhausted & depressed, with cough, wasting & debility -

From the discoloration of the face I suspect Addison's disease - xx

Novem 4. He became more & more exhausted, with cough
 & expectoration & died this evening, sensible to the last -

6th Autopsy at 2 pm. assist by our Alfred Dickinson & another -

Body emaciated; pale, no discoloration except upon the face generally

xx Oct 18. Saw him for last time

Chest. Adhesions old in left chest, especially at side. 10
when a circumscript effusion was present of bloody serum
containing about $\frac{1}{2}$ a pint. Upper lobes solid from deposit of
tubercle. Right lung healthy, but partly bound down behind
by adhesions. Heart normal, but semispherical valves of left ven-
tricle with hard honey deposits, impairing their action, but without
incompetency. Belly. All the viscera perfectly normal &
rather laden with fat, except the 2 supra renal capsules.
The right was normal in shape, but very friable & had lost its
bright brown colour in the interior. The left had degenerated into
an oblong hard body, about the size of $1\frac{1}{2}$ inches long, $\frac{1}{2}$ an
inch broad, & was a solid body, of a light brown in the interior -
& no internal cavity.

State. The discoloration of the face, 2 years altogether, & was
noticed by his friends & neighbours. Under treatment on & off during
that time. Forehead was generally white, discolⁿ marked
behind & below the ears, & about the cheeks & neck.

Mr Robinson, Surgeon next door, observed him.

Nov-12 Filled in Certificate of death for Europ. Assoc Socy.

Mrs Knatchbull Hagesson, ^{ab} act 33, consulted me March 16th 1867
accompanied by her husband - rem'd to me by Major Thompson.

From youth upwards has always been subject to colds in the
head, especially in the nose, which gets stopped up; the least
cold flies thru - not necessarily rheumatic, altho does complain
at times of a pain in shoulders - These colds generally last 3 weeks.
It extends downwards & she has a cough - Some irritatⁿ of the skin 2 or 3
years, more always after her confinements. Now has cough & expect
but no actual chest disease. Voice good & sings well, but
the cold gives her a throaty speaking voice.

Larynx. Follicular irritation of fauces, & post nares, in latter part.
Muc. thickened & like velvet. base red & dry. ^{velum &} ^{would normal.}

Larynx normal. Relaxⁿ & coughs of same kind of trachea & bronchi.

By Am God gr 6

By Am Bond gr 32

By Am Ant 31

By Am Co 31

By Am 31

By Am ad 31

C. may his ter ve m

By Nat Bond 31

By Am 31

By Am 31

By Am ad 31

By Am 31

Fine Sol

8 gr

to be used

wh Clarke

his die

To line well, state her Champagne &c -

1871
March 7. She came with her husband, whose case is in Vol 12. p 212

she has had some cough & mucus & her voice gets thick. Had the
Cough now so much as stopping of the voice - has a little relaxⁿ of mentⁿ
of the fauces. & pain in left side of chest in front.

Lin Chloroform $\frac{3ij}{\text{gr}}$
to chest at n.

& by Pot Bromid $\frac{3j}{\text{gr}}$
Alumina $\frac{ij}{\text{gr}}$ f. m. d. c.
Lin Kramer $\frac{3ij}{\text{gr}}$
Glycerin $\frac{ij}{\text{gr}}$
Elix $\frac{ad \text{ } 3ij}{\text{gr}}$

Riv Mr Lyell, aged 34, consulted me March 22. 1867 with Dr
Randall of Portman St. From Peak of Derbyshire.

10 weeks ago had sore throat, and Aphonia for 5 weeks. There was
some inflamⁿ; this was at Pk of Derby. He got better - pulufo gallic
acid gargle & Fr Fer Mur & went to Brighton for 10 days - Has done
no duty all this time. Still he feels discomfort about the throat,
and voice feels strained after using it, a dull heavy pain in the
neck afterwards - no cough - Genl health fairish in other respects.
No rheumatism. A little muc secretion.

Lary. epiglottis pendent & curved, muc: mem: congested & much
relaxed every where. Larynx normal -

Spicy of Zn wt Seigel with immediate benefit.

Hy Am bad 8. 4

Hy Pot Sud 3p

Com Sud 8r 32

Alum 2ij

Spt am ant 3i

Syr 3℥

Tr Card Co aa 3ij

Syr ad ʒvj ℥

Tr Nuc Vom aa 3ij

S. m & c

Syr am h 3℥

Syr ad ʒvj ℥ C. mayt. d.

30th Dr Randall called, saying Mr L wrote him the gargle he found useful.
But that he was depressed from Paint Causes & had perspired terribly on 1
night & could the med do it. I advised it to be changed, to Hyd Chlo Acid

yr & W Ferrous 10 t. d. & Sol but aq (Dij) to be applied to the
fauces q 2. d. No cause for alarm at all -

General
 Mrs Moore, aged 43, consulted me March 25th 1867 recommended
 by some chemist near where she lives - 63 Cornmarket Terrace -

2 months ago caught cold & voice lost for 5 weeks from entering a
 damp house - Better the last 3 weeks, but feels as if a sponge
 were on the right side ^{low down} of her throat. Throat does not feel sore.

Feels as if something were falling about in the right side - No rhum^m,
 but 8 yrs ago had an attack of that affecting ^{lasting 2 yrs, under Joughree, with tonsils.} voice as too been -

General health good - Been in the house 2 mos & is weak, had a
 had cough which is better - used 11 Mustard plaster. ^{under Dr O'Keefe}

Early Congestion & irritation of right side of the throat, tonsil &
 edge of epiglottis - fauces, velum & uvula relaxed -

Sol put lay to right side low down, & to the fauces -

1/2 an Ead 8^{1/2}

1 an Band 8^{1/2} 40.

Manant 3^{1/2}

Wend Co 3^{1/2}

Sprawl 3^{1/2} 3^{1/2} 3^{1/2} 3^{1/2}

Agon 3^{1/2} 3^{1/2} 3^{1/2} 3^{1/2}

1/2 Packard 3p

acm 3^{1/2}

Sp 3^{1/2} 3^{1/2} 3^{1/2} 3^{1/2}

Ed 3^{1/2} 3^{1/2} 3^{1/2} 3^{1/2}

f. m. d. e.

C. mag. t. d. May take her hair -

28th Throat is certainly better, has less of the spongy feeling, & less pain
 in right neck, but some in nuchae, for which she used a liniment -

There is less congestⁿ, & the voice more generally is less relaxed & more

Atthomatous expression strong.

Widow of a General officer -

16

beard up, especially Velum & uvula. Throat's her delicate part.

Sol hit any bright side of that add to mix Pol hit 3;

Spray of 3m w/ Seigel after. for the urine

April 2 Throat much better still, feeling of sponge all gone. Sol hit any
to fauces. b was also had a fall & cracked something, probably the Coccyx.

6th Throat is quite well, but as she went out for the first time yesterday
it feels a little cloudy, with some tenderness about neck, from Rheum^m

7th Everything is quite normal. Sol hit any to fauces -

Changed the Uj Wan but 3;
as not did my x

Lin Chlorof 3; for neck.

gave to Ely 3; aqua 3; vi m

15th Is quite well in every way, a little Rheum^m still at back of
neck. Sol hit any to pharynx - Goes out - Pt quite occasy -

Anna Vivian, aged 20, servant, met me March 30th 1867 by her
 master Mr William Smith, Mess House, Ealing, W.

He wrote me a 28th, she had a sudden hacking husky cough from the
 irritation of her tonsils, which was very alarming to her. Is from Dares
 and a healthy good looking girl in other respects. And so I found
 when she turned up today - Had taken much cold in the country -
 Father killed & Mother is delicate from Rheum^m 2 or 3 yrs -

She has no rheumatism, nor susceptible to cold, but has a little
 cough. Chest sound. She is fat, plump & rosy,
 Larynx relaxed of throat, tonsils a little projecting & raw, but the
 larynx is normal. Would a little long, & affluo epiglottis -
 Spec of Eric with Claudus Inst.

By Dr Camp Co 3ij

Acid Sulfur

Vin Specac an 3j

Put pot 3ss

Ext Chlor 3j

Spr amb 3ss

Spur ad ʒoj m

By Dr Bunt ʒp

Alum ʒij

Spur ʒss

Spur ad ʒoj m

f. m. e.

C. mag. f. d

18

24 Palmerston St, Battersea Park,

Miss Dyke, aged 26, brought to me by ^{W. H.} Mr Kempster, Surgeon
on 30th March 1867. Oak House, Battersea -

Her husband is Clerk to Mr Fitzjames Stephens.

Confined a few weeks ago with 1st child, and since then every other
day, has had Casygeal spasms, suddenly occurring, sometimes se-
vere, but tulla last few days. Is not at all hysterical or nervous.

Voice was Casygeal but is not so now. Taken last, Val of Zinc
with benefit. Iod pot, Bromides, &c all do good.

Voice is soft but good. Larynx nothing wrong with the larynx, the
epiglottis is pendant & throat relaxed - Healthy looking person.

Used Spang of Zinc wth Clarke -

℞ Am Bul ʒi

℞t Am Bul ʒi

℞ Card Co

℞ True Van ou ʒii

℞r Am Bul ʒss

℞r Am Bul ad ʒvj ℞

c. mag. t. d

℞ Pol Bul ʒp

℞ Alum ʒii

℞r Am Bul ʒp

℞r Am Bul ad ʒvj ℞

℞r Am Bul

17th His brother called to say he was no better, he was so weak
he could scarcely walk across the garden, though he drank a
bottle of Port wine daily, & his voice was the same -

20

21 Phthisis Laryngea et Pulmonalis

Mr Fallon, aged 19, I went to see March 30 to 1867 at 52 Marsham St, Westminster, with Dr Leary of 29 Great Smith St. 2 1/2 pm. He was terribly emaciated, pale & weak - ate little & could not get it down well. Father is a chatter.

Chest deposit with softening in posterior part of entire right lung, with general dulness there & absent respⁿ in parts -

Part 5. Left side of velum, the uvula, & left tonsil of an ashy grey colour, with excavated oval ulcers in last, from tuberculous deposit. Epiglottis swollen, edge ulcerated, grey; both arytenoids swollen & false cords - no vibration in the true -

Aphonia from some weeks - prognosis bad.

℞ Marsh or
Glycim ʒj to ʒj bis die
ex aqua -

℞ Pot. Perm ʒj
alum ʒij
Zinci sulph ʒss
℞ fer ʒss
℞ fer ad ʒvj

f. m. & e

A terribly severe, yet typical case, of this terrible disease.

Master Charles Moore, aged 10, I went to see March 31st 1867
at 2 New Charlton Villas, Charlton, Kent, to visit Dr Fegan in
consultation about the case.

He had had throat symptoms 10 days. & seemed chiefly to affect the
faucis 1st, & thence extended to back of velum & nose, with
non-muco-sanguinous discharge. No cough nor chest symptoms.
Voice low but good, occasionally croupy. Very thin & weak,
& eating little from dysphagia. Evacuated by bowel of beef tea,
& to-day swallowed Champagne well.

Larynx. Epiglottis prominent, but not much affected, the folds a little
swollen; entrance of larynx not unobscured. Velum & both tonsils
red & ulcerated; mucous extending upwards behind nose. Both
nostrils stopped up red & discharging.

had had hot air, & Ferrius locally &c. &c. I advised the use
of the hot air, 2ij sal pulv to fauces, & face zinc spray with
benefit. Eyes were clear, pulse unimpeded, & he felt better.

By had pot 8rd

Malamant 3ij

Dr Card Co 3ij

Dr Sarsaparilla 3ij

Syrup 3ij

Sp 3ij m

c. min

t. d

—

—

—

But there was a little puffiness

under about lower eyelids I

did not like, & the urine

was scanty.



Prognosis not had, but doubtful. Went down 8.45 am train
returned by 1.5 pm train -

April 4 Dr Fegan wrote me that he died at 9 pm the day I saw him.
death seemed to take place from sheer exhaustion altho he had
taken a pint of Champagne with a large quantity of Beef Tea a that
day. Mrs Monte is now suffering from an affection somewhat simi-
lar, the right tonsil being much ulcerated & great prostration of strength,
but is better to day.

Mr Henry Harrison, act^{ed} 33, consulted me April 4th 1867 with a
 letter from Dr E. L. Fennick Montreal. Is surgeon R. A.
 lately in Canada, & there for some years, returning on sick leave
 Symptoms of throat disease 9 mos, with spasmodic cough, irrit
 ation & vomiting of meals. This depended upon extreme relaxa
 tion & a very large uvula, which Fennick treated. He improved
 but is not yet well. Voice & general health is good, though he is
 dyspeptic. is a great smoker. He looks well enough -

Larynx found redness & thickening of mucous membrane of fauces, velum
 &c, like red velvet. velum hangs on the tongue. Epiglottis
 pendulous & much relaxed. Larynx normal - had epipharynx formed.

By Ames had 808		By Pal Bond 3p
Am Bond 80 3 1/2		Allen 3 1/2
Lft Am Bond 3 1/2	c. mag	Gibson 3p
W Cur Co	t. d	Spencer ad 30y in
W Mac Van	ad 3 1/2	f. m & e
Spencer 3p		
Spencer ad 3 1/2	gott in	



Dr John Williams, aged 45, consulted me April 6th 1867 from Troas -
near Lidge, Pontypool. Has my books.

He wrote me on 1st that his nose improved considerably since he
wrote me in Dec 65, but it is not well & annoys him much at times.

Is a healthy looking man, with florid complexion. 2 or 3 times a week
a solid flakey substance comes from the back of the left nostril,
only by the throat. been so at least 4 years. Took 5 gr doses of

iodine from Dr Budd of Bristol. & hit very badly - James terribly dis-
agreed with him & had to stop it - took ol. Marsh. Has sometimes a
slight pain in middle of left chest but no cough. Genl health fair.

Uterus. Congestion, height, & thickening behind the nostrils, especially on
left side, no ulcer - venous hump, epist. flat & pendant

Spay of 3 in wh Seep
by Am Ind 8rs
am Ind 8rs 32
St an an 3
in Carl 3 1/2 c. mag
Lyr ant 3 1/2 his ter
Lyr an at 3 1/2 me die

by Pat Ind 3p
Alm 3 1/2
St 3 1/2
et 3 1/2 ad 3 1/2 in
8. m x c
& Spay of 3 in 10 gr Sol
daily wh Clarke -

28

R. N.

The Rev Mr Manley, aged 32, consulted me April 9th 1867 for a defect in his speech. Little Cadlin Rectory, Louth, Lincolnshire - & when in Town 54 Queens Gardens, Hyde Park, at his father in law's.

Les Congenital - Saw St Paget at Cambridge some years ago, who could detect nothing abnormal, he thought the pillars were rather thinner than usual. St Turin was recd to me, & others also recd me.

Paget thought there was a deficiency of the soft palate; & when he uses his voice much it is weak. intellect & energy powerful & good. irreg. color distribution of nervous face. Is 1 of 11 brothers, 2 survived. His younger brother 29, was worse than him. father is nearly 80. was subject to colds in the head. The voice though powerful, fine & loud, has a kind ^{or nasal} hoarse at certain syllables & letters. V. sh. & said of hur; very perceptible in reading, like one with fissure of the palate. Rh nostrils in part narrow - a long course would left pillars short & starting from the pharynx as if from old elevation of fauces. epist flat & pendul. larynx normal.

By Am Bond 3p

Am Bond

G. N. 3p

Apr - ad 301 by

f. m. & c

advised removal of mucus end of mouth. & to use the gargle. no med as health is otherwise good - but the mucus is much thickened. no obstruction behind the nose -

30th His right eyelid droops a little - Throat already much better
cut off end of the loose uvula, with little or no bleeding -
off to Gloucester to fish - My for long uterine for his brother in law -

1871
Dec 20 He experiences occasionally a sudden loss of voice when
preaching, & hopes to see me on some } My Finic oxide or 36
future occasion, as I am the only } Censor Nasan Di
man in whom he has confidence in matters } dir in bil 12. This dir
relating to the occult effect of the throat. I sent on 22nd -

1872
Jan 5 Has found some benefit from the pills, but as he was Essex

in town he came to see me. His natural voice is splendid, but no doubt from
too much individual work, the last Sat was, 2. 5 tons last his voice
when preaching for a short time, this was at morning service & attended
with palp'n of the heart. Is subject to rheumatic pain, & was told his
pulse was diffcult in 2 arms.

Larynx normal larynx i.e. perfect, & fauces } Spl an tub. }
too. Arch of fauces perhaps narrow, voice } W Cav to ad by }
naturally slight nasal twang - } Spr an }
e Spr ad }
He told me Prof Lyndall lately enunciated same views as myself, in his lecture
on Sound, regarding pendency of the epiglottis -

Rev V. Knox Child, aged 61, consulted me April 12th 1867 referred by
W Backhouse. Is of Leate Easton, Essex, a magistrate, up every
 morning at 6, riding 8 hours a day, & working in his garden - Never
 known a days illness all his life - healthy looking man - Good
 health perfect. a Bachelor - Very temperate - lives a very dry place -
 A little touch of rheumatism in right shoulder

Had a cold 2 mos ago; & affection of the chest; always beginning to
 clear the throat, which makes the voice husky a Sunday - Cannot
 hear with the right ear on the bench, or in company, & was under Dr
 Geardley for that - Voice not clear, but good -

Backhouse is 6 miles from town -

Early Velum pendant & weak rather relaxed & long, the cause of
 all this, for the epist & laqueus are perfect - Would not try enough
 to truncate now -

By Am had 8x6
 Am had 8x16
 W Card to 3ij
 Sprant 3p
 Spr ant 3p
 Spr ant 3p

Spuy of 2 w Scijil -
 By Pat had 3p
 Am 3ij
 St 3p 3ij m
 J. m & e & before
 service on Sunday

C. may his ter ne die -

May 27 About the same, always with a disposition to clear the throat of

numeros. Morning service can scarcely get the words out. Afternoon
is better. Frequently has repeated the 1st word of a sentence twice -
Preacher to 60 people - perfectly well otherwise - no cough. People tell him he
has a sore throat & a cold. Early Larynx normal, but end of the
words, terribilis & pelateris - Volum very pendul.

4 am God 8 8. e. may
am God 7. e. may
In Speech 1469 t. d
I am not 31
to read to 31
I am not 31
at 7 1/2
1868

Added to page 31 in book
to insert of letter -
Spec of 30th of Seigel -
He congratulated me.

July 6. In Times of to day, among the deaths "On the 1st July
at the Rectory House, Little Easton, Essex, the Revd Vicesimus
Knox Child, aged 62"

Miss Grimwood, aged ^{abt} 35, consulted me April 15th 1867 with
 her sister Mrs Ridley (Vol 8. p. 61.)
 Looks pale & anaemic. & Suffer from pain at back of the neck
 below & upper chest, running forwards thro the head - dreadfully
 severe last year. She thinks it causes quite an obstruction in
 one of the joints of Cerv. Vertebrae. No cough at all - pulse weak -
 palpitation & sometimes irregular. Her hair is hard cold, throat
 normal but pale, appetite variable, not bilious, weight in
 chest even from water, but not from wine. Takes ^{very} much aperient
 food e.g. O. Ric. Used Smapism to neck often.

4 Am Ind 8x6

1 Am Ind 8x36

1 Am Ind 3"

1 Card Co

1 Am Ind 2 1/2"

1 Am Ind 3/4"

1 Am Ind 3/4" m

C. mag

t. d

—

—

—

—

Lin Camp for

back of neck at n

34

35 Epithelial Cancer of the Throat, rapid progress,
Complete stenosis of the oesophagus.

Edmond

Mr Brettle, aged 48, brought to me April 18th 1867 by Mr
Sells, Surgeon of Guildford. A 14 Albany

5 weeks ago a 20th, coughing incessantly mucus streaked with
blood & bloody mucus for 18 hours, could not swallow for 3
days & took ice, lemon juice, claret after. began a cold.
Sneezing for an hour at a time the week before the illness -
Choking. Could not take more than a gulf for 5 weeks &
now can take a few poached eggs, tea & toast. 2 weeks
ago ate a dinner in the usual way, 5 or 6 glasses of claret,
2 or 3 days after got worse, spit blood from the throat. This
day much crotchetty, more coughing, bloody, & some expect,
blood seemed to well up in the mouth. Last night no trouble
at all, unless 2 or 3 only of a stain. Could not get sole
down for dinner yesterday, but today ate eggs for breakfast.
The clots were long & stringy, now mixed with saliva. No lung
trouble at all, blood came in the mouth of itself, was ejected
but not coughed up. Ellen & Mrs could only swallow 1 quart
of claret & ice. Wed, yesterday, it went down well. No pain
anywhere but the difficulty of swallowing. A little choker.
Never ill before in his life. Vaire found triumphant unless had

to speak with rapidity, first was associated with spitting
 early with some trouble - Arterial very long & loose. Competition
 & swelling of both systems especially in folds, larynx normal,
 epiglottis little pendulous but normal. No abscession.

Spuy of 3 wh Clarke. Blood was from the folds.

By Acetamide 3ij

Am Bnd 8x32

Tr water 3iv

Tr water 3ij

Apr ad 4ij in

By Pal Bnd 3ij

Am Bnd 3ij

Tr water 3ij

Tr water 3ij

Tr water 3ij

3vi
 f m e

C. mag d. Cant parle but will try.

23rd Is no better. 20th could not take his eggs & at 10 am coughed
 & never ceased till 10 at night. ate a few aysters in middle of the
 day & 1/2 glass of ice water. 21st could not do the eggs. In the
 evening ate a little bit of sale & a few vegetables. Swallowed with
 ease. 2 glasses ice water & 1 glass claret ice. At 10 1/2 pm began
 to spit & so all thro the night 22 coughed violently - could not
 swallow water, aysters, &c. About 1 o'clock ice & got it down.
23 3 poached eggs & ice tea, could not get them down. cannot
 swallow & is so thirsty. a sip. even brings on violent coughing
 is so thirsty. could not continue med or gaze. little or no
 blood since he was here, sometimes a little flake. Exhausted.
 Suck great suction from the entire throat, but no actual dis-

37

To touch wound with the pencil & brush

ease visible. Wound long & shallow & much to do with all.

Tammie fully to shut &c

4y Pil Hyd

Spuz of 3m wt Scigel

Ex Act Calc

4 Am Ind 8r 16

Ext Col Co ad pr iij

1 Pt am wt 3p C. med

pt pil 2. station - m

2 Card Co 3i his die

no chest disease

3r am 3i

ice creams -

2 Spr ad 3ij m

24th Yesterday afternoon had ice water, iced tea, orangeade, water ice,

& small plate beef tea. This morning got down small quantity of

Lieber's tea, got coughed a great deal. The pills acted mildly

Slept very well, no cough in night nor up to the time of his going to

bed. He looks 30% better, the irritability is less, & the wound

less relaxed, & formed. Sol Tammie once. Pt on -

27th At 1/4 to 4 pm yesterday a piece of oyster came from the throat

that had been swallowed at 6 pm the day before. From that time

secretion from the throat continued to pour out, with a slight tinge

of oyster taste. On Wed 24th did not swallow so well as on 24thon Thurs 25th took Lieber's essence & 12 oysters Frid 26th no eating or drink-ing. Lary - Congestion at side of the larynx, with pouring out of

mucus, & pain running up to right ear. I made him use a com-

pressed Alum gargle which wonderfully relieved him, and after

drenched the mouth & nose with Givc spray wh Clarke with

great ease & comfort. Got on attempting to swallow some water

after, although he made the gulph, yet it came back with
 coughing & choking, which leads me to believe in obstruction
 low down. To have Stout if he can get it down.

4. Alum ʒij Aqua ʒij - page 9. 1/2. l.

28th With great difficulty yesterday, choking, &c he got down ʒj of
 Stout. But he has had stains of blood in mucus from the throat
 Lar. Grew congested & secretion from the interior of the larynx, more
 like phlegm. Beside having a smaller firm elastic do would
 not pass, & was some pain & oozing of blood after. There is
 constriction at top of the tube, with some spasm. To use enemata
 at once of Leeches, Stout, &c & I left him my self acting syringe.
 Spuy of Dr Clark was grateful - very much & then.

Diary. Phth Lar et Phar.

29th He wrote that he did not swallow yesterday any better,
 & today it appears he cannot at all. He tried iced tea & water, &
 he thinks the whole of the fluid is rejected. The injections of Stout
 & Leeches keep answer very well & he feels he has derived bene-
 fit from them. Thirst & incapacity to swallow torment him -
 I advised no interference today, but suggested another opinion
 tomorrow & named Mr Prescott Hewett, to which he was agreeable.

30th Consultation was held with Mr Hewett, at my house at 4 1/2 pm
 and he took the view of its being Carcinoma of the junction of the
 pharynx & oesophagus, from the rapidity of the symptoms, the

39.

bleeding, &c. He advised no interference with leeches &c, but to feed by the bowel several times a day, with hearty &c -
gr^d 3 Quinine wh his patient his die -

few drops of Candy in Water to rinse the mouth & assuage the thirst - To save sputa for examⁿ with the microscope -

An effort was made to swallow with the same results as before -

May 1. Sputa contained multitudes of blood globules & epithelial cells & some apparently compound cells, but I would not say of cancer.

3rd He is much stronger, looks better, pulse fuller, little or no cough, no bloody secretion from the throat, & altogether changed.

Cannot yet swallow & has been exclusively and very often fed by the bowel - I consented to his having port wine with the quinine in it -

5th Whilst improving in every way, to day he was bodily weak, altho the pulse was fuller, his great thirst diminished, and able to take a large quantity of nourishment by the bowel. He passed a good deal of urine too. The odour from the breath is offensive, but it may be due to the port wine - He had talked rather too much -

6th Mr G. H. Brettle, his brother, called & I gave him my opinion -

10th Visited him at 4^{1/2} pm at 14^A Albany in Consultation with Mr Prescott Hewitt. He had taken to his bed & quite helpless. For the last few days, constantly expectorating blood & mucus together from

the throat, & the odour was now becoming offensive. It appears that upwards of a year & a half ago, he expectorated blood from the throat. His pulse was not so small, & he was able to take all his injections. But he seemed drowsy & disposed to sleep. He had known for ~~some~~ days, his case was hopeless.

23 His Death was in the Times today, as occurring on 20th inst of Cancer of the throat. Edward Brettell Esq of the Albany, Piccadilly, and 119 Wood St, and Belper, Derbyshire, aged 48.

28 Recd 5 $\frac{1}{4}$ yds Belle dille & a pair of Belle Kid Gloves -

S. V. Skipton Gouldsburg, ^{abt} 35, consulted May 13th 1867
 Is staff asst Surgeon.

Has been in West Indies 3 or 4 years & had attacks of continual fever.
 3 months or 1 mo ago, had some pain or rather difficulty in swallow-
 ing. Suppus pain about the fauces & pharynx & of course -
 a sort of stuffed up feeling running down the oesophagus. No
 difficulty in swallowing, but he feels as if the food had not gone
 down. No cough, but a little expectorⁿ from the fauces - a dry
 constricted feeling at base of pharynx. Stomach a little out of order,
 appetite not bad, a little nervous, lost his mother lately. No spasms
 nor dyspnoea. Has stric of anus last 3 years, but is better. Had
 pneumonia of base of left lung 8 yrs ago from cold at a regatta -
 Last. Everything normal except a little lossening of the
 epiglottic folds & enlarged vessels in part of the uvula.

Ry Am Ind pr 3

Am Brul 8r24

Sp Am Ind 3

W Card Co

W New York aa 3ip

Syr amt 3ip

Apr ad 3ip

C. May. his ter ne die m

Ry Pal Brul 3p

Am pr 12

Sp 3p

Apr ad 3ip

S. m & e

Sherry in place of

beer


25th Much better, throat not now dry, but still occasionally the sensation as if something had not gone all the way down -

30th The general spasms is certainly less, & the throat is comfortable. Good sympathy between Stom & throat. Lary all normal. Heronius. Splanned to be 31st Lin chlo at Bellad for pains in the chest & neck - going to Sharncliffe.

Mr Henry Franklin, aged 42, consulted me June 1. 1867
for his throat and cough.

Nine years ago he caught severe cold with an attack of laryngitis and bronchitis combined. He lost his voice and recovered it again, but has remained hoarse ever since, with frequent absence of the voice for weeks at a time. He has had also a more or less persistent cough especially troublesome every winter. There was no history of consumption in his family, he had not lost flesh, & could eat his food with a good appetite. But he had almost a constant desire to clear the throat as if there was present a quantity of phlegm to get rid of. He never had syphilis nor was subject to gout or rheumatism. He purposed going on the Continent for a few months.

Larynx. The fauces were healthy, but a little congested, & somewhat capacious, the examination was easy. Epiglottis healthy & well up. On the free border of the right vocal cord at its middle was seen a tolerably large growth, which was compressed between the 2 cords when the glottis closed. Its pedicle at first seemed





24 of Feb^e 44

to be large, but I made out all that it was comparatively small. The figure shows its situation & apparent size -
Chut on careful examination was apparently quite healthy, it was well formed, & nothing abnormal was heard. On stating what I had discerned, he made up his mind to have nothing done until after his return from the Continent. This was the first time he had ever been examined with the laryngoscope -
Novem 30. He permitted himself to-day, and I succeeded in snaring the growth on the very first introduction of my laryngeal speculum, pulled the piece home, and drew it out of the mouth with the tomaw held tight within it. This was at 3 pm by appointment in the morning. There was scarcely a drop of bleeding from it, but the voice was immediately improved in its tone, the hoarseness disappearing but with a laryngeal twang about it. The growth was of the size of a small roundish bean, with a number of little rod shaped processes upon its surfaces.

Dec 2 I took it to Dr Beale, who cut off a fragment for microscopic examination -

3rd The vocal cord looked quite healthy, and the voice seemed smooth in tone and natural

10th He was apparently quite well in every respect.

45 1868

Jan 11. He had recovered from haemorrhagic irritation, & the old sensation of fullness of phlegm had quite gone; he looked stout & was in capital health.

May 23 He had passed through the winter free from cough, or any inconvenience whatsoever, his voice was natural & smooth, & the larynx seemed quite healthy; the right Vocal cord was even & smooth & showed no trace even of the pedicle.

Mr Keyse^{abt}ll, aged 34, consulted me May 4th 1867 recommended by Mr Fincham, chemist. Is a City man.

Resides at 35 Carlton Hill, St Johns Wood. No cough. No aches & soreness and a kind of rawness of throat. It gets better from remedies and then gets bad again. A good deal of talking during the day. So off soon for 12 months - Aphonia 3 years ago for 2 weeks. Had acute Rheumatism 2 years ago - A little bilious occasionally. Under Dr Parry. Has a cold bath daily - & horse exercise

Larynx much compressed & relaxed, uvula large & pointed & very flabby. Larynx normal, a little relaxed -

bowels generally regular, takes Pilsbury's Co. - Iron. Speaks of English, by Am Ind gr³ C. may H'at Bed 3p
Am Ind gr¹² his die Alern 3p J. m & e
McCauley Co wa 3p — 3p 3p 3p
3p and 3p — 3p — ad 3p 3p
3p — ad 3p 3p — must ultimately terminate uvula

Healthy looking man otherwise. Goes to Shropshire twice a year & to Brighton too -
16th throat feels stronger & better much so, but at times a good deal of irritaⁿ, & still a little husky, not due to the East winds.

Larynx compressed & relaxed gone, larynx normal, but uvula rather relaxed.

Speaks of English. add to mix 3p
do to gauge 3p 3p 3p -

47

May 30 Has been wonderfully better, the throat is more expanded & the structures not so thick, when thin & vascular too, but still loose & painful - Last week or 10 days, not hurt him to speak. May begin the cold bath. To go on with Wick & gargle another week - Going to Shropshire in a week -

Novem 8. Has been very well, but just now has a feeling as if a husk of cam is in throat - Last Congestⁿ of fauces & a little pendeng, would persist but not long. Rem to Brighton & elsewhere. Tol bit alg to fauces wch benefit -

Hy Pot Bromid ʒj
Alumina aa ʒj
ʒij
Elixir ʒij
Syrup aa ʒij M
f. misc.

^{abt}
 Mrs March, ap^l 36, I went to see May 4. 1867 at no 1
 Harley St, in consultⁿ wth Robt Taylor.

She had had some sore throat & dysphagia last 2 or 3 days
 with induration glandular of left side of the neck, for which
 she applied a poultice. The left side of the throat was also ulcer
 ated. Had erysipelas of leg at Brighton for which she was
 put on the perchlor of iron 10 m & she put t. d. & taking it
 now. Larynx. Larynx normal, but deep recesses of fauces
 & velum & left tonsil, which was jagged from sores -
 Sal nit ay ʒij to be applied to it daily. To suck ice
 & have water ice cream - omit her other food.

ʒij Spermin Ind gr 18
 ʒij Am Bicoid gr 24
 ʒij Amant 3'
 ʒij Card Co an 7'
 ʒij Amant 3'
 ʒij Am ad ʒij ʒij
 c. may. t. d.

ʒij Pul Buel ʒij
 ʒij Am ʒij
 ʒij Am ʒij
 ʒij Am ad ʒij ʒij
 ʒij Am ʒij
 ʒij Am ʒij

49

Mr Thomas Jones, act 49, consulted me May 6th 1867 looks not
 more than 39. Very ^{Bright} florid complexion as if from heart disease.
 Cough many years, 12 or so, troubles him in the morning, the
 moment he begins to move & coughs up expectoration like jelly,
 or arrowroot, woolley. During the day has a little hemming and
 tickling of the throat. Not liable to colds. Cold extremities for years.
 Pulse weak, right more feeble than left. Sedentary occupation in city.
 Mother died 10 yrs ago act 81. father died of Typhus fever. Erysipelas
 of face some years ago & marked his forehead. Not a strong man, but
 sound health good, appetite fair.

Lary Congestion of the throat with large vessels. uvula loose, flattened
 & painted. Larynx normal, a little congested & relaxed.

4 Am had 8 1/4
 Am had 8 3/4
 8 1/2 Am had 3 1/2
 7 1/2 Am had 3 1/4
 7 1/2 Am had 3 1/4
 Apr ad 3 1/4
 c. may his die

4 1/2 Am had 3 1/4
 Am had 3 1/4
 8 1/2 Am had 3 1/4
 7 1/2 Am had 3 1/4
 Apr ad 3 1/4
 f. m. e.

57

Miss Charlotte Teed, ^{abt} aged 36, consulted me May 7th 1867 recom-
mended by Mr Fincham - Lives in Russell Square

Tonsils swelled & mouth parched at night, subject to colds,
Voice thick, sometimes neck swells on left side, so a long time.
Has had a bad cough & dark expectorⁿ in the morning, although
thin, general health fair, appetite good - no dysphagia -
Remains about herself - Had Rheumatic fever once - Wore false teeth
probably of impure gold, they always caused burning of mouth
by them off - better since - Spec of Dr Wm Clarke -

Early Irritation & redness of velum, pharynx & uvula.

Tonsils red, not so much enlarged -

by An Lad gr ^s	by Pitt Bud 3/4
amb Bud gr 36	alm gr x
off an amb	gr 3/4
in car co tw 3'	gr ad 3/4
gr amb 3/4	gr ad 3/4
gr ad 3/4	gr ad 3/4

C. may. f. d. - feels the damp very much.

17th Throat is much better, mouth not so parched, does not feel so
tired as she used, not now so desponding, sleeps well, voice not so thick.

Early a great improvement in the appearance of the face. She looks
better herself. For a while has had pain in the loins, and frequently

53

at the back of the neck - Went was had since Aug last.
Pl. my his die - & gargle as before -

at 58

Rev Mr Dimbar, act, consulted me May 9th 1867 recom-
mended by Robt Taylor Esq, Lower Seymour St -

Resides to S of Dumfries. Delicate looking & thin. Some 8 or 10
years suffers from relaxed throat, with occasional bleeding from
the nose. Went. Been better & worse. Was 2 or 3 winters at Nice
when he was quite well, & the last 3 at Tarquay. Early this last
winter at Brighton, when it was too cold & Dr Oldham then sent
him away & he went to Tarquay where he has been the last 6 weeks
& has got better. This January he caught a severe cold, with constant
secretions, aphonia sometimes. Last 3 was a tickling cough.

Chest said to be quite sound by Dr Madden. Voice is good &
clear though not strong, weaker than for many years. Has a sort
of hacking little cough, with yellow expect. Married his only daughter
yesterday, & had to speak to many friends - which has
made his throat feel quite rough. Is not rheumatic, mother was.

Stomach troubles him, wonderfully good appetite, Oct Dec 31st &
last 6 weeks, & doing him good, regular digestion, Lewis by rule.

Syrge of Tannin Glycer gave temporary relief. Now the extreme back
of the throat is bad, & today a little bleeding from the throat, first
time for 3 mos, but no cough with it. Deaf in right ear 6 mos.
Some earache -

55

Wm Sad 8r3

Am Bond 8r16

Pl am ant 3'

W Cad Co

W mus Vom an 3'

Gr ant 3'

Apr ad 30/4 hr

C. mag. hister ve d.

Pt of Dec -

Sept - Extreme relaxation, ashly, of muc Mem of fauces, & phar
ynx, with numerous large radiating vessels in latter - epithelium
flat & rather pendulous - No ulcerⁿ nor active disease -

¹⁸⁶⁸
Sept 25 His death was in The Times of today, occurring
in Scotland -

Wm Sad 8r3

Am Bond 8r16

Pl am ant 3'

W Cad Co

W mus Vom an 3'


Gr ant 3'

Apr ad 30/4 hr

spur of 3r wh lupul wh

suol relief -

J. M. S. E.



1
2
3
4
5
6
7
8
9
10

~~MS~~

Miss McMillan, aged 17, sent to me May 17th 1867 by Dr. Gustavus Murray of 17 Green St., & her aunt - Father poor, mother rich. Had scarlatina 1 1/2 yrs ago & then had a pedunculated growth at the side of the uvula which Dr. Murray removed. Got cold in Nov last & lost her voice altogether for a short time. They live in Scotland & are coming South. Mother died of phthisis. Now has lost her singing voice since Decem, gets quite hoarse after reading ^{aloud} for 5 minutes. A sort of projection is seen on front of the uvula. Larynx. A little relaxⁿ of the true ligam^{ts} & very small corpus within - but everything else normal. A little relaxⁿ of the fauces. Has used Tannin gargles without benefit. Staten Street &c. Spec. of 3m at Siegel -

By Am Ind 8v 3
 An Ind 8v 12
 1/2 an wh
 in Carl Co an 3
 Sp an 3p
 Sp an ad 3p/4m

By Nat Ind an 3p
 An an 3p
 Sp an 3p
 Sp an ad 3p/4m
 f. m. e. -

C. mag. l. s. dec

25th Is about the same, & when in Paris back of the throat was un-comfortable, tis better since her return. Sal but an applied yesterday by Dr. Murray. Larynx shows secretion at the back of the pharynx -

Vocal cords now normal & white, but a little relaxation of the
 front of the larynx - She looks well, & the voice is good -

Spas of 3m daily for 2 m

wh. Clark's Inst., which

I used upon her -

Sal Putney Dig. Sol.

g. 3^d day to the back

wall of pharynx -

|| s : d : s : m ||

59 Hay Asthma.

Katherine

Mrs Thomas, ^{ab} act 38, consulted me May 17th 1867 recom^d by
Mrs Charles Vance - ^{her cousin} Windmill Hill Place, Sussex -

Has hay fever very bad, about 20 June it begins & lasts all July -
General health good until the summer - breathing becomes very diffi-
cult and turns to Bronchitis - Much indigestion, weight in chest.
Suffers sometimes from Rheumatism - looks rheumatic -
When young had the measles & it came on afterwards & been
increasing ever since - Has wheezings of the chest.

Voice good & clear, impuful left phosis. (Lungs Hotel, Bond St)
Lary. Relaxation of the true Mem of fauces, velum pendul,
& alary, loose, flabby uvula - Mem granular behind -
Was at Eastbourne 6 weeks last year -

By am 2d & 6
am 2d 32
St am 3'

By Post Bul 3/6

By Fine Bul
& gr Sol

By cad Co ^{am 3/11}
By true van ^{3/4} C. mag
By arul ^{3/6} his die
By ^{3/6} 3/6

By ^{3/6}
By ^{3/6}
By ^{3/6}
By ^{3/6}

his die p. v. n
fa 2 m. wh
Clarks inst

June 6 she wrote from Eastbourne on 4th that she wd come up today,
& when she will be a month. I found her much better in every way
breathing easier, but a noisy cough still troublesome. Throat

looked bitter too, not so relaxed, but still much watery mucus.
I remanded the end of the would for her -

July 1. She wrote on 30th from 11 Grand Parade, Eastbourne, that her throat was better but still feels husky at times. Has had several attacks of dyspnoea but nothing like former years & my apparatus has done good, but her digestion is very bad, after meals & she wished a Rx. I wrote to continue gargle & spray & take the new mix, well shaking the bottle.

By Amb Broun 8/32

For Bicant J.W.

Acid Red Cyanid ʒij

Theriacal Co ʒij

Sp. Aml ʒss ʒij

C. may. t. d.

et

ad ʒviiij

August 14. She wrote on 12th that immediately after my last letter she was suddenly seized with a fearful attack of hay fever, from which she is only now just recovering, having left her very weak & constantly suffering from indigestion. She wished to know if she could use the last Rx at any time. I replied yes, & that it ought to ward off the attacks of Indigestion from time to time, & the 1st Mix should be used occasionally, as well.

Richard L.

Mr Edgeworth, ^{at} age 22, consulted me May 22, 1867. Is a student at Westminster & was under Radcliffe - M.B. of Dublin.

I have ago doing duty at Westminster. Last Friday throat commenced to swell & can ^{now} hardly swallow or even articulate. Could eat today with great pain. Attended a patient convalescent from Diphtheria in the wards. Pulse weak. Taken 12 grs Quinine in 24 hours.

Early end of uvula like jelly - a little doubtful exudate on left side throat behind the velum, but not membranous. Sapeur little red & swollen - no exudation. Knows Smyly of Dublin.

By Am Lad 8r 24

Am Acad 8r 24

Spt an at 3i

in Cud Ca 3i

Spr ant 3/4 3i

es m 3/4 3i

By Nat Bud 3p

all 3i

3p 3/4

ed 3/4 3i

f. 9. ea 3 h.

C. may it.

Pill of Col n Hausd Serum C. n

23rd His sister wrote he was very poorly, so I went to see him at 37 Clarges St, Piccadilly, & found much pain in swallowing depending upon inflammation & swelling of the right side of his throat & neck. Behind the soft palate there was an abscess not ripe enough to meddle with. Applied Sol Nit acy (3i) to the throat & neck - Punctured to the neck - Anodyne of Marsh at n. Could take brandy and water, but not beef tea, & had entire rest for 24 hours - pulse was

4y Fr Fer Mur 2440 82
acet chl oil 278
Pot Chlor 8.12
Spr ant 3i
Syr as 3ij m

better than yesterday, & there was no
odour of breath, & voice was good

& clear - Pt gave sals of warm water too. 4th 9.6.6 -

24th Much better & sharper, the swallowing easier, for though there
is still some swelling behind, evidently it has during the night -

was taking man keep tea - pulse fuller. Pt morose -

25th He was better still, but one of the submandibular glands in left
neck was exceedingly painful tender - still some dysphagia
but stronger & livelier - Pt temp of 22 May -

28th On Sunday 26th a 2^d abscess burst, & he was comparatively free
of difficulty afterwards. He sat up & after then called on me to day
fairly well, with his throat comfortable -

Rev Arthur E. Robinson, age 32, consulted me May 23rd - 1864, recommended by Rev Mr Hayward -

Occasionally a sore throat for 7 years - Voice sometimes tires during the service - but if working it more than usual, it gets bad - Is worse in damp weather than cold or dry - He has been disabled from duty. Once he rested for 2 weeks under Homoeopathy. His health is perfectly good; appetite & digestion fair - Had Rheumatic fever 20 yrs ago, but none since. Can do 2 duties comfortably but when not well he feels as if he were going to stop; has to be frequently - no pain - sings more than he ought to do - Smokes 2 or 3 pipes - Takes much exercise - Lives in a dry & healthy district - Healthy looking man.

Larynx - Small Constriction, thickening & redness of Mem of fauces, Velum & Uvula - The last is thick, long & turned to one side.

It must be treated & he was told so before - Larynx normal, but epiglott a little relaxed & Larynx too, in consequence

4 Am Ind 8r 6

Am Ind 8r 32

St Am Ind 37

c. may

his ter

we die

—

—

4 Pal Ind 3p

3r Sulp 8r 6

Am Ind 37

Am Ind 37

Am Ind 37

Am Ind 37

f. m & e

August 17. His throat was better & voice clearer, but still it felt thick, & he made up his mind to have the end of the wound taken off, which I did to day with but a trace of bleeding, the bent portion was taken off. Left same day for home -

Mr J. O. Hall, aet 65, I went to see May 24th 1867 at No 1
1 Brunswick Row, Quensdown, in Consultation with Mr P. Marshall
of Bedford Square - a retired lawyer -

Subject to Bronchitis many years, & loose 3 or 4 yrs ago, but always
has a something about the throat, & generally in the spring -
Voice has a sort of diplophonic tone. Disease simulating
hooping cough just now, fits of coughing with a loud hoop
noise in the night. somewhat nervous. 1st attack of
the insipid hoop alarmed him, thought he was going to choke.
Mr Marshall tried hot dry spay last year -

Large easy. Congestion of trachea from subglottis downwards,
epiglottis rather pendent. fauces relaxed.

Used the spay of Zn in my specimen with out cough -

He was taking a mix from Mr Marshall which I modi-
fied by adding Zn Sulph. e.g.

Ry Zinc Sulph grs

Ac Sulph dil ʒj

Vin Sperm ʒj

M S colla ʒij

Inf Ras C ʒij

Inf Calumb ad ad ʒij

C. may. ʒij t. d. sum

Zinc spay wh

Clarke. bis die

ʒss solution

{ Pale wash, & ham
sherry - is gouty

66

Miss Lane, aged ^{about} 24, consulted me May 31st 1867 recom^d
by Mr ^{Dechamps} Bell. Lives on a high hill in Somersetshire.

Throat occasionally affected for 2 years, it becomes very much
relaxed, & through that sometimes is almost choked. Can sing
but not the high notes, used to sing 2 hours, but now it fails.
Mr Bell who recom^d her is quite well, from the spray used
she was under Dr Williams, had had cough 1 winter. Had Rheum
atism some years ago, but not since. Appetite & digestion excellent
Fine rosy complexion - Teacher in the school.

Has constant cold in the head, & choking, with much secretion in
the morning, both in nose & head. Always better in London
Last. Relaxⁿ of the throat & larynx, with some irritability &
free secretion - Velum very pendant & short stubby. Uvula

Vocal cords normal -
By Am Ind 8r iii
Am Ind 8r 12
Sph Am aut aw 3
By Cad Co 3p
Syr aut 3p
Syr aw 3p 7 m

Spray of 3m ut Seigd
By Par Ind 3p
Am Ind 3p
Syr 3m
Syr ad 3p 7 m
f m e

C. may. his die
Cannot sing soft, but
Does sing in the Chair

Spray of 3m 8r Ind
with Clarke

June 5 Throat feels better, secretion is diminished, with a little
choking still in the morning. Cold in the head better, had it for mas
it has quite gone. Lary all is much improved. Used spray of Tr
wt Sev which she finds "very pleasant doctery"

To use the spray bis & so ter die In gayle alum & the Tr.

¹⁸⁶⁹
Aug 28 Mrs Butler (in Vall) whom she sent to me told me
she was quite cured.

Mrs D^r Kerr, aged 4, bro't to me June 4th 1867 by her hus-
band D^r Kerr, Med Missionary from Canton, China.
He bro'ght her to England on purpose to consult me, they
are natives of Southern States of America.

She had acute disease of the throat when a growing girl, & when
ever she had a cold it would settle in her throat. Been married
9 years, & has a family. During that time suffered more or less from
irritation of the throat. It remained stationary until the last 3
months, when it became aggravated ^{1 month} before leaving China & had
caused cough & expectoration. During the voyage all this disap-
peared & now the throat is the same as it used to be. Still has a
tickling cough now & then. Gained flesh during the voyage. She
has not been able to sing many years & almost loses her voice
when she gets cold. D^r Kerr thinks the disease is the Trachea.
She could fill a church with singing when 20 & read a good deal.
Appetite & digestion never strong. Voice good & clear.
Larynx. Fauces normal, the follicles are seen proximal & pale.
The larynx is normal, & a little congested, Vocal Cords normal.
From subglottis downwards seems to be a pale pink, & thick like fine
Velvet, which explains discomfort & tenderness she has in front of

and at the root of the neck. Saw left bronchus.

Chest no dullness. Respir same on 2 sides, but wavy on the right
no rales heard.

Spray of Zn at night without
any inconvenience.

By Spray of Zn his dis-
vt clouds fast-
for 2 minutes -

8th She was certainly better, and the congestion of trachea was di-
minishing from below upwards. Was well seen to day. The spray
at first produced some rawness, but that disappeared. He the Dr
gave me some Reports (3) of the Canton Med Missionary & a piece
of petrified forest, from Cairo - At the spray -

15th Is better & better, the congestion is now leaving from right to
left of upper part of the trachea; & the mucous membrane of the fauces is
as smooth & healthy looking as could be desired. Her
general health too is excellent - pl spray -

21st Is now about well, excepting a little cold, from the weather.

By Ann Good Dr 3

By Pat Bush Dr 3p.

Ann Good Dr 24

Allen Dr

John Ann Dr 3j

John Dr 3p

W. C. Co Dr 3j C. May

W. W. Dr 3p

J. M. Dr c

Spr Ann Dr 3p

t. h. n

Ann Dr 3p

John

Ann Dr 3p

Ann Dr 3p

Decem 4 Recd a letter from the Dr, dated Francestown, New Hamp-
shire 14 Octob.. saying they expected to sail for China on 1st Novem.
They left Liverpool on 10 July, had cold passage of 13 days, & his wife

71 took some cold. On landing they went to Ohio, 4 or 500 m
in the interior, & while there the atmosphere was dry & hot. For a few
weeks there was a slight return of the cough & exp^{ct} with some de-
rangem^{nt} of general health, but gradually these symptoms subsided
and now Mrs K's health is quite good & almost entirely free from
any irritation of the throat. They return to Calif^a via Califor-
nia, & hope to be in Canton by the end of Decem -

Mr John Booth, aged 29, consulted me June 4th 1867 from Dundee in Scotland, near Dr. Allen.

Been ill 6 or 8 mos. Used to be constantly clutching the throat with his fingers, from irritation there, & spat up little bodies like pins heads. Got influenza in early part of the last winter & his throat disease became chronic. He took Dr. Lee from Dr. Greig of Dundee but it did not agree. After the new year he got hoarse & in damp weather the voice went away. However he got better as the weather improved. The swallow became very sore & painful, until something like warm relieved him at night. In the mornings after breakfast, had thick, yellow, viscid expectorations. Was always well before this. Sleeps well, no night sweats. Now & then a cough, but more to clear the throat. Sometimes his voice which is a little rough & hoarse, becomes quite smooth. Has got thinner. Has had pains in his knees. Is very nervous. In a newspaper office.

Larynx Epiglottis protracted & irregular, pale dead, but not diseased. It could be elevated & the larynx seen. Surface of Vocal cords congested & thickened & ulceration with milky secretion between the arytenoids at the very top. Motion of parts is perfect -

73

℥j An Ind 8r 4
An Ind 8r 4
3m Sulf 8r vi
Splan ant 3j
Tr can Co an 3j
Spr ant 3j
Spr an ad 3j 1/2 m

℥j Pot Ind 3j
Alum 3j
Spr 3j
Spr ad 3j 1/2 m
f. n. s. e.

C. may his test medic

Spray of 3. at Seigel.

Chest well formed, breathing ^{in front} clear, but heart beating inordinately -
7th Es better, but feels drowsy from the weather. Came up by
Sea, returns 8th. Chest deposit of tubercles in left side, pos
certainly upper 2/3 and a little above in front - with sibilant
& mucous rales. A little also behind on right side.

Early - less secretion & less swelling, parts already look better.

To use 3r spray to prod

To take Milk & brandy -

wh Clarke his die for 2 min.

live well.

Lact. Sea Water diluted 1/2.

Avoid cold & drafts.

The medicine has promoted free expectoration of thick viscid
mucous. Appetite not so good in London.

Sept 10 at Dundee. Better, voice natural & smooth, larynx
normal, epiglottis well up. Chest sounds clear, a little dul-
ness left side - no rales. Rheumatic pains in left chest occasionally
eats well, has little or no cough. Walks from 10 to 7.

℥j An Ind 8r 4
An Ind 8r 4
3m Sulf 8r vi
Acid Sellen 3j
Vin Splan an 3j
Tr can Co an 3j
Spr ant 3j
Spr an ad 3j 1/2 m

C. may
t. p. r. n

℥j Indulf
Alum an 3j 1/2
Spr 3j
Spr ad 3j 1/2 m
Spray from
℥j Lin Chlorof for pains

digestion is better - less irritability of fauces -

Miss Daniels, aged 28, sent to me June 4th 1887 by Rogus
 Harrison of Kent House, Lansdown Road.

He wrote she was not in a condition to pay -

Most affected 3 years, was told it was a relaxed throat -
 affected her voice. It gets dry & the throat adhears together -
 Expectorate a good deal, especially in the morning, but it is con-
 tinual - very slight cough. Cold always affects the throat.

Resides at Kennington - General health is not good. Digestion
 is good. Constitution not strong, is weak - Nervous -
 Early slight relaxation of fauces with a large vessel on left side
 of velum. Some subglottic congestion & trachea -

By Am Ind 8x4

Am Boud 8x24

Sp am bit 3j

W Card Co aa 3j

W Mustan 3ss

Sp am 3ss

Sp am ad 3ss m

c. mag. bis die -

By Parthend 3p

Alum 2j

Sp am 3p

W Mustan 3ss

Sp am ad 3ss m

f. n & e

10th Is about the same. ~~c. mag~~ subject to pain in side & chest.

By Ac Hcl dil 3ss

Am Boud 8x32

Hot hot 8x48

W Calomel 3j

W Card Co aa 3j

Sp am 3ss

Sp am ad 3ss m

c. mag. Has no cough, altho she expec-
 torates much, yet she is
 t. d scarcely ever without a cold.

She feels languid & tired -

76

Sheeps well - remembers any suffer - Has 1 sister who is quite different & quite strong - Myself -

20th Is very much better altogether, in every way; Chest is normal but nervous action of heart at apices. Throat is easier. Most of the unpleasant symptoms have gone. Pt. *hix et facile* -

8 July Throat has been sore again, always feels it at the back of the root of the neck in front. Swallowing eases her. The Med eyes well. Did use Tr Lud externally to nose & put aq. to throat.

2nd Shows some conversion of trachea & the sides of the Ventr.

Qty of Zn. Add to mix Zn Sulph for 14. Lin Chloroform to make -

R. N. ^{alt}
 Mr Dyke, act 28, sent to me June 5th 1867 by Dr
 Fisher of Sittingbourne, recommended to do so by Dr Peacock
 Been away for 14 years in hot climates in the navy, & was
 last winter employed in chase of a gun boat on Coast of Ireland
 to watch the Fenians. Duty very harassing, got cold & wet
 & shed one night, & next morning got up with his voice gone.
 Has had aphonia now 4 months - Can utter a low audi-
 ble tone, but not loud, yet it is ^{now} stronger than it was -
 Dr Peacock found some dulcids in upper part of left lung, but
 unfortunately he has the distinctive cough of Phtisis *laryngea*
spulmonalis - fatal alas.

Lary. Some irritability with a large pinkish painted oval.
 Ulceration of apex & anterior part of left arytenoid cartilage.
 Vocal cords both white & intact; so is the epiglottis. The ulcer-
 ation is red & angry - Throat hot as if with syringe.

Also Spuz of 3 Sulf gr 10 To be repeated every 2 or 3 days by
 Sol. his die for 2 m. Dr Fisher with my 7th Solution.
 Wk Clarke's Inhaler.

Is going South this winter. Give my opinion to Dr F., that the ulcⁿ
 was not syphilitic, but probably tuberculous. I said he wd get his

voice back again. Dr Fisher knows else it came in Vol 8 78
and hunts with him -

Mr Stuart, aet 49, Chemist, consulted me June 5th 1867 recom^d
 by his brother Dr Stuart of Woolwich. He resides there too.
 Suffering from a relaxed throat along time. Had laryngitis,
 about 3 weeks ago, was very bad, got over it. Always low with
 a depressed state of the system. Dr Stuart sd it was tonsillitis.
 Took Cit of am, Sul, Sain &c. Always taking something -
 Has dyspnea about the throat, constantly hawking & clear it.
 Genl health not good. Never had Rheum^m - Constantly complaining
 of languor & debility. Takes too much blue pill &c
 Looks rather worn & anaemic -

Lary. Some irritability; congestion, relaxation & thickening of
 entire faucial muc: Memb. A large vessel in front of the uvula.
 Last is darting, thick & pointed. Larynx & epiglottis normal,
 but the last is semi pendent & much relaxed. Has swelling &
 tenderness of right thyro-hyoid ligament. More or less dysphagia ^{constantly} from it.

- | | | |
|-----------------------|--------------------|-----------|
| By Am Ind 8r 6 | By Post Bond 3p | |
| Am Bond 8r 32 | By Alon 3p | |
| St am Ind 3p | W. W. 3p | J. m & c. |
| W. Card Co 3p | Sp 3p | |
| W. must m an 3p | ad 3p | |
| Sp am 3p | | |
| Sp ad 3p | | |
| c. may. his tes m die | Sp of 3r 8r 10 sal | |
| | daily w/ Clarke. | |

Jan 22. 1869. Has been much better. Is now cough and so
 hoarse at night, & is constantly clearing the throat & it feels rough
 & raw. Sore in right ear the last week, it feels as if thickened.
 Indigestion & distress of stomach, feels puffed out, has to take a pill occa-
 sionally for relief. Been taking Quinine & Steel with benefit. He can't
 sing now & seems to have a good voice. Applied Sal but day to fauces

24th Larynx is better, epiglottis quite at, healthy; fauces greatly relaxed,
 mucous membrane thick & gelatinous, red, but the red vessel is gone. Uvula is
 large, broad, flat & thick, & painted, must truncate in summer

4 Am Lad 8x12,
 Am Bud 3i,
 In Card to 3iv
 Spramb 3lb
 Apr ad 3iv in
 c. may his die

4y Uran but 3i
 acet dil 4x
 Glycer 3ij
 Apr ad 3iv
 f. n. se

Sal but day -
 (3ij) to fauces
 every 2
 days -



17th his Larynx & Stat once a day & may his die.

26th Throat is better, but has irritation in swallowing as if
 something passed over a rough edge. This is from irritation
 at top of cricoid. Applied Sal but day, not could brush.



Uvula long & painted & with a large vein to the point.

Add to mix Vin Spector 3i
 & Spr 3iv. Wet neck cloth at night -

Novem 10 Has had a little hacking cough the last few weeks.

He felt very uncomfortable on Friday on driving to Reigate.
 Chest feels tight & lower part of neck as if constricted; not
 relieved by demulcents, & the cough hurts him. Took acet &c
 which relieved the tightness. Expect easier but difficult to get up.

Continued at H 11

Mr W. Hargreaves, aet 60, consulted me June 5th 1867. Is the well known Dublin Surgeon, late Pres R.C.S.I.

Voice been failing him for some time, & getting weaker. Larynx Congestion & thickening of the fauces, velum & tonsils. The last irregular & jagged but not elevated. Flashes, uvula. Relaxation & flapping of both Vocal cords. Tonsils normal. Is a little below par

had spray of 3 in wh chloride
wh immediate benefit, &
presented it his die, for 2 in
at 10 p.m.

of Pat. Band 3p
also 3p
in my hand 3p
for 3p
as 3p
J. M. S. E.

Gave him a copy of my new work on the Laryngoscope, he spoke so highly of my large book on the Throat & so how much my opinions & position were respected in Dublin.

Lives at 56 Upper Mount St, Dublin

¹⁸⁶⁸
July 7 Has been very much better in every way, the fogle did him immense service, the spray he did not use much. His voice is better, but it feels to him as if pain to the base of the skull. Larynx & trachea normal, fauces not so thickened & redness all gone, membrane only a little gelatinous as it were.

Q. Uranium Di 82
Acid Nitric 24x
Egr 3ij
Syr ad 3vj
f. n. & e.

He looks uncommonly well.

Omit N. Myrt in old recipe &

use the new one occasionally

¹⁸⁶⁹ June 29 He has been very well, but caught a cold & has a cough with expectorⁿ from the throat. Has had much domestic trouble, lost his married daughter with Scarlatina after childhood.

Famessau relaxed & corrected & so is the teacher. Used a py of

Zn with Chloric & peroxid

Redd purple which.

an Sgr Sal with Eau de Coloy

he finds most comforting

He thought that foot had something to do with present illness -

Miss Emily Stokes, aged 16, sent to me June 8th 1887 by her Aunt,
living in town, request to do so by Mr. Haughton of Dudley.

She has been at Maiden Hill, at school, 9 mos.

2 years ago had Variola which left her with a cough, & feeling of
stuffedness. It gets better at home. It has affected her voice
much & she has left off singing. Is not thinner but feels ston-
ter & blood flies to her head. She suffered from the head even
before her present illness. Catamenia present since the Variola.

Has 2 sisters & delicate little brother. Very ^{nervous &} excitable. Gets house
at times & is quite husky. Does not eat well. Has frequent colds
in head, & a little expectoration. Cough is more troublesome
on first awakening. ~~has~~ appetite. Digestion bad, retches a good
deal, cannot always retain her food. Nervous sometimes, &
uncomfortable. Chol no special evidence of disease, yet she
coughs a good deal, most violently at times.

Ry Acid Hcl dil ʒij

Am Bismul gr 24

Vin Sperm ʒi

M Card Co ʒij

Syr Arab ʒss

ad ʒoj ℥

C. may. t. d.

Ry Pot Acid ʒss

Alum ʒij


ʒss

ad ʒoj ℥

J. m. & c.

84
Laryngitis, thickening, relaxation of the whole throat,
and trachea. Vocal cords normal, voice fairly good.
Muscle long & relaxed.

This book is for cases



& & & & &

Doctor Eranson, ^{wt} 67, consulted me June 15th 1857. He is staying at 11 Portman Sq, the Duke of Northumberland - Homehurst is his place of abode

Been labouring 30 years with an affection of the trachea; last blood by haemorrhoids, protracted diarrhoea; began with a hemming and a cold phlegm - always so cold. Went abroad & cough continued. Spent a winter at Rome 1838. 39 used a sponge with caustic on it himself to the throat, which did him good. Took blue pill to tenderness of the gums, did not pursue any systematic course of treatment. In Germany inhaled vapour of the ordinary herbs. At Nice 2 winters, but it did him no good; always got relief from inhaling hot water. Used Croton oil, Iodine, &c, externally. Phlegm sometimes slightly tinged with blood. On one occasion a pellicular secretion from the throat. Dr R. B. Todd applied the stick of caustic to the soft palate. Hastings put his sponge into the trachea, & he thought he was the better for it. Has inhaled creosote with benefit & he now breathes camphor quills. Sleeps badly at night, gets very restless, last night the throat was dry & irritable. He takes with relief ℥j of this

He then sleeps till 4 am -

{	Chloroform ℥j	Battery ℥ij
	Tr Acumb ℥ij	Sp. Tan Co ℥ij
	Sy or Brandy ℥ij -	

He coughs from lower down than he used. He thinks he has enlarged prostate, seen by Thompson, but emptied his bladder. Last winter, 4 mos ago, lost much blood from haemorrhoids, & was much weakened.

Lang. Some pendancy of Epiglottis, which is flat in shape. No congestion, but chronic relaxation of the sides of the larynx & folds of the epiglottis. Muc Mem of fauces rather thick. Throat was treated, used 3m Spray wth Chlorin & punctured it his die, with
 10 gr Sol. by Pat Burt 3p,
 Allen 3p,
 J. H. 3p
 Ed 3p

Nothing dangerous. Irregular pulse weak - Sore occasionally -
 He is constantly hemming to get rid of a piece of phlegm, but has no regular cough at all.

29th Has been wonderfully better & the constant irrit & hemorrhaging have ceased, or nearly so. Has got a slight cold & a dryness - The spray cools & refreshes him & he has found it beneficial. Lang. Epiglott more denuded, & larynx less relaxed than it was. Lin Chlorin for discomfort in the neck.

89.

Madame Goldhammer, aged 24, consulted me June 16. 1887 re-
 commended by Madame Lucca. She came too with the card of Mrs
de Merie. Lives at 78 Buildford St, & teaches Singing &
 Her middle notes are not good; sometimes sings very well for 4
 weeks & all at once she cannot sing; in the mornings is hoarse.
 It hurts her much. She expectorates in the mornings. The last week
 has been very bad. Pains her to speak sometimes. Throat is dry &
 uncomfortable if she wakes up in bed. Is extremely nervous, & the
 least thing agitates her. Her husband Rheumatism - pain in chest.
 Larynx pharynx reddish as if from a cold - ^{fine} Congestion of the
 surface of left Vocal cord, all the rest relaxed, except the Reg-
 ulators which actually look white like the cords - Epiglottis
 is a little down & elongated - but quite movable.

by Am Bunt 8x36	by Pot Bunt 3p
2 1/2 Am Bunt 3p	Alum 2j
2 1/2 Cud Co	Sp 36
Muc Van an 3j	of ad 30j
Spant 3p	
of ad 30j	
C. may. f. d	f. use

Used Spuz of Bunt Clark with advantage
 Sol but any to the fancies

89

Anthropological Society of L

THE SOCIETY will meet on TUESDAY 8th J
o'clock precisely, when the following Papers will be re

"On Physio-Anthropology; its Aim

by Dr James Hunt Esq.

Adjourned Discussion

No. 4, St. Martin's Place,
Trafalgar Square.

J. FREDE

254 COTTON CORE LINE

The Penmanship

89.

June 25, 1867

Dear General with kindest regards
and thanks to my Mother
and will feel obliged if she
will have the kindness to send
him his fee of one penny,
for the conservation of the
16th June.

Wm S. Brewster
78 Sweetfern St.

91

Mr Adams, aged 50, brought me June 21st 1867 by Dr Godley
of Newport, Salop. Is a farmer there.

Has had relaxed throat & hoarseness for 10 years - has been quite
deaf at times, & sight impaired. Uvula constantly tickling
him. Voice in a high pitched key. Perfectly good health.
Every cold flies to his throat. Has no cough, but phlegm in
the mornings. Not rheumatic, but has pain in muscles.

Larynx great congestion & relaxation of fauces & pharynx, velum
pendent, uvula long, loose, flat, broad, thick & pointed.
Epiglott pendent, flabby, loose, red, congested & shining -
larynx seen with difficulty.

advised ultimate cure by Dr Godley -

Ham bad 8/07

by Nat Bush 3/6

am throat 2/3

allum 2/3

opt an ant 3/3

Sp 3/6

W cand Co 3/3

Sp 2/6 3/07 3/6

Sp ant 3/6

Sp ad 3/07 3/6

f. m. d. e.

used c. may. to d.

had hit acy to some ulcers

^ spray of 3 w. Clarke -

behind left tonsil -

August 21 Dr Godley wrote Mr Adams was better, & the removal
of the end of the uvula had afforded considerable relief -

93

Rev Mr Lanei, aged , consulted me June 22. 1867. Is a
brother of Miss Lanei at page 67.

Was formerly in the Army & in India 12 years, left it & entered the
Church. Been home 6 or 7. For 2 or 3 years throat has been at times
relaxed & a collection of phlegm arises, & incummodates him in
reading. Good health found, & he has a fine sonorous
voice.

Laryx Extreme relaxⁿ & congestion of fauces, velum & uvula,
a little piece of loose membrane at the end of the last.
Epiglottis is congested, & a little pendulous, & the whole upper
part of the larynx is congested & watery -
used spray of Dr. W. Clarke -

By Pot. Perm 3j
Alum ʒij
W. Myrtle ʒij
Glycer ʒss
Spray ʒad ʒoj ℥

Spr. of Zn (10gr Sol)
once a day
wh. Clarke -

garble m & e

95

Rev R. Lowndes, aged 45, consulted me June 25. 1867 according
his Medical Man. Lives in Gloucestershire.

For the last year has had extraordinary dryness of the throat
increased by reading. Has very little voice. Tongue feels a hard
lump in the mouth. No cough. digestion not good. Reading and
loud prolixious more dryness, voice gets weak at the end.

Has been teased with the throat since being in ardens, but the
dryness is a new feature; would be treated 16 years ago w
benefit. Cold always affects the back of the uvula, &c.

Suffers from Rheumatism very much, no relief just now in the
right shoulder, which is as if a knife went through it.

Lary. scarlet red, irritable, condition of the muc. mem of
the back wall of the pharynx, great follicular irritⁿ; ulcers
not so bad, but upper part of larynx & trachea affected too.

Sometimes has to clear phlegm away.

1/4 Am Snd gr 8	1/4 Pul Snd 3p	Opuz of 3m
Am Snd gr 32	alun gr x	Seritol 0
Off am ant 3	Spum 3p	Spum 3p
1/2 Card to an 34	Spum 20 gr	aq 3ij
1/2 Nuc Van	S. m. e 2m	Smel die
Syr Am 3p		wh clarke - which
Spum 20 gr		I read on him -
C. mag. t.		

97 1869

April 14 He told me he had been very much better, & that the
spray always overcomes any discomfort.

Miss Anna Maria Titmas, aged 7, sent to me June 25. 1867 by Dr
Caldelough, & her mother -

1½ years voice been muffled as if affected with Asthma,
began with a little hoarseness - It has now a croupy tone
about as if a cold were present, yet she can speak loud.
used to sing & speak prettily when 2 years old - 1 of 6 children.
Is always hemming to clear the throat. Intelligent child -
Not yet thinner -

Larynx. a little piece of loose membrane at right side of the
uvula. Epiglottis is quite pendulous, warm, & rather long, yet
the larynx can be seen, Vocal cords normal, but some thick
ening & relaxation below them - which causes the hoarse sound
together with the pendulousness - Epiglottis is studded with vessels,

℥j Pot Snd ʒj
alr ʒj
Sp ʒj
Sp ʒj
f. m. e. -
To be kept to use it.

Sp of Zn wh
Clarke's Instrument
℥ss Sol e ʒij Gum
in ʒij water -
daily -

99

Mr. Fredk. Hood, aged 43, consulted me June 28th 1867, recommended by Dr. Nicholls of New Jersey. He resides there & has come to England to consult me about his throat.

Throat has been bad 2½ years, getting chronic. If he fatigues himself he gets weak in the throat, then a sort of fulness, Voice weak gets used up in 10 or 15 minutes. No cough, but breath bad. General health not good, poor constitution, weak digestion, not a hearty eater, yet is always ready for a meal. Been the same the last 30 years, feels depressed & weak sometimes. Met with an accident 2 years ago, his horse fell upon him & broke one of his legs in several places. & he was very low & weak. Never suffered from Rheumatism, but sometimes a pain in left shoulder, when constipated. Throat not so well since his arrival. Is not consumptive though weak, had disease of his left leg some years ago. Has flatulence & heartburn, though not a confirmed dyspeptic. His ankle irritates him. Took Dr. Lee for a time but it usually disturbed the stomach. Has not lost flesh.

He feels weak & uncomfortable in the Thyroid Cartilage. Large mapped condition of the pharynx, & irritated condition of the mucous membrane. Enlarged & tortuous veins on both sides of

the Velum. Epiglottis partly pendant & irregularly curved. No resistance nor condesc. sensibility. Larynx relaxed. Lallein disease chiefly confined to the throat. Cold fits to the throat.

C. Mez. his d.	Kyanid ʒss	Kyanid ʒss	Syr of Zn
	Am Bromid ʒss	Am Bromid ʒss	10gr Sol
	Spt an auct ʒj	Spt an auct ʒj	Semi die
	ʒ Curd Co	ʒ Curd Co	ʒb Clarke
	ʒ Mev on ʒij	ʒ Mev on ʒij	as shown him

Aug 21 His throat was very much better, mucous membrane less granular, &c. The glands of the throat he says hang down, i.e. the neck is flabby & glands submaxillary unperf. But he is altogether better & looks so. Bowels constipated from the French Wine & if he 10 days or more has pains in his right shoulder.

ʒ Mix & spear as follows — Fine Sulp ʒss
 Albu ʒss
 Spt an ʒij
 As to meet me in Edinburgh —
 He wrote me various letters from Paris, which I replied to. At one time he was very desponding without cause. His wife is from Kilsnoo.

Septem 13. In Edinburgh — found him decidedly better in every way, voice good & stronger. But the Edin air made his throat a little raw today. On 14th I advised him to continue the mix, fangle & spear pro re nata. & to have besides

By Lin chloroform 34"

102

for his neck pains & weak ankle -

The Hon^{ble} ^{Leslie} Capt Melville, aged ^{abt} 34, consulted me 4 July 1867.

Been a martyr to sore throats, since 1859 when he had Concussion of the brain, insensible 7 days, & ill 14 mos.

Mr Cook said he would always be subject to them. The slightest cold flies to the throat, and they generally end with a kind of Chronic Cough. Complexion fair & a little flared.

Hems frequently to clear the throat. Is not generally ill him-
self, but tis a great nuisance. Last Sunday got another.
Appetite good, digestion not so, & has to be careful.

Cold bearing air agrees with him, worn at Brighton, & some
years in Canada in the Guards, was well there, but sub^{int} to
Rheum^m Lungs healthy, not subject to cough.

Digestion had since degenerated, ^{leisur} bowel complaint & congestion of the
liver 2 yrs ago, & other ailments 3 yrs but well.

Early ^{red} Sily like relaxation of knee of femur, vertebrae & pillars.

Sagitt & little curved & epiglottis a little relaxed.

By an Ind 813

Am found 812

off an ant 31

mead Co 34

Sp ant 36

Ed 37

nd 37

By the Ind 813

Am 36

off 36

ed 37

g. m. c.

C. mag. lis

He used gurgles of tannin in Sh & w^o effect.
A mix of 4 Vin S^{pec}ae 3ij Must Sol ad ʒvj
w^o Can ʒijij C. mag. p. r. n. } this
Spr pap alb ʒij } always
did good

13th Very much better indeed in every way both in nose & throat.
finds mix & spray most serviceable The Muc Mem pale pink
not so thick, more healed up & jelly like look is gone.

Used spray as before & prescribed 10 gr Sol p. r. n. for Clasie
M^{ix} & spray for a little time longer.

30th He wrote on 28th to make the gargle more palatable for
after using it he can taste nothing for hours. is so very sweet &
sickly. The spray he might use 3 or 4 times a day for
a minute, if desired -
4 Am Bromid ʒviiij
w^o Morph ʒi
Stimul ʒss
Sh ʒij
An ad ʒvj M

Dec 24 Has been quite well up to 3 weeks ago, when his throat became
dreadfully relaxed. Had aphonia for 5 days, all treat of no avail.

Good health perfect. Lary Pelan^m & a little thickening of
Muc Mem of fauces w^o ulcerⁿ a left side. Sol Nut arg.

4 Am Iod ʒviiij
4 Am Brom ʒviiij
w^o Can Co ʒijij
w^o muc Van ʒij
Spr aut ʒij
An ad ʒvj M
C. mag. bis die
Sol Nut arg to fauces.
9. 2 a 3 days.
M^{ix} Gargle & spray
19 W atitoo Crescent

January 1. 1868 He wrote yesterday from Dover to say his throat was no
better & each n & m it is a little elevated & greatly relaxed

Continued at 257

Mr. Sord, aged 22, consulted me July 6th 1867 recommended by
 Mr. Owen, Surgeon, of Buzzards.

Has been ill 6 mos with his throat, it proceeded from a strain
 in reading too loud, last Christmas a sort of something gave
 way ^{since}, then it has been bad with a sort of aching or
 soreness ^{sometimes} at the top of the back of the throat. His general health
 is good. No cough. Voice has been very distinct & very power-
 ful. From a sort of strain or occasional closing of the throat,
 the throat does not feel uncomfortable - No expectoration -
 He scarcely or ever speaks loud. Chiefly writⁿ of chest & itching
 of it in front. A Journey to France did him good. The chest
 itches from rising &c, & he has always worn a flannel bread
 plate. A little dysphagia occasionally, & a little stiffness be-
 tween the shoulders, especially if the chest has been itchy much.
 Larynx Mem of fauces rather thick & velvety, a little congested.
 Epiglottis is completely pendulous, & quite flat, elongated, conical,
 & larynx seen with the greatest difficulty, but the valve is
 healthy. Interm of larynx very slightly congested.
 He used pipe & which dried up his throat too much, & took Super
 phosphate of Iron internally.

My Am Band 8
am Band 8 12
Skl am Band 3
W. ear Co 3
Spr am Band 3
Spr ad 307
c. mag. tidie

My Pot Band 3p
all am 3p
W. ear Co 3p
Spr 3p
Spr ad 307
f. rose.

106
My Lin Chloaf
31 -
for check.
span the voice.

Mr Chapman, aged 58, was brought to me July 10th 1867 by Dr
T. Snow Beck, 74 Portland Place.

Is a Town Traveller. About 4 or 5 yrs ago, the throat became
very troublesome, commencing at the larynx & at first had a very
dry troublesome cough, but gradually expectoration occurred &
now it is very abundant. This is a violent sonorous cough
principally in the morning after he begins to move. Sometimes he
is quiet all night. The last 3 weeks, a little piece of food would
stick in the throat, & has had to drink water to get it down.
Has no hemming to clear the throat. The cough comes on suddenly,
violently & with spasm. Has lost flesh though never stout, general
health has always been fair, Dr Beck has attended him 25 yrs.
Voice sometimes hoarse, especially about 10 or 11, after exercise or
speech. Cold does not affect him, heat does. Dr Jenner did
not find any chest disease beyond some emphysema.

Larynx. Great relaxation, congestion & thickening of Mem of fauces &
larynx, extending down the trachea, epiglottis partly pendulous,
curved irregularly, with large red vessels on lingual surface.
The posterior bellows start about from the middle of the wall of the
pharynx & present a curious appearance - The larynx was long &

loose at the end, & I removed the end of it. He had undergone various treatment. I advised Continuum of Chloroquine at n.
 & Spray of Zn 10gr Sol I used it too before the
 his die for 2 min - after -

Chut. Resonance good, no rale, nor abnormal breathing anywhere
 24th Cough expect^d about the same, latter even increased. They may
 much penetrate him in the mornings. He does not feel the weight of
 the bronchi but there is just accumⁿ of phlegm from time to time.
 I make 1 separ. - Never feels thirsty - egg in coffee in morn.

Lary. Just improvement in the entire throat, but there is too
 much secretion of watery mucus.

By Zn Sulph 8r12
 Alum 8r18
 Sol must know 3ip
 by distil 3ij in
 for the spray -

By Am Sulph 8r4
 Am Sulph 8r24
 Pt Am ant 3i
 in Card Co
 in muc Vom ca 3ij
 for paper 3/4 307 in
 c. mag. t. d.

109

Miss Julia Cassavette, ^{abt} and 17, consulted me July 12th 1867
recomm'd by S Walsh, who attended her mother & who was going
to Kissengen.

Miss C, delicate throat many years. Tonsils cut by Geansley
4 mos ago, for deafness in left ear; sleeps with her mouth
open, chokes sometimes on eating; born in Egypt & was a
delicate child, pertussis exceedingly severe when 4 years old.
9 & 10 cold in the head, with severe coryza, phlegm, &c.
Caught in damp weather. Slight attack of bronchitis last year
at Turquay, but S Walsh says is nothing wrong in chest. Perspires
deadly in the hands & under arms. Hoarse at night, but
never aphonic, has lost the high notes in singing ^{for 2 years}. Digestion
bad, gets flushed after dinner, takes no wine, had piles but
is better of them. Fine looking girl. Deaf in left ear.

Early extreme relaxⁿ, thickening & congestion of the fauces, &
slightly so of the larynx - Left ear filled with dark wax

ly Am Ind 8r 3	ly Pol Ind aa 3p
Am Ind 8r 12	Am aa 3p
Sp Am Ind 3p	Sp 3p
Mcand Co 3p	Sp ad 307 m
Sp Am 3p	f. m a e
Sp ad 307 m	

C. may has die

///

Miss Whittaker, aged 30, consulted me July 16th 1867 accompanied by her mother, recommended by Mr Harrison, Surgeon, of Kettel St. Has had dysphagia for 2 mos. She went to Epsom & ate a crust of bread which scratched the throat, & it has been sore since then swallowing solids, but not fluids; it seemed to her as if something was forced down too small a tube; this seems as low down as the root of the neck, & she dreads to eat anything. Voice good. ~~Can~~ A number of little pimples formed on the middle of surface of the tongue, size of 3^d, which smart, so there 3 or 4 days, can't take hot tea or coffee. Good health good, but has head aches, piles & threadworms. Catamenia a whole week. Is very nervous & excitable - At times has a dead feeling in the hips as if going to be paralyzed. The least aperient brings on the piles, originally induced from eating uncooked arrowroot in Germany for diarrhoea. Travels much & is going tomorrow to Scotland. Can swallow fluid & solids well, but the latter ^{middle} hard on going down. Appetite, & indigestion frequent - Larynx normal, a little spasm & relaxation of the fauces - A little redness at bottom of sac of pharynx & on the right of it. Got hot air, when ^{could} end of the brush, smarted much -

113

4 Am Ind 813
Am Bond 8124

C. mag

all am out 31
in Card to aa 31p
in new Vanz 31p

his die

Apr 2nd 31p 407 m
Apr ad 31p 407 m

No tenderness or oedema externally -

Tongue is irritated & red -

4 Am Bond 3p
Alum 31p

Apr 31p

Apr ad 31p

f. m. d. e
& lotum too -

Mrs B. Melas, ^{ant} aet 28, consulted me July 22nd 1867. Is a Greek lady & came with her mother. 38^A Parkchester Terrace.

For 18 months has had a succession of colds, especially last winter, one after another; no cough but an irritation of the throat, and at times amounts to pain, disagreeable but does not prevent her from singing. Feeling of fulness in the neck. Always had a very clear throat & voice, no amount of singing fatigues her, and she sings well. General health fairly good - nervous & excitable - Used tannin & glycerine to fauces, & barysalt externally -

Larynx. Congestion of sides of the larynx & epiglottis, relaxation of throat & larynx - Vocal cords normal - A little cough and spasm & secretion - Tissues clear. Must it for

Use spray of $\frac{3}{4}$ wt chloride

Greek Wines -

$\frac{1}{4}$ An. Sod. $\frac{3}{4}$
 $\frac{1}{4}$ An. Sod. $\frac{3}{4}$

$\frac{1}{4}$ Pot. Sod.

Alum. ad $\frac{3}{4}$

$\frac{1}{4}$ An. ant. $\frac{3}{4}$

$\frac{1}{4}$ An. $\frac{3}{4}$

$\frac{1}{4}$ Can. Co. $\frac{3}{4}$

$\frac{1}{4}$ An. ad $\frac{3}{4}$

$\frac{1}{4}$ An. $\frac{3}{4}$

$\frac{1}{4}$ An. ad $\frac{3}{4}$ $\frac{1}{4}$

f. a. e. $\frac{1}{4}$

C. May. his ter. medic. - Has taken tonics -

31st Is much better, but has the wish to clear the throat, Stomach

115

is a little out of order, & taste is better. Lary - great improvement in all the parts, esp, the fauces - Ely of 3m again -

By Ann Bernard 8r 18

Sp. Am. ant 3j

Mo. Card Co 3ij

Sp. Am. 3ss

Sp. Am. ad 3vj m

Sweet
Washing

By Pat. Brul

Alum ad 3j

Fr. Marsh 3j

Sp. Am 3ij

Sp. Am ad 3vj m

S. m. d. e.

C. mag. his -

Aug 20 Has not been quite so well, perhaps from the great heat. but the throat is otherwise better in appearance, but a little relaxed & congested about the velum. A friend of hers, a singer, recommended steel which he had found useful, so I ordered

Fr. Ferrous 3j

At the first usage -

gtt xij his die ex aqua

Sp. Am 8gr sol daily

going to the seaside &

with Clark's Inst -

may practice daily without fear -

Mrs Wood, act abt 45, consulted me July 23. 1887 rec'd by Mr Richard Cull. she lives in Camden Square -

very deaf since childhood. She has a constant desire to clear the throat & makes a peculiar noise which comes on suddenly & lasts sometimes for 1 hour. Saw throat in this 1 1/2 years, it is not painful nor hurtful, but very uncomfortable. Has to use the hand in clearing the throat. Came on after an attack of quinsy about 3 years ago - before that was quite well.

Good health good, appetite variable, digestion food, is stoutish. full habit. Is always worse when not feeling strong not subject to acids, but damp affects her.

Larynx. Good Impaction redness, thickening & roughness of entire Fauces, tonsils, velum &c. Epiglottic a little pendulous. Membranes relaxed. Voice good. V.C. normal.

Spuy of Frank Clarke -

Hyam Bud	3/10
Am Bud	2/5
Spt am Bud	3/5
To Card Co	3/4
Spr am Bud	3/5
Spr	ad 3/07 in

Hy Pot Bud	3/5
Alum ad	3/5
Spr	3/5 2/5
Spr	ad 3/07
f. t. d	in

C. may his termedie

117

Rev Mr Hakson, aged 30, consulted me July 26th 1887

8 mos ago had his vocal tract treated, and been a sufferer from neuralgia for 5 years. Been in the Church 3 years. 1st he preached to 300 people for 2 years, then he took a quantity of 600 & he could not be heard. Now has 100 & is about the same. He thinks it is the neuralgia, has pains on left side of entire head, back of neck, front of neck, the face, &c, all on left side, & nothing has relieved it; has used Veratrum long, taken all sorts of tonics &c. In eyes 1st & now in throat. Eustachian tubes he thinks are stuffed up, Ears dried up wth little secretion. He has some loss of muscular power on left side face & neck. In keeping on reading it produces irritation of the throat & this hinders him in getting his breath. Now his voice can scarcely be heard & at 1st it was a fine one. His uncle lost his voice. He looks thin, pale & worn altho disposition is cheerful. Genl health not good, but digestion is fair. Some years ago, by an accident right upper eyelid cut. Larynx. Throat congested on left side running down the pharynx, have been a little relaxed, not thickened, Eustachian tubes are both open, Larynx normal. Mem in both ears pale & perfectly dry, no secretion at all.

119

My Am had 800
Am Bank 800
Wm Tonn 3ip
M an ant 3
W Card Co 3ip
Sp ant 3ip

My D Bond 3p
Alvin 800

Sp 3p
Sp ad 300 in
p.m.d.e

Sp ad Epia long acutinae 800 ad 3ip

C. may. t. d.

Sp ad 800 eq parts - 800 200 3 in ear

I pushed a some of the acutinae bag a to the forehead -
at m -

120

Mr L. B. Pothier, aged 40, consulted me July 23rd 1867 with
 2 letters from my friend S. Labouirie of New Orleans.

In the letter of 28 Mar, he says Mr P, is a young Canadian who
 has been established in New Orleans for 20 years, had made a
 handsome fortune, and a perfect gentleman, & intimate friend
 of the Thurbur family. He travels for a disease which his physi-
 cians supposed to be of the Head, but for himself he believed it
 was only an Atonic of the Stomach.

Mr P. is a stout well developed person. He complained of a Rush
 of blood to the head, dyspnoea, & indigestion after his meals
 particularly his dinner, gets very nervous; the rush of blood
 to the head does not occur so often, but he gets feeble with a dis-
 position to faint. Sighs occasionally & feels as if the heart
 was going to cease beating in a moment. Pulse feeble. Has had
 2 attacks of Rheumatism, very like gout - neuralgia in the shoul-
 der, lately in the knee & foot. When laying in bed he feels a
 beating in his throat & can hear a distinct whistling sound.
Uter I examined him & found increased cardiac dulness,
 with a diastolic bruit at base of heart extending to the vessels
 & a systolic grasping sound. I took him over to Dr Alison's who

found a double heart, of incompetency & regurgitation - pulse
now jerking - lungs sound - sleeps on either side. Had been
so for 4 or 5 years -

℥y Ext Cinch Lig ʒij

℥y Chlawfami ʒij

℥y Bism Trismit ʒij

℥y Muc Vom ʒij

℥y Ext ad ʒij m

℥y Pil Assy Co ʒij x 4

℥y Pil Rhe Co ʒij x 4

℥y Pil Capepute ʒij m

Pil Vj. l. g. nocte.

Part Wine or Brandly &

Water in place of Claub.

Procedente in his exercises.

C. may be d. before meals

29th Is certainly better, but the pills produce flatulence, omit

them. Has not had the feeling of rush of blood to the head. Has

muscular pain over the region of the heart, to be rubbed with

℥y Lin Chloruf ʒij

℥y Tinct Quin Co ʒij.

℥y Muc Vom ʒij

℥y ℥y ℥y die ex aqua

in about 10 days

jour to Paris for 2 weeks, thence to
Switzerland & from Aarau to New York -

1 Albert Place

Miss Haffer aged 15, I went to see July 31st 1887 at Denmark Rd, Camberwell New Road at the request of her father Mr Clarence Haffer.

Oct 66. Haemoptysis & got better after at Brompton May 22 broke another vessel, got well for a month, took Cold & now is very low, bad flesh, throats eats well. Highly nervous temperant.

Dyspnoea from Wind, cannot expectorate, gurgling in left chest.

Examⁿ. I found Cavities in both lungs in front, & extensive solid^m behind with rapid softening going on. Evidence of old pleuritis. Very low & feeble & fast dying.

Under Mr Cooke. Taking everything. $\text{Liq Hydrogen Peroxydi}$
 $\text{Zi t. d. ex aquae.}$

He showed me some fine old paintings & other curious things.

August 13. He wrote she died quietly on Sunday 4th.

Her sister aged 11, was brought to me August 28th 1887 by her father & mother, & I made a careful examination of her chest, and as she was thin I found nothing wrong. a slight beat of the heart was heard all over, but there was no dulness, or variation in the breathing on the 2 sides, nor prolonged expiration. She was not as lively as she used to be. Had crampy food, after her meals, due probably to worms - she had ascarides - Is fond of sour things.

30th by Santonin grs next by Prof Semmer 30p
 in a little trench at n morning May 2nd 89 in
 before breakfast -

To be repeated if necessary in the course of a week -

125 Expectoration of exfoliated from inner surface of upper part of right wing of the Thyroid Cartilage.

Mr W. E. Liddle, aet 28, consulted me August 5th 1867 recommended by Mr Jno. C. Lindop of Newport, Talop.

Mr Lindop wrote me that his patient had been expectorating some very curious looking matter, which he wanted bring me.

Middle of last June he got a nasty taste in his throat & irritation there, Mr Lindop thought it was Pertussis at 1st & coughed up a piece of ^{very} chalky looking stuff. All gone about 10 days ago - only on 2 occasions did he cough this up. & he thinks the irritation less in consequence. He had had a sour taste at first which he thought from biliousness at first. The voice though not much affected was really husky & he had to give aloud hem & cough to clear out the lodges. He could not read out much aloud at times. The irritation in the throat seemed to produce the cough. Now he has none whatever & feels well - family are all healthy; ^{he is} not subject to coughs, when ⁱⁿ a foot - parents very healthy. General health has always been good except a cold in the head in October last. Plays Cricket much. Lary accompanied with some irritability. Was some relaxation & congestion of soft palate & uvula. Slight swelling & redness observed on right margin of Thyroid Cartilage towards its inner side.

there was no disease of the larynx otherwise visible, the vocal cords were normal, the voice capital & clear. I believe them
 as from the Sky Court steep & nowhere else. Chest appears to be
 quite sound, breath behind right lung not so clear as on left side.

By Am had 8r 36
 am had 8r 36
 Spl am had 3r C. mag
 In Card Co 3r bis die
 Spl am had 3r
 Spl am had 3r

By Pot But — 3r
 am — 3r
 Spl am 3r
 Spl am ad 3r in
 Spl am ad 3r in
 Spl am ad 3r in

I write to Mr Lindop on 6th in accordance with the above.
 The fragments smell offensive - no tenderness externally & every-
 thing apparently well formed. Suppuration had evidently occurred &
 their expulsion from inner edge, probably of one side only -
 Contents may be a mix of chalk & phos of lime. The thought
 flashed across me that they might be gouty in consequence of the
 rather sallow aspect of Mr Seddle, but the analysis will
 settle their true nature.

9th Mr Lindop wrote that Mr L's friends were very much alarmed
 as there had been several cases of Phthisis in the family. Mr Seddle
 had a very severe fall from his horse about 2 $\frac{1}{2}$ yrs ago, he was thrown
 with great violence on to his head. He suffered from Concussion of the
 brain & in a day or so after the accident he complained of great pain
 in the throat, especially near the pons & Adam's attended with

127 difficulty in swallowing. He attended him at the time and recollects very well telling him that he thought the cartilages were crushed by the chin being pressed abruptly against the top of the sternum. Do you think the above throws any light on the case? he asks.

Aug 20. Dr Dupre furnished me with the following analysis of the substances expectorated, and he says they contain no uric acid -

Moisture	1.76%
organic matter	12.37
phosphate of lime	57.84
Carbonate of lime	} 28.03
phosphate of iron	
Silica and other	
Mineral salts	

23rd I wrote Mr Sisson & told him the additional particulars he forwarded left no doubt of the true nature of the case, which with the analysis confirmed the view that the seat of the original mischief was where these bodies extruded. The analysis corresponds with Calcified Cartilages with perhaps a rather larger proportion of phosphate of lime.

100.00

Mr C. Duncan Butter, aged , consulted me August 7th 1867
 second by Cross of Petersfield.

He wrote he was an old friend & patient. Had suffered from Chest
 affection off & on 6 or 7 years, not Phthisis but just so near an
 approach but as would unavoidably grow out of lobular Pneumonia,
 sub-acute pleuritis, bronchitic attacks &c. recurring with more
 or less frequency & severity, from time to time. He was nearly 2
 years at Cape of Good Hope, came home about a year ago. While
 there had a pretty sharp attack of haemoptysis, had one before,
 and has had since his return discharge of a kind blood to
 the supposition that small Verrucae burst from time to time.
 Doells pancreatic seemed to give him a good start some
 months since and for a long time his cough has sounded so
 extremely like "Throat Cough" that he cannot help thinking it
 could be of great service to him, the more so as his Chest
 symptoms are much better.

He seemed thin & spare & spare with a sharp voice indicating
 Chest mischief. Weights 8 st $\frac{1}{2}$ lb, 3 yrs ago was 9 st 7. Was
 10 st at one time. In 1856 was in Canada, 4 years, never a day
 ill until 1860. Has a blind pretula in perineo, which when

discharging he is better. No regular attacks of haemoptysis since his return home. Has been in the house up to a month ago. Cough still bad at night, little or none in the day. In other respects is better. Coughs sometimes 2 hours in the morning. He attributed his illness to getting cold in the snow at Peterhead, when Purdie attended him. Is slower. Bent & Brown. I again sent him to the Cape. I was at Madeira.

Larynx granular pharynx. uvula fleshy but not now long - no tattling. Spiro normal. Congestion attended by some loss of the entire trachea - used spray of Dr. Clark's will pass the winter at Hastings.

Indulg 8r 29

San de Colpa 3ip

Sp --- 3i

ed --- ad 3ij in

by Pul Bow 3p

Alum --- 3ij

Elum --- 3ij

ed --- ad 3ij in

spray with Clarke's bis die for 1 or 2 m. J. Rose

write an ap of what I saw & do to Mr. Cross on 12th.

130

Mr Pedro Marti, ^{ab} age 16, brought to me August 10th 1887 by
Mr Edwards Bridgman. Is Spanish.

Had some obstruction in the nose, which sometimes bleeds,
In Madrid it was supposed to be a polypus on the right
side, and something was cut which bled a good deal, al-
though nothing was brought away. He was seen also by a Dr
at Ferragones. He sleeps with his mouth open, his throat
affection was cured by hot air to water, but it has grown
long again ~~was~~ said. Slight nasal voice.

Larynx long loose pendulous uvula, jellyish at the end.
Epiglottis a little pendulous. base not obstructed on either
side, but ment is somewhat thickened. He breathed
free thro nose after my manipulation - no polypus at
all. used spray of Frank Clarke -

by Anthon	an 3p	f. m. e.	Is going to school
Spr	3ij		here in the country & cannot
Spr	ad 3oj		speak English

12th Remov'd the end of the Uvula with by Frank or 32.
1 incision & no bleeding. Eau de Cologne 3ij

} {	}	Spr	ad 3vj	to
		Spr	ad 3vj	

 Pt. gargle & use spray of Clarke, daily
through nose.

132

J. Godfrey. P.

The Rev^d Mr Pope, act 30, consulted me August 10th 1856
 Is chaplain in Spain. Very tall

Throat affected nearly 6 years. Had a wonderfully strong voice originally. Last 3 years in Spain & has had nothing done for 3 1/2 years. In the last 2 1/2 years has had no pain in speaking.

Before that it was painful to speak, quite a misery, the voice was reduced to a whisper for months. All this began in an inflammatory state of throat. Dr Sargy of Dublin saw him & so did Fournier of Paris who said there was a small ulcer on 1 of the cords & it was jagged. Czermak saw him after & said the larynx was then normal. Has no cough nor expect^{ed}. His father had a relaxed throat & gave up duty.

His bowels are rather loose, been so for years. Sometimes nervous.
 Suffer from Indigestion - Speaks of Dr Wm Clarke -
 Larynx Pharynx rather granular & follicular. Epiglottis dome shaped, but healthy. Larynx normal. In. M. of V. C a little full.

1/2 An Band 8r2
 1/2 An Band 8r12
 1/2 An Band 3i
 1/2 An Band 3i

By Pat Band
 also read
 3 1/2
 also at 3 1/2 m
 J mee

C. mag. his die

19th Throat is altogether better & less uncomfortable; more much
of Vocal cords as before therefore I throw in a drop of
Strong Sol Zn (Zij) with my ordered Specz of Zn Syrdel
Laryngeal Injector - with Clarke daily for
made atom 3/4 in gargle - 1 or 2 minutes -

22nd Been travelling in Ireland & at Malvern & unable to carry out
any treatment & has had no sleep. A little Cold he has & slight compo-
tion of the fauces only. Epiglottis thinner & looks better, cords smoother.
Shower of last day did good. Repeated it to day -

30th Every particle of irritation gone, & the Larynx in every respect looked
healthy & well. Cords buttoned & flat. Asked various questions -
Repeated the same shower. To go on with the Treatment.

October 2 Voice is more flexible, can now sing well, & regulate
it with ease, is better than has been for years. Epiglottis well up
Vocal cords quite normal. A little degeneration of posterior pharynx,
Throttled when a student. Shower of Zn as before -

11th Is perfectly well in every respect, & shortly returns to Seville.
Asked various questions &c as to future treatment.

¹⁸⁷⁰
October 25 Been perfectly well & done heavy services last 3 years. Sometimes feels a
little husky & tired at end of the day work. Larynx well. Quite healthy. May use Specz
sometimes & practice singing; & remain in England with care -

¹⁸⁷²
Aug 13 sent him Dr Strattins work on Gaelic & Hebrew language by W H Worth.

Mr Barry, ast 34, had to me August 14th 1867 by
 Dr Lloyd of 57 Bayard St, W.

He told me it was an anxious case he had been attending off & on
 18 mos & 2 years. Chronic Cough for 5 or 6 years only in morning
 on rising, which he thinks is from the throat chiefly. A little the
 matter with the apex of l lung, Dr Jenner found it so. Very little
 expectoration, but the cough is very exhausting. Had ear disease
 when young, something wrong with Eustachian tubes, deaf now
 in l ear & a watery discharge from the right. Used inhalants, sed
 atives & tonics, no local applications. Is a Surveyor & much
 exposed sometimes, son of late Sir Charles Barry. Cough in family.
 Has lost weight. Is very nervous & desponding sometimes.
 Pain about belly & chest from indigestion &c. Often bilious.
 Sallow complexion. Good health riding. Lives at Herne Hill.
^{Dulwich} rather damp. Had tonsils cut long time ago. Pains in shoulders.
 Voice good & powerful & can read for hours, has never lost it.
 Large Rara & granular Membr of fauces & pharynx, with much
 general redness, thickening & corrugation. Uvula fleshy but not long.
 Epiglottis all red, folding, pendant & secretory as if bathed.
 Larynx normal. Right ear opening or Canal much diminished from

My Am had 804
 Am had 8124
 C. may off Am had 30
 his dre to Can to
 In Am had 30
 Am had 30

My Past had 136
 Am had 30
 Am had 30
 Am had 30
 Am had 30

smelling of its floor whence comes the discharge -

Smokes 1 pipe a day, & so since 18.

applied Sal but any to find. Prognosis not had.

1868 July 2. I think it was his death in The Times of to day, as occurring at Somerset House, the 4th son of Sir Charles Barry - although I am not certain -

"On the 30th June at his residence The Chestnuts, Narwood Lane in the 35th year of his age George Walter Barry, the fourth son of the late Sir Charles Barry." also in Times of 4th July

137

abt

Rev^d Edmund Stanley Jones, aet 46, consulted me August 15. 1867
 recom^d by Mr Bacher of Wantage. Is Vicar of Letcombe Regis.
 Altho Mr B attends his children, he is attended homoeopathically
 by Dr Walker of Langham Place for his general health.

His throat has been very troublesome since last Michaelmas
 & he feels much difficulty in getting thro his Sunday duties.
 Has a sort of stagnation at the bottom of the windpipe when
 reading service particularly; Voice gets thin & weak with a
 want of power. Voice usually clear though not strong. General
 health is better though digestion bad. Has h. hem frequently.
 Throat never examined - inclined to constipation. Takes
 Sherry. Has had pains in face & ears but is better, and
 is a little deaf, no cough, but a little phlegm in morning
 for years. Laryngitis & thickening of the pharynx like red
 currant jelly, extending to Velum & tonsils. epigl pendant &
 curved. Larynx normal. Uvula relaxed & not long -
 Hyam Ind $\frac{ss}{3}$
 Am Smt $\frac{2i}{3}$
 Mt Am $\frac{3i}{3}$
 M Card Co $\frac{aa}{3}$
 M Mestom
 Spr ant $\frac{3j}{3}$
 Am $\frac{ad}{3}$
 C. mag. bis die

Hy Potshul $\frac{3j}{3}$
 Indult $\frac{ss}{3}$
 Alom $\frac{3i}{3}$
 Jm $\frac{3ij}{3}$
 Spon $\frac{ad}{3}$
 f. m & e.

Used the
 Spas &
 Fo wh
 chloride

139 28th His Voice was even worse on Sunday 25th & he was not so well heard. But on examining the throat I found the fauces looking better, though the larynx was still much relaxed. I applied Sol hit aq to fauces & used Speyz of Zn after with Clarke -

℥y Ferri Sulph	for speyz	℥y Pot Potul Sp
Alum an gr 15	wt Clarke	℥ss
℥ss	his die	℥ss
℥ss ad ʒij		℥ss ad ʒot ℥

was well heard up to last Michaelmas. f. 3 wt d.

Under Gully for a time. Took much Hyd when young -
29th Already a great change for the better, the throat is better, membrane smoother, permes, pale pink, larynx more heaved up, harshness less.

℥y Ferri Nour Zi	Sol hit aq as before & added.
an Browned gr xxij	
Tinct Calomel Zi	at evng 2nd morning to fauces -
Spraint ℥ss	Sin Chloroform for neck -
℥ss ad ʒot ℥	

C. mag. his die ℥y Sulf & Speyz -

27th He wrote that his throat was certainly better & voice stronger. His friends have relieved him of duty for a month. He came up

Oct 3 when I removed the end of the cord & a little bleeding after.

4th Sol hit aq & speyz of Zn wt Clarke -
5th Ditto, ditto, to use this gargle -

℥y Pot Browned Sp	Alum Zi
℥y Kramer Zi	℥ss Glyc Ziij
℥ss	℥ss ad ʒij ℥
	f m & e

6th Sol hit aq only - 7th Sol hit aq & Shower Sol Zn wt Injector -

8th Sol hit aq & Shower of Zn as before - 9th Idem - better -

10th Idem, idem - 11th Idem
to have this gargle -

℥y Pot Potul Sp	f m & e
Alum Zi	
℥y Sulf	gr viij
℥y Nigros Sp	
℥ss	Ziij
℥ss ad ʒot ℥	

Continued at 196

add

Mr Underwood, act 42, consulted me August 19th 1867
 He has been 20 years in establishment of Fallston Lco
 I gave him advice about his throat May 10. 1866 on the occa-
 sion of his changing the 3^d Vols of Scottish Moroccos to Blue Clock
 brand -

His throat is now very much better than it was but still is
 constricted of fauces, & Uvula & Uvula. The last is long, flat and
 tremulous. epiglottis relaxed but not pendul
 & Uvula also had bleeding from inside of right
 lower lip -

by Am bro
 Allen an 3/6
 J. H. 3/11
 J. H. ad 3/17 m

Aug 21 I took off the membranous end of the Uvula, with a
 little bleeding - a small round well defined bump is to be
 felt inside of the right side of lower lip -  which
 has been there about 6 months altogether -

27th The uvula has entirely healed & the little tumour of the lip
 is softer, & not so thick, though it still
 bleeds occasionally. To take wax print,
 & use the pencil now -

by Am bro
 Allen an 8/3
 Am bro 8/18
 J. H. an 3/1
 in card of an 3/1
 J. H. an 3/1
 J. H. ad 3/17 m

Oct 10 Was quite well and a mere trace of the little swell-
 ing in the lower lip remained } Dec 17 Had had a cold.
 He took my 2 folio vials of Littles
 to be burned -

14/1868

October 1 I rec^d the 1st Vol of Littles bound without-charge; the second Vol was returned with it unbound.

¹⁸⁶⁹ Aug 11 I was ago got deaf in both ears, under Henry 5 or 6 weeks later - right still had, is piddly, face congested ^{by sin had given} ^{at least 2ij} lip pitting had again. Health good C. min ^{Apr 3ij m} t. d. et aquae -

¹⁸⁷³ Jan 8. Had Tumor removed from under back of inside of leg by Henry Smith & now healed up. Was a little dandruff &c. & cold - Touch but pot & Specaum. Also poeple -

Miss Lucy Ashdown, aged 7, brought to me August 22. 1867 by
her mother Mrs Ashdown of Uppington.

St Augustus H. Godley of Newark Shropshire, brother of Mrs A wrote
me about the case

The child a fair skinned little girl had been suffering for 4 years
from her throat. It was better now than 3 weeks ago. It affects
her general health, appetite, & swallowing, especially liquids.
The least thing affects her & flies to the throat. Sometimes the
wells enlarges - Has had none of the usual diseases of child-
hood, nor any illness:

Larynx tonsils irregular & greatly enlarged, meeting in centre.
Epiglottis pendent & narrow & pressed or held down by the
spreading tonsils. glands in left side of the neck close to the
larynx & thyroid have enlarged & hard. Was used very bad
to the neck. Swears loudly.

I used the spray of Frank Clarke
4j in Ferric ʒi
bis die ex aqua

4j Pot Sulf
Alum an ʒp
Jhu. ʒij
ex aqua ʒvj m
f. m & c

I explained to the father & mother
the nature of the case & probability
of cure in time.

143

Mr Laemann, aged 33, consulted me August 23, 1867 with Dr Wheeler of

3 months ago, got a cold, which affected his throat, his voice got weaker & weaker & gradually went away; has no regular or real cough. He had a little dysphagia, the tonsils were much enlarged & the throat inflamed, is weakish but not thin. Went to the sea side the last month & has not benefitted by it. Is employed in the basement story of a warehouse some 10 hours a day, & uses his voice much in calling out, & lit by gas, exposed to heaps of dust. Russian by birth.

Larynx. Besides general congestion & irritability of fauces. is congestion & swelling of both vocal cords & subglottic congestion as well. Epigl. quite pendulous, but not diseased. Respiratory puffy. No doubt of nature of disease - Lungs not yet invaded - breathing clear but rough behind in both trachea. Prognosis serious -

4j Am Sod 8r8
am Sulf 8r24
Zn Sulf 8r8
R Card Co ʒij
Splan dit ʒij
Hy Sulf ʒij
Splan ad ʒij ʒij m
c. mag f. d.

ʒij Pot Sulf ʒij
Alum ʒij
Splan ʒij
Splan ad ʒij m
f m & c

Emulsi
Alum aa 8r15
Splan ʒij
Splan ad ʒij ʒij
for spray wh
cloudy daily

145

Job

Mr A West, aged 42, consulted me August 24th 1867 re-
 commended by Mr Kennett, Surgeon, 333 Hackney Road.

For 6 months, phlegm has collected in his throat & almost chokes
 him, at times he feels as if about to be suffocated. No cough
 but has a disposition to hem, continually bringing up this phlegm
 the whole of the day, white, frothy & slimy. The first he fell of
 this was 9 mos ago, had much flatulence at the time, & the phlegm
 followed it. Is a large stout man, eats a great deal of bread
 at 11 weighed 11 st & at 18 weighed 18 st, was born fat & always so.
 At times has to struggle for breath, e.g. at the Railway.

Digestion bad, much bile, acidity, bowels regular, much
 flatulence cum vom. Cold in the head, nose occasionally stopped up.
 Is better in bed, much Rheumatic, Froge ulcerated on the sides
 & so 5 or 6 years - Heart beats on going up & down stairs.

Large Carysten & relaxation of the ligamts, pericard epistrotis,
 throat relaxed, dyspnoea, mucus red & fleshy.

U of Am Ind 8v14
 Am Ind 8v32
 Spl an cut 3i
 n cut co 3i
 n true Van 3ij
 In an h 3ij
 edym ad 3ij
 C. may. t. d.

U of Postul 3ij
 U of Am 3ij
 3ij
 edym ad 3ij
 f. m & e

147 12 Nov 1869. Has been well up to 3 weeks ago & for his throat &c has been taking my med, is a little better but not much; has much choking, a great deal of wind. gets parched night & day, & some dyspepsia in the day. Taken 2 or 3 colds the last week. Much phlegm in throat, no cough. Lary Mem of paws relaxed, would reddish, but throat is better than it used to be; epiglottis man af. Some irritability.

Heart normal but large & fleshy with fat. Is still enormously stout, with dyspnoea on going up stairs.

By Am Ind 8vi
 " Carda 3iii
 Man and 3p
 Spruce 3p
 Spruce 2d

By Pot 3p
 Dr Kerner 3ij
 Alum 2i
 Eff 3ij
 Spruce 3p

By Col Casepati 3i
 9# 1-4
 On sugar at night

26 Jan 1870 He came with Mr Kennell, Surgeon, 333 Hackney Road.

He had been nearly choked last night, with dyspnoea &c from his large uvula. Lary shows generally swelling of sides of paws, but the epiglottis was quite vertical. Altho dark & foggy I managed to cut off the thick loose fleshy membrane, with a little bleeding, & he bore it well, but a little hoarse, & water he took after - After a while he may take 1 gr doses of Am Ind & 1/2 pt junger.

21 Feby. Whilst his throat is much better, he has been nearly choked 3 times from wind, water & phlegm coming up from his stomach, the 1st especially. Mouth gets very dry & parched. No choking sensation or discomfort on lying down in bed. Was uncomfortable for 2 weeks

Continued at 192

Mrs Vege, aged 52, consulted me August 27th 1887, brot
by her nephew Dr James Riley 70 Charlwood St West, St Georges Road S.W.

2 yrs ago climatic change occurred & had health since.
Urine slightly albuminous. For a month or 5 weeks, or

more has had a discharge from the nose, 1sta Cataract, now
bleeding, & irritation of the fauces. Lost a good deal of

blood by nose & mouth, very thick; now great discharge from
the nose, 12 hdlps in a day, last night odour offensive
fast time. Voice a little nasal & obstructed.

a fine looking person -
Rhinosecopy shows ^{deep} redness of interior of both nostrils, with
desquamation of muc mem, amounting to superficial ulceration.
fauces very irritable, but irritated & congested behind velum.

Desquamation ulcer extensive at the external hook of nose.

Used the spray of M. at Clanche by nose, with ease.

- Hy am. ad gr 8
- am. s. d. 3ij
- Hy am. ad 3i
- Hy can. Co 3ij
- Hy maties an 3ij
- Hy am. 3b
- Hy am. ad 3vij an

- Hy pot. f. d. 3b
- Hy am. 3ij
- Hy am. 3vij
- Hy am. ad 3vij
- f. m. x. e. 3m

- Hy Induck
- Hy am. an gr 12
- Hy am. 3j
- Hy am. 3vij
- Spray wh Clanche
- saep. die-

C. may. f. d.

149

Mrs Sharp, act ab 55, consulted me August 29th 1887 with
 her daughter, & Mr Bushell, Surgeon, 117 Crawford St., Port-au-Prince.
 She is the wife of the Judge or Governor of St Vincent, West Indies -
 & has been home 14 mos. She has been occasionally headaches
 & always when her has a loud violent cough, but
 never in St Vincent. She has had it some years, and is
 spasmodic & has to open her mouth wide for breath. There is no
 expectoration at all. At night usually no cough, but generally the
 moment she awakes; it prevents her going into Society or to
 Church - Appetite always good for breakfast & dinner the only
 2 meals she eats. Is a little thinner. Has a cold just now.
 Large Congestion of Vertebral & anterior sides of Vocal cords & the
 subglottis. rather spasmodic if anything - Fauces relaxed -
 used spray of French chloride without any cough.

By Ammonia gr 24
 Fr Sulf gr 16
 Acid Sulfur
 Vin Sperm ac ʒi
 Sp ant ʒss
 Sp ad ʒiij m
 C. nq f. d.

By Rubef ʒi 24
 Eucalypt ʒi
 Spm ʒi
 Spm ʒiij m
 spray daily
 tis wh
 chloride

By Pot Sulf ʒi
 Alum ʒi
 Spm ʒiij
 Sp ad ʒiij
 f. m & e

157

Will

Rev J. E. Robinson, ad 60, consulted me Aug 30th 1867
 is the father of W.R.K at page 83. Came with his wife.
 Is Vicar of Chicarley, Newbury. For 20 years has had pangs
 throat, much inconvenience but no pain, been under everybody.
 but Aug 2e. 2 years rest a few years ago. had a tiring increasing
 cough which yielded to no treatment. Once over washed his
 voice which was of immense power. Went through cold water
 cure in 1852. A Doctor sprined his larynx with relief but not
 cure. He has ceased duty since. Cough still present. Every
 cold goes to the throat, is always clearing it & uncomfortable feel
 ing - with some expectoration. Had a deep powerful bass
 voice, never had aphonia, hoarseness; health appetite and
 digestion good in every other respect. Had Sciatica once.
 Has 2 sons Claydon & another son with a hoarse deaf.
Laryngitis & thickening of the voice: Membr of the Trachea
 from subglottis downwards. Larynx all right. Fauces rather
 by Am Rod 8x4 1/4
 Am Rod 8x12 1/4
 Spl ant 3/4
 2x Card Co ad 3/4
 Spl ant 3/4
 edge ad 3/4 1/2
 C. may. his Ric

1/4 Pall Bud 3/4	3x Sulf 8x 24
1/4 Alum 3/4	Sp 3/4
Sp 3/4	edge 3/4 in
edge ad 3/4	spary wt
Sp 3/4	Clarke
	daily -

congested; vocal fleshy, but not long, epiglottis is perfect
 & beautifully up against the den. Prognosis good —
 Nov 9 On 2nd he wrote he was tolerably well though not free
 from cough. Today, he said he had had much nervous anxiety
 to increase the cough, had 3 curates, large pains, &c. but the cough
 his wife said, was not so bad, & the last cold he got rid of better.
 Infrequently free from cough & general health is good.

Lang. Congestion of trachea almost gone, fauces not so thickened
 & much less congested.

by Am Ind 8r 57 C. may
 W Camp Co 3/4
 Van Speere 3/4 his die
 Spl an amb 3/4
 Spr amb 3/4

by Pat Bond an 3/4
 Alon
 W Myerh 3/4
 J. m Spr 3/4
 & c A ad 3/4 in

1869 Apr ad 3/4 in To use the spray occasionally.

May 4 Has been very well, but caught cold last 3 days, with some
 hoarseness & cough & sneezing. Preach'd 3 sermons last Sunday. Lang
 general thickening & congestion of mucous membrane of fauces, & slight congestion
 of Larynx & Trachea. Applied Sol hit acz & Spray of M after —

by Am Ind 8r 4, C. may
 Am Bond 2r t. d
 Van Speere 3/4
 W Camp Co 3/4
 Spr amb 3/4
 Apr ad 3/4 in

by Pat Bond 3/4 To use
 Alon ad 3/4 the old
 Spr 3/4 spray as
 & c 3/4 in before.
 J. Saepf

& may smoke his 1 cigar daily —

Continued at 224

155

how to do it. Saw her Chemist. PA omnia -

February ¹⁸⁶⁸ 24. Came to see me in London. Her voice returned shortly
after I saw her & is now good but not very loud nor strong.

She looks very well, is still nervous, damp weather throws her
back. Larynx & vocal cords normal, had a little relaxed.

Uterum & would rather much so. Uterus is too painted -

In Miss made Am Indidi gr viij added to page

Am Bromid Tij

To Myrsk Foss -

Applied Sol Zinnin to fauces. To use the spray as before -

~~Chapman~~
~~Leicester~~
~~Business Station~~
 Chapman
 Leicester
 if necessary

Mr Henry Durlac, aet 39, I saw at Dundee Sept 12, 1867
 sent to me by Dr Nicolson, whose patient he was.

Is a teacher and has to speak a good deal. A sore throat
 commenced a few years ago & it has got worse & worse.
 Not very at first affixed & then Ind. Mucosa was imperfectly
 cut & then underwent a Lud operation. Can't speak for
 any length of time; damp weather affects him. No cough.
 Genl health & digestion good in other respects. No
 rheumatism. No hereditary tendency - is stout.

Lary. Congestion of sides of the larynx & slightly so of
 the right vocal cord, trachea rather red.
 Throat is in good condition. Cutting would did not give
 the relief expected. Throat always feels uncomfortable and
 reading does not improve it. Neck is sore.

℞ Pot Bismut ʒj
 " Nuxvom ʒj
 Alum ʒj
 Sperm ʒij
 Acron ad ʒoj ℞
 f. m & e

℞ Alum
 ℞ sulph an gr xij
 Glycum ʒj ʒiiij
 Acron ad ʒoj ℞
 Sperm daily
 with chloride

Lin Chloroformi for the neck

158

Miss Christina Sejl.
at her father's.

Isam at Fatheland 23 Sept 1867

She suffers from some neuralgic & nervous twitching of the face, which pulls the muscles of the right side of the mouth outwards & exposes the teeth, when she is not aware of it.

prescribed *lod & Brand of Ammonia* &c

James Ronaldson Sejl, her brother, suffers at times from Indigestion. & I prescribed a suitable mixture for him, with *W. Seif* &c.

¹⁸⁷⁰
Sept 9 Prescribed suitable diet & regimen for his indigestion at Edin.

Miss Lamont, I visited with Dr. Gill, at Falkland
on 24 Sept 1867.

On examining her chest, large cavities were present in
the right lung. Her parents were healthy, but all
their daughters died of rapid phthisis, & this one
was going too. Collyerian diarrhoea.

I advised the addition of ʒr Sulph. grs to i in wine.

Mr Henry McConnell. I saw at Cressbrook, near
Bakuwell Sept 30. 1867 & on examining him with Lary
I found, epiglottis a little pendul, & Vocal Cords chron-
ically congested & thickened from disposition to gout,
altho his voice was smooth & natural. He had
throat deafness & was under Dr Bishop for it.

St John Hughes Bennett, aet , I saw 24th Septem 1867
at his house 1 Glenfinlass Street, Edinburgh -

Been ill since 1863. examined by Egermele & others -
Rems constantly, voice gets hoarse, &c

Saw long loose membranous end of the uvula, which I
advised cutting at once. Relaxⁿ of larynx & tongue sac -
Constriction of the trachea -


Showed him the proper way to use the spear -

U 3m & al au p r 12
 U 3m 3i for spear
 Apr ad 3ii

U 3m 3p
 U 3m 3i
 U 3m 3ii
 U 3m 3ii

Case quite curable -

J. N. S.



W. G. Gaste

Mr. Gaste

1867

Mrs Kenneth MacIntosh Sept 17 I examined at Lappa near
Edinburgh. She had some congestion of the trachea which
after gave rise to her Asthma.

Spray of Zn, alum & Glycerine with Clarke daily.

Sept 6 Had a cough which seemed to come from throat or windpipe & apparently not from
the chest; said to be nervous, no expectoration, & generally continuing all night.
Washed over to stone, ate little, very thin. Going to Strathine for change of
air. She said it was all the result of the terrible shock a few years back of
suddenly losing her daughter. When her mind was occupied she coughed but little.
1 bottle or trial & if better 2 or 3 to take - C. MacIntosh

	1/4 An Gad gr xij
	1/2 An Bromul ʒij
	ʒi Suet gr xij
	Syr Alum ʒss Alg ad ʒij

Miss Stein Sept 17 ¹⁸⁶⁷ examined at same time & in her too the
throat was relaxed & Mucous of trachea congested - same
spray to be used. For the loose phlegmy cough, 4 grs
of Dover's powder every night. This did her great good
as I found on seeing her on 24th.

Captain Legge aged 85. Was in Scot's Regt at Waterloo.

24 Sept ¹⁸⁶⁷. He complained of relaxed throat, at Joppa near Edin-
burgh, where I was dining with Mr Kenneth Macintosh, &
I prescribed a gargle of Alum Water, Glycerine & water. which
I afterwards learnt did him so much good. He was frequently
hemming to clear the throat.

Mr Thomas King, ad ab 25, hurt me Octob 1st 1867 by
Mr Harrison, Surgeon of ^{Upper} Montague St.

Mr K told me he was nervous & fedgotten, & there was
nothing the matter. An ulcer had existed on each side of
the throat. He wanted a tonic. Not acc him applied -
He had a sort of nervous sensation last night, as if a
marble was in throat, & could not swallow. Has been
disposed to this ever since shaving close his chin last
winter. General health otherwise good. Mucous sometimes dry.
Lary. Remains of ulcer seen on tonsils. Deep congestion of
faucis, larynx & trachea, with some relaxation.

Throat. Copacious. - no serious disease present.

℞ An. Bromid ℥j
℞ An. ant ℥j
℞ Card Co
℞ Serpentin. aa ℥ij
℞ Amantii ℥ss
Aqua ad ℥vj ℞

℞ Pot. Perm. ℥ss
Alum aa ℥ss
℞ Myrt. ℥j
℞ Gum ℥ij
℞ Syr aa ℥vj ℞
f. m. s.

C. may. t. d.

¹⁸⁶⁸
January 21. In the Times of yesterday & today I read the following:-
"On 16th inst, very suddenly, Thos Charles King the dealer,

beloved and only son of Mrs & Harriet King of Paddington St,
deeply lamented, in his 24th year". This must be my
patient.

¹⁸⁶⁸
May 19. I certify verbally to the agent of the Equitable Life Insurance
Company, that his throat affection was a temporary illness & had
nothing whatever to do with the cause of his death. He was
insured for £1000.

167 Aphonia amounting to dumbness, functional -

Miss Emma Timbrelake, aged 15, ^{just} lost me Oct 1st 1867 by her mother, sent by Dr W. N. Whitmarsh of Hammslow. He wrote Sept 12, that she had gradually lost her voice in about a month. Since that time she has suffered from her chest & brings up Op of blood in the morning (so the mother states). She came under his care about the latter end of the month and since then she has been at St. Guy's Hospital where they wanted her to undergo an operation, this they would not allow until they had seen him, when he persuaded them to see you. They presented themselves to me today - and I saw a nice healthy looking girl, well developed & fat, with large bosoms, and Catamenia quite regular for 2 years. Appetite quite gone, though has not lost flesh. Now no blood comes up, but matter instead. Not spoken since Good Friday this year, cannot even whisper, is quite dumb. Not eaten meat for weeks, though she swallows well. Is very nervous & startles. [No depression, nor any positive chest mischief] Chest - heaving hard all over, though feeble, but heave pulsation strong all over the front. Erythema of part of chest - in blotches. Larynx beautiful well formed larynx with good & equal action of normal vocal cords. ^{muc. membrane} Throat, Larynx & trachea mildly erythematous.

W. Am. Bonnet 3/1
Acid of Cl dil 3/1
Mr. E. Van 3/1
Mr. G. L. 3/1
Sp. Ant 3/1
Apr. ad 3/1
C. May. t. d.

Used galvanism to 168
the vocal cords & neck,
will have - great insensibility
of the muscles
She can cough with a noise

Wrote to Dr. Whitman a 2nd - an of of the case, & that it
was ^{one} of functional aphonia, from some impaired nervous power,
& after a little while her voice will return. I suggested mild showers
bath q. m. & galvanism to the neck.

169

Fanny Barton
 Mrs Gury, aged 41^{ab}, consulted me Oct 1st 1867 accompanied
 by her husband Rev D^{F. B.} Gury, patients of Dr William ~~Coff~~ Cooper
 of Snarebrook N. E. (live at Walthamstone) He wrote
 she has been subject in early life to frequent attacks of croup,
 and has ever since on the slightest cold, suffered from much
 irritating cough and dyspnoea owing apparently to some perma-
 nent thickening of the upper trachea. In addition to this also,
 she is now recovering from a rather severe attack of laryn-
 gitis after her confinement, which has left, according to her dis-
 cription a constant sensation of dryness and of frequent smart-
 ing and soreness in the throat, which makes me suspect ulcer-
 ation. Lately she has been inhaling the steam of aeg nut
 & up to the last day or 2 that of Dr Beecher with decided bene-
 fit, altho she still thinks herself not substantially improved.
 He therefore advised her to see me - &c.

On seeing her the voice was smooth & natural. Confinement 11
 weeks. Laryngitis was 3 weeks ago. Has had great heat & dry-
 ness about the throat, more or less since. Has a sense
 of something stopping her breathing across the throat, & has to clear
 the throat very often, & feels as if she could not breathe easy.

Hot thirnes. Cough in morning sometimes seems to come from
lower down than the throat. Skin of neck red from blisters, &c.
13 Children has had, all alone, & all have with croup.

Large mild congestion & general thickening of the mucous membrane
of Trachea from the sub-glottis downwards. Larynx is now
normal; fauces a little relaxed, congested & disposed to
desquamate. I send spec of 3rd wh Clarke to show her.

By Am Ind 8r iv

Am Ind 8r 36

Sft am act 3i

W. Card Co 3ij

Vin Sperm 3ij

Spr Amant 3lo

Spr Amant 3lo

Spr Amant 3lo

Spr Amant 3lo

By Nat Bond 3p

Alum 3i

W. Magph 3i

Spr 3p

Spr ad 3ij

By 3rd wh

Alum 3i

W. Magph 3i

Spr 3p

Spr ad 3ij

C. maghis die

Intermit -

Just I wrote him an of of the case. Was deaf last year -

23rd Throat is better, has not to clear it so often, but feels a great
burning low down, due probably to the fact wine; the throat is as
well as it ever is. Had a feeling lately as if a thread were there. Has no
regular cough. Taken no med for 10 days. Less phlegm. Pulse good &
strong. To take wine once (& not 3 times) a day. Beer twice. Makes a
noise always in swallowing & so do her children. Large great im-
provement in Trachea, less congestion & thickening, & fauces much better.
To use spear q. 3 days. & gauge. Wix again in a week or 10 days

1868

172

July 7 Has been pretty well. Had 2 threatened attacks, but they passed away, she took my med. Has been deaf last 2 weeks, throat felt warm, as if inflamed last 2 or 3 days, smarting. Least cold flies to throat. She has felt the want of air & has taken cold. Been taking a tonic & has resumed my med. & been fainting part of week w^h W God which causes the neck to swell -

July - fauces a little relaxed, but otherwise healthy, loose bit of Mem at end of uvula. Larynx & trachea a little congested - head spray of M & advised her to resume it -

Wm. D. D. 806

C. May. 1. d.

f. n. e

I left out syrup in tray & allowed it - { To use milk & milk
omit W God to milk. { at night sometimes & oil & milk

Her pulse is exceedingly feeble, & she frequently feels faint & slow.

¹⁸⁹² July 17 Has been pretty well since; but 7 mos ago she had a severe & dangerous flooding lost on by some accident, & has been weak in consequence. She now complains of a wheezing in the throat & windpipe man relaxing down, & a burning at root of the neck. This croaking wheezing sound has been present nearly 2 years, but latterly has increased very much & she easily gets out of breath,

Continued at 220

Mrs Beesent, aged 47, was brought to me October 4th 1887 by her mistress, Mrs Gooch, of Melbourne Hall, Derby.

Mr Richard T. Tasker wrote me a 2nd by her, that Mrs B, had been for some time under his care with obscure disease of the throat. She had for some years^{*} been liable to attacks of dysphagia & aphonia which for a time he hoped were of a nervous & spasmodic character. They generally lasted some weeks or months & only very gradually subsided under tonic treatment. Some months ago a fulness appeared above the left clavicle, pressure on which caused uneasiness in the gullet. This swelling varies very much both in size & firmness. Some weeks back the dysphagia became worse and she began to "hawk up" a sanious mucus. She has lost flesh & strength & her appearance has become more cachectic. She is about the age at which organic disease is so prone to be developed and aggravated and that he had grave fears as to the nature of her malady.

Her complexion was a little florid. She can swallow solids finely cut up, as meat, finely minced, &c. fluids have gone down well lately, used not to be so. Pain between her shoulders, running upwards lately; when she loses her voice she

* dysphagia, a little for 2 years certain, & always obliged to be careful in swallowing little pieces.

always notices that the glands of her neck & left arm exte-
rally get larger. She can raise the voice gently so that a
sound is heard, and apparition has been present 19 weeks today.
Is not nervous, and very little sensibility of the throat.
Swelling in left neck, towards the back, is very hard and
corresponds to apex of lung, 3rd Chest is apparently sound, but
the breathing is a little rough a left side. No shifting of
Buxton heard her to me also.

Early case. Deep penetrating ulceration below & to the left of
the left arytenoid cartilage & swelling of the left regulator with
some ulcer, it partly conceals & impairs the action of the left
Vocal cord; there is a little palsy perhaps of the left vocal
cord, for its action is not equal to its fellow, but this may
be due to the swelling of the regulator. Both cords look
normal. On attempting sounds the left vocal cord, sticks as
it were in the middle, thus:



but there
B shows
the swelling
& ulceration

is ulceration between the 2 cords,
on the commissure, as well
as some within the left larynx.

ly an bud 8r 8
aw bud 3 1/2
st am ant 3 1/2
in card co
in muc an ar 3 1/2
c. mag 3 1/2
t. d. 3 1/2

ly Nat bud 3 1/2
aw 3 1/2
in sup 3 1/2
st 3 1/2
c. mag 3 1/2
t. d. 3 1/2

shown of
not any
with
springs

175

19 years with New Gough -
New Gough is 74

5th Certainly an improvement in the appearance, ulceration looks less extensive, & more than of a healthier colour. Has coughed up a little sanious matter this morning, & not slept well from the cough. Sol put air wh current brush $\frac{1}{4}$ Chlorodyne $\frac{1}{4}$ 36
Spear of 3m after wh Clarke. $\frac{1}{2}$ to night & was quite

7th Cough is less & voice came back 2 or 3 times. Stiffness in left neck. No great change yet in the swelling, but is decidedly better this morning. No cough to speak of in the day. Chlorodyne quite stops the cough at night & made her sleep. Chest no apparent disease, but breath capacity is weak.

Satz Still greater improvement, the general swelling is less, & ulceration not so extensive - Artery Cartilage more defined than it was.

Sol put air wh current brush. 3m Spear after. $\frac{1}{4}$ Lin Chloro 3i ^{for left} neck

8th Can swallow fluids better & in continuous dropp. Voice again several times this morning & yesterday. Left V. C. seen more in its length, with more activity & less swelling than it had. General pink colour & circulation going on. No spasms - digestion better - is stronger

Put air as before. & used the Spear of 3m - New Gough leaves today ^{for home}

10th Voice is now quite loud. Swallowing is about the same. Caught a little cold last day. Ulceration all healed, 
except 1 hole below the aryltoid or crenoid cartilage. Vocal Cords distinct, left is more seen -

Sol put air as before & Spear of 3m -

12th I wrote Mr Tasher an ac of what I found. I was 176
afraid the ulceration had extended to the perichondrium of the
cricoid lig so it will never heal, but may retain a sort of fistulous
Character. I advised Sol Nit arg to it evry 2 or 3 days. Fortunately there is no
opium about her which augurs well. Seams to be home to day.

Voice is quite natural, dysphagia much relieved last night, took
some moist turtle soup well. Cough nearly all gone. The swelling of
arytenoid much less, & caudal med & vicinate. Sol Nit arg as before.

Nov 7. Mr Tasher applied the brush evry other day. On 4th had
much choking & had up a great deal of bright blood as if from
the straining. Can swallow only fluids now. Much choked up with
phlegm in mornngs, thick. Voice comes & goes. Been only a tinge of
blood since 4th, can drink only in small quantities.

Early A fleshy swelling, pink, like a flap, in the
centre, between the arytenoids, under healthy epigl
ottis. Ulceration below & to left of it, & then another
large irregular oval swelling, below arytenoid.



Parts all pink, not red, with much mucus. No irritability.
Chest had a cough, but is gone. Respy sounds so feeble they can
scarcely be heard, & expansion of chest most imperfect, it seems
generally dull. Her cough had been at times like Croup. Feels
as if a seat were in the very centre of windpipe, wanting to
come away. 5pm - applied Sol Arg Iodidi -

Continued at 221

177

Thomas
Mr Andrews, aged 25, consulted me ^{at} October 7th 1887 with
a letter from Mr W. L. Wilson, Surgeon, of Guildford.

He wrote that Mr A, had been suffering from throat since May last,
commenced in June, but continued to suppurate & burst for many weeks
& finally left behind permanently enlarged tonsils. He removed a portion
of each with the guillotine, & was better; but the throat still contains
unsatisfactory. 4 mos ago, was a syphilitic chancre, but no secun-
dary evidences beyond those in the throat. Music Master.

Voice is clear, but can't use it well in teaching. Came to
see me 3 weeks ago. Genl health is good.

Lary. Desquamative ulceration of the velum, uvula, and
faucis; tonsils still large - Vocal cords & epiglottis normal.
Inflammation sometimes - Applied Sol but only to fauces -
disposition to ulcerate on each side of the uvula -

Eye Am Ind pt 8
Am Bunk pt 32

Uranium 3j
N Card Co 3j

Syr am 3j

ad 3j in

U Har Bunk 3j

Alum 3ij

To Myrth 3j

Syr 3ij

ad 3oj M

f. m & e

C. May. f. d.

Sol but only to fauces every evening -

1868

178

Nov 2. Mr Wilson told me he got quite well.

¹⁸⁷² Decem 6 Filled in Questions for proposal of Life Assce for the Standard
Life Assce Coy I. as to attendance III as to Family History &c
forward to H. Jones Williams Esq 82 King William St, E.C.

Mr W. H. Ryan, aged 42, consulted me 7th Octob 1887

Mr Ed. Noughton wrote to me about him. Left 30th from
Leytham; he thought he was threatened with phthisis from a most
troublesome cough & feared some mischief in the Trachea.

On Oct 4 Dr Frank Renaud of 12 Piccadilly, Manchester,
wrote me his patient was coming to consult me about a spas-
modic affection of the larynx & parts adjacent. He consulted
him in the summer when had thick mucopurulent expectora-
tion. He prescribed & afterwards sent him to the sea side at Leytham
& placed him under Mr Noughton's care. The expectoration is now
glairy & the spasms are very intolerable. He does not lose
but rather gains flesh. It has occurred to him there might
be some polypoid growth, which the laryngoscope would clear up.
He endorsed Mr Noughton's advice for him to see me -

I saw him at the Leytham Hotel on 7th. He had severe
pains all about the chest, the result of the coughing. Cough
begins in the throat with a tickling sensation as if from a feather.
The cough occurs in spasms, until he gets up some expectoration
It is mucopurulent. Is free in night & morning, less in
day time. Cough particularly bad the last 2 weeks - Bad ill for

8 months. Voice is loud & sonorous, but fades away into
 Aphonia - Feels very weak & debilitated - pulse weak.
 Large fauces relaxed with a very painful sharp darting
 twinge. Tenderness ^{& Congestion} of epiglottis & elongation with flaccidity
 Extreme relaxation & swelling of Uvulata, Tonsils ^{with vesicles} injected,
 red & velvety. Chest silent & sonorous rales in left
 chest, back & front, capillary bronchitis. Air heard to
 enter everywhere.

℥j W Camp Co ℥ij

℥ss Sella ℥ij

℥ss Sargum aa ℥ij

℥ss Sulph ss

℥ss Speer ℥ss

℥ss Senega ℥ss

℥ss Gum ad ℥ss ℥ij

℥ss mag

℥ss h

℥ss Pot Bunt ℥ss

℥ss Alum ℥ss

℥ss Gum ℥ss

℥ss Gum ad ℥ss ℥ij

℥ss 3 & 4 d.

8th Is certainly better, slept well, with less of the cough
 & expectⁿ. Throat looks better. Pulv Speer Co proviⁿ
 Sinapisms to left chest behind - pulse better
 Leave to day for lodgings in Baker St.

9th Pain in chest gone, cough much less, not so frequent, passed a
 good night; throat wonderfully improved, congestion & relaxation
 of epiglottis gone; lungs better, pleety voice disappeared.
 Pulse rather weak. Walked here from Baker St.

℥ss of ℥ss with Clarke
 medicinal cough

℥ss Lin Chloroform ℥ss

for back of left knee

10th passed a good night but cough is a little more frequent today from E wind - Chest sounds clearer, with some tough phlegm appetite Capricious - Larynx better appearance of epiglottis & larynx. Voice deep & sonorous.

P. Specie Co gr viij n

In Mix. Tr Camp Co 3iv

Speas of Tr used as before

Tr Sulf gr xij

Simapian broot of nut & chest

11th Passed a good night, yet has cough & headache today - may be the weather. eats too little.

ly Tr & alum an gr 12

Used speas as before. omit

ly Tr 3i. Alum ad 3iij.

puer at n - Rest Mist -

Speas 2 or 3 daily, wk
Clubs -

12th Cough rather frequent, but otherwise better, pulse softer, less frequent and a little stronger. Ate a little more breakfast than usual, & passed a fair night. I used my speas as before. Epiglottis is more up and the congestion of the trachea is gradually clearing away from above downwards - No headache -

13th Cough still frequent, though he is stronger than 11th & 12th. Chest breathing is clear at back both lungs, a little stuffy on right. Droning sounds left upper chest in front. Urine thick & stringy. Pulse is better, but is very much depressed. Mist rare, from the coughing, but not any to fauces - Epigl. more elevated still

ly Tr Camp Co 3iv

Lin Smapian Comp 3ij

chest Scilla 3iij

Fowl Sarym 3ij

to chest q. n.

Tr Specie 3iij

Tr Sulf gr x

C mag. o. d

goes to Hastings

Nit potassae gr 48

tomorrow -

Sp althaea 3iij

Esquae ad 3iij n

29th Last 3 lbs whilst in London lately. Sleeps very well on the whole. Came up from Hastings to see his wife. Larynx much better, but is rawish, though less red, & feels raw. Epiglottis is more up, natural colour, interior of larynx relaxed & not congested. Chest breathing clear behind & free from rale. Bronchitis gone. But alone on left side close to the spine are numerous rales & also in same spot in front. Emp Cawth 3x3 then to be put in front.

Night long all right. Cough still violent, but pulse better.
By Am End gr 8
To Camp Co 3ij = 2940
Acid Scillae an ʒij
Zinc Sulphur an ʒij
C. may ʒij in Spina ʒij
t. d. but not gr 98
Sp. album ʒij
Apr ad ʒij in f. see

Nov 16 Came up from Hastings with his wife to see me. Cough is certainly easier, not so long nor so distressing, & expectoration is easier. Chest sounds are clearer back & part of left lung, & the lung expands better than it did. Throat feels as uneasy as before, & as if a fish bone or sore were in it. Is secretion of pharynx behind velum, & uvula is foetid & disgusting. Gained 2 1/2 lbs. Appetite better. Has had much indigestion. & attack of piles. Tol hot oil to fangs - Ung Sal Co ʒij for piles.

Rt Wux & gangle - & ol Marsh ʒij semel die. Blister did good.

Dec 6 Breathing is easier, cough much less, not so frequent, & expectoration lighter & much less in quantity. Is heavier, stouter & feels stronger. Appetite pretty fair, but has heartburn &c, frequently.

183 Cactus pills do not remove the ~~Heartburn~~ as before. Taken
at mark 3rd after breakfast. Chest expands more fully, but is
a little rale on left side to left of the heart. Heart beats
on the slightest exertion, pulse stronger. Mouth looks better but one
of molar still painted. Voice hoarse, from relaxation of Membr below the
Vocal cords; epiglottis quite pendulous & rolled, but rose & allowed
view of larynx stretched. - Been carrying out all my plans. had a blister
to neck other day, & was met by a doctor by advice of Mr Ticknash.
I certainly better, told him it was not the true phthisis, but he must
be careful lest it turned into it.

Emp Canth 242 for n to left Chest.

Catapl Limb to upper Chest & root of
neck if Caugh so tight.

Omit Fed mix for present.

By Bism Tinct 8072
Est Chl 3rd
n Cur Co 3rd
n Calimpar 3rd
Sennelquin 3rd
Apr ad 307

C. may his liv.

¹⁸⁶⁸
June 17 Has been to the sea side at Lytham the last 4 mos.
His voice has been better than tis now, but fresh attacks of cold
threw him back for he is still so susceptible to cold. His voice
1 mo ago was better than now, now tis hoarse & not very loud.
He looks well, not lost flesh, & takes nearly 2 quarts Milk
a day besides eggs. Has stopped treatment of all kind. He
still coughs spasmodically at times. Gum & simple diet he
has been taking. Chest some dulness in front or 2 sides above,
with some obscure deep seated rales, heard in front on both
sides, more so on left. Back of chest very clear from below upwards

Continued at 405

Mr Ambrose Hill, aged 29, consulted me Oct 8th 1867 recom-
mended by Mr F. W. Brown of Uppingham, Rutland.

Is a stonemason - disease on & off since before X was 66.

Aphonia sometimes in the morning - no cough - but raises a
good deal of white phlegm chiefly in the morning. Throat feels
continually full of something - dysphagia on & off, since the
beginning with a kind of tickling at first. Is constantly
hemming mildly. Health always good before this. Lost
2 stone since the complaint. It commenced with a bad cold
which blocked him up. Sensation all referred to upper trachea

Large Congestion & relaxation of epiglottis & larynx, epiglottis is
pendant, irregularly curved, inflammation of left arytenoid carti-
lage with a little swelling of preglottis, & congestion of trachea.

Chest. Sound everywhere - no rale nor dulness - heart's action
heard right side alone in front.

℞ An Ind gr vi
An Soud gr ʒii

acut scelliac ʒss

Vin Siquae ʒss

Tr sulf gr ʒ

Syr ant ʒss

esyr ad ʒss ^{ss} ss

c. maf. t. d.

℞ Pot Soud ʒss
℞ alum ʒss f. anse

℞ Myrrh ʒss

℞ Spon ʒss

℞ Syr ad ʒss ss

℞ Lin Chloroform ʒss for neck
& upper chest.

185 29th He wrote on 28th his throat was not so sore
but he still feels the lump as bad as ever & he is very
hoarse. I advised his continuing his med. &c for a little
longer & if not better to pay me another visit.

Disease of the right thyro-hyal articulation. 1867

Mrs C. Hammon, aged 52, consulted me October 9th 1867 recommended by Mr Gescher. Husband Sergeant on 1/2 pay.

12 months last March she was first affected with her throat. Catamen ceased 5 years, had 10 Children, 2 living. She feels a something at the right side of the neck, when she attempts to swallow, corresponding to the thyro-hyal articulation.

The spittel seems as if something prevented its going down. She can swallow solid & liquid food without any difficulty. Sometimes a slight cough & expectoration & used 2 handkerchiefs in the night. It comes with a simple hem. Has dyspepsia, flatulence, fluttering of the heart, some pyrosis. Very nervous Had rheumatism last week in her right side.

Local Irritation of the right thyro-hyal articulation, red, not ulcerated; rather much watery mucus. applied Sol Nit acid with a curved brush.

Has a daughter in loan officer of 24th Regt.

℞ An. Codic gr 6
An. Benzol gr 50
Zinc Oxide gr 16
Stannant ʒij
M. cardo ʒij
Syr. amb ʒss
Syr. ad ʒvj

℞ Pot Brom
Album an ʒp
Glycer ʒij
Syr. ad ʒvj
M. Myrrh ʒss
S. n. o. e

ʒss
Lin Chloro
for neck

187 18th Was at Golden Gate Hosp over 10 mos m & off, they never
could say what was the matter. Had ulcerated mouth & tongue
at first there. Generally has pain in the epigastrium, but is a little
better now. Fluid comes up continuously, without any cough, like
white froth.

Kept in S. Mary.

g.p. amount 8/6

Broom "3

P. opii "p. his die.

Becomes a Hospital Patient.

Miss Simms, aged 17, sent home October 9th 1867, by her mother, from Dartmouth, where they live. Her husband is Prof of drawing on board the Britannia, there.

Healthy looking girl, & has not been able to sing for 12 months a single note, & had a fine contralto voice before that, she has a weight in her chest in speaking. Never had asthma nor any cough. 2 brothers & 1 sister older, all healthy, sister has a soprano voice. Is not thinner, but is stouter especially across the chest, for she can row a boat with a pair of oars, & rows a good deal. General health good, & has a fair appetite & digestion & is strong in all other respects. Generally feels cold about the chest, sometimes pain in right shoulder on deep inspiration, & in left side. Voice goes off in a squeak. Is hoarsest as if from a cold.

Larynx epiglottis flat & disposed to be pendent, larynx normal fine pair vocal cords; fauces relaxed, congested, thickened, with remains of large tonsils, uvula a little long.

By Am Ind gr vi
By Am Brown gr 24
Sgt am amb 3j
W card Co 3j
Syr am 3j
Syr am ad 3j
C. mag. t. d

By Pat Bond 3p
alum an 3p
W myrh 3j
Glycer 3ij
Syr am ad 3j
S. m & e m

Spec of
Zinc I
used wh
Clarke


189

Sir Thomas Bateson, Bart, act 48, consulted me Oct 9th 1867 about his throat.

Throat uncomfortable for some time. Gernonk examined him in 1862 & said there was a little polypus on 1 of vocal cords, six small pen, but loss of voice did not occur till 5 yrs after. He said it was in a situation not because inconvenient.

A loud exclamation in the House of Commons last year drove the voice away for a time, but occasionally it does go away. Only during the summer he lost his voice.

No cough whatever, lungs sound. Now the voice is husky & hoarse, usually it is a powerful one, sometimes is much white glairy mucus.



Larynx. Epiglottis arched, & a little pendulous. Larynx large & capacious, with a pair of long vocal cords, with little vessels running over their surface. Beneath the anterior part of the right cord, was a small polypus, relaxed & a little cartilaginous. Teacher quite normal. Cords approximated in sounds thus, with rather a large fissure. Fauces a little relaxed, but throat large & capacious.



191 4/20 Am Ind 8r6
 Am Ind 8r24
 M am Ind 3i
 R can't co 3ip
 Br am Ind 3p
 Apr ad 307 m
 c. may. t.

4/20 Ind on 3/6
 Alun on 3/6
 Gyr 3i
 Apr ad 307 m
 J. m & c

Spry of Zn & Alun an pr 12
 Gyr 3i
 Apr 3iis m
 daily, wk chloride -
 I used it today wk benefit.

Gull 4/ Phos Acid & W Fer
 Mur - internally
 Quam. Laminin & Glycin
 for the lungs -

10th He wrote me yesterday, saying he would like me to try &
 remove it, and I made 1 effort, but although there was less
 congestion & irritation, the epiglottis was not well enough
 up - It spry & gargle t. d.

Mr Job West from 147

after the operation & even now the end of the uvula looks bare, it comes into contact with a wart on back of tongue & with the wind pines rise to the choking. Large wonderful improvement; epiglottis perfectly normal & well up & so is larynx. All the thickening of fauces gone down.

Touched end of uvula with Solbad air.
 4 Elm Sud 8x4
 1 Maw ant 3ii
 C. mag 2 Card Co 3ii
 1/2 die 2r Mues Van 3ii
 1 Spruce 3ii
 4 Urant 2i
 8 acut did 1/4
 3 M Pyreth 3ii
 or 4 Gf 3ii
 4 2 Spr 3ii
 4 Turb
 1 Bin
 3 p
 2 Capsici
 too

June 15 was pretty well & got rid of many of his old & uncomfortable symptoms. For the last week he had in throat, from hot weather, he feels as if the end of the stump of the uvula were in contact with a little tumour at the back of the middle of the tongue, which is the size of a pea, a scaly hard wart. The middle of the velum was rather red but his throat was wonderfully better & much more tolerant.

I removed the wart with my wire excavator, & size of a pea. A little bleeding followed it. To cure a cold water gargle only.

1872
 April 16 Suffering he has sometimes been almost suffocated at night, his throat very dry & uncomfortable & passing much wind from it.

4 Elm Sud 8x8
 1 Maw ant 3ii
 2 Card Co 3ii
 1/2 die 2r Mues Van 3ii
 1 Spruce 3ii
 4 Urant 2i
 8 acut did 1/4
 3 M Pyreth 3ii
 or 4 Gf 3ii
 4 2 Spr 3ii
 4 Turb
 1 Bin
 3 p
 2 Capsici
 too
 8. 3 & 4 d.

193. The pines are much congested, especially toward end of section
& stump of wood. Leaves look normal. In. In of pines must be relaxed.

Mr Harrison, aged 37, consulted me October 10th 1867
 from Warrington, under Dr Davies, who he suspects was
 treated him. Took past wine & claret. A Clerk

Haemorrhage Bronch - Sometimes a little dysphagia. has a
 sharp shawl cough; good health before this, except a severe
 cold last spring used to have severe pain in the throat.
 Eruption about the forehead & elsewhere, may be specific.

By Am Ad 808		By Pol Paul 36	
Am Ad 824	c. may	Am ad 36	J. nose
Dr Canflo 30	td	Am 30	
Am Specie 1980		Am ad 30	
Am Scillon 30			
Am Ad 40			
Am ad 30			

Spay of 30 in wh clunk

Early Congestion of interior of the larynx & trachea & fauces
 no ulceration -

195

Riv Mr James Jan 197.

hot weather he came up to London every day to carry all this out; they found
for his strength but he persisted in it. On 15 July he was seized in the night
with most agonising pain from inflamⁿ of the lungs & congestion of the lungs.
A 2^d attack came on on the 17th when he telegraphed for Dr Hamilton, whose
medicines proved wonderfully efficacious & he made steady progress towards recov-
ery & was allowed to get up on Thurs & Wed. Thurs^{day} was not so well, & altho the Dr
present apprehended no danger till about 7 pm when he telegraphed again for
Dr Hamilton; before he could arrive all was over

1867 The Rev Ed Stanley James from p 139

Oct 12 Is quite well. Sal but aq, b fances & Thoms 3m to laque.

Self at home today. After Laque, to take Mr Fer & Cal Nicotum.

22nd His wife wrote on 21st that his voice for the week was feeble & hoarse

& it was a great effort to preach a short sermon on 13th. On 20th his voice was

a little stronger & more audible but was fatigued from the effort. There is

still sensitiveness at back of the uvula. He looks decidedly better.

Apply Sal but aq daily to uvula & behind velum. Grease beneath bridge nose

Taxax may keep up chest weakness. omit it, or take only in 10 or 12 ps.

Commence the tonic, omitting the Brom of Am in it.

30th Voice better last Sunday, but rather much secretion. Thoms but aq

to laque with Injector. Sal but aq b fances. Sal but aq

by Am but 8r 6 by Mr Fer News 3i 9. 2. m

Am Bromid 8r 12 W Culumb 3ii b fances-

W Nicotum 2i Spr Am 3i Spr Am ad 307 m } Came with

Apr 20 307 m } Mrs James

c. may his ter medie, alternate 10 days -

Dec 18 Voice has been fairly good up to last Sunday. a little wheezing at

night, mal aques well with him, sleeps bad, spray affects his eyes -

sometimes hypochondriac. looks well & pulse capital.

Lang fances look very well. Epiglottis more erect & laque is relaxed

but not congested, epiglottis is a little. Rather some spasm of tongue.

Sal but aq b fances. Feels comfortable about the throat.

197 4/4 hear but 3p
accut del 1/12
Glycerin 3ij
Apr ad 3ij
1868 f. n. & e. wh. q. other 3ij

3rd snuff 8724
Cam de Col 3ij
Apr ad 3ij
for spray 3ij

Loose 1 of chest
occasionally -

June 6 Was better at Easter. Has earache, throat ache, neck ache, & dysphagia on right side, in fact is nervous from pain. Throat much-pulse good full & strong, voice husky. Last epistole is more regular health, but pendant & folded. Right side of fauces affected -

Dr Ward of Southampton lately spoke of me to them -

4 Am Lad 8vi	Arcas of SO ₂	7r Lad	Salpromelle
Am Bond 8xii	15 m ad 3ij	bright side	& such
Granul 3ij	water -	of neck. In Chloaf.	
Apr ad 3ij	c. mag. bis. t. me. applied Sal Lad acc bright side of throat.		

16th Was free from pain, yet the voice was husky and appears to be continuous; he fancies something is growing within, yet I could detect nothing, nor was my examⁿ satisfactory, from the state of epiglottis -

July 27. In Times of today, amongst the deaths, was : -
"On the 24th July, at his Mother's house, West Wickham, Kent, aged 46, the Rev Ed. Stanley James, vicar of Setcombe Regis, and the eldest son of the late Rev Ed. James, canon of Winchester, and Vicar of Alton, Hants." I at once wrote a letter of Condolence to his wife.

Aug 26 She wrote that after he left me on 16 June he had a consultation with Mr Chapman who said that 2 or 3 months would be hoped quite restore him. He gave him very little homoeopathic med, but advised his going to Prof Georzi in Wimpole st, every day for exercises, & electricity was soon added. During the intervals

Continued at page 195

Miss Augusta Kling, act , consulted me Oct 14. 1867 with
her sister who is in Vol 8. page 411. Is very tall -

Been hoarse 2 weeks from a cold in the throat, but her throat
was weak all the summer. Large congestion in streaks of
both nasal cavities. Voice is veiled.

Spray of Mr. W. H. Clarke -		By an Acid proc.
23rd Her sister told me	C. mag his tes we die	Vin Sperm 3j
she had & my had cold		Acid Scellan 3j
I was confined & her bed		Hot pot 2j
		Syr acub 3j
		Syr ad 3j

Mr G. H. Hopkins, act , I saw Octob 15th 1867. is a
 Surgeon at Stone in Staffordshue. I saw him on previous
 occasions with his Patent Mr Nicholson Vol 8. p 401.

Plugs of mucus from nose in the mornings & occasional
 hoarseness. nose stopped up in the night especially. Been so
 since May. Took Quinine & Iron for the throat which is better.
 Large much general thickening of mucous membrane of fauces & back
 of velum. Nose rather congested & sore, but not elevated.

Spec of 3m pt 3 ad

3i daily - Mr Clarke

Suffers from Indigestion, & is
 overworked at times -

4 An Ind pt 6
 1 An Ind pt 24 C. Ware
 1 An Ind pt 3i t. d
 1 An Ind pt 3ii
 1 An Ind pt 3i
 1 An Ind pt 3ii
 1 An Ind pt 3ii

200

Miss Rachel Pulvermacher, aged 5, brought me October 16th 1867
by her father & aunt.

Is a thin child, small for her age. Caught 3 mos. ^{ago} Irritation
in the throat which makes her hem. Coughs sometimes very
strong. In eating she clears the throat, and when drinking or
after it she coughs. Had epistaxis on 2 occasions severly
Jan'y & August last. Has been rather delicate. The hearing
commenced before last winter & was stop'd by the epistaxis
& since came on again. Is better always when eruption present
Lary. Pendens of Epiglottis, long & narrow & large tonsils.
Had an attack of measles after day at Margate.

4 am band an 3p
 7 am an 3p
 8 am 3p
 9 am ad 3p an

Apr Matris 3p - 3p
 his die if
 epistaxis returns.

202

Miss Fisher, aet. 35, consulted me October 18th 1867 for her singing voice. Teaches music.

hardly 2 years since being able to sing, her voice was a soprano. Now & then she could sing a little. Her speaking voice was affected too. Commenced from over exertion in 1st instance. Throat always weak since childhood. Now attempts to sing give intense pain in the neck. Her husband had rheumatism but an East wind always affects the voice. Was told her right lung was not as strong as the other. Attacks of indigestion now & then, & very bad headaches. Was under the care of Dr. McKenzie & salivated since last May 12 was outside & inside the neck by him & left off some months. did good for a time & inhaled something that smelt like tar, no benefit from it. Salivated every day for 3 weeks, then 3 a week & twice a week.

Larynx small & beautiful larynx, quite healthy, good action of Vocal cords meeting well in sounds. But there is rather much spasm in muscles of pharynx. Fauces normal. tip of uvula cut years ago. Is very nervous generally. Catamenia regular. bowels generally constipated. Sometimes a sort of spasm catches the breath. Has taken tonics, they do not agree. I used spray of Dr. Clark.

By Dr. C. Clark's pills for bowels, 1 daily after dinner.

4th Am Laud gr 6
Am Bromid gr 36
Splan aurb 3j
R Card Co
R mucron au 3jps
Syr aurb 3jps
ad 3jps in

C. mag
his ter ve
die -

204

4th Lin Chlorof 3j
for the week -

30th Her voice has been found to be stronger & she sang well in church
Less Spasm & Throat is a little relaxed

4th Pot Bond, Alum an 3j
R myrrh 3jps Glycim 3jps
Syr ad 3jps in of msc

Keosauke
R Benyon Co
Must be an 3jps
C. min in of hot water.
To be inhaled not in
for 15 minutes -
M. M.

Novem 11 Stomach out of order, headaches, voice for singing weak & bad. Is generally bad in the Catamenia. Illness is not from the head. has taken none for a week. Sleeps well.

Lary. A little congestion of larynx as if from a cold, & throat is a little relaxed. Thoner R part to larynx & vesicle
Spear of Zinc after with Clarke. In mix. } Am. Laud to gr 1j
Pt Mux - a gargle - reduce } Am. Brom gr 24

McKenzie told her it wd be a long time before she wd be well & must take tonics
asked good health was out of order.

23rd Somewhat better, but it fatigues her to talk much. Takes no saffer at night. A little resistance of the tongue Lary. Throat & larynx look better, drier, not so much swollen nor congested. Saw teacher well.

Thoner hit away at Dr. J. & Spear of Zn after with Clarke
Sol hit away before 9. 2. m. Took Pot Chlorat. Pt Mux & c

Decem 28th Her voice is decidedly better but she is much troubled with headaches & she thinks the medicine increases them.

205

Appetite & digestion not much to boast of. She says her head aches are nervous & bilious. Larynx looks well, firm shined up; but the pharynx is granular though not red.

Shower 3r Sulf	his wk liquid	- Sol	put away	to pharynx -
4y acct	old dil	3r	4y	Put Bowl
Am Bromid	gr 24		4y	Alum
3r Card Co			3r	
3r Columb	an 3j		3r	
Inf Columb	ad 3j		ad 3j	

C. may his tongue die.

S m & e

Jan 25 Has had a bad cold; the throat was not sore, but she felt a lump when she swallows at right side. Voice was getting stronger from the mix before the cold. When she did cough it seemed spasmodic. Muc. Mem. of pharynx looks better but is watery. Larynx good -

add to mix	Vin Sene	3j	Spay of 3r	wk Clarke -
Lin Chloroform	3j	to right	Had a little	bilious attack
side of neck	at n		took white	pill & demul.

Feb 15 Still has the aching in the throat, from talking, but her general health is much better than it was, has not tried the voice much in singing, it's the huddle notes that bother her most. Larynx everything normal, pharynx a little dry. To practice more in the mornings. Use Lin Chloroform for the aching in neck. Rep mist. Spay of 3r wk Clarke -

Rev J. J. Feaston, aged 49, consulted me Octob 24th 1867
is from Liverpool.

13 years ^{ago} 1st broke down & kept silent for a few months.

Was at Guernsey 4 years then at Birmingham 4 years - then he had
Rheumatic fever which greatly prostrated him. There was some
thing wrong about the throat, diphtheria or something - Since
then his throat has not been right. Singing bothers him most &
he has done $\frac{1}{2}$ duty. Naturally a sense of weakness & he can
see a redness at back of throat, told it was chronic croupous
throat. Sometimes has had little white pin head ulcers & enlarged
vessels. Singing voice has never given way, has never tried the
limits of his voice. He uses the voice in / service only on Sundays
Is fond of singing but he cannot continue with force to the
end. Is not robust, gets through much work & spirits good.
Appetite & digestion fair, bowels constipated, no cough at all.
No discomfort at root of neck, nor pains anywhere. Last
mother, brother & sister with phthisis. Has a phthisical aspect.
Laryng. follicular disease of pharynx, with excavations & arterial
vessels between. Epiglottis red, larynx normal, but Vocal cords
have tessellated bright red vessels on them.



congested, especially in the subglottis -

Sal Nit acy & fauces - & spray of Zn after wt Clarke -

4 Am Sod gr 6
 4 Am Brand gr 24
 4 Flaw ant 3i
 4 N Card Co 3ii
 4 Brant 3ps
 4 Zn ad 307 m

4 Nat Sulf
 4 Alum an 3ps
 4 W Myrth 3ps
 4 Glycerin 3ii
 4 Zn ad 307 m

4 Zn Sulf gr 24
 4 Eau de Col 3ps
 4 Zn 3ii m
 for spray daily
 wt Clarke

e. mag. his die -

J. m & e.

Bowels to be regulated by diet, oatmeal &c. Omit Claret.

May & Has had the winter at Algiers, but no benefit from it, & has just returned. He took my medicine for 1 month, but not regularly. Has done no duty since he saw me, unless an attempt at singing in Church which has wearied him. Digestion not so good. pulse stronger & fuller & he is really better for the long rest. Last mild relaxation of the fauces, flabby, velum & uvula, last not too long, but flabby. All the old appearances are gone. Larynx perfectly normal & so is the epiglottis. He will take a Congregation of 300 & may preach

a short sermon only, twice a Sunday -

Kept him
 as before -

4 Uva Urs 3i
 4 ad Nit dil 3ps
 4 Zn 3ii
 4 Zn ad 307 m

J. m & e.

4 Zn Sulf gr 18
 4 Eau de Col 3ps
 4 Zn ad 3ii m
 spray as before

208

Mr Storrow, aged 63, consulted me October 24th 1867. Is a
 Surgeon in practice at Newbottle.† The Rev J. D. Halsted
 of 3 Lambard Villas, Greenwich Road, wrote to me about
 him on 12th. 40 years in practice in a Calling district.
 Breathing is much affected. († Fever Houses, Co. Durham)
 In 1826 had pneumonia of both lungs & adhesion of the
 pleura, & has worked on ever since up to 3 or 4 years ago,
 when he got dyspnoea from exertion, but breathed better when
 quiet. 2 or 3 years ago, had 2 or 3 attacks of Cynanche, with
 relaxation of soft palate & elongation of uvula. Uvula since
 been truncated. Was under Dr Heath of Newcastle. He had
 Dr Ferriar, Nit. Arg., &c applied.

1½ years ago was so ill he could scarcely breathe, the throat was
 much inflamed, laryngoscopy was unsatisfactory. Speas, of Nit
 Arg., Carbolic acid, &c used. He got better for a time &
 worked on up to last autumn (Novem) Dr Heath saw him again
 & a severe attack nearly choked him & then it was that the
 uvula was truncated. He got better, gave up much of his prac-
 tice. About Christmas was better, & retained a few of his best
 patients, yet he could not attend them. He went to Seavington

and greatly improved. No cough nor dyspnoea, & in a month returned home & saw only 6 patients a day. He got Cold 1 day & has been had ever since. Has had incessant cough, not unlike pertussis, with violent spasms but no hoop. There was no expectoration at first, but now there is the last 3 or 4 weeks & the spasms are not so suffocating & severe. But some pains in the loins exist from the coughing. Now he coughs all night, & the lumbar pains are terrible. Some little dysphagia consequent on the dyspnoea - never lost his voice.

Had haemoptysis 35 years ago, & spat a gill a day, but never since. Has had congestion of the lungs over & over again. Expectoration increased since his arrival. Right foot cut off in 1826. Lost much flesh, no appetite, nor desire for food. Was a sort of hacking stuffy cough.

Lungs - Great irritability, and congestion of fauces & larynx & free secretion. Redness of epiglottis & larynx & also trachea.

Chest general bronchitis all over with sibilant & sonorous rales, Emphysema, chronic bronchitis, & probably deposit of tubercle.

By Am Ind 8 or 6
 Dr Camp Co 3ij
 Aced Scillae ʒij
 but palasum ʒ 36
 Dr Sargum ʒij
 Vin Sycan ʒij
 Sp Sycan ʒij
 Aqua ad ʒvj ℞

By Par Bent ʒij
 Alum ʒij
 Dr Myrrh ʒij
 Gum ʒij
 Gum ad ʒvj ℞
 f. m. x. e.

C. May, 9. 4. h.

Lin Chlorofanni.

26th His wife called says his cough was very much better, not so frequent nor so severe; expectoration easier, but the pain in the back is still very bad - eats little or nothing -

Pil Saf Co; at night -

27th Dr Alison accompanied me to see him at 10 am & examined chest. He found Chronic bronchitis & emphysema present, with secretion about the trachea heard behind, which confirmed my diagnosis. The valves of the heart were thickened giving rise to a rough sound, but no murmur. Pulse regular & fairly good. He was free from pain & had a good night.

I saw him again at 3 when he had been sick in his stomach -
 Mix now q. b. h. & omit Tr Camp Co in it. 1st pil -

28th Better still, passed good night, pretty free from pain & cough.

29th Much better, redness less in trachea & voice. Went out so thick, throat looks better. Coughed none from last night to this morning - used spray of 3m at Clark

Spray prescribed to be used once daily -

By Dr. S. J. Clark
 Alon no 8x15
 3m
 An ad 3m

Mix & gargle -

31st Is quite free from cough & irritation of the throat. but he has spasmodic attacks of neuralgia of the loin. To use long Acupuncture. Mix not so often - Nov 2 Pain is better from the long -

Nov 4. Pretty free from the pain in the hip. No cough.

7th Indeed quite well & leaves early tomorrow for home -

14th He wrote a 12th that he had had no return of the cough & so far as his throat & chest were concerned he was perfectly well. But he had suffered dreadfully from pain & spasm in his back, not only the fatigue of the journey, & confined to bed since his arrival. I advised Sub Cut Inj of 15 or 20 m Sol Neur Marsh repeated in 12 hours if necessary, or

2 grs p. Opii at n, increased grs each n, until the pain is relieved.

12th or 6th he wrote he took 2 grs P. Opii q. n until the pain was quite relieved & sleep restored, at the end of a week 1 gr n & m & now moves about the house & takes no op. Has still some stiffness & pain in back - quite well otherwise. He wished to stay where he was & I approved of it. Wadding & new or loins.

¹⁸⁶⁸
March 27 He wrote he still continued free from any return of the dreadful cough & had nothing to complain of but weakness and pain in his back. April 2 I advised Wadding & plenty of Port Wine.

June 29 Red Mourning Card of death of Elizabeth wife of John Storrer, Newbottle House, who died June 20th 1868 -

Dec 28 Red Mourning card of death of John Storrer, of Newbottle, Durham who died December 18th 1868. He must have died of lumbar abscess -

¹⁸⁶⁹
February 16 His niece Mrs Isabella Wade, Stockton Vicarage, Stockton on Tees wrote me for the R of the spray, for paint use, and I sent it to her - Nov 11 Mr Perkins, 13 Gt James St, Bedford Row, called to enquire abt the state of his mind when under me.

Miss Morrison, aged 58, consulted me October 25th 1887. Came with a sister. I attended their brother at Vol 6. p 381.

Throat had some months, feeling of fulness at left side & of the neck also, from the uvula she thinks. This causes a troublesome sudden cough, a crumb of bread at dinner will induce it. General health good in other respects. Operation at her some years ago for a Cancerous tumour.

Larynx loose, flabby, long membranous end of uvula which has caused a little pendency & twisting of a thin epiglottis. Larynx & trachea quite normal. Voice is good.

A little relaxation of mucous membrane.

Speag of Fine wh Clark, found agreeable.

by am Pod 8r vj

by am Camp Co 3ij c. mag

but palaces 3j his die

by am ad 3oj R

by 1st brand - 3j

by 2nd brand - 3ij

by 3rd brand - 3oj In

f. m & c

Mr Baker Brown has attended them.

Nov 13 Fauces look better, epiglottis well up, uvula not so long or relaxed. Cough better but still is a little troublesome & comes on suddenly & spasmodically, & is relieved when a little phlegm comes. Going down to Fairbridge Wells.

4 Am Ind gr 6
 Am Bond gr 24
 W Camp Co 3 1/2
 Steel Gallae 3
 Iron Sulfate 3
 Iron Oxide 3 1/2
 Apr ad 307 m

Reft fangle - 214
 Lin Chlor 3/4
 beside of neck at n

1868
 May 5 Ben at Cambridge Wells, & better throughout the winter, but she feels as if something must be got rid of, at a meal, or at Church & the rapid cough is distressing & continues until something is expectorated. Larynx shows epiglottis more elevated & healthy. Fauces relaxed, end of vocal still very long, & she will come up in June to have it shortened.

applied Sul Farnin -
 by Warbut J
 ad middle of x f. m & c
 Apr ad 307 m

4 Am Ind gr 6
 Am Bond gr 24
 Spl am aut
 W Camp Co ca 3
 Apr ad 307 m

Came with her sister & her other brother with phthisis of left.

C. mag. his. if required -
 Oct 21 Quite well except the sudden spasmodic cough. To day I removed the point of the vocal, with but little bleeding. She has the operation well.

In the Times of Aug 23. 1870 was the following: -
 "On Thursday the 18th Aug at Woodcote, Cambridge Wells, Jane eldest daughter of the late Crawford Hollison Esq, aged 61."
 I think she must be my late patient.

1873
 May 3 Her brother told me the Cancer occurred in the chest & carried her off.

Mr Paynter, ad 40, consulted me Novem 1st 1867. Born
in Australia, the Tropics, &c. - Is a Surgeon.

Throat more or less bad from youth, from 7 years of age.
Suffered from dyspepsia. Got away had whited in Tropics -
Now, feels sometimes as if the throat were closing up
And at times has felt as if he was going to choke -
Has lost his voice for a few hours in the morning - Never
had Rheumatism - Sanctions has had swellings on left
side of body. Has had great irritation of the mucous
membrane generally -

Larynx great relaxation & thickening of mucous membrane of fauces -
Mucosa long, loose & painted - Epiglottis not pendulous.
Voice is good - Mem looks rather dry, great irritability
retches from the slightest thing.

By Par Bent on 3/4

Ad 30/3/68

J. M. C.

Fair complexion
on non point.

216

217 Cancerous Tumor springing from the left horn of the Hyoid Bone, compressing the epiglottis sideways; death sudden, from suffocation.

Mr Richard James, aged 23, consulted me Novem 5th 1867 is a Languis club, from Westmorland, & recom^d to S^r Wray of Fodor Lodge, Birston, who recom^d him to me -

Is a fair, delicate complexioned person - pulse weakish - ^{numbad.} rheumatism -
6 was ago his voice had become affected, commencing with a cold & a sore throat; a swelling formed in left side of the neck which extended to the throat, & affected his speech & swallowing. At times it has affected his breathing, especially at night, & some times there is a little cough. Cannot swallow as well as formerly, but still can get down fluids & solids. Is thinned. He was at Harrogate 2 weeks & drank the Waters - Health always good before this, & family history unexceptionable. Has taken no medicine, but used a gagle - Was told it was ye glands. Voice is now extremely throaty, as if a mouthful of food lay at the back, indicating that the larynx was free at any rate. Larynx James quite clear & normal. In the mirror is seen a large tumour deeply imbedded on the left side of the throat, at the root of the tongue & pushing the epiglottis to the right side & compressing it laterally, as in the sketch above. The tumour is as large as a walnut, & on the surface, looks as if a layer of it had been cut



one time ulcerated. It is tolerably hard, but not painful. Externally is also a swelling, quite above the level of the margin of the left wing of the thyroid cartilage, where it is soft & freely movable. The tumour is firmly attached to the horn of the thyroid bone,

throat is unquestionably connected with that in the neck & both have grown rapidly of late - Used spay of 3 wt Clarke.

Prog. bad, scirrhus feared, but the age of patient favourable -

- | | | |
|------------------|----------------|--------------|
| Wm Am Bad Jr 12 | Wm Pat Bond Jr | Wm Lin |
| Wm Am Bond Jr 36 | Alm Jr | Chloaf |
| Wm Am Bond Jr 34 | Wm Myrah Jr | Jr |
| Wm Am Bond Jr 36 | Jr | |
| Wm Am Bond Jr 36 | Wm Am Bond Jr | to neck at n |


12th His brother Wm James of Kirkby Lonsdale wrote me on 11th that he died very suddenly on Sat evening 9th Inst. I wrote today a long letter with an an of case & sketch, I said I was not unprepared for the result. Death would have occurred sooner or later. Its rapid growth pointed to malignancy. Sent copy of mouth on Thyroid Bone, case similar at page 27-

Mr Henry L. Keeling, ad 63, I saw Novem 8th 1867 at 4
Albany Tenn.

He had had 2 or 3 attacks of piddmiss
last few days, chiefly from stomach

9th Had an attack in the [C. mag. t. d] Apr ad 30^m
Evening when about to go to the said Magaz dinner.

By Utanard 3i
Fr Card Co 3i
Pos Beinh 3i
Int pat 824
Spr ant 3M
Apr ad 30^m



Ms Fredk B. Guy from 172

from walking a gain up stairs. She seems to get cold very easy & has
pain in a spot on upper side of left chest in front, which is neuralgic
for the weathering is clear behind it. Has tenderness at root of neck.
Sneezes from the slightest cold, & feels as if she could not breathe, always
so; expectorates a little but no regular cough. Perspires much about
neck & chest. Apprehensive of going to Marjate & sea bathing.

Large Congestion of Larynx & Trachea, but nothing else -
Pulse weak & quick
by am had 8 or 10 C. rays by 3rd day of 32
Tinct Birch 3w lister 1/2 1/2
Spruce 1/2 1/2 medicine 1/2 1/2
Syrup 1/2 1/2
To take Manzanilla wine } spray daily } than she does -
as before

1867 Mrs Bessent Continued from 176

8th Ulceration is seen in middle of pharyngeal surface of
 Oesophagus, but the general swelling is already less & there is less
 mucus. Applied Acetic Acid & by Sod acid dil ʒi gargle
Elixir ʒii
 after spray of Uranium, strong. Aqua ad ʒvj

9th Stomach out of order, no appetite, tongue furred, pulse quick &
 sharp, much mucus from mouth & some cough. In the night
 had much tickling in the throat preventing her from sleeping.

Felt very sick on rising, took a cup of Corn starch & Milk & a
 little brandy. Swallowing is more difficult; ^{has} spasms from Wind.

Large Swelling in larynx is less, by Sod acid ul Elm ʒss griv
 but the general swelling & extension Sod Sesquicarb ʒp
 of the disease is greater & looks now like ʒi Card Co
 Cancer. ʒi Sulf Co ad ʒi
Spt Am dul ʒp C. may
 wrote to Mrs Gooch my opinion - Aqua ad ʒvj histerve die
warm water gargles -

11th Certainly much better, swelling less, especially in the
 larynx, & voice good, loud & strong, & so is the pulse. Has
 eaten a little more too. Sol Sod arg to ulcer wh brush.

Pt mix. & go on with the gargle of 8th & of warm water.

12th Yesterday afternoon & evening was a deal better, no hoarseness
 nor mucus, but she had tickling all night, which prevented
 sleep. She took much food, altho difficult to swallow, ate 4 oysters

bread & butter & some breast of partridge, 1 side of.

Sal less swelling & less ulceration. Sal Lad aq as before
 9th 10 Sal Mass Mur at n in water.

13th Did not swallow quite so much yesterday as on 12th, it would not go down. Throat looks better, less mucus & a little more sensibility. Sal Lad aq as before. Bombs a little loose, must ye med to day on w of it. Begin enemata of food. Took Pump last n.

15th No hunger but feels a sinking. Takes very little food, cant get it down, it seems to stick.

Ulcen^r & swelling less but the fold on left side is red & swollen. Then the left wing of the thyroid



cartilage is spread out laterally, & pressure causes tickling - Less mucus, but much tickling yesterday. Slept well these last 2 nights - applied Sal Lad aq -

16th Ate a little calf's foot & soup yesterday, but y enemata cause griping after a little while. Much mucus at 6 am this morning & it nearly strangled her with spasm. Was so once before at Buxton.

The parts look distinct enough - passed a wax rectal bougie down. Sal Lad aq as before. Looks thinner each day -

18th Swallowed a good deal yesterday & Saturday, but much throat, cough in night from the mucus. Swelling of left wing of thyroid cartilage extending & no doubt deposit going on there.

Pharynx looks better, with a little irritation on right upper

223

Used Honey & flour mixed a linen at Derby -

edge. Sol Ind Aug bot. & spray of Zn after.

Lin Chloroform to the neck. Leaves for Derby tomorrow.

19th About the same, but had no sleep & is fatigued - Took some eggs yesterday. Edge of layers better. Irregularities on surface of cricoid posteriorly, with some secretion - Sol Ind Aug & spray after.

Left by the 11½ Am train for Derby, & I wrote a few lines to Mr Tashir, giving my present opinion on her case, which is unfavorable, altho she returns better than when she came so far as the throat is concerned. A little blood came up this morning. Left Arytenoid Cartilage, a little red, & dislocated a little towards the right side.

1870 Rev^d J. Ellill Robinson from 153 224

April 23. Has been pretty well, but a little troubled in his throat at the end of his Lent labours. and all I can find is a little dotted congestion of the throat & larynx. Has had a little pain in Stomach after meals but his general health is perfect. No Cough.

By Am Ind 8r x	By Pulm Ind 3j	But his son to me
Splawant 3ii	Alum 3i	wh deafness, in
W Card Co aa 3ii	Opum 3ii	Vol 11. p 344
Splawant 3j	Opum 3ij	
Opum ad 3ij in	f. m. d. m	
c. may lister re die		

July 4. Throat is quite well & has no cough. Yesterday performed 3 Church Services without any inconvenience. Uses the spray sometimes before morning Service. Has a pain in Stomach 3 hours after his dinner lasting abt 1/2 an hour. To modify his drink -

February 13¹⁸⁷² wrote he had his usual Winter Cough, which today I found to depend upon Tracheal Congestion, giving rise to a loud noisy tone. Some indigestion too.

Indistinctly got 4 spray 2 or 3 times daily -
By 3i of Op & used wine when too. c. may list. & he
He looks pretty well, & takes a good deal of exercise. 2 glasses port for dinner

March 5 He gradually improved & at last scarcely coughed at all he wrote me.

Master Freddie White, aged 14, brought me Konem 8th 1867 by his father, from Gipsy Hill - Was under Dr Duke there.

Been 1 month ill. On 28 Sept caught cold, it turned to cough & his mouth was brushed 4 times. Has constant irritation in the throat, referred to the porcum Adami. He has now no regular cough, but a distinct croupy hem.

Referred to me by Mr J Hunt of Tackhrooke St, Pirbright -
 Early. Congestion of fauces, tonsils a little large, epiglottis a little pendulous, congestion of larynx & subglottis -

Speag of Zinc with chloride

℥ Am Iod gr vi
 ℞ Cam Co ʒiʒ
 Vin Sassa ʒi
 Ext Scillas aa
 but potas ʒi
 Spracch ʒi
 Spracch ad ʒiʒ

C. may. t.

℞ Pot Sul ʒi

℞ Pot Sul ʒi

℞ Alum ʒi

℞ Gum ʒi

℞ Ad ʒi

f. ʒi d.

℞ Lin

℞ Chlor ʒi

to neck in

front.

226

Rev^d A. B. Stevens, aged at 32, consulted me Novem 14th 1867
 for a Relaxed throat of some years duration, requiring before
 he took acids. Is a healthy looking man -
 His Voice is affected in damp & unsmooth weather, & it is mere effort
 to use it, but has never lost it altogether. Never Rheumatics -
 3 or 4 yrs ago had not any bit, & inhaled Creosote for some
 time in damp weather. Now stays in Bedfordshire on Sandy
 soil, but is going to live at Reading in Berles in Decem -
Early. The True Diphtheria Acuarum - Congestion, velvety thick
 lining & distinct follicular ulcer^s of pharynx, fauces & larynx -
 Larynx quite normal. a little constipation, & digestion is
 tolerable on the whole. Sol bit acy to fauces -

℞ Am Sod gr 4
 ℞ Am ant ʒi
 ℞ Card Co ʒij
 ℞ Am ant ʒij
 ℞ Am ad ʒij
 C. mac, lister ne die

℞ Pul Boud
 Alum an ʒp
 ℞ Myph ʒij
 ℞ Am ʒij
 ℞ Am ad ʒij
 p. n. & e

℞ Sol bit acy
 to fauces q.
 3rd m.

228

Mrs Ryan, at , consulted me Novem 16 to 1887 with her husband, who is at page 179.

She has a good deal to worry her, with her husband's illness, &c, losing her mother suddenly last year, 14 servants to look after &c.

Was expectorated a substance at 1st size of a pin & now of a marble, of an offensive odour, about twice a week, coming away with a feeling of sickness. This I made out to be from the back of the nose, on right side, when it is worn, over a congested & excavated surface.

has had 4 large children all but, the last being dead - others are 5, 4, & 2 ³ mos -

By am Band ³

Left an ant ³
in car to ³

Apr ad ³ of ³

C. may his die -

To use the same spray
as he husband by the
nose -

Is low spirited & depressed.

230

Mr Wilkinson Crossley, consulted me Novem 20th 1887 concerning his little child aet 4 with a split uvula. He lives at Broad Carr House, in Yorkshire.

The other children were beginning to imitate his peculiar voice, & he wanted to know if the deformity were curable, & I quite eased his mind on the subject that it was so. Probably there is fissure of a part of the hard palate also. He had my book & I showed him sketch in Vol 4, atlas to my Med: Laws.

The child is a healthy boy running about, and at 2 yrs of age something wrong was discovered, after found to be split uvula.

232

233 Nervous debility, &c. after mild diphtheria.

Master Arthur George, aged 3^{or 4 mos}, was bred to me Novem 20 m 1867
by his father

He had pertussis 2 years ago, & a return of it last winter.

3 mos ago had diphtheritic sore throat, & afterwards went to the
sea side for 2 weeks & was irritable & fretful. On his return he
was lame in 1 leg. When he had the diphtheria he was very low
& took Jelly & port wine. Has been taking Vin Ferri without benefit
3j t. d. & now the ol. Marsh which he likes. Yet he is feverish
& fretful, & nervous. He has now a nasty hacking cough, swelling of
glands about the throat, starts in his sleep, no appetite, cough is
worse at night; Chut is all right enough, no rales; but he has
enlarged tonsils - & pain about 1 of his knees -

℞ Vin Sarsaparilla ℞ 48
Liq. am. dul. ʒij C. min
℞ muc. Vom ʒp t. d
Spt. Lette out ʒij
Syr. Papaverin ʒj
Syr. ad ʒij m

℞ Lin. Chloroform ʒij
for neck & chut at n.

(Whyne record was Bullock to
Consult me. Vol 8. 337)

Decem 2 A few days after all his symptoms vanished & he has
continued pretty well, & is now taking the Cod liver oil which he
likes. The glandular swellings have quite gone. As an occasional aper-
ient ℞ Hyd. c. cuta ℞ 18
℞ Rhu ℞ 30 n
Tongue pretty clean
Ch 6. 1. p. n.

234

abt
 Mr Charles F. Corney, abt 46, consulted me Novem 21st 1867.
 76 Great Russell St, Bloomsbury W.C.

Has had sore throat some few years on & off. He goes out before breakfast & sometimes out at night. Chest is weak, pain in right chest & back of neck. Sometimes a little dysphagia with the swallowing. No cough, nor rheumatism. Voice becomes weak & husky. It's always weak & difficult to be heard, especially in the street. Does not use the voice much. Good health & digestion all good. Used to have pain in chest from leaning over a desk. His weak voice is no doubt due to fasting at times, is a Cathartic. Voice is thickish & sounds seminacal as if recovering from cold.

Lang. Relaxation, congestion & thickening of the Membr: of pharynx, with swelling & redness of follicles behind the velum. Same state of Membr: of larynx & trachea minus the congestion. Epiglottis a little or semi pendul. V. Cords normal.

To be put on applied to the fauces - no spray.

Ry Am Sod gr 4
 Am Bicromid ʒi
 Mtt Am Carb ʒi
 Rr Carb Co ʒi
 Syr ant ʒss
 ad ʒss
 M

Ry Pot Sul aa ʒb
 Am ʒi
 Rr Myrrh ʒij
 Rr Gum ʒij
 Syr ad ʒss M

C. mag. his due

Not to fast at breakfast
 at any time

6 Decem Says he is much better, & throat pretty well up to today, when he has felt the cold from the rain & damp at Westminster Court. Has not wrapt up about the neck. Throat a little dry sometimes at night. Larynx. Fauces look much better, but pharynx rather granular, pallid & a little better. Larynx & trachea also better. End of vocal though not long is tremulous & hoarse. His voice is clearer, but not strong & difficult to be heard. Applied Sol hit aq to fauces with immediate benefit & used Spear of Zn after wth chloride by nose & mouth. add to mix Truocum Zips & Sol hit aq to fauces

Rept gargle - 9. 2 or 3 mornings -
 1868
 June 19. He has been quite well so far as his throat is concerned. but for some months has had degrees of throat & wheezing at night, which wakes him 2 or 3 times, & a heaviness of breathing. Has no regular cough, throat seems to be thick. Is well otherwise. He was afraid it was the beginning of asthma; from which with Bronchitis his father suffered though he reached a good age, but his uncle died of chest disease.

Larynx, some ulcer of fauces, but much better than formerly. a little relaxation of trachea & subglottis & mild erythema. Is not asthmatic. Chest perfectly sound.

Rept last mix for 1 week & f. m & e =
 Sometimes much exposed to great heat in the City in melting metals - advised him to avoid it.

by Pat from 3p
 Allen 3j
 Sps 3ij
 et ad 300 m

Continued at 407

Miss Wiggins, ^{at} act 17, consulted me Novem 22nd 1867 accomp^d
by her mother Mrs F. A. Wiggins.

They are from Nova Scotia & come to me by Dr Casswell.

Looks picture of perfect health - but has had relaxed throat all her
life, but more so last year from singing, has soprano voice. Genl
health perfectly good, sometimes indigestion & pain in side from flatulency.
No food. Throat is uncomfortable but not painful; has eaten lumps
of Alum & Iron for it. Something seems to fall when the mouth opens,
affects the ears as well, sometimes a humming. Throat becomes better
when she has a cold in the head. But the voice is often thick in
speaking. Is very nervous. lives at Kensington

Larynx. Mild congestion, thickening & relaxation of tissue; Membr:
of fauces only. Larynx normal. Velum approaches pharynx so
closely, as to leave a narrow space upwards

Specy of 3n wt Clark & used -

4y Am Bul priv

Am Bul di

4y Am Bul

7y Card Co aa 3i

4y Am Bul 3i

4y Am Bul ad 3i

C. mag. bis die.

4y Bul Bul 3i

Alum aa 3i

4y Myrk 3i

4y Am Bul 3i

4y Am Bul ad 3i

J. n & e

Lin Chlor 3i for sides of
neck & n.

March 17. 1868. Was better for a few weeks but had a cold 238
and a cough after & is now about the same. Found the
mixture sweet. Gargle agreed, but like it more astringent.

Larynx Great relaxation & velvety thickening of M. M. but no
congestion. Epiglott a little pendulous, interior of larynx normal.
Some spasm of tongue - Crackling at angles of jaws & ears &
becomes deaf for a few moments sometimes in singing

Used spray of Dr. W. Clarke & applied Sol Fannin to fauces.

1/2 am had 8 or 10

1/2 am had 10

C. mag. t. d -

Spray daily for 1 m
with chloride -

f. m & e

April 11 Crackling of jaws less & deafness less. Throat is very much
better, no spasm, ^{no congestion at all} larynx clear, epiglott well up & cords normal.
No cough nor cold to speak of. Throat better lately than it has been
for a long time. Had rheumatic fever 2 weeks in summer, & also when
only 12 yrs old. Good health, appetite & digestion good.

Kept mix, spray & gargle as before. He practiced singing more -
He looked better too - space in fauces behind man expanded.

Miss Hills Child, aged 6, on Novem 22nd 1867 I was taken
to see at Hampstead by Dr Caldwell.

The little girl had been a little ill on Monday 18th, and the 2nd
or 3rd day, symptoms of diphtheria was fairly ushered in -
From there is desquamations white pellicle on the anterior sur-
face of the soft palate, not reaching the free margin, but
inmistakable; & a distinctive odour of the breath. She can
swallow well. Skin hot & pinkish & purpleish. Sore
anywhere. Was taking port wine &c. & using poultice of chlor
of Soda with benefit.

R Ferrous mg vi

acid HCl dil mg iii

Chlor pot gr iv

Syrup Zi & ss t d

To perfume with the poultice
assiduously - & use the
bux mixture -

Bonels though not open since
Monday were left as they are -

1868
Januy 6 Dr C, told me the child got better of the diphtheria,
but died 4 days after from exhaustion, from want of food.

Mr C. S. Seyton, aet 44, consulted me Novem 26th 1867 recommended by Dr Chaldecott. Lives at ~~Arbon~~ Grove, Chertsey.

Fine healthy looking man, a great traveller, 3 years in California, in New York &c. Suffer of gathering of phlegm in the throat, has had for 7 or 8 months, awakes him in the morning. Causa senae cold lately no cough. Tongue much furred. It feels as if the secretion that should come from the nose passes down the throat. Was so before

in the United States. Continual feeling of phlegm coming down the throat. Digestion & appetite now good, but they have been bad. Voice perfect.

Larynx, Compression of fauces, & some thickening, end of uvula rather loose. deep red compression of membr behind velum & the nose. Larynx quite normal.

Took out aug to fauces & spec of tissue after with Clarke

Hy Annona Rad gr vi
Splan aut ʒi
ʒ Card Co ʒij
Van Spec ʒij
Sp aut ʒp
Sp m ad ʒvj

ʒ Per Bent ad ʒp
aliv ad ʒij
ʒm ʒij
ʒ Myrrub ʒij
Sp ad ʒvj

C. mag his die

J. M. S.

Decem 10. 1868. General health good, but the same state of things is observed now as before, cold sensation as if something was contin

usually running down back of the throat & nose. At times an itchy
patch on left side of left leg. Last must be treated, for he is always running.

Still think behind return. applied Sol Sud Acey & Spuy Zn at Clarke

4 am Feb 8x12

Sp an ant 3i
Zn Cad co an 3i C. mag
Sp an ant 3i his
Sp an ad 3i n

4 1/2 Sulph an 8x12

Sp 3i n

1/2 purple

spay ice a day at Clarke

24th He wrote he was about the same, My acid but did not
so I changed his purple for present to. Uran nit 3i

1869
Jan 6. I removed the end of the wound

to day with very little bleeding. He was athermic a
little better. For a little exzema of the ankle I prescribed
an line of Sulph Lad 8x4
Scipis 3i. Laxer looks better.

242

Miss Geary P. Sherwood, on Novem 29th 1867 brought her little baby boy, aged 15 months to me. She was Miss Lachlan -
 Live at Cedar Lodge, Stockwell - Has 6 other Children -
 Baby is a fine, large, ^{healthy looking} fat fellow able to run about. Has 2 double teeth coming. Named Fredk. Now has his 4th attack of chest disease, 1st occurring after birth.

Has a loose cough, & disturbed with it the last 3 nights. Is stuffed up about the chest, bowels a little loose just now, per haps from the teeth. Remains of old bronchitis & catarrh behind both backs, but especially the right, where there are sonorous rhonchi & a little loose crepitation. A little also at root of trachea. Not fractious nor irritable. Twice under medical treatment before -

℥j Vin Sarsaparilla 3℥
 Am Sennel gr 32
 Ext S Cellar 3℥
 Sympi 3j
 Aqua ad ℥ij ℞

℥ Pulv Spica Co gr 4
 Hyd Cluta gr 32. ℞
 Mix in Ch 8. 1. q. nocte.
 poultice to back of chest
 of linseed meal.

& Lin Sap Co to the point -

¹⁸⁶⁸ March 23 I wrote to Mr Sherwood, for the address of any person in Cheltenham who could obtain the record of a marriage there of one of my mother's relatives in E. I. Co's service many years ago -

244

Mr Adolphus Francis called for me Decem 1st 1877 to see his youngest boy at 2 1/4, with symptoms of brain disease. I met Dr Brown the family attendant, & Dr Saunders R. M. This was at Home, Lambeth, 2 pm. The child had been ailing 2 weeks but particularly ill 6 days. There was now very dilated pupils and convergent strabismus of left eye. a blister was on the head. He took port wine & sponge cake well. & a mix of Cornimatin & Pol Ladgr g. 2. h. I suggested in addition 3 or 4 gr Brom Am w^h 1/2 gr Lad Pol g. 2. h in his mixture which was agreed to. And pushing the stimulents. Prognosis was necessarily serious - pulse flagged.

2nd Mr Francis called to say that the child was better, more conscious than yesterday, the pupils less dilated, more general sensibility, and spoke several times to his mother. But still the strabismus was present in the same eye, and he did not swallow so well, the throat being filled with mucus and no cough. The blister rose very well & he slept a good part of the night.

6 Mr Bennett called to say that the child died on 5th at 5 AM. The brain symptoms had subsided but mucus collected in trachea for 2 days

1868

Jan 24 Mr Francis himself - Cough
for a month, falling a severe cold he
had at Christmas - Chest sound -

Feb 20 An attack of gout in the feet
the last 3 days, took Blain's specific
but still is not well. Drank much
sparkling Burgundy which hurt it on

21st Haematuria all day, from urethra, [Cinac, ij] t. d. ex aqua
with pain, but has had difficulty in micturating some 2 or 3 days.
Gout is not worse. In other respects well & goes about as

usual. Has taken 20 of Blain's pills in 2 days -

Linseed Tea sweetened - Omit vin & HO.

June 6 feet, hand & left side affected with gouty pains, &c -

by Ext Colch acet 8r 8
Ext Hyaryan 8r 24

fil pil 8. 1. gurgu nocte -

1872 Magnesia q. s. n

May 5 for phlegm at root of neck & difficulty
in getting rid of it. I perscribed 1 pill t. d. -

fil 12

by Vin Sponae 3j 246
Fr Camp Co 3ij C. May
Am Iodidi 8r 4 his ter
Acut Scilla 3j medie
Mist pul 3p
Spr acub 3p 307 In
Ext

by Pot Bicarb 3iv
Pot Nitrate 3p
Par Iodidi 8r xvij
R Hyas 3ij
Ext ad 3ij m

by Ext Colch acet 3ij
Ext Hyas 8r 1x
fil pil ii. 1. q. n. m

by Pot Sulph 8r 6
Pot Sponae 8r 12
Am Brum 8r 24
Ext Hyaryan 8r 18 n

247 Lodgment of piece of Rabbit bone in Throat.

Mr Gist, at ab 40, I went home Decem 9th 1867 at 5 $\frac{1}{2}$ pm
with Dr Madge of 32 Fitzroy Square -
On the 6th he swallowed a rabbit bone, which stuck in his
throat & almost suffocated him. Dr M passed his fingers
down & subsequently a bougie with the effect of dislodging
it. But the family were anxious & I was called in
Patient live 99 Whitfield St (late John St) & in the company
of Mr Hampden, Piano Forte maker, who was most anxious
about him & who thought the bone still there. He still
had pain in left side of the throat close to the back of the Thyro
cartilage, but swallowed better than he did, though wet
sounding. Is subject to attacks of Bronchitis -
When I saw him, I found him very nervous & excited, & on
questioning him examined him with the laryngoscope. There was
some irritability, & disposition to retch & vomit mucus.
The epiglottis was quite pendulous & flat & the interior of
the larynx could only be seen after several attempts. Be-
yond a little redness & slight congestion, Sympathetic, it
was normal. The left side of the pharynx low down was
red, & slightly lacinated, but no great wound & no doubt
was the part injured by the sharp ends of the bone, which was

subsequently swallowed through D Madge's dislodgment.

The epiglottis was red & congested, independently of the "dechlorination" of the pharynx. He took a drink of water in my presence pretty well. He had had mustard to the front of the neck, but nothing there was observed out of the way.

I administered a gristle of & Lin Chloroform or
 Alum, Bor Alum, Gum & H₂O. Some asthma


to keep quiet for a few days. No cause for alarm.

Mrs Fairhead, aged 75, sent to me Decem 16th 1867 by her son in law Mr Robt Thompson of Enfield. She is the widow of a Medical Man there. Mr T previously wrote me about her. — She has had something the matter with her throat for 9 mos off & on. The different parts of the throat which cover the food have quite dissolved away, she says; She is weak but not from this. Has emaciation but no pain, digestion good but appetite small. Voice good, reads & sleeps well. No regular cough, but a little thick white jelly like phlegm comes away at times. Mother & sister died of some disease of the neck & throat. Sister was 85.

Larynx. Fauces quite normal, & so is the larynx, trachea & Vocal chords; epiglottis well up, but some redness & thickening of the folds on right side, probably due to the pressure of the arterial trunk there against horn of hyoid bone. Both Carotids are hard ossified trunks, the right

Hyoid Bone
 Alveolar Sp
 Epiglottis
 Os Hyoid Bone
 f. n. o. e.

at hyoid bone is double & beats strongly, whilst left is single far up: others



& no doubt cause a peculiar sensation - looks well for her age.
Her husband said there was no loss of substance, which I
proved to her son in law by inspection -

Mr Julian, out at 28th, had to me Decem 19th - 1867 by car
 Reda de St Martin - Is a photographer in Regent St -

at 7 pm -

Is a punchman & 15 years in England. liable to Bronchitis
 in E wind. at 16 & 18 for 4 & 5 years had Tonsillitis -
 Got very bad & was cured by gargles of boiling water 6
 times a day. His uvula has been long 2 yrs
 Long - a long, large, thick, fleshy uvula, curved to
 left side is seen, very bulbous & red. The epiglottis
 is pendant & curved. pillars of fauces very much
 firm - tongue large & fleshy.

There was much irritability of the
 fauces - but I removed the best & loose
 portion of the uvula with my scissors, followed by a
 little bleeding -



252

Mr Charles Brooke FRS, ^{abt} Dec 26 1867
 for his throat.

For some 5 or 6 weeks had been suffering from effects of a
 Cerebral attack of the neck, which affected base of Cerebellum
 & some amount of impaired sensation of the extremities -

On 17th he felt a fish bone in his throat, of a sole, eaten
 on the 12th. S. Madge saw him & both felt the bone
 with their fingers, & finger removed it wth straight
 forceps. He thought some of the bone might be still there
 on left side, from the feeling he had altho there was no
 pricking at any time. Voice goes in reading, but is
 good in speaking.

Early - a little swelling & redness of ^{epiglottis} fold in left side of
 the throat & much milky secretion - but no bone seen nor
 felt. Applied Sal but av^g wth immediate advantage

& powder of Alum

Pat. Dr. G. & H. O.

254


Dr Mason, act at 30, consulted me Decem 30th 1867 for his throat. He lives at Syr, where his father also does. His father is S Mason, & was at St Annes, I of Montreal many years, where he farmed. Son graduate of McGill College, born in Canada, & here 3 years -

Has a little cold & occasionally a dry cough, no soreness of throat, a little tickling sometimes. Health perfect.

Lary a little irritability, fauces much congested, velum pendul, uvula long, loose & flabby -

I advised removal of the end of it -

by ambunct an 3p
 also an 3p f.m & e
 for 3ij
 etc ad 3ij in



256

Capt Leslie Melville from p 104

He uses the gale & nit arg, stopped smoking, drinks claud -

Sol nit arg 9. m or n & m -

ly warm nit 3p

ac nit dil 44V

Pat chent gr 24 f. mae

Sherry in place of claud - & warm

Spr 5ij

ad 3vj m

Water purges aer to cleanse throat -

13th ¹⁸⁶⁸ Jan Throat much better but the back of nose is now affected

& where the muc memt is congested - passed kum behind wth sol of

Lad silur.

To use Sol Lad Arg in place of nitrate -

ly am Lad 8r6

Vin Specae 3j

am 8runt gr 20 C. mag

Spr am 9ls t. d

Spr am ad 3vj m

ly Zonedath

Alv an gr 4j

Spr 3ij

Spr 3ij m

Pl. Lad gale

for spray

by the nose

17th He wrote his throat continues to improve, but is not yet well.

¹⁸⁷⁰ April 4 Miss M Laing of Brighton, whom he recommended to me for
 loss of voice told me he was quite well -

262

Rev J. G. Golightly, aged 45, consulted me January 24, 1868
 Shipton Moyne Rectory, Tetbury, Gloucestershire.

As brother in law to Rev Mr Hayward my old patient & recommended by him,
 Mr Latham Esteourt is his Uncle.

Saw throat last 3 weeks, no duty 2 Sundays, Caustic applied
 last Sunday week. Very dry at back of nose & expectorates
 something in morning - hoarse, very slight cough - but is subject
 to it. Larynx general congestion, thickening & relaxation of mucous membrane
 of fauces & back of nose - like velvet. Larynx a little re-
 laxated. Has a cough now. Vain naturally good & powerful.

By Am Ind 8⁰⁰
 W Camp Co 3⁰⁰
 Vin & Speare 3⁰⁰ C. mag
 bit potassium 3⁰⁰ t. d.
 Spr amul 3⁰⁰
 Apr ad 3⁰⁰ m

By Cal Bud 3⁰⁰
 Alum 3⁰⁰
 Spr 3⁰⁰
 Apr ad 3⁰⁰ m
 J. 3 a 4. d.

Sol but any (3⁰⁰) to fauces every 2nd morning -
 came at 3^{1/2} pm with his son & thanked me
Feb 12 He wrote on 11th. He thinks his throat is stronger, but he
 is still hoarse in the morning. Cold has gone. To continue the
 gargle & painting & this mix in place of the other, on p 264

4 am had 8x6
Am had 2x
Spl am had 3x

In Card Co 3
In Card Co 3
Apr ad 307 m t. d

264

May 1 Is much better, less hoarse, sometimes husky, able to do duty, voice capital. Used no need last Emulins. Had another Cold since he saw me.

Throat looks well, muc expanded, not so thickened, colour a healthy pink. Larynx normal, epiglott still a little pendulous.

4 am had 2x
Acid dulcid 4x s.m. & e

Apr 307 m
Apr ad 307 m

Rep mix for a little while
& Sol mix at 9.3 days to
fauces for a little while -

265

Mr William Burns, aged 27, consulted me January 25th 1868
referred by Dr Robert Gaches of Dundee.

He writes he was a very talented but not over rich young friend
of his, an Oxford student.

Voice has been affected about a year or perhaps more; it was
noticed by his house, & was told it was not in connection with
his chest. He cannot read aloud long, without it's being very pain-
ful, & finds it so in the lessons at Oxford. Never lost his voice
altogether. It has been better the last 2 or 3 weeks from the
Sulphur Spray. Is better in the morning & worse in the evening.
Not the least cough, but used to have a tickling sensation
in the throat at night or going to bed. Never felt so well at
Oxford, it is damp & renewing. Broke up at Glasgow -
had lost flesh or appetite. Never examined with the laryngoscope.
Early some irregularity of both vocal cords at the base part
of the larynx, with a little ulceration between arytenoids, the



left arytenoid a little swollen.
Throat spaces fairly healthy.
Used sal but any wh Carmel brush.
Chest apparently sound -

267

27th. The larynx looks better, excepting Congestion of surface of the 2 vocal cords, which better behind, but it is red there & swelled a little. At times I thought I saw a swelling like a wart below the right vocal cord, but it was not by any means clear, as the epiglottis was displaced & dependent.

℥ Ammoniac ʒij
℥ Alum ʒij
ʒ Myrrh ʒij
℥ Gum ʒij
℥ Gum ac ʒij
p. m. s. e.

℥ Zinc Sulph gr 24
℥ Gum ʒij
℥ Gum ac ʒij

To be used as spray
1 or 2 a day with Charles
Instrument for 2 min.

Miss Hardy, aged at 50, was brought me January 27th 1868 by
 Mr G. Turner, Surgeon of Sussex Gardens at 7 pm.

She was a housewife in a family, and in eating a piece of cake she
 swallowed a pin as she believed, yesterday. She had a prickling
 sensation all night on left side of pharynx near Thyroid Cartilage
 It shifted in the night to the right side, & has had soreness there
 ever since. It was seen then a manipulation, but no pin could
 be felt. Saw no redness nor congestion, fingers in throat felt
 nothing. Applied Sol. hot acy with a long curved brush to the
 spot, & it was felt a good distance down. Could swallow
 water well altho with pain. To have Chloroform in the
 right to safe part of neck.
 Mr T. had passed his finger & a sponge down before seeing me.

271

Mr Alfred Lloyd, aged 32, consulted me February 5th 1868.

Is a surgeon at 159 Grange Road, Bermondsey, S.E.

Has had a bad throat for 2 mos, sometimes well & bad, & cough from it. pricking sensation all around is felt, some times sore at one side & then at the epiglottis. Singing is followed by pins & needles sensation - Has had much tickling in throat - Never so before - Good health good -

Larynx Relaxation & thickening of muc: memb: of fauces & uvula, uvula is long & very loose at the end, then & wants snipping - Muc: is watery - Larynx & epiglottis perfectly normal. enlarged vessels on laryngeal surface of epiglottis - Enlarged follicle, like a fleshy growth to the right of edge of the epiglottis -



1/4 An. bound 3/4
 Alum 3/4
 W. Myrrh 3/4
 Sp. 3/4
 Apr. ad 3/4 m

Sol. Put. acy, 3ij sol,
 q. 2. m. to the fauces.

f. m. & e

293

Miss Harwood, aged 20, was sent to me Febury 8th 1868 by her mother Mrs Thos Harwood, of Hanger Lane, Stamford Hill.

She had been suffering with her throat for some years, which commenced with her Catamenia at 13, it was in success at first. Throat is always worst just before & during the Catamenia. but of late years tis getting chronic. Has a small voice but she cannot sing at times. General health not good, no local application has been of the least service. Vinegar & Water gargles have proved of a faint service to her. Residence in clay, but is healthy. Change of air has not proved of benefit - Was at Brighton Oct to Dec 67 & throat was troublesome. Cannot eat her meals fast, & suffers much from indigestion. Throat is a sort of symptom, troublesome since Catamenia. but air at 14 did, but no benefit. Under Dr West for a time with profuse Catamenia. Is excessively thin just now & lost the roundness of her cheeks. No Cough but a sort of clearing of the throat. Sleeps badly & throat gets dry at night, sometimes nearly choked. Father a martyr to Rheumatism. She looks well.

Last Great emulsion & follicular irritation of the fauces, tonsils irregularly enlarged, & like masses of red current jelly, with

275

creamy white secretion from them - Spongy - Larynx a little relaxed, vocal cords normal, Epiglottis normal -

Spray of 3 or 4 Charles - full part & hungry at times -

U, Am Ind Proj

U, Uran Nit 3'

Am Brand 3'

Ac Nit dil 1/4 1/4

Wine Van 3'

Escur 3ij

W Card Co 3ij

Apr ad 3vj In

Syr ant 3p

f. t. d.

Apr ad 3vj In

C. may lister we die

Feb 27. Had a violent attack of cold & cough on her return home last visit, so bad she had not a fair chance. But has taken the med 10 days, & gargle too, which causes the throat to be a little dry. The tonsils & mucous mem are clearer & smoother, not so red nor gelatinous. The throat looks better. Epiglottis & larynx congested for which I applied Sol 3 in fact with my laryngeal injector - & after Sol Tannin bis to the tonsils. Comes down later & eats but little breakfast, no appetite for it.

U, of Tannin ^{3ij} Sol, for

In gargle made Nit Uran 3ij. Pt must daily use to the tonsils

276

5

277

The Rev William Owen, ^{abt} aged 28, consulted me Feb 11th 1868
 a surgeon, Mr Killick recommended him to me.

Nervousness & excitement of preaching, result of general debility.
 feels weak about the chest. Is almost the only survivor of his
 family, all his brothers & sisters died of phthisis. Mother was aged,
 but his father is now 80. Felt acute pain in left chest in front
 on Sunday, & occasionally for years. Very slight dry cough
 at times, sleeps well, except before & after sermons, latterly.
 Appetite & digestion good. Is Curate at Shields where P. veins
 predominate. Always has been feeble, ^{mostly} ~~born~~ from boyhood, has
 spat up a little blood. Has a shrillness about his voice,
 of effeminacy, in pulpit tis weak & ineffective, altho it
 can be heard - but is able to go on with the service.

The 1st 6 was after being redressed, he could preach with ease &
 confidence, but latterly not so from mental anxiety. Has to
 support his aged father. Always has been thin.

Larynx Bright red vessels on surface of velum & pharynx, with
 some emphysema & relaxⁿ. Larynx also congested. Vocal cords not
 long ones like mine, a little shorter, & during examⁿ the triangle was
 reversed, & in uttering low sounds, the glottis was an ellipse, thus



The triangle was wide at first, but as some nervous
ness was overcome it became less. Larynx a little
shallower than before backwards, yet prominent & sharp in
the neck. Chest well formed, no apparent disease, flattening in
left chest, perhaps not so good as in the right, no rales -

Sent out by by Pat God 8x6 Am Bond 8x24 McCard Co 3x4 Wm Van 3x4 In amt 3x4 Apr ad 3x4 in	Forward - by Post Bond 3x4 Am ad 3x4 In 3x4 ad 3x4 in J. M. Lee	Is from Savannah
---	--	---------------------

C. may his die.
I am a certif that change of residence was necessary, further
south, else his disease might become serious -

279

280

Master Leslie Robinson, aged 9, lost me Feb 12th 1868 with his mother, by Dr Cahill, of Mount Terrace, Hyde Park W.

Is a fine boy. Had a bad cold 5 years ago, voice never the same since - Scarlatina last year, recently had a little cold cannot speak without a cough, no appreciable sound at all. Has to speak by screaming out in street to his brothers. His voice to me was hoarse, not clear, but quite audible, hearing perfect, good ear for music, plays piano -

Lary. Extreme enlargement of both tonsils, & perfect flat pendancy of epiglottis, indeed most complete, with elongation. A hemi-stenosis the interior of the larynx to be normal. No growth. Prognosis good - but some required to cure -

To use small doses of
Iodides & Bromides for
the Tonsils &c

by Urin but \mathfrak{z}
and nitric $\mathfrak{m} \times 4$
 \mathfrak{z}
and \mathfrak{z} in
f. saepe -

Relations of Mrs Inverarity. Vol 3. p 404.

282

283 Throat Deafness -

Mrs. Hays, aged 60, consulted me Feb 12th 1868
 with her husband, recommended by her relative Mr. Charles Brooke, my
 colleague, & ^{Riv} Mr. Calveridge (~~Dr. [unclear]~~) They live at
 Malvern
 Deaf for 20 years - Saw Toynbee 12 yrs ago, who said it
 arose from a throat, which was like that of a clergyman -
 from reading - little blisters from all around, would get so
 low sometimes she gets choked - Very damp weather affects her
 very much, all the upper part - So intolerably deaf. Has had her
 rashes all over the body, cured of the rashes by Gally
 at Malvern. Has piles now & killed sometimes - Proctitis died
 at 20 - Appetite & digestion good. Has an affection of muscles of
 the leg which prevents her walking -

Lang. Extreme thickening of mucous membrane of fauces, great pendu-
 cy of velum, & bulbo-glossitis end of uvula, not large but long -
 Larynx normal. epiglottis a little pendulous - advised vocalization

4 am had 806
 am Brand 1024
 8 am out 37
 2 am to 315
 Brand 311
 Apr at 307 m
 C. May: t. d.

4 Pat Brand 3p
 am 37
 75 May 315
 311
 Apr at 307 m
 g. t. d

15th The Mud produced a little nausea, because she took it before instead of after meals. The mud looks better, she says she has less phlegm & there may be a little change for the better in the hearing. Sol Tannin locally. Kept mud for 3 weeks & gave her larger.

March 24. Came with Mr Brooke. She heard better for 2 days after she left. Now the velum has much improved & so has the uvula, but less thickened & pulpy, latter smaller too. I treated the loose end of the latter, with but little bleeding, & immediate elevation of velum & stump. To use tepid water gargles.

29th Uvula all healed but O. The throat looks much better. Heard the Clock distinctly this morning & anything of a sharp sound. The Mud did not agree & she took half the quantity when away, but it did her good whilst she took it. Going home to day.

℥j Zinc Sulph gr 32.	℥j Blue Pot 2ij	
℥ss de Colym 3j	and nit dil 2ij	f. m. & e
℥ss ad 3iv	℥ss 3ij	
daily with chloride	℥ss ad 3vj	
the case as I showed her to day.		

April 25 Sent address of Sharp 188 Regat St, for 20, 3/4 Vignette. She wrote on 30th there certainly is some improvement in her hearing, it returns very slowly, but she knows from experience that this changeable weather is trying to her throat. She used gargle & spray for a month & stopped them yesterday. She had to delute the gargle after 2 weeks use

285 for the Med was so unconvincible. Swell of throat
is much diminished - I wrote on May 5. to omit all
except occasional use of the spear for some 3 or 4 weeks. & when
next angle is made up the strength of it must be only one half -
1869
May 21 Mr Brooke told me he had been to Malcolm & seen Mr
Suzer, & although the throat was quite well, she was as deaf
as ever, & he feared there was some thickening of the internal ear.

Miss Macpherson, aged 20, sent to me February 20th 1868 by her
 mother Mrs Alex Macpherson 9 Park Crescent, Park Road, Clapham Common.
 Had Pectus's late & ever since then a discharge or thick secre-
 tion followed from the nose. Took her to Dr Luffman 3 years ago.
 Very bad breath & incessant blowing her nose. The secretion is green
 & soft & most offensive; pain in top of her head after blowing the
 nose, fullness at the bridge, & has to blow for some time before
 it comes away. Is worse twice a week, & weak after it, & dif-
 ficult to get the lumps away. Retches from phlegm in the throat
 ev'g 3 days. Is very sore across the chest, no cough, is thin.
 Voice is hoarse, cannot read out aloud for a time. Does not
 sing. Was at sea side 3 mos, with benefit to health but not
 the nose. Looks pallid, & thin so for some years -
 Low tendency of flattening of the epistoma - no dis of larynx.
 Whit's great dispass ^{Chronic} & dark congestion of membrane of pharynx
 & back of the nose, ^{with hoarse wheezing, no ulcer} left nostril expanded & contains some
 some secretion; the lumps generally come down the left side,
 altho they fell at first on the right. Faces a little thickened
 & relaxed. No pain unless when the secretion is collecting -
 Prognosis good. Speaks of 3rd int Claude by the nose -

287 ℥ Zinc Sulph ʒr 32
Glycerin ʒij
Aqua ad ʒvj

℥ Amberul ʒij
Alum ʒij
Syr ʒij
Aqua ad ʒvj
p. n. & e. m.

To be used as spray by nose 2 or 3 times
a day, at Clark's Inst.

Liq. Pot Permang ʒij

She was recommended to me
by Mr Wheeler, their
medical attendant.

30 drops in water in glass,
used as spray, whenever the
odour is offensive.

March 9. The 1st week was very fair & much improved, she caught
Cold & had sore throat & pain of chest & has therefore gone back. Nose clearer
& smell quite under control. Pain in chest from exertion in blowing
nose. Rhin's left side of nose better, not so moist nor so red & back
of, is less pulpy. To go about amongst
her friends more, & out in evenings -
I used the spray to show the distance.

℥ Am Sul ʒr ʒij
Alum ʒij
N. Caust Co ad ʒij
Syr ʒij
Aqua ad ʒvj
a may his d. m.

Made Alum in gargle ʒij -

11th wrote Mr Chs Wheeler, 17 Clayton Pl, Kensington, on 4 of the case -

April 1. Has been better still, nose freer, & less odour. Been out to
an evening party. Med agrees well. To day languid & pale weather -
Used the Inst for washing out the nose of Coxeters, with tepid
water, no flakes nor dirty material came away. To use it daily
for 2 or 3 min. & Rept Mist, gargle & bath sprays -

May 15 Mr L. Weaver of } wrote me that her mother called on from
14 Doctonwell Common }
S.

about her daughter, & stated I wrote Saml weeks ago, but he had
not rec'd the letter. I found that I had sent it to the wrong party. I wrote
to him & regretted this & stated my opinion agreed with his & described the
state of things. I also wrote to Mr Wheeler for the letter enclosed a stamped
envelope to forward it on to Mr Warner - on 16th -

Carlton Hall

Miss Carratt, ¹/₂ act ab 24, sent to me Febury 24th 1868 by her sister Mrs George A. Grimwood of "Bartrams," Hampstead.

A sufferer many years from a throat affection; has great irritation at lower part of the throat & is relaxed - Voice is affected, speaks a little thick. Least cold affects the voice - Constant cough in winter. Singing is affected. It makes her weak & pulls her down, constitution good; is deaf in left ear & left tonsil was removed when young. Weak & languid, no appetite, & digestion not always good. To have 2 of part in place of Sherry, Larynx & epiglottis perfectly normal.

relaxation, thickening & velvety state of pharynx, velum, uvula & tonsils, on right. uvula turns towards the right side & no doubt is long at times, now is very loose & flabby.

℥am Sodidi gr vi

℥min. Bronnidi ℥j

℥ss an amk ℥j

℞ Cinchon ℥ij

℞r amant ~~℥j~~ ℥ss

℞r am ad ℥vj m

C. may. f. d.

℞r Pat Boud an ℥j

℞r am an ℥j

℞r am ℥ij

℞r am ad ℥vj

℞r maynt ℥ij m

f. m & c

Applied Sol Tannin to fauces.

March 2 Has had a cold & a cough, both Med & gargle cause smarting. Throat looks better, smoother, not so relaxed. The Tannin

Last day was most comfortable. Repeated it to day.

By Acid Moll dil 3i
Am Bromid gr 24
Vin Sponae 3i c. mag
Tr Calumbae 3ii t. d.
Spr amul 3ss
Spr am ad 3ij m

By Uran Nit 3p
Ac Nit dil 4xx
Spr am 3ij
Spr ad 3ij
f. m & e m

By Sol Tannin
Se 3i -
daily to the
fauces

May 8 For the last 10 days has had a severe cold & a cough & irritation of the throat of fauces. deaf in left ear, voice thick. Was better after she left me. Larynx relaxed & somewhat congested, of fauces, tonsils disposed to be enlarged. Larynx normal - Sol had any to fauces & spray of Tr after wt chloride

By am ad gr vii
Am Boul di c. mag
Vin Sponae 3i t. d
Tr Calumbae 3ii
Spr amul 3p
Spr am ad 3ij m

By Uran Nit 3i
Ac Nit dil 4xx
Spr am 3ij
Spr ad 3ij
f. m & e

By Tr Sulf 8x18
Eau de Cal 3i
Spr am ad 3ij
for spray
wh chloride
daily -

16th Very much better, congestion of throat gone down & is not so much relaxed - Cold is less too - Applied Sol Tannin to fauces. She finds the gargle most useful. Rept on -

By Pot Permud 3p
Alum 3i
Spr am 3ij
Spr ad 3ij
f. t. d.

25th Becoming well up to 2 days ago, when she got a little cold. Voice a little throaty, but the tonsils have much gone down & flatter, the voice more is relaxed -

Sol Nit any to fauces - Rept mix, spray & new gargle. & Tannin locally leaves for home in the country tomorrow -

Mr John Wilkison, aged 18, was brought to me March 28th 1868 by his father the Rev J. Wilkison of Broughton Giffard, Melksham Wilts.

As a child he spoke well, but at 8 he had low fever at Cheltenham & since then has had some sort of nervous hesitation of speech. Is better & braver according to the state of his health. Reads the lessons in Church. He fails at the dentals and labials, d. t. l &c. He outgrew his strength & is now much taller than his father, who is shorter than I am. Is naturally nervous & sensitive - no cough. Sometimes has a certain amount of irregularity of the heart, owing to his rapid growth. Larynx. Relaxation of the throat, with a very pendulous velum & loose uvula, with bulbous watery end. This I snipped off without any bleeding. Larynx & epiglottis quite normal, & sounds easily produced. Some spasm and resistance of a great big tongue. Teeth very large & coarse - pupils large. He read before me, & I saw the difficulty in certain letters.

By Am Band 3/2
 above 2/1

3/2
 2/1

He cannot gargle, but is to try when the uvula has healed. Give particular instructions about inflating the

f. n. o. e

chest with air, before speaking & reading his sentences & words.
Pinguasi's god. His father used to live in Devonshire &
suffered from relaxed throat & uvula, but since he moved
to the bracing air of Wiltshire, he has been quite well. The
father knows the Red W. Speck, who was last found -

293

²¹⁴
 Dr David Davies, ²¹⁴act 57, consulted me Febury 28th 1868
 recommended by Mr James Lane, who was cured by me. Is in practice
 at 17 Lower Belgrave St, Eaton Square - His hair is grey, skin
 white, expression Calcareous - Was under Marshall's treatment some
 time, saw him every 2nd day, & pd him some ~~£~~ 16 pinnus -
 no benefit from his treatment. Is not consumptive, for his
 lungs are said to be sound by Dr Cotton, Dr Wilson & others -
 But has much cough & expectoration from the throat, the latter
 all the year round, aggravated by damp weather, and frothy
 mucous, white. No dyspnoea, but mouthful after mouthful
 of this phlegm, yet goes about well in health - Heart was stout.
 Good health, appetite &c, is good. A sort of hacking cough -
 Larynx velum rather pendulous, would cut off by Mackenzie,
 space wide between velum & pharynx. Epiglottis large,
 flat, & somewhat pendulous. Larynx relaxed, not so tense -
 Muc: Mem of pharynx relaxed, with the follicles affected & enlarged
 & all pouring out mucus; some perhaps may come from the
 Larynx bronchis. His voice is natural & good.

Used the spray of Zn wh chloride by
 nose & mouth with benefit & aided it

by Zn Sulph an pr x i
 Gum 3
 ad 3ij m

daily, for 1 or 2 m -

295 ℥ Am Indici gr̄ij
Trit Cinchon ʒij
Syr acut ʒij
Apr̄ ad ʒij ℥
C. mag his die surmend.

℥ Uran Nit ʒij
Acid Mddil ʒij xij
Syr ʒij
e Apr̄ ad ʒij ℥
f. n & e

March 4 Is about the same, altho the throat looks better.

Chest is clear, little rale behind left lung.

Has taken ʒr Camph, Acid prussic & from
S' Colton. & Iron & Zinc ꝑ Erasmus Wilson

℥ Pulv Specae Co ꝑ iv q. nocte.

℥ Am Ind ʒr 12
Am Buml ʒr 24
Acid Nit dil ʒij
Vin Specae ʒij
Syr Renuid ʒij
Apr̄ ad ʒij ℥
C. mag. t. d.

Kept speag as before. Mother died at 83.

14th Is certainly much better, less expectⁿ, less cough, sleeps better.

about 4oz water, mucus expect^d in 24 h. Sary voice: Mem^o, much more
natural, smooth & heard up in Throat & Larynx

Use the Sulphurous Acid Speag 2 or 3 days & then other.

21st Better in some respects, especially at night. Throat & Larynx
look much improved.

add to mix ʒr Sulph ʒij

Speag of SO₂ to be
10 or 15 m to ʒij of Water

April 1 Expectⁿ has diminished 1/3rd from the measure of SO₂ in Speag.

Continues very well in his gen^l health. Sleeps without the P. D^r.

add to mix ʒr Sulph ꝑ for a few days - & increase strength
of the Speag to 20 or 30 gr̄ per ʒij H₂O & may use 5 m at a time.

25th Has now scarcely any expectation unless in the morning, is no pain
& no wheezing, he ^{was} picked up flesh & strength & looks altogether different.

he is using Z_i of SO_2 to the Z_i to. He does not find it too much.
 He need not use it now quite so often. Still takes the opiate at n.

June 26 Has been much better. There is rather much secretion
 at the root of the trachea. The throat looks well & so does the
 trachea. He is using the Z_i spray & SO_2 alternately & I advised the
 resumption of the last mixture, & also ^{an} effervescent mixture.
 He still takes the pulvis at night -

297

Rising from Diphtheritic Contagium, Cynanche, 29 & followed by great exhaustion.

Mr W. S. Wilson, act^{ab}, Surgeon consulted me March 2nd 1868 lines at Guildford, Surrey - partner of Mr Sells.

Diphtheria has been very fatal at Guildford. On 21 Feb was out for hours & quite exhausted. Was sent to a case, in sloughing stage inhaled the breath. 23rd had slight Cynanche - 24 had, with elevated yellow specks on tonsil & a slough formed there on 25 larger by 26th. Would not very large. Then he got better but weak & debilitated. On 27th ulceration on left tonsil, but the throat got well & he is weak & out of sorts.

Lang. Slight congestion & relaxation of entire fauces. No ulceration now. Much pleurisy from Surgery & throat.

By Sig Cit Ferris et
Stuckin ²⁰⁰⁰/₅₀₀

By Ansbund
alum ³⁰/₅₀₀

Sol bit Aug
I applied to

3 t. d. sum.

Sp & Sig m

the fauces -

Mr Anderson at p 177

f. m & e

betold me got quite well }

Miss Barstlemann, aged ^{at} 34, consulted me March 2. 1868
 accompanied by Miss Tibbatts.

Her mother died of phthisis at 33. She has been subject to sore
 throats, the least cold flies there. Is stuffed up sometimes
 & breathing wheezy. Spat a little blood 3 weeks ago -
 Has been worse the last 3 years - 2 children in 3 years,
 & has suffered more or less ever since with her stomach.
 Has got thinned about the arms & legs, but not the body
 of face - Has loathing of food & no appetite for sometime.
 Has no headache or pain any where. Was told by the
 late Mr. P. she had heart disease -

Chest - Remains of a little old bronchitis on both sides of
 chest, in front & above. Breathing good all over, back, sides,
 front, & percussion sound clear. Cough only troublesome in the
 mornings - eat heavy supper -

℞ Acidi Hydrochlori dil	ʒi	C. mag. & d.
Vin Siquae	ʒi	To avoid eating very
Am. Bromid	ʒr xxx	late.
Tinct Calumbae	ʒij	
Syr. aurum	ʒij	
Syr	ad ʒiij	

301

Mrs Barcham, ^{age} 40, consulted me March 6th 1888 accom-
panied by Dr Atwood of 71 Clarendon Road, Kensington Park.

Suffer for a long time from sore throat and general discomfort
no pain, no dysphagia nor cough. Dr A had applied
but with no benefit. Voice good. Nursed 12 children
Large much congestion, irritation of follicles, but no swelling of
mucous membrane of fauces and upper larynx, & arytenoids. Trachea a
little congested & relaxed -

but after 4 days at night has been
I will not say I applied, & to be done q. 2. days - appetite
good.

Hydramid griv.
am brand Zi.

Hydramid am Zi
Alburn

Lft am art Zi
N Calcutta Zi c. mag

Mund Synt Zi
Syr am Zi

Syr am Zi t. d

Syr am Zi

am Zi

S. m & c.

April 14. Dr Atwood writes she was but little if at all benefited by the
treatment. She feels as if something was always pushing in the throat,
not very low down; sometimes worse than at first, especially in evening
coming her spells. Her mouth is terribly hot as if alcohol were at
the back of the roof of it. No cough unless a cold. Sometimes feels it
more outside than the other. Her mother had cancer of the head
removed last year, & she is uneasy - Appetite very good -

303 Last memb of pharynx quite a bright red, much congested, ex-
tending far down. A little red jelly smelling behind the left pillar.
Larynx healthy. S. Attford applied Sal Sud aer aft last week without
benefit. hard meat affects her chest - much flatulence - ^{sleeps} well

Hydram Brand ʒij

Spumant ʒi

Fr Card Co aa ʒij

Wmiston aa ʒij

Apr ad ʒvj m

C. mag. t. d.

Hydram Brand ʒij

ac sub del ʒij

Stycon ʒij

Apr ad ʒvj m

f. m. e.

omit cheese for supper -

Sol Tannin to the

throat & occasionally

put aer -

Applied Sal Sud aer to pharynx & low down too -

Mr Frank Richardson, ^{abt} 34, consulted me March 16th 1868, is a Barrister in Gloucester Place; recommended by Mr Firbank, and Mr Thorne of Dewsbury.

15 mos has had sore throat, came on with bronchitis & was badly attended he says by somebody near here. It made him quite deaf. General health used to be good, until he caught cold last Jan'y 12 mos. Was under St Bishop, last June, & got better after he left him. Afterwards under McKenzie, inhaled Creosote & Iodine & was nearly killed from the irritation and cold. 1 month ago got comparatively well. The throat feels queer all day, not painful, he feels his voice is different & is phlegm full of ~~in~~ the throat, which he feels more of a warning, now & then a cough. Talks always as if he had a cold. Has to hem all day long and evacuates in amount of phlegm in the morning. He saw Mr Hamer for his deafness & was told nothing but his throat was out of order. McKenzie used a force pump. Bishop used spray &c. Appetite & digestion good. He looks palled.

Larynx relaxed, thick & follicular irritation of the mucous memb of pharynx & velum. Uvula long, pointed & very relaxed. Epiglottis partly pendent, curved, but not discarded. Larynx a little & little irritability of the fauces. relaxed.

305 4 Am ~~Medic~~ 8r 4s
Spt am ~~ant~~ 3'
7r ~~ant~~ 3'
Spt am 3p
Apr ad 307 m
C. may ^{us} ter ve die -

4 Par Bon 3p
4 Am ad 3p
7r ~~ant~~ 3'
Spt am 3p
Apr ad 307 m
J. m & e

Smokes 2 pipes at n. I may take a little brandy & water.

23rd neither better nor worse he says, but there is a great improvement in the appearance of the fauces, velum less thick & spots of pharynx less, epiglottis is improved. Caught cold in Railway on Saturday. 4r ~~ant~~ 3'
add to mix Vin Spegas 3'

4r ~~ant~~ 3'
Acht ~~ant~~ 3'
Spt am 3p
J. m & e

2 as the gaggle made him sick, altered to
Applied Sol God aq to fauces

25th So much better from this gaggle & the throat looked so.

I removed the membranous end of the uvula with a single snip of the scissors, followed by little or no bleeding or pain. To use tepid water gargles for a few days - omit omnia for present.

28th Going on well, but end of stump is very active, applied Sol Nit aq, & added it m & e. To go on with wine & gaggle.

1 April Throat has been better, uvula nearly healed, yet is some secretion at back of the pharynx & has had noises in his ears last 2 days - difficult expectoration yesterday. Add 3r ~~ant~~ 3' to mix - applied Sol God aq to throat & used Speg of 3r ~~ant~~ 3' after. 4r shows an improvement in epiglottis & neighbouring parts.

4th Scarcely any cough at all & throat feels very well - would be healed & voice more much smoother & healthier - A little secretion still above. applied Sol Lad Aug - Still deafish. P.M. Going to boat race -
 8th Deafness persistent, though the throat is now pretty well & comfortable. It feels hot & peculiar always after lunch - If bowels are regular health is not so good - Goes 2 or 3 days without a motion. Steel shaps from Dr Bishop caused diarrhoea. Either meatus of each ear exist - Applied Sol Lad Aug to Eustachian tubes & used zinc spray after with Clarke, & prescribed it $\text{Zn Sulph } \text{Zr}$ once a time a day by nose with Clarke - $\text{Zn Sulph } \text{Zr}$

13th hearing rather dull & heavy, though the left ear opened once yesterday. Throat is otherwise well, but the wall of pharynx is excoriated with some secretion high up, though better. E. wind is against him & throat is a little excited. Epig man up & quite smooth - applied Sol Jamin to mouths of both Eustachian tubes. made Alm Sod in mix gr x ij -

17th Left ear open for 2h yesterday & all the day before. Still deaf but throat & health good. Still some secretion in pharynx high up, to which I applied Sol Lad Aug - made his spray $\left\{ \begin{array}{l} \text{Alum } \times \\ \text{Zn Sulph } \text{an gr } \text{ij} \\ \text{Sp } \text{Zr} \text{ Aug } \text{ad } \text{Zr } \text{ij} \text{ an} \end{array} \right.$
 Passed a canula to left Eustach Tube -

22nd Hears now better with the right ear & ear blow into it as well as the left. Voice more of pharynx is quite free from secretion & the color is a healthy pale pink, & before & behind the velum - though the surface of pharynx is not quite smooth - Sol Lad Aug to pharynx - Rest On -
 omit Zn & Spere in mix -

30th 29th Heavy still Capital, but throat feels a little queer
because the pharynx looks tessellated, for which I applied
Sol Lod aq. Health is improved this friends notice the
improvement in his appearance. Made Wittman Dip in gargle.
Mix may be taken once a day or so.

May 8 Is rather much secretin in morning, just at breakfast, hearing
keeps good. Throat & larynx look well, but there is a little relaxation of
the fallides if anything. By Alum ʒi ʒr Magn ʒi
Applied Sol Lod aq. p.m. & e. Glycer ʒi Aq ad ʒvi in

18th Deafness returning & noises in right ear, which he & I think
due to smoking; & some of secretin appearing in the pharynx. The mem-
branes on the whole looks pretty well. Sol Lod aq. to pharynx.
Resume Witt again. Omit ʒr Magn in gargle.

25th Still as deaf as before, more noise of Eustach tubes relieved, &
a little congested. Sol Lod aq. there & to By Alum ʒr 18
faucis. Changed spray to. Pt mix & gargle. ʒr ʒi
Aq ad ʒvi in

June 5 Still deaf as before, & throat feels hot. By Alum Rad ʒr 12
& uncomfortable at times. Appetite & digestion ʒr Calomel ʒi
fair. expectorates much 1st half of the day ʒr Vin Ipecac ʒi 36
from the throat. ʒr Card Co ʒi
ʒr Am ʒi
Aq ad ʒvi in
Kept last gargle. for spray. C. may his die

16th His good ear is open, but quite deaf with the other. Has not
smoked for 1 month. Secretin still present on pharynx.

Continued at 400

Spasmodic Stricture of Oesophagus

308

Miss Munday, aged 39, consulted me March 16th 1888 accom-
panied by a lady, & Mr R. S. Croft, Surgeon, of Peterfield.
When a girl she had difficulty of swallowing & for years has had
the same - history pointed to spasmodic closure -
Small piece of bread or meat in throat causes it; pieces must
be small. A piece of meat was extruded from the throat when
young. Is a nervous weak woman - no family, meals taken
regularly - health remarkably good but can't eat ordinary
food. This has increased up to her of late - liquids or semi-
liquid pulpy food will go down. How she can swallow
solids well if finely masticated & in small pieces.
She thinks the passage has got gradually narrower - Per-
sistent spasms come on at times - Mr Croft passed a bougie
into but not through the stricture, there was so much spasm
he could not succeed & she would not submit. The
parts are sensitive & irritable; his finger felt a sort of fringe
low down, different from the ordinary smooth passage -
Larynx - revealed nothing wrong - larynx normal. Voice had
never been affected - Passed a No 2 gum elastic bougie into
but not through it. but my Stomach pump tube went quite

309

if not entirely through it, without any
great force, & followed by no heave
of surface. Advised Mr Croft to
try & pass a small bougie, or tube
per catheter once a month or so, & alone Miss
She looked well, in perfect health, & in good condition.

June 5 Mr Croft told me at Peterfield, that she has been
able to swallow well ever since she saw me, & took her
med. The bougie quite seemed to remedy the difficulty & she
never refused to pass it again, nor ^{did} she wish to have it done.

W Am Bond St 72
C. mag. it. d.

andsvtsled

Miss Jones, ad 49, had to me March 19th 1868 by her father
 Dr Edward Jones, of Sydenham Park, at page 11 of Vol 2.

She has had Aphonia from time to time for some years, cause
 unknown. Worse in damp weather. Affects her 2 mos or 6
 weeks at a time, or even longer. No cough. nor pain. Used being
 good health said to be good in other respects. But gets languid
 & easily tired - looks healthy

Lary. Has remains of enlarged tonsils, they used to meet one time.
 Pendency of epiglottis & extending towards right side. Congestion of
 it & of interior of the larynx and trachea - Vocal Cords normal.

But there is general relaxation of all the parts & want of tonicity.
 Used spray of Frank Clarke & prescribed it. e.g.

℞ Zinc Sulph gr 30

℞ Gum Trag

℞ Gum ad ʒij ℥

To be used wth Clarke
 in spray his die part m -

℞ Alum ʒij

℞ Pot Ammon ʒp

℞ Gum Trag

℞ Gum ad ʒvj ℥

f. m & e -

Septem 28 Her father told me that she went on for some time
 without improvement, & lately went to Berkshire where she
 regained her voice. Her health is perfect -

312

Mr. Alfred Pennington, ^{at} 58, consulted me March 19th 1868
 lives at Wigan, in the Callins District, & staying with his
 brother at Raby. Referred by Mr. Saunders, Dentist.

Something wrong with his throat for years, & has suffered
 from deafness for some years, as if the voice was wrong,
 & sometimes difficulty in swallowing his Saliva, but not
 his food, requiring force to get it down. General health good.

Disposition to Rheumatism - looks flound & very healthy.

Woula cut off some years ago, ^{by beauty!} was very large. Voice good.

Laugh. Some relaxation of mucous membrane of fauces & larynx -

with general thickening like velvet, extending behind the velum
 to Eustachian tubes - Very thick stem of woula - Epiglottis

disposed to be perverted -

My Am Dad 8r 12

Am Dad 8r 24

Mr Calcutt 3ij

Syr Aunt 3ij

Syr ad 3ij

Hy Per Bud
 columns an 3p

To Myrah 3ij

Syr 3ij

Syr ad 3ij

C. may his ter u die -

J. W. S.

Used Spey of Zinc with Clarke -

¹⁸⁶⁹ Novem 18. Was better, but has varied somewhat, but certainly has
 never been worse than he was. Resumed my Bud 2 weeks

ago. seems appressed about the chest. Many all the same
visited Dr Allen, Peanley successor about it.

Large There is an improvement in the throat, epiglottis well up, but
the movement of fauces relaxed & receding though not red - Uvula
still fleshy but short & velum not so pendulous as it was.

Applied Sol of Hamini to fauces. His wheezing of chest he said, followed
an attack of scarlatina when a child. Lives at Southport

by Am Paul Dr 12	by Wm but Dr	by Dr Salf Dr 24
am Paul Dr	Acet chl m x	Eau de col Dr
W Sarguin Dr	Glycerin Dr	Apr Dr
W Anchovae Dr	Apr Dr	Spicy daisy wh
W Sarguin Dr	J n se	Clarke

Feb 22. His death was in The Times of today, as occurring
on the 18th at Southport, aged 55.

Mr J. Isaacs, act 53, consulted me March 19th 1868
 recommended by Mr Drum Sur of Staple St, Stund. His father
 has attended him for 40 years. Dr Cotton of Clarges St, is his
 Club Doctor. Went to Maull Mackenzie, but did not like
 him, as he was too young he said.

Bad throat some years, had a mass off & on. We had the
 last 3 or 4 days. Throat gets awfully dry & tongue like a
 piece of leather at night. Catted mass - no cough. Is
 continually swallowing & heaving. Last cold flies to the throat
 and nose. Had Inflammⁿ of throat 7 or 8 weeks ago & 2 lumps
 in the neck, under Mackenzie; but got bad again.
 He feels miserable & wretched with this, can't enjoy him-
 self or go anywhere with comfort. Appetite & digestion
 good, is very abstemious, though is stout & plethoric.
 No dysphagia - hot aeg. farnel applied by Mr Drum -
 Large local relaxation and compression of fauces, velum &
 uvula. Velum lays right on the tongue, & a long, thick &
 fleshy uvula lays indented upon the velum, & hangs onto
 the epiglottis. gelatinous & like curraw jelly at the end. Epi-
 glottis is pendent. Feels as if something fell down in the throat.

U. Ann. God xviv
Ann. Bromeli 8v24
Zind. Columbae 3ij
Ann. ad 307 m

c. may his ter medie

Recommended to be shattened & pum curative.

U. Pol. Bruid 316
Aluminatus 3p
Glycerin 3ij
Ann. ad 307 m
f. t. d.

317

abt

Mr Ernest Francis, ^{abt} 19, Consulted me March 19th 1888.

Cold in chest since yesterday.

Belgrave House
Wardour Road. S.

a little sonorous rhonchi left side of chest in front, Spain

shooting through -

P. Speers Co privy 2

C. mas

t. d.

Wm Spence 24 40

W. Hyas 24 80

Spence 3p

Spence ad

Spence 2

319 Sac at side of Larynx, causing occasional re-
surgitation of food.

Mr Walter Cooper Dendy, ^{abt} ad 63, called a me March 25th 1868
& presented me with his pamphlet "Wonders ^{displayed by} of the Human
Body in its endurance of Injury" - 1848 -

He told me that sometimes a little food resurgitated from the
left side of the throat as it were, when he formerly had eczema
de following neuralgia. Larynx showed a little pouch or sac
on left side of the larynx, above the hyoid bone, no doubt the
receptacle occasionally of food - e.g.

He quite understood the explanation



Oct 21. He lately spat some lumps of blood & had
some cardiac disturbance which made him uneasy. Was for to see
Sydney Thompson at his chest.

Dec 15, ¹⁸⁷¹ This was in Times of the day

On the 10th instant, in Suffolk-street, Pall-mall, WALTER COOPER
DENDY, Esq., aged 77. Friends will please accept this intimation.

He latterly wrote up wh disease of Larynx &c, ad as above.

D Randall, act ab 48, Consulted me March 25th 1868
 respere, for a spasmodic kind of cough & irritation of
 his larynx of some 3 or 3 weeks duration. The spasms were
 so violent as to resemble those of Hooping Cough. These
 occurred at night as well as in daytime - no expectoration nor
 wheezing - Appetite & general health good. He wakes up suddenly
 with this cough - Voice good but husky, occasionally
 Low Qual Congestion of epiglottis, especially lingual surface -
 Congestion, relaxation of the regulators, & a little congestion
 of the trachea. Vocal cords normal. Vocal very long
 narrow & faint - He had taken everything -

℥ Vin Sassa ʒij
 Am Lad ʒviij
 Am Brom ʒij
 Spm ad ʒviij ℥
 C. May 6 d.

℥ Pot Bul ʒij
 Alum ad ʒij
 Gum ʒij
 Spm ad ʒviij ℥
 f. Saefe -

26th As the improvement was but slight &
 the fauce a little harsh - changed it
 & used the spray of Dr Clarke & added it

℥ Uran Nit ʒij
 Acid Nit dil ʒij
 Gum ʒij
 Spm ad ʒviij ℥
 f. Saefe

27th He was very much better, cough & spasms less, fauce
 most soothing, & spray did a great deal of good.

321

28th I removed the long loose membranes end of the uvula by a single cut of the scissors, with no bleeding at all. He was going to lay up for a couple of days -

30th Called on him. end of uvula day of operation inflamed from eating my hot beef tea. Now it is going on well. His cough is much better.

April 1 Much better, but the spasmodic cough although not so bad, is still present, & I think is a touch of Pertussis. Applied Tannin to throat.

4th Voice tremulous, cough less better, but a little

worse this morning from a single full dose Br Am gr 15 which he took last n. Throat looks better, uvula healed, but epigl is pendent & folds relaxed. Applied Sol Jan. Pt must stay & sometimes his going to Brighton for 3 days -

October 22 He told me the cough like Pertussis stuck to him for sometime, the last it at a near Hampton Court in 3rd summer

by acid nit dil 3i
Zn Sulph gr vii
am Bone 3i
Apr ad 30th
C. mag t. d -

322

323 Frequent attacks of Quinsy -

Mrs James Arde, ^{at} 32, ~~not~~ born March 20th 1888 by her husband - Live at Hapton House, near Garmouth, & now at 63 Wimpole St. ^{Rec^d by} ^{Rev} Mrs Dunbar.

Has had terrible quinsys, 3 or 4 ^{9, 2, or 3 years} attacks; Last ulcers throat gathered on both sides, had to be lanced twice, it has never burst of its own accord. Had a severe attack at end of exhibition of 1882, it looked like Diphtheria & Mr O had it too on their return home, it turned out a quinsy. Has had a relaxed throat 10 days, is better. Can't sing a note just now, it feels a weak throat, no cough but a little tickling at night which begets cough. If throat is sore, she feels ill all over. Looks pitheisical & delicate though stout. Good health food, appetite so so - Always a pain in the back & shiverings ² cold preceding the attack. Occasionally has rheumatism of neck & back independent of the throat - Her mother suffered from Quinsy - Never has colds in the head - flatulence sometimes & somewhat indigestion. Appetite better since her teeth repaired. Feels unwell some weeks before the attacks - Soft Velum very very pendent & wide with flat throat would & dis posed to belong - Larynx & epiglottis quite normal. None Mem is generally relaxed & dark in colour - Prognosis good -

U Am had J.P.
Am had J.P.
Spl Am had J.P.
In Cad Co ad J.P.
Sp Am had J.P.
Apr ad J.P.
C. may his die.

324
U Am had J.P.
Ac had del J.P.
Sp Am had J.P.
Apr ad J.P.
J. m & e.
advised truncation of volume 1 day.

325

Master Thomas Carr, aged 10, was brought me March 31st 1868
by his father Mr Carr, Merchant of Seaham Harbour, Dur-
ham, recommended by Mr Storrison of Newbottle.

The boys hoarseness and loss of voice commenced 12 mos ago,
attributed to a cold at school at Dunse in Scotland.

Has spoken occasionally clear, but is subject generally to hoarse-
ness. Perfectly healthy at school, 6 mos, eats, sleeps, & plays
well. No cough nor expectoration although is husky. He
was tried 1 time with Sulphur. Voice has been stronger the
last 2 or 3 days. Can utter sounds audibly & well, & the
voice when exerted is tolerably clear. Complexion like a rose.

Lary. Relaxation of the throat parts - around the epiglottis;
the latter is crimson, loose & relaxed. No apparent disease
of the larynx. Is naturally very nervous.

Uy Was hit 2ij
Aed nit die 24x

Elycin 3ij

Aper ad 3vj m

He may go about as
usual. Prognosis good.

Can payle well -

payle m & e

2nd April wrote Mr Storrison of the case.

April 16 Mr Storrison said his father & friends are all delighted with the
improvement, & Mr C was most grateful for the success of the treat.

The boy is quite well & can speak distinctly & with a loud voice,
and in common conversation every word is heard, altho he is a

Mrs Coey, ^{at} 38, consulted me March 31st 1868. She is a daughter of Mrs Winter I firmly attended, at Vol 5. p 369. Now a widow with 1 son, lives at Laquey. In England 6 years & never been ill, but with an attack of bronchitis once. Has a sister in India very ill with Phthisis. Lost another with the same. Her mother is going out to see her daughter this week. Was lately in Paris & had a cough there. Has now a sort of irritation about the throat since the cough in Paris 6 weeks ago. Irritation extends from the chest in front to the neck above, going through to the right shoulder. Is uneasy and nervous. Her appetite & general health is good. Suffer from Rheumatism sometimes about wrists & knees.

Lary Congestion of trachea, would relax -
Chest well formed, breathing clear, a little thickish above on both sides, no apparent disease.

My Am Dad 8r 3
 an 8r 2
 Spt am but
 7r Cant Co an 3r
 Spt Am 3r
 Spt am 2r 3r
 c. mag his die

If I visit Laquey in 1869 & will let her know, she will send to meet me for lunch with her. The only 1 of the name there.

329

She knows Col Seelie's sons who spoke of me to her.

¹⁸⁷¹ April 5 She came with Mr Daly, in Vol 12. p 249 and I think is his wife - May 4 She has been poorly for some weeks, & last few days has had wheezing in chest in the mornings like Asthma with violent cough followed sometimes by sickness. Pulse is very weak. Chest seems sound but I heard a single sibilus on right side in front. Has pain below right shoulder with a little tenderness. Has been distended night & morning from flatulency. Madelife Hall at Ferryway stopped her here & part. She may take a glass of port in middle of day wth 1/2 pr Quin as formerly for a few days, and a few glasses Sherry at lunch & dinner & a little brandy at bed time.

A Mustard leaf below rt shoulder
 & be careful of changes in weather

℥j	Vini Specae	ʒj	C. Mag
ʒss	Junct Scillae	ʒss	t. d
ʒij	Æth Chlorici	ʒij	
ʒij	Junct. Hyas	ʒij	
ʒss	Substant. Potassae	ʒss	ʒss
ad	Esquae	ad	ʒss

Miss White, aged ^{abt} 26, consulted him April 2nd 1868 accompa-
 nied by Mr Perry Scots Fusilier Guards. She has come up
 from Devonshire on purpose for my opinion, & was a patient of
 Dr Hodges of Sidmouth, a friend of Mr Perry.

Has had dysphagia 5 months. Swallowed a bacon bone &
 a month after the difficulty commenced, a piece size of the
 end of a little finger - A No 8 Catheter, gum elastic, was got
 down the other day, followed by a little bleeding. Has had a vio-
 lent croupy cough, a little easier since coming to London.

Dr Hodge gave her Chlort pol gr 15 t. d & pil of Cor^{3rd}, Spic² & Myrrh
 & gargle of Matico of potass - Health is good. There is some
 incipient pectus coming on, very visible in lower part of the
 2 sides of neck, which she never noticed before. Daughter of
 a Farmer in Devonshire - Some mischief in right lung also.
 She drinks better than eats. Takes Oj or more in the day. No meat
 but can eat bread & butter. She swallowed some water before me well.
 Is naturally thin, but has lost a little flesh.

Larynx - Much spasm. Ulceration at posterior part of the larynx exten-
 ding to the right side & arytenoid cartilage. Some subglottic con-
 gestion. I saw no ulcer in pharynx nor felt any, & would

not attempt to pass a bougie from
the spasm. Chest left lung behind
not so clear as right - but in front it
was more so than the right -

Her voice is good - but I fear there is a combination of phthisis
laryngea & pulmonalis, with deposit in the base of pharynx -

April 4 Very much better, less cough, spasm & expectoration -
Larynx much less congested, easily seen & ulceration less. The
vocal cords well seen, examination was easy. The croupy sound
is due to the fauces passing in the Trachea. I passed a small whale
bone & sponge through the stricture of oesophagus, which is not
narrower than 2 lines. - Long Plum Brom gr + ad Zi to be rubbed

Keft Mist. over the fauces q. nocte. At Perry present,
13th Swallows much better, & can get down anything pretty well except
meat. But is choked with phlegm & can scarcely breathe. Cough is
quite gone unless after eating. Sleeps well, not getting thinner. Some
times has to cough much to get rid of phlegm, which is white mucus.

14th Epiglottis is a little pendulous & interferes with breathing, ulceration is
less & cough less croupy. No diminution as yet in Bronchocle -

She has more of a cold about her from the E
rinds. Add to mix. Tinct Sang Zi

Am afraid of chest.

Vin Sene Zi

& Syr aetherea Zi

4 Am Ind gr vi
Am Gum Zi
3m Sulp gr vi
2 Bals Zi
Spr Amt Zi
Apr @ Zi
C. may. t. d.

4 Pul Bant Zi
Alum an Zi
Spr Zi
Apr ad Zi
f. m. d. e
& also of warm water -

332

The Rev Edward Gardner, ^{abt} aged 26, consulted me April 2nd 1868
 recommended by some chemist near, who applied Sol Nit Arg to his throat.
 Lives at Chilham, Kent, where he has been $\frac{1}{2}$ a year, and
 has to perform 3 services in a large Church with side aisles,
 &c. Ordained in Sept last. General health good.

3 weeks ago he felt as if he must pull up in reading in Church,
 had to swallow after. He got better, but it has returned as if
 something was drawn down the throat. Voice was good, but
 the effort was great. It comes on shortly after beginning with
 swallowing saliva. & it has occurred every night since being
 here a Monday last. He has to teach 2 or 3 hours daily be-
 sides. Looks healthy.

Little relaxation of mucous membrane of fauces & end of
 uvula displaced to be loose. Larynx normal.

used spray of Zn with Chloride.

single occasionally & f. m & e.

No internal med required.

By Wm Wt D'ij
 ac bit dit 24x
 Glym 2ij
 Sr ad 3vj 2

334

335

Miss Waghorn, aged 18, consulted me April 2nd 1888 accom-
panied by her mother, second by Mr John F. Wilkin, Surgeon
of Staplehurst, their medical attendant -

He wrote that she had been suffering for a long time from a cu-
rious, nasty & very intractable cough & he could not find suf-
ficient cause for it in the lungs; it seems as if partly a habit
but that there is some cause for it he is well aware. He ad-
vised mustard outside, & she was taking Steel & quinine & she
also recd a bracing climate for a time, her present residence
being very damp & relaxing -

The cough came on about Christmas, general health not affected,
but from growing so fast it was thought to be due to weakness -
Is a very tall slim girl, like her parents - Surgeon said to be
healthy. Catamenia occurred late & so very profuse -
Eats but little. The cough varies, sometimes none at all, or
occurring in fits. No expectoration at first. Generally is free
from it at night. At any rate has none at night - noon -

It is a cold rough cough, & had it as a little girl. Sometimes
has pain in right side of chest, ^{Mr God applied bit} Was at the Sea Side 3 weeks
& was better - Legs used to swell. Was not a strong child

337

though never sickly - Had pains
in the limbs when young. Is some
what nervous - Mother died
of heart disease - Has Palpitation
Sometimes - No mustard a neck for
2 weeks -

Lungs, A little congestion of the left vocal cord, with sluggish
pulsation of action, & also of the ^{upper} larynx & aortas -
Chest no apparent disease. Breathing behind the left is a little
wavy and agitated - heart's action rather strong over
left in front and above - Change in country would do good -
Mr wrote Mr Willin on all of the case -

℥ Zinc Sulph gr vii
℥ Am Bismuth ℥ij
℥iir Spicac ℥ij
℥iir Scilla ℥ij
℥iir Am ant ℥ij
℥iir Am ℥ij
Apr 20 ad ℥iir m
C. may his tone die

℥iir Chin Chloroph ℥ij to neck act -

338

Mr William Styles, aged ^{abt} 38, consulted me April 3rd 1868
 recommended by Savary & Moore. Lives in the North of Ireland &
 is son in law of Lord Tredegar, Portman Square.
 Looks like a man in robust & good health & usually is
 so, fond of shooting & hunting. Gets his feet wet & comes from
 Ireland and not here, & then his throat troubles him.
 He saw Dr Stokes & Sir Dominic Corrigan in Dublin & they told
 him his complaint was nothing. His friends said it was ima-
 gination, yet at times he felt very miserable from it.
 He had Quinsy some 3 years ago. He feels some annoy-
 ance in the left side of his throat. Tulef of Behoreene was
 applied on a sponge by Dr Mourhead. Corrigan said it was
 want of exercise. A white spot was seen on left side of
 throat. Has no pain whatsoever, but the discomfort
 corresponds to a little lower than the left tonsil -
Lary - Congestion & thickening of the posterior pillar of the
 left side of the throat, extending downwards. No ulcer now
 visible. (was at 1 time suspected to be syphilitic, but never
 had syphilis in his life). Would rather loose & long -
 Applied Sol Goddard his with a straight brush, with relief

U. Aran. but 3ij 340
 acut dil 4x
 Glym 3ij
 Apr ad 3vj m
 f. m & e -

to the exact spot. & around
 it 9. 2. or 3 m with a
 long brush -

Advised treatment of woulda some day -

June 6. Has been pretty well since but lately has had a cold & is well,
 yet has left him deaf, in right ear especially. Heavy is better in the
 cold but worse in the warm weather. Going now to Iceland but has
 been at Tredegar in Wales. July Relaxation only of the forces &
 back of the Velum. deafness is from throat. Applied Sol Truina
 & used spray of Tr. w. Clarke.

U. Pat Bard 3p
 Alum an 3p
 Glym 3ij
 Apr ad 3vj m
 f. m & e.

U. Am Lad 8r vi
 Tr Calumbr 3ij C. moy.
 Spr ant 3p
 Apr ad 3vj m his die -

Repeat applicⁿ of Sol Lad reg to shut prn.

341

Miss Chester Cooper, aged 42, consulted me April 6th 1868 accom-
panied by her mother, from 57 Gloucester Terrace, Hyde Park.

She had a note from Mr Baker Brown, whose patient she is,
asking my opinion of her tongue, dated 3rd April. She had ʒj
of Lotin of his .e.g. C_2 Carbolic acid (Purified) ʒi; H_2O ʒi
dated about 31st - $\text{Aqua dest ad } \frac{1}{2}$ t.d. utend.
She used honey before it, without good.

She does not look more than 28 so smooth & clear is her
complexion - Mr Brown has attended the family for 10 years -
but with an accidental disturbance last year, and from Aug
to Decem Iodine was almost constantly applied wet, said to
be weak knee. Went to Margate for the knee.

About 3 mos ago, a little pimple formed on the middle of the
tongue, and the tongue felt rough afterward.

now is a palish spot in the centre of the tongue, thin,
which is smooth & moist to the touch, without any
irregularity, ^{excitation,} or hardness, or induration of any sort.



Got to her it feels dry & rough as if a substance was there,
& the mouth gets so very dry, especially in the morning.
Mouth feels as if vinegar was in it, half an hour after
meals. No extra secretion of saliva. Taste is perverted.

The fauces are a little relaxed. She does not feel herself; but there is no flatulency & the bowels are regular. Mr Brown gave no opinion upon the nature of the affection at all. I applied Sal. Nat. Arg. to the spot, & it tasted like ink & her. She is not nervous. & general health otherwise good.

I wrote Mr Brown my opinion; as follows:—

At present the epithelial surface of the membrane only is affected, without any induration or other symptom, & pain to a degree beyond the sensation of roughness & as if something was there. Scirrhus of the tongue sometimes begins with a feeling as if a hair was constantly present, but it is not so here. Its seat in the centre is favourable. The sensation of Vinegar in the mouth after meals & general dryness of the throat point to derangement of the digestive organs. I have not prescribed as she did not wish it, but advised a lotion as below, & occasional brushing with a Sal of Nat. Arg (Fij ad Zi Water) & some mild alterative mixture—

℞ Zinci Bromidi ℥i
Zinci Sulfurici ℥ss

Glycerini ℥ss

℞ Gum ad ℥ij in fl lotio.

To be applied to the tongue

3 times a day with a Camels
hair brush—

344

345

Rev Dr O'Hanlon, aged ^{abt} 58, consulted me April 11th 1868 recom-
mended by the Rev Mr Hughes of Maynooth College. He is
himself of Maynooth also -

He complains at night in bed of a quantity of mucus in the
throat which causes cough, & he suffers much from it in the
morning until he gets rid of it. Sometimes affects the voice.
had cough 10 or 12 years ago, from a wetting & since then a lia-
bility to a cold & a cough. Had rheumatism a little, 6 was
ago. Nerves, &c occasionally. Was under St Lyons of Dublin &
was at the Isle of Wight some weeks, without benefit, was
very cold there. Appetite & digestion tolerably fair. Difficulty
of expectoration, has to use great efforts to get rid of it. per-
spires at night. Friends are anxious about him -

Lary. A little relaxation of the fauces; epiglottis distant from
root of tongue & valleculae very distinct, but it is normal
though a little congested. Both Vocal cords stretched with
muscles on their surface. Uvula a little relaxed.

4 Am Lad 3r vi.

4 Am Boud 2i

Vin Spear 3ii

Dr Sarsapar 3ii

Sp. Arab 3p

et pr ad 307 m

c. may t. d.

4 Pol Bark 3p

4 Am 3p

Dr Symp 3p

Sp. Arab 3ii

Am ad 307 m

f. m & e

4 Lin Chlor

to the neck at

n -

347

Applied Sal Lad aq to the fauces. Did not examine his chest.

348

Rev Charles McAulay, ^{abt} aged 34, consulted me April 11th 1868
 also recom^d by Rev M Hughes of Masquith College -
 Is a professor in the College, & his lectures are 1 hour each.
 He had to leave his work from an acute & attack of laryn-
 gitis. Had to cease teaching for a time. He became very
 hoarse but not aphonic. Has no cough, unless very
slight. Expectoration in morning on rising. Sometimes a little
 pain on either side of the throat, accompanied by pain
 in the ear, mostly in the left & occasionally in the right.
 Neck is rather exposed, but always been so -
 Tapping continuously from pain in right side behind, like
 rheumatism, as if from the liver. Never spit blood -
 Tongue always furrowed. Constipation more or less. Has not
 got thinner, but is gaining a little - Hardly, upper part
 of the palate is sore as if abraded & sometimes it occurs
 without any cause, as if the cavity was contracted -
 The throat has been thus $1\frac{1}{2}$ or 2 years - Cheeks tinged red -
Laryx. Sandy granulations on a ^{very} pendant velum, with congestion
 & irritability of mucous membrane. Would thickish. A little irritable
 & some congestion of the larynx & epiglottis - Voice good -

℞ An Sadaid ℥xij
 An Bismidi ℥i
 Off an amb ℥i
 M Card Co ℥ss
 ℞ an amb ℥ss
 Spruce ad ℥ss
 C. may t. d.

℞ Gum Gut ℥ij
 Acid tart dil ℥x
 Gum ℥ij
 Spruce ℥ss
 f. m. & e.

℞ Zn Sulph. ℥24
 Sande Col ℥i
 Spruce ℥ij
 Spruce w/ Chlorine
 Semel die

℞ Lin Champ Co for sides of neck -
 Applied Sol Sadaid before & used spray of Zn w/ Chlorine.
 He had used spray of Cup Sulph. & to ℥ij H₂O & also of Gallic tannic
 acid with no benefit.

¹⁸⁶⁹
 Novem 15 Has leave of absence for 6 months & is going to Italy.
 General health good but his throat has never been quite right, but
 latterly has used ℥i Sol Gut arg q. 2. d. before. & takes pill of Podophyl.
 His voice too gets husky after lecturing or much reading.

July. Velum is now well up, the sandy granulations nearly gone,
 memb of pharynx smooth, epiglottis normal & larynx too, but
 there is mild follicular disease. Applied Sol Sadaid before.

℞ An Bromid ℥36
 M Card Co ℥ij
 Ham aut ℥ss
 ℞ an amb ℥ss
 Spruce ad ℥ss
 C. may t. d.

℞ Pot Soud ℥ss
 Gum ℥i
 Glycer ℥ij
 Spruce ℥ss
 f. m. & e.

Sol Gut arg
 ℥ij Sol q.
 2. d. as
 before.

July 12 Been to Rome all the Winter & found the weather very cold. He
 looks better & is in better health than when he was last here. His voice
 has not been exercised all the winter, but he was afraid of it, as he

357

gelschueky. throat is parched in the mornings. Sary shows the
faucis less but still a little sandy, velum well up, Larynx & Epigl
normal unless a little Congestion - has heat down the Chest in front.

℥ Amber ʒ ʒ
℥ Pot. Perm. ʒ ʒ
℥ Am. Carb. ʒ ʒ
℥ Carb. ʒ ʒ
℥ Strychn. ʒ ʒ
℥ Strychn. ad ʒ ʒ
c. may. t. d.

℥ Pot. Perm. ʒ ʒ
℥ Strychn. ʒ ʒ
℥ Strychn. ʒ ʒ
℥ Strychn. ad ʒ ʒ
℥ Strychn. ad ʒ ʒ
℥ Strychn. ad ʒ ʒ

℥ Zn Sulf. ʒ ʒ
℥ Strychn. ʒ ʒ
℥ Strychn. ʒ ʒ
Spear daily
Fresh Bismuth

Mrs Etherington, aged 57, consulted me April 11th 1868 accom-
panied by her sister Mrs Allathorne of Scarborough, at Vol 6
page 213.

For 1 or 2 years hands have looked greenish red, as if circulation
is bad, her blood seems as if it was coagulated. The muscles
are affected in her whilst the cartilages are in her sister.

Glands of throat much enlarged sometimes. Suffers much
from acidity & choking sometimes, from phlegm & wind to-
gether, frothy mucus. Sour taste like apples & lemonade.
Left hip sometimes affected, face gets flushed, blood rushes to
head & her face is congested as it is now. Digestion not good.
Catamenia ceased suddenly some years ago - Feels very weak
& dizzy sometimes. Excitement almost kills her, the least
thing excites & aways her, difficult to overcome, has had
much mental anxiety, since death of her husband, have
taken land from her. Feet used to swell. Face flushed after
eating. Urine free & normal. Never dyspnoea, unless she
has the choking sensation dating 2 years - Can't bear a
hot room - Sometimes head aches, & feet itch as well as
the hands. But all the skin is congested - Very flatulent.

Dr Wilson thought Derper was coming on & Mr Hutchinson said it was disease of the heart. She is stoutish but her heart is all right. She has distinct puffy swellings in both triangular spaces of neck, right a little painful, & sometimes both swell very much & get large.

By Amma Dadidi gr vi
Natassii Bronnidi ʒij

Zinc Card Co

Zinc Nucis Vom aa ʒij

Syr aurantii ʒij

Syr ad ʒij

By Plumbii Bronnidi gr x

Adipis ʒij

for the swellings in

the neck

C. mag. t. d.

1870

June 21 6 weeks ago had congestion of the brain, memory is becoming bad, great pain in back & in dorsum of foot; also in back of head, but not as bad; it was also in back of hands; has a scalding sensation under skin of the face which is much congested now; tongue clean - sight bad. Has had much mental trouble in selling property &c. She is wonderfully better on the whole. Mrs Clappath is her dr.

By Am Dadidi gr iv

Am Bronnidi ʒij

Syr Aurant

Zinc Card Co aa ʒij

Syr Aurant ʒij

Syr ad ʒij

C. mag. t. d

Lin Chlaur ʒij to pains.

She came with her sister Mrs Clappath -

354

355 Chronic neuralgia of Facial Nerve of right side,
for about acute infln - of its sheath, of rheumatic character;

Mr Carter, aged 42, consulted me April 17th 1868 with a
letter from my friend Dr Duncan M. Farber, of The Rookery,
Eastward, Notts. He wrote he had been suffering for some
time from neuralgia of face & head, & in spite of all treatment it
continues very bad. He was taking Spt Am E & Cinchona -

The neuralgia was on the right side & took the course of the facial
nerve; pain right into the ear, top of head, occiput & right temple.
eye not affected. Had been very much exposed to wind & cold,
as a lace dresser, 110° to 130° of heat. & the dye house full of
steam. Has been superintendant himself in various rooms -
Bathing with warm water did him good, also bleedings & he lost
the pain, but the great heat brought it back again.

It began as rheumatism in his chest 5 yrs ago, & in face 3 yrs
or 4 yrs ago - Has had much rheumatism of right side of the
body. Stomach generally out of order & weak. A little
cough occasionally but no phlegm - Is now a Farmer.

Keen a good appetite, nor a great eater. No affection of throat
or face. Looks well with slight ruddy complexion - Has been to
Buxton to drink the waters. Had to give up his employment as a
lace dresser altogether - Is a great sufferer at times & nervous
from pain.

℥ An Ind gr 32
℥ An Bala gr 68
℥ An ant 3j
℥ Can Co aa 3j
℥ Mus rom aa 3j
℥ An h 3j
℥ An aa Grey ℥

℥ Acetone gr i 356
(Mars)
Adipis 3j ℥
To be applyd q. wote
to the painful spot.

C. May. t de die - Urid to be made up of Apathem's Balls.

18th I wrote Dr Jackson an acc of my views of the case -

Aug 1 Dr Jackson wrote me on 29 July that after a very fair trial
referred that Carter does not seem a bit better. He thought for the 1st day or
2 that the pain was somewhat less, but after that the mud seemed quite
to have lost its power. He had been to Buxton, his general health is better,
but the pain in the head not a bit. He was quite at a loss what to do
next.

I wrote that I doubled of the Aconitine used was genuine
I advised large doses Ind Pat gr 20 2 or 3 times a day in Decoe Cinch.
to be increased to gr 30 - or at of rheumatic tendency. If all fails
try freezing of the skin over the nerve a la Richardson.

357

Miss Wilson, aged 23, brought home April 17th 1858 by Mrs
Johnson of Beconby by Bow, with her sister. (Vol 5. 233)

Is a school governess, and caught a severe cold in Septem last
from thro' attending the School, with a cough ^{little} & expectoration
ever since. The cough begins when she lays down in bed.
but it has been less lately. Is naturally thin, but has lost
very much flesh, so that her collar bones stick out much.
She lives at Bow. Catamenia scanty 2 months - Has no
pain anywhere. It began in her throat. Has night sweats &
hot legs & hands - Appetite been bad, but a little better
from quinine she has taken. Taken everything including
al Dec. Chest - Altho so thin, there is active disor-
ganization going on, no rales heard anywhere, respiration
heavy, both sides, alone, in front. Expectantion sometimes
frothy & sometimes yellow. Throat a little relaxed.

Advised her to give up her fatiguing occupation at once -

℞ Am Gum ʒʒ
Tinct Sassa ʒij
Vini Ipecac ʒi
℞ Gum ʒij
℞ Spr - ad ʒij ℞
C. may. f. l.

℞ Pot Suss - ʒi
℞ am - ad ʒi
℞ Gum ʒij
℞ Am - ad ʒij ℞
Told Mrs Johnson, she was in
the beginning of decline,

359

but that with great care she might improve.

May 14. Is certainly better the last 2 weeks, is stronger, gained flesh, strength & looks fuller about face, chest not so thin, better covered. Med affected her at 1st but now agrees well. Has no night sweats now, no cough, & very little expectoration. Catamenia have not appeared. Rum & water used to relieve the pain of coming menstruation. bowels regular - pulse is quick but fuller. Approved her going to Dorset Co, Shaftesbury, hilly place. so on Saturday - Chest sounds clear. Came with her mother, a native of Dorset.

In May made "W Sang 3ü" & "Am Bronied 2j" - Has taken plenty of milk, & eats now very well & often -

360

Mary

Miss Boletto, aged abt 18, was brought to me April 23rd 1868 by her mother & brother (see Vol 8. page 1) recommended by Dr Montgomerie They live at Penzance in Cornwall.

She is a fine healthy looking girl, tall, always in good health up to 10 weeks ago, when she caught a severe cough & cold which settled in the throat. She became hoarse & lost her voice.

She had a fine voice for singing & for these 10 weeks has had none for singing. But Aug was fully applied to ulceration then I was taking Iodine, & latterly Cod Liver oil for a week; she has lost much flesh the last 2 weeks & has ^{got} quite weak, appetite is poor. They came up yesterday to see me.

No appetite for breakfast. Spat up 5 or 6 times, large clots of blood 2 weeks ago, had much phlegm in the throat. Her speaking voice is good, but can only sing now for 2 or 3 minutes, although she has much improved the last few days in health. She had used Port wine & Vinegar punches -

Lary. A little difficult to do it. slight congestion of interior of the larynx & sub-glottis, with relaxation of muc. memb. there. Epiglottis a little pendulous but Vocal Cords are normal. The fauces look pretty well. Used spary of 3m w/ Charlie -

she had used the falling of Dr Montgomery's 362
 4y Red Beel gr 3/4 c. mag. 2. 4y Sadi gr x 4
 ae H Cl dil 3i. his die, 1h Pat Saded 3p
 4y Corch 3i after meals Spru ad 3vij
 4y Corch ad 3vij m c. mag. ex aqua cyath his die -
 Must 3i. 4y Corch Eucalyph April 8

4y Am Beem gr x ij 4y Pat Bond 4y Zim Sulp
 Am Lad gr vii Alra an 3p Alra an gr 8
 4y Corch 3ij Spru 3ij Spru 3i
 4y Am ant 3p Spru ad 3ij
 c. mag. his die. f. m d e m Spru ad 3ij
 d wh Claude

Approved of their going to malvern
 for a tracing out, though rather early.

May 19. Voice is a little clearer, spit up 2 or 3 little bits of blood
 yesterday. Hay fever has just now & had it last year for the 1st
 time. Bowels very tepid, goes 2 or 3 days at a time. Cold feet - never
 open without med. Much indigestion after dinner. Slight chelton
 hum for a few days. Lary throat is better, rather relaxed, not so con-
 fested; epistot man up, lumpy man normal.

4y Am Beem 3i c. mag 4y Sgr Secura 3iv.
 Am Lad gr 12 t. d 2 to 4 3 9. mar.
 4y Am ant 3i until bowels regular.
 4y Corch 3i
 4y Am ant 3p
 Spru ad 3vij m May go on & sing -

June 10 I saw Dr Montgomery at the house at the College of Physi-
 cians & he told me she was much better.

363

abt

Rev N. Martin, aged 45, consulted me April 25th 1868, a patient
of, & recommended by Mr Wm B. Hill of Cambridge Road

Born out of sorts sometime, throat often out of order. I was ago
was examined by himself. He thought he saw a piece of bone, and
touched it with his tooth brush, & felt hard, & Surgeon examined it, &
removed a little thing like a pen; it was rather to the side of throat.
Yesterday or the night before he saw the same thing. Mr Hill did not
make much of it. If affects the voice, people in the larger chapels com-
plain that they do not hear, especially the end of the sentences.
Is with the utmost difficulty, he can get the voice clear, at
the morning service, but not so in the evening. He has felt this
affection for 14 years; began at Aberdeen, with stiffness & sore-
ness at the back. Often had advice from ordinary practitioners.
Terrible sufferer from dyspepsia for 30 years, which always aggra-
vates the attack. Is most painful blind this way. Ale, porter
& coffee he cannot take. Claret he tried but cannot take it.
Strong produces discomfort after. Stomach feels as if fermenting.
Had dyspnoea when at York, from night drives & humid atmos-
phere. This dyspnoea has lately returned, sometimes has a
sort of whistling noise in breathing. No habitual cough or

expectation. Latterly has had ~~sauciness~~ of chest above in the
 lines; last 2 years has had pain in back low down, most
 intense; feels quite prostrate on getting up from sheer weakness.
 Cannot sleep. 1000s of nights pass without sleep. He was
 at Malvern under Gully's water cure, 3 weeks, & had pain in
 back; since then he has had no return, except once.
 Slept better, except the last 3 mos. Has ^{lead} rheumatic pain in
 left shoulder for years & in left side, influenced by the state of
 his spirits. Bowels regular & has piles occasionally. Has
 terrible heartburn & acidity & takes Carb Soda & Lattin, Carb
 of potass. headaches - Impatience, &c. - Can only eat beef &
 mutton, & certain fruits - pulse weak - skin moist. Milk
 he can take boiled - Has had not acc. to the throat -
 Early follicular irritation of pharynx, fauces & velum. Uvula is
 painted & dispaud & elong. Tonsils secondary Cholesterin, though
 small. Epigl irregular & partly pedunc. streaked with vessels -
 Larynx mildly congested, relaxed, but not dispaud.

ʒij An. Ind. gr ʒ 6
 An. Ind. ʒi
 Spt an. Ind. ʒi
 N. Card. Co
 N. Min. Van. aa ʒss
 Agnæ ʒss
 c. may. t. d.

ʒij Sal. Ind. aa ʒss
 An. Ind. ʒi
 Spt an. Ind. ʒi
 N. Card. Co
 N. Min. Van. aa ʒss
 Agnæ ʒss
 c. may. t. d.

Mullein & Bismuth put by him.

Sol had my applied to fauces. I speak of En after W. Clarke

367

370

371 Follicular disease of Throat, pendulous enlargement of the epiglottis, with a long flat uvula -

Mrs Treble, aged 60, consulted me April 27th 1867, with a letter from George Miles Esq, Surgeon, Plympton, Devon, her medical attendant. She lives at Goodamoor there - & is staying at 14 South St, Thurloe Square with a relative, who came with her - ^{Mrs Lopez, her niece.} Her letter was dated 16th & said his patient had been for some years troubled with an affection of the throat & fauces, usually attacking her at the approach of winter & subsiding in the spring. He believed it granular pharyngitis, to some extent involving the larynx. It generally yielded for a time to the use of a Sulphur Aq ʒi and ʒi, but the benefit was but temporary. Astringent purges were less efficacious, if not positively useless. His usual plan in her case, had been occasional use of probing with the Sulphur Aq & a course of Tonic herb, such as Quina, Iron, the Mineral acids, &c. He asked me for my opinion & would carry out strictly suggestions for treatment - Sometimes the affection is accompanied with a ^{very} distressing cough, for which he has administered inhalations of No 10 with success -

She looked well; had aphonia 6 weeks the last winter, & for 3 winters had lost her voice. Very slight exertion takes the voice away. Has to hem frequently & loudly & clear the throat & the tickling is constant. Left nostril always affected as with a cold & is deaf in left ear.

Chest sound, has been examined, though the cough sometimes is very severe. No pain about neck, is not thinner; sometimes a little expec^a at n.
Larynx - A little irritability & disposed to be sore. Velum very pendul, ^{& elongated} uvula, long, narrow & pointed, & epiglottis completely so, though not congested nor thickened. Fallicles of pharynx & fauces generally affected - Left nostril deep red, & much contended. Appetite & digestion good. E. reminds affect her -

By Am Ind 8x9
Am Bound 8x36
Spt am book
W Cant Co am 31
Frank 3/4
Spt am 3/4

By Pat Bond
Am am 3/4
Spt am 3/4
Spt am 3/4
Spt am 3/4

C. may. his ter medie -

May 1 Remains sharp point of uvula, with little bleeding & great impement - Came with her niece & servant maid - Was a little nervous & faint after - To keep quiet & speakless -

4th Healing going on, but she feels as if something loose was in the throat - Is much less of hemming & clump. Front of uvula & velum ^{is} bleed & inflamed - Applied Sal but aq, & used spray of Zn after -

May resume mix & gargle now - Is much better -

8th She feels as if a chicken bone was in left side of neck, due to irritation of mucous memb, but the throat itself is much better. Health too is better, hearing about the same - Sal but aq, with Camrid brush to sensitive part of left throat - & spray of Zinc after -

373 She used to have iodine to
the neck, by 5 miles.
I advised

Lin Chloroform 3i to sau part,
of neck.

15th Feels quite well, can walk a good deal now. Throat looks per-
fectly well, velum & epiglottis more up, latter rather long but
quite healthy. Larynx a little relaxed which explains some hoarseness
in morning. I used my spray by nose & mouth & prescribed it, for them & the
heavy of left ear. It gave
& med: p. r. n —

By En Sulph 8r 29
Euc de Col 3is
Apr ad 30th
spray 1cc a day
with chloride.

18th wrote Mr Miles & confirmed his view of case. I told him what there was
besides & what I had done. The desper^{ty} depending of epiglottis would be obstinate.

Miss Munroe, ^{abt} 20, but to me May 6th 1858 by her
 Grandmother Mrs General Munroe, recd by Mr Fincham &
 Mr Gould, to whom she had applied -

Mrs Munroe lives at 10 Queens Crescent, Glasgow, a little way
 out of the Town, & invited me to go & see & stay with her -

Miss Munroe, is a healthy, rosy checked, robust looking girl
 & a fine child. She is always afraid of sea throat & the
 least thing gives her one, she cant bear the wind entering the
 mouth. She has dysphagia sometimes, relieved by passing the
 hand on the right side of the jaw. No cough, & not subject
 to colds; sometimes has a scraping in the chest, which may be
 rheumatism of the muscles, as the cuff is tender. Brought
 up on E coast of Scotland & now lives on the W coast. Pain
 in the back sometimes & cannot walk as much as she used
 to do, without fatigue. Dr Christison of Edin applied tannin
 with a brush to the throat.

Dr Matthews Drucem prescribed { ʒj Atropia gr i ʒm Sulph gr 60
 Conf Mas q. s. pil 80. ʒiiss die
 & pil Alas et Fil. Bowels generally constipated. Digestion not
 good, voice weak in singing. Her parents were healthy & she
 was always so - Has no pulsations to singing, but plays well.

375

She had tried the Sulphur Cure -

Lary. Fauces much congested, muc. memt raw & granular, all thickened & red, remains of laryngitis, relaxation, & secretion.

Applied Sol to day to fauces -

By Sal Sudor

By Am Sod grs,
Am Sod 2i
Spt an ant 3i
No Carb to aa 3i
Syr ant 3/6
Syr ad 3i in
C. may his dic.

By Urantut 2i 9.3.d to
acrit dil 24x fauces -

Syr 3ii
Syr ad 3i in
f. m & e

By Lin Chlor 3ii for neck

376

Mr George Hawkins, aged abt 50, consulted me May 12th 1868 accompanied by Mr S. H. Cornish, Surgeon, of 32 New Cross Road. He is Manager of the Brighton Railway.

Mr C told me he had irritation of the throat, spasmodic cough, intense sickness, attacks of vomiting sometimes 3 or 4 days, if much worried, once or twice nearly died from it, and yet he looks as if in perfect health.

Mr H said he had a cough for about 40 years, it generally comes on in Novem & lasts until he can get away in Autumn, to Scitiger land & it goes away at once. This year was less cough & sickness. But this last month has been very annoying. About 2 Am wakes up with the cough, & he is not relieved until the phlegm comes. The fits of cough seem to take the life from him. Is not thin, appetite & digestion tolerably fair, but is puffed up with wind sometimes. Was treated 7 or 8 years ago. Had pertussis at 5 may had for 1 year & never without a cough during winter since. Last 2 emul thinking & relaxation of voice. Mem of fauces. Epiglott partly pendent; memb of Vocal Cords thickened, colour white; but the Repletors spasmodically affected, so that they close before the cards & cover them up; memb a thorn thick & velvety. Sub-glottis

4 Am Ind 8r6
am Bunt 8r48
4 Am Ind
In Card Co an 3'
Arant 3p
Apr @ 7pm

4 Munkut 3p
acrid dil 4x
Spr 3ii
Apr @ 7pm
p. m & e.

4 Induch 8r24 **378**
Sand Col 3'
Apr @ 7pm
Spray daily
with Clarke.

C. May. his ter medic. - I used Clarke & zinc solution -
involved also. The order of action seems reversed in the
parts about the larynx e. g. Regulatus 1st Central & then the
V.C. advised gradual increase of Potassium of Am -

379

Master Gerald Clarence Koffer, ad 10, had to me April 11th 1871 by his
mother at page 384.

He had had some fever & Catarrh but was now free though weak,
I could detect no mummies in the chest. 4 Ferris Cat gr 36
His mother was anxious abt him. Apr 11th 71
C. mag. f. d.

abt

Mr Clarence Haffer, aged 50, I went to see May 15th 1868 at
1 Allwell Place, Denmark Road, Camdenwell New Road, by Rail.

He had been ill 4 weeks with Dyspepsia with great derangement of the
kidneys since, ending in Spasmodic Asthma. He is frantic & can
not gain any strength. So he wrote on 14th -

I found him weak indeed, his constant cough was due to a very large
loose bronchus hanging down & he seemed to want man food. As I
could get no faraps, I went again on 16th & removed the end of
it without any bleeding; but he had passed a better night since
using an alum paste as I had suggested. His pulse was
weak & low & hard, from want of food, & I suggested what he
should take, & advised stops -

23rd He wrote me a 22nd that the 1st day or 2, the ^{Symptoms} ~~Cough~~ were certainly
better, but the attacks of hacking cough have come on since, as much as be-
fore after eating; reclining backwards after eating two hips & on - Has been
taking bit Mur Acid for a couple of days. On exam of him to day at his own
house, I found some slight pleur pneumonia at the very base of the fringe
of the right lung behind, over the liver, & no doubt liver & lung in
that situation are involved. pulse softer but still rather quick -
I advised a Linseed poultice then. & ^{Bicarb pot} ~~pl an an~~ 2 is much
glatus, but bowels are open - ^{in Card Co - Ed -}

May 25. Was easier & better, but the pulse was too quick. Tongue quite clean & moist, no night sweats, sleeps better &c.

June 2 to 2 Melrose, Margate was the date of a letter, saying he was hardly so well as when he left, but he was thankful to be under so skilful a gentleman as Dr Price. "My liver and gall ducts are in a fearful state of disease but I believe that he is attacking it ~~readily~~ radically and mercury it appears that I must have in some shape or another. He has wonderfully battled with the platus but it appears like beginning de novo" I wrote him on 3rd sending blank papers &c, and telling him that Dr Price was a J. P.

June 17 In Times of today, I read amongst the deaths "On the 10th inst at Margate aged 51 Mr Clarence Hopper of Denmark Road, Camberwell, Surrey."

18th I wrote his wife a letter of sympathy.

Mrs Sheppard, age 65, on the 21st January 1871 I prescribed
for at the request of her sister Webbaper at 384.

She has Constipation & Spasms in the Stomach

by W Camp Co	3ij	
Sal Sella	3ss	C. may
Eth Chlor	3ij	t. d
W Camp Co	an 3ij	
Put potato	ij	
Spr and	Mad	Evj. An

March 2 Her sister told me she was perfectly cured when alone.

Mrs Lewis Davis, ^{abt} 34, was brought to me May 16th 1868
by her husband at 2 $\frac{1}{2}$ pm by appointment. They live at No 6
Gloucester Gardens, Hyde Park.

Her husband told me the day before, there was breaking up of
spirits, disease had fallen into Throat or Chest, & making con-
stantly pituitual sounds & attempts at retching. Takes an
opiate at night for sleep. Had seen Sir Thos Watson, Dr
Gull & others & complaint said to be nervous. It com-
menced 7 mos ago. Has had much domestic grief & trouble.
Lost a sister in Paris of Consumption, under some one there
& a small operation was done on her. Is very nervous.

She looked a fine healthy person, with a splendid clear
voice, but almost incessantly belching wind, with a
grunting sound, sometimes occurring 2 hours incessantly.
No pain, ^{but} in neck, root of. This belching goes on at night as
well as day, & is most annoying to her & to her friends.
Lary partly pendul & epigl, but larynx healthy. Velum
pendul & fleshy flat uvula. Trachea clear. Advised rem-
oval of part of uvula.

Hopper Mrs Clarence, out , consulted on January 12th. 1871
is the widow of him at page 380.

The looks very well, but the last 2 months, has had great pain in praecordia
before meals & feels sore there, & can't bear to touch it, she then feels
sleepy & ill ^{all} over. Still she can eat very well & anything. No flatulens
nor distension. is better in bed - rising in the morn.

℞ Pot. Brom ʒss
Am. Sod. grv
℞ Card. Co. ʒij
℞ Au. Carb. ʒij
℞ Iron Carb. ʒij
℞ Iron Carb. ʒij
C. mag
t d
Just Resimethi.

21st Is somewhat better, & the pain has
shifted towards the right side. She must eat
something at 11 o'clock to overcome faintness then proceed.


In mix made the
℞ Au. grv
& added ℞ Nuc Vom ʒij


For her sister Mrs Sheppard see p 382

March 2. All her symptoms gradually improved & she has been quite
well for the last 3 weeks -

1873
Aug 7. Appetite & general health good, but
lately has had pain in lower part of back & in
her 2 thighs from the hips - Looks well.

℞ ℞ Fer. Mur ʒij
℞ Quas ʒij
℞ S. Carb ʒij
℞ Iron Carb ʒij
C. mag bis d.





Miss Hill, aged 31, consulted me May 22nd 1868. She re-
sides at Bate & recommended to me - 6 Coburn Road.

Had an attack of low fever 6 years ago, and has lowness
of spirits, cries for hours, bowels much affected with an
aching pain, wants to pass water frequently, Catamenia
regular but scanty, has much wind and pain in left side,
was delicate as a child, but fairly well before the fever.

No cough, but has lost flesh lately - Appetite & digestion
bad, naturally castive, no headache nor other pain, ex-
cept in the bowels. Relieves habit, complexion like it, head beats
if walking fast or ascending a hill, feels cold, throat sometimes
uncomfortable, is nervous if not well. Has taken egg and
spirit in the morning & this relieves the bowels - Sweets &
paste, she cannot take - pulse weak.

℞ Am Brind ℥j

℞ Plam root — ℥j

℞ Cad Co an ℥j

℞ Nucis Vom ℥ij

℞ Spicant ℥ij

℞ Spicant ad ʒoj ℥ij

C. may. t. d.

To regulate her diet -

℞ Pil Rhei Co XXIV.

2. p. o. n.

She asked me if marriage
would be desirable, & I
gave a decidedly affirmative
opinion -

June 4 Pain in the bladder is better, but she now complains chiefly is the aching in the bowels & extreme weakness. She looks & is quite exhausted from her ride & much shaken by it. The belly is quite soft & not painful. Pains after the Catamenia come on & they stain linen - Chest healthy, pulse stronger, spirits better too but she feels weaker. Came with her Mother.

℥ Acid Hy Chlorid ʒss
ʒr Card Co ʒij
℥r Chlorin ʒij
℥r Bromidi ʒss
ʒr Amul ʒij
ʒr Amul ʒij
C. mag. t. d.

6th She writes the Med did not suit her so well, as she suffers more from wind & her head seems to flutter ^{much} more & her spirits are very much affected. Is not able to bear her weight at all.

℥r Mucis Vom ʒij
ʒij Card Co ʒij
ʒr Card Co ʒij
ʒr Card Co ʒij
ʒr Card Co ʒij
C. mag. t.

25th Is certainly better, not so weak, eats pretty fairly, pulse stronger but rather quick, tongue clean, Catamenia better colour & more natural. No pain nor ache, the bowels she says feels weak, has been very quiet & need agrees well. Father had tape worm, has she it, there are no symptoms. No disord^r of body to account for the extreme weakness - Pl Mucy as before.

Rev^d Rudston Reid, aged 57, consulted me May 22nd 1868
 recom^d by Mr Baber Brown. (his most intimate friend)

He had a little congestion of the liver in the winter ending in re-
 laxation of the throat & a nasty cough. The latter's better, but
 spasmodic sometimes. A little husky sometimes, but voice is weak
 & subject to all his clerical life. Able to do his 3 duties & his
 school last 2 years. No habitual rheumatism, tendency agout in
 joints - Always enjoyed good health. Tickling irritation in throat
 sometimes in Church, followed by violent coughing & veins of forehead
 have swelled - Lives at Funching Wells, but last 2 Chils at St
 Andrew with diphtheria - His wife a Scotch Lady, I wrote the name
 of Reid on marriage - Chut dulness on right side last win-
 ter has quite gone - Rheumatous expression - & skin yellowish.
Laeg Larynx normal, merest congestion of voice sac, but there is
 a sharp acuminated uvula, the cause of all his trouble,
 with mild disease of the follicles -

By Am Ind ^{gr 07}
 Am Bond ^{gr 24}

Sp an sub ^{gr 1}
 In cad Co ^{gr 2}

Sp anst ^{gr 3}
 Sp an ^{gr 4}

By Mr Bond ^{gr 5}

Sp an ^{gr 6}

Sp an ^{gr 7} ^{gr 8} ^{gr 9} ^{gr 10}

C. may his die - alternating with Quinine he is taking

He has after used Capsicum forte befundemise -

391

Mrs William May, aged 38, consulted me May 25th 1868 record
by Rev Mr. Fern. They live in neighbourhood of Braintree, Essex.

Is married & had children very fast. Confined 3rd mas ago, but
not nursing baby now. Sometimes is hoarse. I has had difficulty
of swallowing several years, but it is now better since some e-
thing was passed down the oesophagus ^{2 mos ago -} lately. Since her con-
finement has suffered much from hoarseness this time, & has
coughed very much, but none now i.e. cough. Been affecting
the left ear. So thinner. Very susceptible to cold. Neck
used to be much swollen externally. Voice is now clear, since
being a week in town, before that it was quite guttural.
Gets very nervous sometimes in eating & drinking, but has never
any attacks of spasm, always feels afraid. Can get down
solids & fluids but has to eat slowly. Sometimes the voice en-
tirely goes away. Appetite & digestion very good. Her has had
rheumatism, but has had attacks of neuralgia -

Larynx - Some little spasm, & breathes thro nose. No apparent disease
of the pharynx. but the epiglottis is displaced to be very pendulous
& elongated, coming up the larynx; there was some spasm abt
separation of parts to see larynx. Larynx is normal.

393 4/10 Amhurst 3;
Spl Amhurst
in Cal Co an 3ij

4/10 Putnam 3j
Am 3i
Apr 3ij
Apr ad 3ij
f. m & e.

4/10 Lin Clauf
3i -
for note

C. may Spr am 3j
hister ve a. Apr ad 3ij m

I think I used spray of zinc wth chloride -

29th She wrote me a 26th from Covenbrooke Hall, that her throat
has been better, but she has not entirely got rid of the hoarse
ness, & has been at home a month.

4/10 Salt 8r 29
Eau de Col 3i
Apr 3ij h

I prescribed, the spray, for use wth
chloride 1cc a day for 1 or 2 m.

394

Mrs Arthur Patts, ^{abt} aged 36, consulted me May 25th 1868 recommended
by Mr Baker Brown. Came with her husband, & stay here at
Hoolie Hall, Lancashire - Chester

Has had a violent cough since Good Friday, now 6 or 8 weeks.
Mr Brown thinks it's from the throat, but she has suffered for years
from chronic sore throat. No expectoration, but sometimes a fit of
Coughing comes on for 2 or 3 hours. other times has none. Always better
when she has food. Coughed after night from 12 to 2 Am. It does
not prevent her from sleeping. East wind affects her. At same time she
has had aching & soreness on each side of the throat & neck.
Has had a good deal of neuralgia. Never strong, no appetite for
years. Is languid & often feels tired. Never had Rheumatism -
Larynx. Uvula long, loose & flabby at end. Base Membr of fauces
much relaxed. epiglottis pendulous & relaxed. No doubt the
uvula & epiglottis produce the cough.

By Am Brnd $\mathfrak{r} 36$

Tinct Canth $\mathfrak{r} 34$

Sp ant $\mathfrak{r} 30$

Sp $\mathfrak{r} 30$ $\mathfrak{r} 30$

C. mag. his ter me die

By Lin Chlor $\mathfrak{r} 31$ for the neck.

By Pul Brnd $\mathfrak{r} 36$

Alum $\mathfrak{r} 30$

Glycer $\mathfrak{r} 30$

Sp $\mathfrak{r} 30$ $\mathfrak{r} 30$

f. t. d.

used spray of $\mathfrak{r} 30$ with Chlor

exam'd her husband too, whose woula was united by Mr Boon
 epist computed. Mr B considered of ruptured pincerns -

27th I removed the end of the woula, but she got very weak & faint
 & after it I had to lay down. She suffered few neuralgia colic in
 the day. There was not a drop of blood. The cough had ceased before
 it from the gangle alone. I exam'd this daughter's throat who had the
 remains of laryngitis, & dispass^d & pendency of epiglottis. Heart now
 well, had primum ⁴ mesago with Scutellaria, attended by Besnon
 & Siemling. Heart had a clot in it at the time. I prescribed a
 gangle for her of $\text{Alum } 2\text{ij}$ $\text{Syrup } 3\text{ij}$ $\text{Aq. ad } 3\text{vj}$ m & e.

30th She suffered much neuralgia about the face the day of the oper-
 ation and now the end of the woula is sore, & ulcers a little in-
 flamed. Applied Sol but aq, & ordered it m & e until healed,
 & then to resume her bed & gangle -

June 1 Very much better, but end still ulcerated, applied Sol but aq
 & wrote to her husband, it was better for her to stay in London until the
 death of his mother was over &c. She is too nervous to be present.

6th In reply to a letter, I advised use of mix vom & gangle, now
 that the woula was healed & she was free from face ache -
 for 3 weeks or so until she felt well in every respect.

Nov 12 Passing thro town. Feels an aching sensation in the throat
 & sides of the neck, otherwise been very well. Not much appetite.

397

Lary. Alate thickening & retard of ment - only of the fingers -
ward spray of Frank Charles that made it feel raw.

By am Paul 8:24

By am not 2

in Couch 3:47 C. may

ac not del 4x

f. use

Apr ant. 3:30 his die

Apr 3:47

Apr ad 3:15

Apr ad 3:15

Daughter is quite well Lin change to the neck as before.

Mrs Stearns, aged 43, consulted me May 29th 1868 accompanied by Dr J. W. Clarke of Wantage, Berks.

Is a tall person, thin, & has had about throat 3 mos. She can feel something in the throat - now, thickly & dry - No cough now has ^{much} got thinner. Tuberculous disease in all the family. Dr Clarke was afraid it might be commencement of Phthisis laryngea. He found the upper part of the larynx to be swollen - Has resorted all his treatment. Has taken Steel, & Iron & God's milk. It came on as an insidious cure, sub acute laryngitis, with a hoarse voice, &c. Is a nervous hysterical woman -

Larynx some spasm of the throat, & remains of large tonsils which prevented easy examⁿ, a little free mucus in throat - Larynx quite normal, but disposed to close above. Ulceration of follicles at back of the pharynx - little swelling & hardness of the neck outside, & feels sore on right side - applied nothing -

by Am. Ind. 8x
an Ind. 3i
Splan. lot an 3ij
m. cad. to an 3ij
S. Ind. 3b
S. Ind. ad 3ij
C. may t. d. 2

by Pot Ind 3b
Alum 3i
S. Ind. 3ij
S. Ind. ad 3ij
f. m. & e

by Lin. Chlorid 3i
for neck
by Sal. Ind. ad 3ij
3ij
G. 2 or 3 d.
& fauces

399

Mr Frank Richardson from 307

Rhino's shows Eustachian tubes \odot of both sides normal, with a circular depression, & mucous membrane all over quite normal.

Advised use of Spear his die, & to blow tubes shortly after.

By An. Ind 8x12

At An. Ind 3x3 C. mag

Vin. Spear 3x3 his die


Syr. Ind 3x3 3x3 m


Syr. Ind 3x3 3x3 m


To resume smoking -


Sal. Ind 3x3

9. m. to pharynx with
a small brush for the
Eust. tubes -









Mr W. A. Ryan from 183

breath sounds heard everywhere. Expectoration is & has been
 very great from the first colds. He coughed violently & expec-
 torated mucous-purulent matter & I used Sparg of Dr. Clark.
Larynx. Throat looks ^{very} well, but is a little relaxed; epiglottis is
 pendulous but more arched, of good colour, but a little swollen
 & red at right edge & under surface, thus:  -
 interior of larynx is relaxed, cords relaxed & pink -
 I advised him to take a journey to Australia -

406

1868 Mr Charles F. Barney from 236

July 3 His wife called to enquire about his health present & I gave her a favourable opinion. He had a little wheezing at night after seeing me -

25th Has been very well, but the last 2 nights has had wheezing in the throat & phlegm expect 2 or 3 times with a little difficulty. Feels quite seedy today & has had no sleep; as soon as he lay down, the wheezing occurs. Has no regular cough.

Chest Clear everywhere, if anything there is a little roughness at the end of inspirⁿ on right side in front, when there is a little pain shooting through - no rales - Health otherwise good

℞ Am Sulf ʒi
℞ Vin Sassa ʒi
℞ Sy Simp ʒij
℞ Spm ad ʒij m

℞ Sod Bicarb ʒi - Ch ʒij
℞ acid Cit ʒi
℞ Spm ʒij m

C. may. gratitude wh Ch
ex Agn - Simpⁿ to Ch

C. may. his die
Feb¹⁸ 1869. Throat has been very

& in Camp C ʒij after

well all winter, slight attack only; has continued to use the gargle night & morning with great benefit. But has wheezing at night which wakes him up & phlegm seems to accumulate in the throat; coughed lately occasionally in the day.

Perhaps tis more some dyspnoea at night which wakes him. Lay a little relaxation of Mus. Ven.

℞ Am Bnd ʒi 36
℞ Vin Sassa ʒi
℞ Scellan ʒij
℞ Eth Chlor ʒij
℞ Wallh ʒij
℞ Spm ad ʒij m
C. may his die m

of trachea only - used spray of Zn wt chloride -

July 6 For the last 3 weeks has had no sleep, from such an oppression in the breathing & a whistle; sleeps 2 hours & then awakes up panting for breath & no sleep after. The last head did not seem to touch it.


Is in the hollow at the root of the neck that he feels the discomfort. There is not much phlegm, but he feels, as if he could get some up he would be better. Lary mild congestion of the trachea, probably extending to the larger bronchi. Larynx normal. Epi healthy.

ly Am had prin	Used spray of Zn wt chloride &
Am Boud 3'	prescribed a 10gr Sol of pot
c. mag Find Sanguin 3g	with a little Eau de Cologne.
bis d. Spr Aunt 3p	daily for 1 minute -
Apr ad Epi m	

Dec 14 Went to Harting for 3 weeks in Sept when his breathing continued very bad, but got wonderfully well from a visit to Lancashire.

The last few nights rest has been disturbed, coughs & expectorations & every breath is a cough, phlegm is salish. Lary too much watery secretion from the follicles of fauces & larynx, & some are inflamed & support of a wall of pharynx, when I applied Sol Sod Arg at immediate benefit.

ly W Camp Co 3g	ly Indult ten gr x 4	To use his old pencil & apply Sol of but arg to fauces q. 3. d.
esul Scilla 3p	esul ten gr x 4	
W Sanguin 3p	Sp 3'	
Am Boud 3'	Apr 3g	
Spr Aunt 3p	spray daily	
Apr ad Epi m		
c. mag bis die		
towards night -		
	Has no day cough -	



610

Mr Stuart from page 80

Has taken Carb, Quinine & Squills & Morph Sedil PO₅ - with no effect.
 Lary Throat is better but there is much irritability. The least
 cold seems to affect him. Chest a little secretion in left side
 in front. Sin Camp to it then & Frank Bismuth Semidie

By Mr Camp Co 3ij	C. Mag	U. Nat Bawl 3j
Am Sod gr vi		(Acid 3j
Acid Sulfur aa 3ij	t. d.	Tr Kean 3ij
Tr Sanguin aa 3ij		Effr 3ij
Van Spicac 3j		Sp 3vi
Morph 3j		J. m. e. 3vi
Tr amth 3j		
1869 Tr am 3j		

25 Novem His chest is better, but he feels very uncomfortable at
 the throat as if nipped with the 2 fingers around the tongue bone.
 Is out of order, stools light, conjunctiva of lids congested & feels out
 of sorts, cold etc. Lary Congestion of the fauces, but the uvula
 is smaller & now not visible, yet there is a greasy velvety
 look about it. His larynx is better. Applied Sol Sod aq -
 low down - & to

By Am Sod gr vi	low down - & to
Pat Bismuth gr 24	
Pat Bismuth 3j	Repeat Sol Nitacq 3ij Sol
C. Mag Tr Calumbae 3j	9. 2. m. to fauces.
t. d. Tr Card Co aa 3ij	omit Tr Kean in gargle.
Tr amth 3j	
Spicac aa 3j	

To take Sherry instead of Port Wine. His breath is short.

1875
 March 11 Now lives near Lee, Blackheath & has retired from business -

Has been in first rate health with throat & chest, but last few days has
 had dysphagia & soreness right across the throat, & applied 4 leeches

to the neck: had still had. Appetite now good - digⁿ also - 412

La; Cases & some inflamⁿ of fauces with a long ulcer below left tonsil running downwards which accounts for all - thus: -

ly an had 8v12.		ly Pot And 8v x		Sol but as
Melan at 3i. c. meq		Alm 3p 8. m		as before
N Calule 3v + d		Pot chid 8v x	ae	daily to
Spr and 3p		ly 3i		fauces -
ed Spr 3p		ed 3p		

He said he recommended Mrs Bowden of Blackheath to me -

Mrs Carr, ^{age} 44, consulted me 8th April 1875

Is mother of him at page 326.

Is subject to bilious attacks occurring before or after the monthly period. drinks a good deal of milk which often causes these.

℞ Laud Suspensum ℥j c. may

℞ Pt. am. and ℥ij +.d

℞ Card. Co. ℥ij -

℞ Am. Bromid. gr 24

℞ Am. ℥ij

℞ Inf. Gent. Co. ℥ij ℞

Juice of half lemon squeezed into
tumbler & powder of Carb. pot. in
another, poured in, & shake
away effervescence.

Septem 23 Became better, but got ill 2 days more. Emetic of Opium
when so to get rid of bile - & pt. got de as before

Moule Master Charles	23
Manly Rev Mr	29
Murch Mrs	48
Melville Capt the Hon ^{ble} Leslie	103. 257
Melas Mrs B	114
Marti Mr Pedro	131
Maitland Mr Kenneth	163
Mollison Miss	213
Mason Dr of Ayr	255
Munday Mrs	308
Martin Rev R	364
Munroe Miss	374
May Mr William Junior	392
MacKay Miss	1
Mc Millan Miss	57
Mc Connell Mr Henry ^{Dr}	160
Mc Pherson Miss	286
McAulay Rev Charles	349
Owen Rev William	277
Orde Mrs James	323
O' Hanlan Rev Dr	346

Pothier Mr L. B.	121
Pope Rev Mr J. Godfrey P.	133
Pulvermacher Miss Rachel	201
Paynter Mr	215
Pennington Mr Alfred	313
Potts Mrs Arthur	395
Robinson Rev Arthur E	63
Robinson Rev J. E. Will ^{ill} the father	224. 152.
Ryan Mr W. H.	405. 179
Ryan Mrs	229
Robertson Master Leslie	281
Richardson Mr Frank	304. 400
Randall Dr	320
Reid Rev Rudston	389.
Sheppee Mr Edwin	9
Stuart Mr, a chemist	411. 79
Stokes Miss Emily	83
Saemann Mr	144
Sharp Mrs	150
Sheppard Mrs	382

Stein Miss, Edinburgh	163
Simms Miss	188
Storrow Mr John	209
Stevens Revd H. B.	227
Seyton Mr C. S.	240
Sherwood Mrs George P.	243
Style Mr William	339
Stevens Mrs of Wantage	398
Teed Miss Charlotte	52
Thomas Mrs	59
Titmas Miss Anne Maria	98
Timberlake Miss Emma	167
Treby Miss	371
Underwood Mr	140
Vivian Anna	17
Vize Mrs	148
Williams Dr John	27
Whittaker Miss	112

457

Wood Mrs	116
West Mr Job	191. 146
White Master Frederick	225
Wiggins Miss	237
Wilkinson Mr John	291
Wilson Mr W. J.	298
White Miss of Devon	330
Waghorn Miss	336
Wilson Miss	358

MS.
Acc. 429
v. 9

The image shows the front cover of an antique book. The cover is decorated with a complex marbled paper pattern. The background is a deep, rich blue. Overlaid on this are intricate, organic shapes in shades of black, dark green, and grey, which resemble veins or cells. Interspersed within these shapes are thin, irregular lines of bright yellow and red. The overall effect is a dense, textured, and somewhat abstract design. In the center of the cover, there is a rectangular, cream-colored paper label. The label has the words "Date Due" printed in a simple, black, serif font. Below the text, the label is divided into three vertical columns by thin lines, intended for handwritten entries. The left edge of the book is visible, showing the spine and the edges of the pages, which appear aged and slightly yellowed. The book is set against a dark, possibly black, background.

Date Due

64625

STACK

MS.
Acc. 429
v. 9

