

PULL OUT THIS WIRE AND HANG UP THE ALMANAC FOR FUTURE REFERENCE



1919

BARKER'S
ILLUSTRATED

ALMANAC

FARMERS GUIDE AND HOUSEHOLD COOK BOOK
USE
BARKER'S

SPECIAL POULTRY REMEDY
BARKER'S HEALING OINTMENT AND
BARKER'S HORSE, CATTLE & POULTRY
POWDER
ALSO



BARKER'S
CAPE
REMEDY

BARKER'S
ROUP
REMEDY

BARKER'S NERVE and BONE **LINIMENT**

BARKER'S LICE POWDER

FOR SALE AT ALL DRUG, GROCERY AND GENERAL MERCHANDISE STORES

Make your own Horse and Cattle Food Medicinal by mixing **BARKER'S HORSE, CATTLE MEDICINAL POWDER** with the **AND POULTRY** Feed. See directions for a reliable article on back of **BARKER'S POWDER. GIVE IT A TRIAL.**

BARKER'S ALMANAC FOR 1919

FREE TO ALL



ECLIPSES FOR 1919

In the year 1919 there will be three eclipses, two of the Sun and one of the Moon.

I. A Total Eclipse of the Sun, May 29. Invisible to the United States. Visible to South America and Africa.

II. A Partial Eclipse of the Moon, November 7. Visible to Europe and Africa. The beginning visible generally in the eastern part of North America, South America except the extreme western part, and Asia except the eastern portion; the ending visible generally in North America except the extreme western part, South America, and western Asia. Moon enters shadow 5h. 58m., P. M., Eastern Standard Time.

III. An Annular Eclipse of the Sun, November 22. Visible to North America except the north-western part, the northern half of South America, south-west Europe, and the north-western part of Africa. At Philadelphia a partial eclipse is visible, beginning at 7h. 39m., A. M., and ending at 10h. 24m., A. M.

CHURCH DAYS, FIXED AND MOVABLE FEASTS FOR 1919

Epiphany.....	Jan. 6	Palm Sunday.....	April 13	Trinity Sunday.....	June 15
Septuagesima Sunday.....	Feb. 16	Good Friday.....	April 18	Corpus Christi.....	June 19
St. David.....	Mar. 1	Easter Sunday.....	April 20	St. John Baptist.....	June 24
Quinquagesima—Shrove Sunday.....	Mar. 2	St. George.....	April 23	Michaelmas Day.....	Sept. 29
Ash Wednesday.....	Mar. 5	Low Sunday.....	April 27	First Sunday in Advent.....	Nov. 30
First Sunday in Lent.....	Mar. 9	Rogation Sunday.....	May 25	St. Andrew.....	Nov. 30
St. Patrick.....	Mar. 17	Ascension Day—Holy Thursday.....	May 29	St. Thomas.....	Dec. 21
Annunciation.....	Mar. 25	Pentecost—Whit Sunday.....	June 8	Christmas Day.....	Dec. 25

WEATHER TABLE THROUGHOUT THE LUNATIONS OF EACH YEAR

If the temperature falls suddenly there is a storm forming south of you; if it rises suddenly, a storm forming north of you. The wind blows from region of fair weather toward where storm is forming. Cirrus, or curl clouds, move from where the storm is in progress. Cumulus, called Ball of Cotton, Day or Summer clouds, move from a region of fair weather to where storm is forming. Where cirrus clouds are moving rapidly from north or north-east, there will be rain inside 24 hours; when these curl clouds are moving rapidly from south or south-east there will be a cold rain on the morrow, if in summer, and if in winter there will be a snowstorm. The wind always blows in a circle around a storm, and when it blows from the north the heaviest rain is east of you; if from the south, the heaviest rain is west of you; if from the east, the heaviest rain is south of you; if from the west, the heaviest rain is north of you. The wind never blows unless rain or snow is falling within 1000 miles of you. Whenever heavy white frost occurs a storm is forming within 1000 miles north or north-west of you. These rules were issued by the Farmer's Club of American Institute. Study them and be your own weather prophet.

Weather Indications.—The old-time prophet says a rosy sky at sunset, whether clear or cloudy, indicates FINE WEATHER. An Indian red tint at sunset foreshadows RAIN. A red sky in the morning—BAD WEATHER or MUCH WIND, perhaps rain. A gray sky in morning—FINE WEATHER. A circle around the Moon indicates RAIN. A clear Moon—FROST. Dull-looking Moon—RAIN. Single halo around the Moon—A STORM. If the Moon looks high—COLD WEATHER. The new Moon on her back—WET WEATHER. If Moon looks low down—WARM WEATHER.

NOTICE—Those who receive Barker's Almanac, Farmers' Guide, Household Cook Book and Budget of Fun, should keep them for future reference, as they contain valuable and reliable information found in no other Almanac. The millions of them that are read by people cause every year a demand far exceeding our edition.

BARKER'S NERVE AND BONE LINIMENT for Lamé Back, Frost Bites, Mange, Whitlow, Cramps of the Muscles, Scratches, Thoroughpin, Cracked Heels, Spavin and Ringbone.

BARKER'S ROUP REMEDY If the fowl becomes droopy with the head and tail down and discharges from the nose and eyes, is a sure sign of Roup. Keep mixed with the drinking water. **BARKER'S ROUP REMEDY**, which is an excellent preventative. In extreme cases, sprinkle some in the roof of the mouth.

BARKER'S GAPE REMEDY All chicks that have difficulty to breathe is sufficient proof that they have Gape. Mix our **GAPE REMEDY** with the drinking water and for extreme cases see full directions on our packages. **GIVE IT A TRIAL.**

BARKER'S HEALING OINTMENT for old sores, galls or blisters brought about by the rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used by human beings for sores, chafes, blisters, abrasions, bites, itching, stings of insects, chapped hands, frost bites, etc.

CAUTION.

The country is full of stuff called Horse and Cattle, Stock, Poultry and Condition Powders, and various other names, made by parties who have no practical knowledge of what medicines should constitute a Horse, Cattle, Stock and Poultry Powder. **Barker's Horse, Cattle and Poultry Medicinal Powder** is made by reputable manufacturers of medicine and contains 12 ingredients in its compound. Its medicinal properties are suited to the different diseases that animal flesh is heir to. Its record for over 50 years is a sufficient guarantee for reliability.

BEWARE of Stock Powder claimed to contain same ingredients as Barker's.

ASK FOR BARKER'S AND TAKE NO OTHER



TO LAUGH AND GROW FAT, GET
Barker's Komic Picture Souvenir
 IN FOUR PARTS 200 SIDE-SPLITTING, BUTTON-BURSTING PICTURES

HOW TO GET THEM—Owing to the persistent demand for the above book, we have decided to get it up again. We now have it in 4 parts, each part containing 50 Komic Pictures, 4 1/4 by 5 3/4.

We put **PINK SLIPS** in all of our Preparations, and additional slips according to the size of the packages for which we give premiums. If 2 pink slips are sent us we will send in return **one part of souvenir book**; if 4 pink slips are sent we will send **two parts**; if 6 pink slips are sent we will send **three parts**; if 8 pink slips are sent we will send **four parts**.

SIX BEAUTIFUL PICTURES WHICH WE GIVE FOR PINK SLIPS.

SEE PAGES 12, 21 & 27.

BARKER'S SPECIAL POULTRY REMEDY

SEND YOUR P. O. ADDRESS TO

THE BARKER, MOORE & MEIN MEDICINE CO., Phila., Pa.



1
 Make your own Poultry Food Medicinal by mixing with the Feed. See directions on pack of BARKER'S REMEDY.

BARKER'S SPECIAL POULTRY REMEDY Sold in Regular, Large and Extra Large Packages; also in 12 and 25-lb. Pails.

BARKER'S ROUP REMEDY. If the fowl becomes droopy with the head and tail down and discharges from the nose and eyes, is a sure sign of Roup. Keep mixed with the drinking water **BARKER'S ROUP REMEDY** which is an excellent preventative. In extreme cases, sprinkle some in the roof of the mouth.

A STRAINED ANKLE GOT ALL RIGHT.—Mr. John C. Farrar, of Concord, N. C., in writing us states: "I fell from the top of a box car nearly fifteen feet and strained my ankle so bad that I could not walk. I used **BARKER'S NERVE AND BONE LINIMENT** four days and was able to get back to work."

1st Month										JANUARY, 1919										31 Days	
Days	Month and Week	SUN			MOON			ASPECTS OF PLANETS, Etc.			High Tide Philadelphia										
		Rises h. m.	Sets h. m.	Slow m.	Rises h. m.	Constel'n c. d.	Souths h. m.				MORN	EVEN									
1	Wed.	7 22	4 44	3	6 38	♄	3 11	29	♃	Circumcision : ♀ ♃ ☉			0 42	1 8							
2	Thu.	7 23	4 45	4	sets	♄	16	ev. 22	♃	♂ ♀ ☉			1 26	1 50							
3	Fri.	7 23	4 46	4	6 29	♄	29	1 14	♃	♃ in Perihelion			2 7	2 30							
4	Sat.	7 23	4 46	5	7 36	♄	12	2 5	♃	♂ ♀ ☉			2 50	3 13							
Second Sunday after Christmas										Day's Length: 9h. 24m.											
5	Sun.	7 23	4 47	5	8 44	♄	26	2 55	♃	♂ ♀ ☉			3 33	3 56							
6	Mon.	7 23	4 48	6	9 52	♄	10	3 44	♃	Epiphany : ♀ in Aphelion			4 19	4 42							
7	Tue.	7 23	4 49	6	11 1	♄	24	4 33	♃	♂ gr. elong. W., 23° 13'			5 11	5 33							
8	Wed.	7 23	4 50	7	morn	♄	8	5 23	♃	♂ in Perihelion			6 6	6 30							
9	Thu.	7 22	4 51	7	0 10	♄	22	6 15	♃	♂ Venus sets 5h 42m A			7 6	7 30							
10	Fri.	7 22	4 52	7	1 20	♄	6	7 10	♃	Mars sets 7h 4m A			8 10	8 32							
11	Sat.	7 22	4 53	8	2 31	♄	20	8 7	♃	♃ in Perigee			9 12	9 32							
First Sunday after Epiphany										Day's Length: 9h. 32m.											
12	Sun.	7 22	4 54	8	3 40	♄	5	9 6	♃	Jupiter sets 6h 43m M			10 12	10 34							
13	Mon.	7 22	4 55	9	4 45	♄	19	10 5	♃	♃ in ☉			11 8	11 29							
14	Tue.	7 21	4 57	9	5 42	♄	3	11 4	♃	♂ ♀ ☉			11 55							
15	Wed.	7 21	4 58	9	rises	♄	17	11 59	♃	♂ Aldebaran S. 8h 53m A			0 21	0 51							
16	Thu.	7 21	4 59	10	5 41	♄	0	morn	♃	♂ Saturn rises 7h 27m A			1 11	1 38							
17	Fri.	7 20	5 0	10	6 47	♄	14	0 51	♃	♂ ♀ ☉			1 58	2 18							
18	Sat.	7 20	5 1	10	7 51	♄	27	1 40	♃	♂ ♀ ☉			2 42	3 5							
Second Sunday after Epiphany										Day's Length: 9h. 43m.											
19	Sun.	7 19	5 2	11	8 52	♄	9	2 26	♃	♂ in ☉			3 27	3 48							
20	Mon.	7 19	5 3	11	9 52	♄	22	3 10	♃	♂ Rigel S. 9h 13m A			4 12	4 32							
21	Tue.	7 18	5 4	11	10 51	♄	4	3 52	♃	♂ Uranus sets 7h 8m A			4 58	5 18							
22	Wed.	7 17	5 5	12	11 48	♄	16	4 34	♃	♂ ♀ ☉			5 48	6 6							
23	Thu.	7 17	5 6	12	morn	♄	28	5 17	♃	♂ ☉ in Apogee			6 39	6 57							
24	Fri.	7 16	5 8	12	0 46	♄	10	6 2	♃	♂ Capella S. 8h 57m A			7 33	7 53							
25	Sat.	7 16	5 9	12	1 44	♄	22	6 48	♃	♂ Conversion of St. Paul			8 28	8 48							
Third Sunday after Epiphany										Day's Length: 9h. 55m.											
26	Sun.	7 15	5 10	13	2 40	♄	4	7 36	♃	♂ Neptune rises 5h 15m A			9 24	9 43							
27	Mon.	7 14	5 11	13	3 35	♄	16	8 26	♃	♃ in ☉			10 17	10 36							
28	Tue.	7 13	5 12	13	4 27	♄	28	9 18	♃	♂ ♀ ☉			11 8	11 25							
29	Wed.	7 13	5 14	13	5 15	♄	11	10 11	♃	♀ gr. Hel. Lat. S.			11 59							
30	Thu.	7 12	5 15	13	5 59	♄	24	11 4	♃	♂ ♀ ☉			0 10	0 41							
31	Fri.	7 11	5 16	14	6 36	♄	8	11 56	♃	♂ 31 Sirius S. 10h 0m A			1 0	1 25							

MOON'S PHASES—Eastern Standard Time

- ☾ New Moon..... 2d. 3h. 24m. A.M.
- ☽ First Quarter..... 9d. 5h. 55m. A.M.
- ☾ Full Moon..... 16d. 3h. 44m. A.M.
- ☾ Last Quarter..... 23d. 11h. 22m. P.M.
- ☽ New Moon..... 31d. 6h. 7m. P.M.

Weather Forecast—1-3 clear and cold; 4-5, little snow; 6-8, quite mild; 9-11, rain, clearing, warm; 12-14, changeable; 15-16, cold and frosty; 17-19, clear and pleasant; 20-22, quite warm; 23-24, much colder; 25-27, clear and cold; 28-29, stormy; 30-31, clear and mild.

BARKER'S LICE POWDER for ridding Poultry of Lice and Vermin. See directions on package.

BARKER'S HEALING OINTMENT for old sores, galls or blisters brought about by the rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used by human beings for sores, chafes, blisters, abrasions, bites, itching, stings of insects, chapped hands, frost bites, piles, etc.


INCREASES THE VALUE OF STOCK.—Mr. Wm. Baterson, R. F. D. No. 2, Pennsylvania, in writing us says: "I head of horses before a sale and it topped them out fine, especially one team brought a good price. I can say too much for your remedy."

SPRAINS, BRUISES AND CUTS.—Mr. P. W. Fermoil, of Buffalo, N. Y., in a correspondence, says:—"I have used for cuts and bruises, and think it is the best on the market."

BARKER'S NERVE AND BONE LINIMENT
 My father has used it for a badly sprained ankle and fully agrees with me."

BARKER'S GAPE REMEDY

FOR CHICKENS SUFFERING WITH THIS COMPLAINT. SEE DIRECTIONS ON PACKAGE.



USE BARKER'S LICE POWDER

FOR RIDDING POULTRY OF LICE AND VERMIN, ALSO FOR FARM AND GARDEN PLANTS. SEE DIRECTIONS ON PACKAGE

The fast advancing trucks with supplies for the great number of stock and poultry now engaged in the great war was greeted with cheer after cheer, and eager hands and willing hearts rush to unload them amid the bursting of shells; knowing that meant health, which is necessary to win the war. Always have plenty of **BARKER'S** on hand.

BEST ON THE MARKET.—Messrs. T. Goodwin & Sons, of Mt. Eden, Ky., in writing us say:—"We have used **BARKER'S** Horse, Cattle and Poultry **MEDICINAL POWDER** and find it gives the best results of any that we handle."

BARKER'S DIP AND DISINFECTANT

For helping to rid Poultry of mites, lice, scaly legs; also for cleansing the houses, coops, roosts, drop boards and brooders.

Mr. B. F. Williams, of Lockport, Pa., when ordering, states: "I have sold BARKER'S HORSE, CATTLE, AND POULTRY MEDICINAL POWDER for fifteen years and can freely say that it is a valuable and indispensable preparation."

YEARS OF EXPERIENCE AND POULTRY MEDICINAL POWDER

2nd Month				FEBRUARY, 1919					28 Days	
Days	SUN			MOON			ASPECTS OF PLANETS, Etc.		High Tide Philadelphia	
Month and Week	Rises h. m.	Sets h. m.	Slow m.	Sets h. m.	Const'n c. d.	Souths h. m.			MORN	EVEN
1 Sat.	7 10	5 17	14	6 30	☾ 22	ev. 47	♂ ♀ ☾		1 44	2 9
Fourth Sunday after Epiphany							Day's Length: 10h. 9m.			
2 Sun.	7 9	5 18	14	7 40	☾ 6	1 38	Purification—Candlemas		2 28	2 51
3 Mon.	7 8	5 20	14	8 49	☾ 20	2 29	Rigel S. 8h 18m A		3 13	3 36
4 Tue.	7 7	5 21	14	10 0	☾ 4	3 20	☾ in Perigee		4 0	4 22
5 Wed.	7 6	5 22	14	11 11	☾ 19	4 12	♁ Capella S. 8h 10m A.		4 50	5 13
6 Thu.	7 5	5 23	14	morn	☾ 3	5 6	☾ Venus sets 6h 50m A		5 45	6 8
7 Fri.	7 4	5 24	14	0 23	☾ 17	6 2	☾ 7 Canopus S. 9h 14m A		6 45	7 9
8 Sat.	7 3	5 26	14	1 31	☾ 1	7 0	♁ Mars sets 7h 8m A		7 48	8 12
Fifth Sunday after Epiphany							Day's Length: 10h. 25m.			
9 Sun.	7 2	5 27	14	2 36	☾ 15	7 58	☾ in ☽		8 52	9 15
10 Mon.	7 1	5 28	14	3 35	☾ 29	8 55	♁ Sirius S. 8h 21m A		9 53	10 15
11 Tue.	6 59	5 29	14	4 26	☾ 12	9 50	♁ ♁ ☾		10 51	11 13
12 Wed.	6 58	5 31	14	5 10	☾ 26	10 42	♁ Jupiter sets 4h 9m M		11 44	...
13 Thu.	6 57	5 32	14	5 48	☾ 9	11 32	♁ ♀ ♀ : ♂ ♀ ☾		0 4	0 33
14 Fri.	6 55	5 34	14	rises	☾ 22	morn	♁ 14 St. Valentine's Day		0 53	1 18
15 Sat.	6 54	5 35	14	6 37	☾ 5	0 19	♁ Castor S. 9h 49m A		1 39	2 0
Septuagesima Sunday							Day's Length: 10h. 43m.			
16 Sun.	6 53	5 36	14	7 38	☾ 17	1 3	♁ Saturn rises 5h 14m A		2 20	2 40
17 Mon.	6 52	5 37	14	8 37	☾ 0	1 46	♁ ☽ ☾		3 1	3 21
18 Tue.	6 50	5 38	14	9 36	☾ 12	2 29	♁ Procyon S. 9h 43m A		3 42	4 2
19 Wed.	6 49	5 39	14	10 34	☾ 24	3 12	♁ gr. Hel. Lat. S.		4 25	4 43
20 Thu.	6 48	5 40	14	11 32	☾ 6	3 56	☾ in Apogee		5 10	5 29
21 Fri.	6 47	5 41	14	morn	☾ 17	4 41	☾ Pollux S. 9h. 37m A		5 59	6 18
22 Sat.	6 45	5 42	14	0 29	☾ 29	5 28	☾ 22 Uranus rises 6h 38m M		6 52	7 12
Sexagesima Sunday							Day's Length: 11h. 0m.			
23 Sun.	6 44	5 44	14	1 23	☾ 11	6 17	♁ ☽ ☾ Superior		7 47	8 9
24 Mon.	6 42	5 45	13	2 16	☾ 23	7 7	♁ St. Matthias		8 45	9 7
25 Tue.	6 41	5 46	13	3 4	☾ 6	7 58	♁ Denebola S. 1h 29m M		9 41	10 4
26 Wed.	6 40	5 47	13	3 50	☾ 19	8 50	♁ gr. libration E.		10 35	10 57
27 Thu.	6 39	5 48	13	4 31	☾ 2	9 42	♁ Spica S. 2h 56m M		11 26	11 47
28 Fri.	6 37	5 50	13	5 7	☾ 16	10 34	♁ Neptune sets 5h 15m M		...	0 14

MOON'S PHASES—Eastern Standard Time

☽ First Quarter..... 7d. 1h. 52m. P.M. | ☾ Last Quarter..... 22d. 8h. 48m. P.M.
 ☽ Full Moon..... 14d. 6h. 38m. P.M.

Weather Forecasts—1-3, very cold; 4-5, little snow; 6-7, pleasant; 8-10, stormy, clearing very cold; 11-13, generally warm; 14-15, more or less snow; 16-17, clear and cold; 18-19, snow; 20-21, clear, slightly warmer; 22-23, little snow; 24-25, high wind, clear and cold; 26-28, pleasant, continued cold.

BARKER'S GAPE REMEDY

For Chickens Suffering With This Complaint. See Directions on Package.

Make your own Horse and Cattle Food Medicinal by Mixing **BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER** with the Feed. See directions on pack of BARKER'S POWDER. Sold in Regular, Large and Extra Large packages; also in 12 and 25-lb. Falls.

FOR RHEUMATISM THE BEST EVER. —Messrs. I. E. Elliott & Co., of Englestown, North Carolina, in a correspondence, say: "One of our customers states that he has been using BARKER'S NERVE AND BONE LINIMENT for rheumatism and is now enjoying better health than he has for five years."

BEST FOR POULTRY:—Mr. R. A. Ackiss, of Bask Bay, Va., in a correspondence says:—"I find

BARKER'S POULTRY POWDER

is the best that I have ever used for chickens."

BARKER'S NERVE AND BONE LINIMENT
for Lameness
Bites, Manges, Whitlow, Cramps of the Muscles, Scratches, Thoroughpin, Cracked Heels, Spavin and Ringbone

FIGHTING THE MONSTERS OF DISEASE.



Peacefully they rolled along over the ocean deep when suddenly up rose danger, but Commander Goodhealth rushed madly into the conflict with his ever ready sturdy help discharging the most effective ammunition against which the strongest enemy must die. Never be without **BARKER'S REMEDIES** to fight and win against disease.

BACK-ACHE FOR FIFTEEN YEARS:—Mr. S. L. Condry (Merchant) of Cedar Keys, Fla., when re-ordering says:—"My brother-in-law has been troubled with back-ache for fifteen years; tried **BARKER'S NERVE AND LINIMENT BONE** and in a short time felt like a new man, and says it is the best in the world."

BARKER'S ROUP If the fowl becomes droopy with the head and tail down and discharges from the nose REMEDY and eyes, is a sure sign of Roup. Keep mixed with the drinking water **BARKER'S ROUP REMEDY** which is an excellent preventative. In extreme cases, sprinkle some in the roof of the mouth.

TO LAUGH AND GROW FAT get **BARKER'S KOMIC PICTURE SOUVENIR**, in 4 parts, each part containing 50 Komc Pictures, 4 1/4 by 5 3/4. For 2 pink slips we will send 1 Part; for 4 pink slips, 2 Parts; for 6 pink slips, 3 Parts; for 8 pink slips, 4 Parts. Each part is complete in itself.

SEVERE CUT ON LEG.—Mr. C. Ulmer, of Williamsport, Pa., says: "My dog received a cut on his front leg, and after a few applications the swelling was reduced and, in a short time he was running around as well as ever."
BARKER'S NERVE AND BONE LINIMENT

3rd Month										MARCH, 1919			31 Days		
Days	SUN			MOON			ASPECTS OF PLANETS, Etc.	High Tide Philadelphia							
	Rises	Sets	Slow	Rises	Const'n	Souths		MORN	EVEN						
Month and Week	h. m.	h. m.	m.	h. m.	e. d.	h. m.									
1 Sat.	6 35	5 51	13	5 41	☾	0 11 26	St. David : ☽ ☿ ☾	0 34 0 59							
Quinquagesima—Shrove Sunday										Day's Length: 11h. 18m.					
2 Sun.	6 34	5 52	12	sets	☾	15 ev. 18	☾ 2 ♃ stationary	1 20	1 46						
3 Mon.	6 32	5 53	12	7 43	☾	29 1 10	☽ ☿ ☾	2 7	2 31						
4 Tue.	6 30	5 54	12	8 57	☾	14 2 4	☽ ♀ ☾ : ☾ in Perigee	2 52	3 15						
5 Wed.	6 29	5 55	12	10 10	☾	29 2 59	Ash Wednesday	3 40	4 3						
6 Thu.	6 28	5 56	12	11 21	☾	14 3 56	Venus sets 7h 56m A	4 31	4 53						
7 Fri.	6 26	5 57	11	morn	☾	28 4 55	Castor S. 8h 31m A	5 26	5 50						
8 Sat.	6 25	5 58	11	0 27	☾	12 5 53	☾ in ☿	6 25	6 51						
First Sunday in Lent										Day's Length: 11h. 36m.					
9 Sun.	6 23	5 59	11	1 29	☾	26 6 51	☾ 8 Mars sets 7h 7m A ☾	7 26	7 53						
10 Mon.	6 22	6 1	11	2 23	☾	9 7 46	☽ ☿ ☾ : ☽ in ♃	8 31	8 57						
11 Tue.	6 20	6 2	10	3 9	☾	22 8 38	☽ ☿ ☽	9 32	9 58						
12 Wed.	6 18	6 3	10	3 48	☾	6 9 28	☽ ♀ ☾	10 31	10 55						
13 Thu.	6 17	6 4	10	4 22	☾	18 10 15	☽ ♀ ☾	11 23	11 46						
14 Fri.	6 15	6 5	10	4 53	☾	1 10 59	☽ in Perihelion	...	0 11						
15 Sat.	6 13	6 6	9	5 21	☾	14 11 43	Procyon S. 8h 5m A	0 31	0 53						
Second Sunday in Lent										Day's Length: 11h. 55m.					
16 Sun.	6 12	6 7	9	rises	☾	26 morn	☾ 16 Jupiter sets 2h 22m M	1 16	1 35						
17 Mon.	6 10	6 8	9	7 27	☾	8 0 25	St. Patrick	1 59	2 14						
18 Tue.	6 8	6 9	8	8 24	☾	20 1 8	Regulus S. 10h 22m A	2 39	2 53						
19 Wed.	6 7	6 10	8	9 23	☾	2 1 52	Saturn sets 4h 54m M	3 17	3 32						
20 Thu.	6 5	6 11	8	10 20	☾	14 2 36	☾ in Apogee	3 56	4 13						
21 Fri.	6 4	6 12	7	11 14	☾	26 3 22	☽ enters ♃, Spring begins	4 36	4 55						
22 Sat.	6 2	6 13	7	morn	☾	7 4 10	☾ in ♃	5 22	5 42						
Third Sunday in Lent										Day's Length: 12h. 14m.					
23 Sun.	6 0	6 14	7	0 6	☾	19 4 59	☾ Uranus rises 4h 48m M ☾	6 13	6 35						
24 Mon.	5 58	6 15	7	0 56	☾	2 5 49	☾ 24 Denebola S 11h 39m A	7 8	7 32						
25 Tue.	5 57	6 16	6	1 42	☾	14 6 39	Annunciation	8 7	8 31						
26 Wed.	5 55	6 17	6	2 23	☾	27 7 30	♀ in ♃	9 5	9 30						
27 Thu.	5 53	6 18	6	3 0	☾	10 8 21	Spica S 1h 6m M	10 0	10 25						
28 Fri.	5 52	6 19	5	3 36	☾	24 9 12	☽ ☾ : ☽ stationary	10 54	11 17						
29 Sat.	5 50	6 20	5	4 9	☾	8 10 3	☽ ☾ ☾	11 44	...						
Fourth Sunday in Lent										Day's Length: 12h. 32m.					
30 Sun.	5 49	6 21	5	4 42	☾	23 10 55	☾ Neptune sets 3h 16m M	0 5	0 32						
31 Mon.	5 47	6 22	4	5 15	☾	8 11 49	☾ 31 Arcturus S 1h 42m M	0 55	1 20						

MOON'S PHASES—Eastern Standard Time

☾ New Moon.....	2d. 6h. 11m. A.M.	☾ Last Quarter.....	24d. 3h. 34m. P.M.
☽ First Quarter.....	8d. 10h. 14m. P.M.	☽ New Moon.....	31d. 4h. 5m. P.M.
☾ Full Moon.....	16d. 10h. 41m. A.M.		


Weather Forecasts—1-2, little snow; 3-5, very cold weather; 6-8, generally clear, continued cold; 9-11, cold, northeast snow storm; 12-14, clear and pleasant; 15-16, little rain; 17-20, generally clear and pleasant; 21-22, stormy; 23-24, clear and mild; 25-26, cloudy, warm; 27-28, chilly; 29-31, stormy, clearing cool.

BARKER'S HEALING OINTMENT for old sores, galls or blisters brought about by the rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used by human beings for sores, chafes, blisters, abrasions, bites, itching, stings of insects, chapped hands, frost bites, etc.

GIVEN UP TO DIE.—Mr. J. F. Weger, of Wayland, Iowa, says: "I was so sick that I thought I would die. I procured some of your powder and now the animal is the best in the world. I had a hog that was so sick that I thought I would die. I procured some of your powder and now the animal is as sound as ever."
"BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER"

MUMPS PAINS RELIEVED:—Mr. R. Ritter, of Unityville, Pa., states:—"My wife and I had an extremely bad case of mumps and the pains in the neck and jaw were very severe. We had a bottle of **BARKER'S NERVE AND BONE LINIMENT** which we applied and were much pleased with the relief we received."

STRONG MUSCLES ARE OFTEN MORE RELIABLE THAN MOTORS



Many rushing, snorting, creaking automobiles had laughingly passed Lem Pushard at his daily work, but one day came when his strong faithful horses dragged the heavy laden truck over the new bridge crossing Valley Creek. His heart is filled with pride while looking at those husky useful fellows. Keep your stock in good condition by using **BARKER'S PREPARATIONS**.

IT PAYS WELL:—Mr. A. Cassell, of Knoxville, Tenn., in writing us states:—"I keep in my barn all the time and use it in the **BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER** cattle's feed. I am satisfied that it pays me well to use your wonderful remedy."

BARKER'S ROUP REMEDY
BARKER'S GAPE REMEDY—For chickens suffering with this complaint.

An excellent preparation for Roup, Colds, Catarrh, etc., in Poultry. See directions on package.

BARKER'S NERVE AND BONE LINIMENT for Lameness, Stiffness, Sprains, Cramps of the Muscles, Strains, Sore Shins, Cracked Heel, Spavin and Ring Bone.

BARKER'S NERVE AND BONE LINIMENT

for Lame Back,
Frost Bites,
Mange, Whitlow, Cramps of the Muscles, Scratches, Thoroughpin, Cracked Heel, Spavin and Ring Bone.

for helping to rid Poultry of mites, lice, scaly legs; also for cleansing the houses, coops, roosts, drop boards and brooders.

BARKER'S DIP AND DISINFECTANT

VALUABLE STOCK SAVED

By a Ready Remedy which has saved Thousands of Dollars. Millions of packages of BARKER'S Horse, Cattle and Poultry Medicinal POWDER have been sold, and not a complaint

ATTENTION! FARMERS, DAIRYMEN AND STOCK RAISERS



The many million packages of Barker's Horse, Cattle and Poultry Medicinal Powder that have been sold throughout the United States, and no complaints, affords no small measure of satisfaction to the manufacturers of this excellent preparation, which contains twelve different ingredients. The medicinal properties of our Powder are suited to the different diseases that animal flesh is heir to. Compounded by practical and reputable manufacturers of medicines who have a thorough knowledge of the kind of medicine that should constitute a reliable Horse, Cattle and Poultry Powder, it is equally adapted for Horses, Cattle, Hogs, Sheep and Poultry. It stands unexcelled as a Cattle Powder, and its beneficial effects are not confined to the diseased and unhealthy animal, but when given, mixed with feed, in proper doses, to an animal, will improve its digestion. It helps the appetite and promotes digestion of the food, securing that healthy condition of the blood from which the fat and milk must be formed; keeping the skin and coat in a healthy state, thus increasing the value of the stock, and consequently adding to the wealth of every farmer who uses it. As a poultry powder it is unexcelled, it will increase the quantity of eggs; one of our customers says at least twenty-five per cent.

FOR



COWS

It only needs a trial to convince every farmer that this Powder so improves the condition of his cattle, and increases the amount and quality of the milk, that he will always continue its use. It has the effect of improving the ap-

petite and digestion, thus giving the cows a healthy and thrifty condition of the system.

For this purpose a tablespoonful of the Powder should be given, well mixed with the feed, two or three times a week.

For neat animals laboring under Hollow Horn or Wolf, Hoof Diseases, or any other ailments to which they are liable, this Powder will be found to be helpful, being adapted to those diseases depending upon a bad state of the fluids; and with cows whose milk is blue and watery, or where they give bloody milk, it will be found a helpful remedy. For these purposes a tablespoonful should be given every morning, well mixed with the food.

FOR HORSES

For Slabbering.—This distressing disease, which debilitates and weakens so many valuable horses, by a constant discharge of saliva which should go into the stomach, is usually caused by foul grass and Indian tobacco, frequently found on farms. A tablespoonful should be given three times a week and the animal removed from such pastures.

For Yellow Water.—This disease, which is owing to a bad and impoverished state of the blood, which becomes of a yellow color, thin and watery, and which destroys so many valuable horses, can be helped by a free use of Barker's Powder, giving a tablespoonful twice a day, morning and evening, mixed in wet food. If the disease be far advanced or stubborn, bleeding the animal will be found a valuable assistance.

For Distemper, Shortness of Breath, etc., this Powder is a helpful remedy. It should be used as early as possible, and before the disease has gone too far and the matter has formed in the neck; for this matter must be charged before the horse will entirely recover. Dose—A tablespoonful once or twice a day, according to the violence of the disease, and when the disease somewhat abates it should be reduced to a tablespoonful three times a week, always administered with moistened food.

BARKER'S HEALING OINTMENT for old sores, galls or blisters brought about by the rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used by human beings for sores, chafes, blisters, abrasions, bites, itching, stings of insects, chapped hands, frost bites, piles, etc.

Make your own Horse and Cattle Food. Medical Preparation for Mixing with the feed. See directions for a reliable article on back of BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER. GIVE IT A TRIAL.

Make your own Poultry Food Medicinal by mixing **BARKER'S SPECIAL POULTRY REMEDY** with the Feed. See directions on pack of **BARKER'S REMEDY**. Sold in Regular, Large and Extra Large Packages; also in 12 and 25-lb. Pails.

USE BARKER'S GAPE REMEDY FOR CHICKENS SUFFERING WITH THIS COMPLAINT. SEE DIRECTIONS ON PACKAGE.

USE BARKER'S LIGE POWDER For Ridding Poultry of Lice and Vermin. See Directions on Package.

POOR, LOW-SPIRITED HORSES, caused by founder, over-heating, fatigue, etc. The horse will not fatten, the hair is rough, and food seems to do no good. A tablespoon of Powder twice a day, morning and evening, mixed with wet food, will effect a surprising improvement. To those having horses for sale, and who have to drive them a distance, this Powder will be found very valuable, as it improves their condition.

FOR EPIZOOTY.—This disease is a blood-poison. The great danger is in the result, as it often runs into other diseases more fatal. The dose of the Powder should be two spoonfuls, just even, three times a day, and apply to the throat some stimulating liniment; Barker's Nerve and Bone is excellent.

FOR WORMS.—The dose must be a large tablespoonful night and morning for a few days, and then give a dose of flaxseed oil, say a pint, to carry off the worms, after which tone up with the Powder, say one teaspoonful once a day for about a week.

FOR BOTS, which consists of two kinds, the Stomach and Fundament Bot. They are very difficult things to banish or kill. The debilitating effects caused by them interfere very much with the general health of the horse; he loses flesh; the hair has a dull, dead appearance. A tablespoonful of Barker's Horse, Cattle and Poultry Medicinal Powder, given night and morning, mixed with the feed, will be found a helpful remedy.

FOR COUGHS, from sudden change of temperature, standing in a draught when overheated, getting wet and chilled, the dose must be a tablespoonful of the Powder every three or four hours mixed in warm water.

FOR HIDE BOUND, from indigestion, poor nutrition, low state of health, impoverished condition of the blood give a tablespoonful of the Powder three times a day in moistened feed.

FOR STAGGERS, from overfullness of the blood vessels of the brain, congestion caused by heat of sun, overtaxed stomach and various other causes, first open the bowels well with a pint, and a half of castor oil; if the pulse is very full, bleed freely; after which give a tablespoonful of the Powder four times a day in moistened feed.

TO KEEP A HORSE in a fine healthy condition, with a nice sleek coat, give the Powder three or four times a week regularly, mixed with the feed, it is always the best if the feed is a little dampened.

FOR  **HOGS**

Hogs often overheat themselves during the summer months, thus getting coughs, swelled necks, ulcers of the lungs, liver and other parts, which often causes them to die suddenly.

In all such cases put about two packs of this powder into a barrel of swill, and give twice a day, one quart each time. For hogs it will be found helpful in keeping them in condition.

FOR  **SHEEP**

The beneficial effects of this powder for sheep is highly recommended, especially for ewes when giving milk to lambs. A customer says it is the best thing that he ever tried.

FOR POULTRY



For Gape, Chicken Cholera, Sore Throat and all other Poultry Complaints, mix one pack with about eight quarts of feed, and give twice or three times a week. It is also an excellent thing for healthy fowls; it will keep them in condition to ward off disease.

Make your Poultry Food medicinal. See receipt on side of package of Barker's Special Poultry Remedy.

Barker's Special Poultry Remedy for Gape, Chicken Cholera, Sore Throat and all other Poultry Complaints. Make your Horse, Cattle and Poultry Food medicinal. See receipt on side of package of Barker's Powder.

CAUTION—BEWARE OF COUNTERFEITS

Look out for worthless powders claimed to contain same ingredients as **BARKER'S Storekeepers, Farmers, Dairymen and Farriers are cautioned, if they wish the genuine Powder, not to buy any without the signature of the Officers of the Company on the end of each Package.**

THE BARKER, MOORE & MEIN MEDICINE CO., Inc.
PHILADELPHIA, PA.

USE BARKER'S ROUP REMEDY AN EXCELLENT PREPARATION FOR ROUP, COLDS, CATARRH, ETC., IN POULTRY. SEE DIRECTIONS ON PACKAGE.

USE BARKER'S GAPE REMEDY

FOR CHICKENS SUFFERING WITH THIS COMPLAINT. SEE DIRECTIONS ON PACKAGE.

C. E. Courley, of New Alexandria, Ohio, says: "I can recommend Barker's Nerve and Bone Liniment, as I had a horse that was lame for three weeks. Nothing seemed to do him any good until I got Barker's Nerve and Bone Liniment, and in a few days I was driving him again."

LAME HORSE.

4th Month				APRIL, 1919				30 Days	
Days Month and Week	SUN			MOON			ASPECTS OF PLANETS, ETC.	High Tide Philadelphia	
	Rises h. m.	Sets h. m.	Slow m.	Sets h. m.	Const'n c. d.	Souths h. m.		MORN	EVEN
1 Tue.	5 46	6 23	4	7 47		23	ev.45	♂ ♀ ☾ : ☾ in Perigee	1 45 2 7
2 Wed.	5 44	6 24	4	9 2		8	1 43	♂ ♀ ☾	2 31 2 54
3 Thu.	5 43	6 25	4	10 13		23	2 43	Regulus S. 9h 19m A	3 20 3 43
4 Fri.	5 41	6 26	3	11 19		8	3 44	☾ in ☽	4 11 4 35
5 Sat.	5 40	6 27	3	morn		22	4 44	Venus sets 9h 5m A	5 6 5 31
Fifth Sunday in Lent								Day's Length: 12h. 50m.	
6 Sun.	5 38	6 28	3	0 17		6	5 41	♂ ♀ ☽	6 3 6 32
7 Mon.	5 36	6 29	2	1 7		19	6 35	♂ ☽ ☽ gr. libration W	7 4 7 33
8 Tue.	5 35	6 30	2	1 49		3	7 26	♂ ☽ ☽ Inferior : ♂ ♀ ☾	8 7 8 37
9 Wed.	5 33	6 31	2	2 24		16	8 13	Denebola S. 10h 36m A	9 7 9 36
10 Thu.	5 32	6 32	2	2 55		28	8 58	♂ ♀ ☾	10 4 10 32
11 Fri.	5 30	6 33	1	3 24		11	9 41	Mars sets 7h 3m A	10 56 11 22
12 Sat.	5 28	6 34	1	3 51		23	10 24	Spica S. 0h 3m M	11 43.....
Palm Sunday								Day's Length: 13h. 8m.	
13 Sun.	5 27	6 35	1	4 17		5	11 6	Jupiter sets 0h 42m M	0 7 0 25
14 Mon.	5 25	6 36	0	4 45		17	11 49	♂ Arcturus S. 0h 47m M	0 49 1 7
15 Tue.	5 24	6 37	0	rises		29	morn	♂ 15 Saturn sets 3h 4m M	1 28 1 47
16 Wed.	5 22	6 38	fast	8 11		11	0 33	☾ in Apogee	2 10 2 26
17 Thu.	5 21	6 39	0	9 8		23	1 19	♂ stationary	2 47 3 5
18 Fri.	5 19	6 40	1	10 1		4	2 6	Good Friday : ☾ in ☽	3 26 3 45
19 Sat.	5 18	6 41	1	10 51		16	2 54	Uranus rises 3h 5m M	4 8 4 26
Easter Sunday								Day's Length: 13h. 26m.	
20 Sun.	5 16	6 42	1	11 37		28	3 44	♂ stationary	4 51 5 12
21 Mon.	5 15	6 43	1	morn		10	4 33	Alphacca S. 1h 38m M	5 38 6 3
22 Tue.	5 14	6 44	1	0 19		23	5 23	♂ Neptune sets 1h 45m M	6 32 6 59
23 Wed.	5 12	6 45	2	0 57		6	6 12	♂ 23 St. George: ♄ stationary	7 30 7 59
24 Thu.	5 11	6 46	2	1 32		19	7 1	Antares S. 2h 19m M	8 28 8 58
25 Fri.	5 9	6 47	2	2 5		2	7 50	St. Mark : ♂ ☽ ☾	9 26 9 56
26 Sat.	5 8	6 48	2	2 36		17	8 40	Vega S. 4h 21m M	10 20 10 50
Low Sunday								Day's Length: 13h. 42m.	
27 Sun.	5 7	6 49	2	3 9		1	9 32	♂ in Aphelion	11 13 11 40
28 Mon.	5 5	6 50	2	3 43		16	10 26	♀ in Perihelion 0 3
29 Tue.	5 4	6 51	3	sets		1	11 23	♂ Regulus S. 7h 36m A	0 31 0 53
30 Wed.	5 2	6 52	3	7 49		16	ev.24	♂ 30 ☾ in Perigee : ♂ ♀ ☾	1 22 1 44

MOON'S PHASES—Eastern Standard Time

☾ First Quarter..... 7d. 7h. 39m. A.M. ☾ Last Quarter..... 23d. 6h. 21m. A.M.
 ☽ Full Moon..... 15d. 3h. 25m. A.M. ☽ New Moon..... 30d. 0h. 30m. A.M.

Weather Forecasts—14, cool, with snow flurries; 5-6, chilly, cloudy; 7-9, warm and pleasant; 10-11, clear, thaw; 12-13, heavy rain, high wind; 14-15, pleasant; 16-18, clear and cool; 19-22, clear and mild; 23-24, stormy; 25-26, frosty, clear; 27-28, warm; 29-30, clear and cool.

We put pink slips in all our preparations, and additional slips according to the size of the package for which we give premiums as stated on page 1.

TO LAUGH AND GROW FAT get BARKER'S COMIC PICTURE SOUVENIR, in 4 Parts, each part containing 50 Comic Pictures, 4½ by 5½. For 2 pink slips we will send 1 Part; for 4 pink slips, 2 Parts; for 6 pink slips, 3 Parts; for 8 pink slips, 4 Parts. Each part is complete in itself.

PERFECT SATISFACTION. Mr. John H. Rabrick, of Clarksburg, Pennsylvania, in a correspondence states: "I would like to add a good word for Barker's Horse, Cattle and Poultry Medicinal Powder, of which I have used quite a good bit. It gives perfect satisfaction and I am so well pleased with it that I would not have any other."

Make your own Horse and Cattle Food Medicinal, by mixing on pack of **BARKER'S POWDER**.

BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER

with the Feed. See directions Sold in regular, large and extra large packages; also in 12 and 25-pound pails.

VETERINARY SURGEON PRESCRIBES IT—Dr. Luther Tretter, of St. Meinrad, Ind., in a correspondence states:—"I have used for a number of years and have found nothing to equal it. I am a veterinary doctor and always call for it in bad cases."

5th Month										MAY, 1919			31 Days		
Days	SUN			MOON			ASPECTS OF PLANETS, Etc.			High Tide Philadelphia					
	Month and Week	Rises h. m.	Sets h. m.	Fast m.	Sets h. m.	Constel'n c. d.	Souths h. m.				MORN	EVEN			
1	Thu.	5 1	6 53	3	9 0		2	1 26	St. Philip and St. James			2 11	2 34		
2	Fri.	5 0	6 54	3	10 3		16	2 28	♂ ♀ ☾			3 0	3 23		
3	Sat.	4 59	6 55	3	10 58		1	3 29	Denebola S. 9h 1m A			3 51	4 15		
Second Sunday after Easter										Day's Length: 13h. 59m.					
4	Sun.	4 57	6 56	3	11 45		15	4 27	♂ ♃ ☾			4 47	5 12		
5	Mon.	4 56	6 57	3	morn		29	5 20	Venus sets 10h 9m A			5 41	6 9		
6	Tue.	4 55	6 58	3	0 25		12	6 10	☾ ♃ ♄ ☾			6 39	7 10		
7	Wed.	4 54	6 59	4	0 58		25	6 56	♂ ♃ ☾			7 37	8 10		
8	Thu.	4 53	7 0	4	1 27		8	7 40	Mars rises 4h 56m M			8 35	9 9		
9	Fri.	4 52	7 1	4	1 55		20	8 23	♂ ♃ ☾			9 31	10 3		
10	Sat.	4 51	7 2	4	2 21		2	9 5	Spica S. 10h 9m A			10 23	10 52		
Third Sunday after Easter										Day's Length: 14h. 13m.					
11	Sun.	4 50	7 3	4	2 48		14	9 48	♂ in ☾			11 10	11 37		
12	Mon.	4 49	7 4	4	3 18		26	10 31	Jupiter sets 11h 2m A			11 55		
13	Tue.	4 48	7 5	4	3 48		8	11 16	☾ ☽ ☽ ☽ : ☾ in Apogee			0 21	0 39		
14	Wed.	4 47	7 5	4	rises		20	morn	♂ ♃ ☽ ☽ : ☽ in Apogee			1 1	1 20		
15	Thu.	4 46	7 6	4	7 56		1	0 3	☾ in ☾			1 41	2 1		
16	Fri.	4 45	7 7	4	8 48		13	0 51	Alphacca S. 11h 56m A			2 22	2 40		
17	Sat.	4 44	7 8	4	9 35		25	1 40	Saturn sets 0h 59m M			3 1	3 19		
Fourth Sunday after Easter										Day's Length: 14h. 26m.					
18	Sun.	4 43	7 9	4	10 19		7	2 30	♄ gr. Hel. Lat. S.			3 41	4 2		
19	Mon.	4 42	7 10	4	10 58		20	3 19	Antares S. 0h 41m M			4 23	4 45		
20	Tue.	4 41	7 11	4	11 33		2	4 8	♀ gr. Hel. Lat. N			5 9	5 34		
21	Wed.	4 40	7 12	4	morn		15	4 56	☾ gr. libration E			5 59	6 31		
22	Thu.	4 39	7 13	4	0 5		28	5 44	☾ ☽ ☽ ☽			6 55	7 29		
23	Fri.	4 39	7 14	4	0 37		12	6 32	☾ ☽ ☽ ☽			7 54	8 29		
24	Sat.	4 38	7 14	3	1 8		26	7 21	Vega S. 2h 31m M			8 54	9 27		
Rogation Sunday										Day's Length: 14h. 37m.					
25	Sun.	4 38	7 15	3	1 40		10	8 12	♂ ♀ ☽			9 52	10 25		
26	Mon.	4 37	7 16	3	2 14		25	9 6	Altair S. 3h 35m M			10 48	11 18		
27	Tue.	4 36	7 17	3	2 54		10	10 4	Uranus rises 0h 38m M			11 41		
28	Wed.	4 36	7 18	3	3 38		25	11 5	♂ ♀ ☽ : ☽ in Perigee			0 9	0 32		
29	Thu.	4 35	7 18	3	sets		10	ev. 8	♂ ♀ ☽ : ☽ in Perigee			1 1	1 22		
30	Fri.	4 35	7 19	3	8 44		25	1 11	Spica S. 8h 51m A			1 52	2 12		
31	Sat.	4 34	7 20	3	9 36		9	2 12	Neptune sets 11h 10m A			2 41	3 3		
MOON'S PHASES—Eastern Standard Time															
☾ First Quarter..... 6d. 6h. 34m. P.M.						☽ Last Quarter..... 22d. 5h. 4m. P.M.									
☽ Full Moon..... 14d. 8h. 1m. P.M.						☽ New Moon..... 29d. 8h. 12m. A.M.									
Weather Forecasts—1-2, mild and clear; 3-5, rain, clearing cold; 6-9, generally clear and warm; 10-11, rain; 12-14, warm and pleasant; 15-16, changeable; 17-18, little rain, clearing warm; 19-20, cooler, threatening; 21-24, generally clear and warm; 25-28, little rain, warm; 29-31, hot, thunder showers.															
SIX BEAUTIFUL PICTURES in ten colors, size 15x22, three of women and three of children. Send nine pink slips for one picture or eighteen pink slips for two pictures. They are known as sets 1, 2 and 3.															


BARKER'S LICE POWDER for ridding Poultry of Lice and Vermin. See directions on package.

BARKER'S ROUP REMEDY. An excellent preparation for Roup, Colds, Catarrh, etc., in Poultry. See directions on package.

A BAD CASE OF HEAVES!—Mr. L. O. Cox, of Mollusk, Va., in a letter says—"I wrote you about my mare having the heaves so badly as to be worthless. I commenced to give your Powder, and now she is as good as ever. I shall continue to use BARKER'S POWDER."

FOR THE GOOD IT MAY DO OTHERS. Mr. L. A. Dey, of Blawenburg, N. J., in a letter says:—"I suffered for months with a badly sprained ankle and the only relief I found was in the use of **BARKER'S NERVE AND BONE LINIMENT**. I recommend it for the good it may do others."

THEY COME FROM EVERYWHERE TO GET TREATMENT FROM THE NOTED DOCTOR.



Old Doc. Wise was the busiest man in the country, as you will see by the line in his office. His patients all knew he would prescribe one of "Barker's" remedies for their ailment and were satisfied it would restore them to health if taken according to direction. It's safe to be wise.

FOR MILCH COWS. Mr. R. F. Moss (Merchant), of Sussex Court House, Va., when remitting, states:—"We are compelled to keep **BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER**, as the farmers say that for milch cows there is nothing better."

Make your own Poultry **BARKER'S SPECIAL POULTRY REMEDY** with the Feed. See Food Medicinal, by mixing **BARKER'S REMEDY**. Sold in Regular, Large and Extra Large Packages; also in 12 and 25-pound pails. See directions on pack of

BARKER'S HEALING OINTMENT for old sores, galls or blisters brought about by the rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used by human beings for sores, chafes, blisters, abrasions, bites, itching, stings of insects, chapped hands, frost bites, piles, etc.

Make your own Poultry Food Medicinal by mixing on pack of BARKER'S REMEDY. Sold in regular, large and extra large packages; also in 12 and 25-lb. pails.

BARKER'S SPECIAL POULTRY REMEDY

with the Feed. See directions

NEVER EXPECT TO BE WITHOUT BARKER'S REMEDIES.—Mr. F. B. Harney, of Chockatuck, Va. writes:—"I used BARKER'S NERVE LINIMENT AND BONE LINIMENT on an injured mare and she got all right again." do not ever expect to be without your remedies.

6th Month										JUNE, 1919										30 Days			
Days		SUN			MOON			ASPECTS OF PLANETS, Etc.										High Tide Philadelphia					
Month and Week	Rises	Sets	Fast	Sets	Const'n	Souths											MORN	EVEN					
	h. m.	h. m.	m.	h. m.	c.	d.	h. m.																
Sunday after Ascension														Day's Length: 14h. 47m.									
1	Sun.	4 34	7 21	2	10 19		24	3 9	♂ ♃ ☽ : ♀ ♃											3 22	3 55		
2	Mon.	4 33	7 22	2	10 55		8	4 2	♂ ♃ ☽											4 23	4 48		
3	Tue.	4 33	7 22	2	11 28		21	4 51	♂ ♃ ☽											5 14	5 43		
4	Wed.	4 32	7 23	2	11 57		4	5 36	♂ ♃ ☽ Arcturus S. 9h 22m A											6 9	6 41		
5	Thu.	4 32	7 24	2	morn		16	6 20	♂ ♃ ☽ 5 ♀ ♃											7 4	7 38		
6	Fri.	4 32	7 25	2	0 24		29	7 3	♂ ♃ ☽ stationary : ♀ in ♃											7 59	8 34		
7	Sat.	4 32	7 25	1	0 52		11	7 46	♂ ♃ ☽ Alphacca S. 10h 29m A											8 54	9 29		
Pentecost—Whit Sunday														Day's Length: 14h. 55m.									
8	Sun.	4 31	7 26	1	1 20		23	8 29	Venus sets 10h 31m A											9 46	10 18		
9	Mon.	4 31	7 26	1	1 50		5	9 13	Antares S. 11h 15m A											10 36	11 6		
10	Tue.	4 31	7 27	1	2 23		16	10 0	♀ in Perihelion											11 25	11 51		
11	Wed.	4 31	7 27	1	2 59		28	10 47	♂ in ♃												0 10		
12	Thu.	4 31	7 28	1	3 40		10	11 37	♂ ♃ ☽ Vega S. 1h 16m M											0 36	0 55		
13	Fri.	4 31	7 28	0	rises		22	morn	♂ ♃ ☽ 13 Mars rises 3h 58m M											1 18	1 35		
14	Sat.	4 31	7 29	0	8 18		4	0 26	♂ ♃ ☽ ♀ ♃											1 58	2 15		
Trinity Sunday														Day's Length: 14h. 58m.									
15	Sun.	4 31	7 29	slow	8 58		17	1 16	Altair S. 2h 17m M											2 38	2 56		
16	Mon.	4 31	7 29	0	9 34		29	2 6	Jupiter sets 9h 12m A											3 18	3 37		
17	Tue.	4 31	7 30	1	10 8		12	2 54	Saturn sets 10h 58m A											3 58	4 22		
18	Wed.	4 31	7 30	1	10 39		25	3 42	♂ gr. libration E											4 43	5 10		
19	Thu.	4 31	7 31	1	11 10		8	4 29	Corpus Christi : ♀ ♃ ☽											5 31	6 4		
20	Fri.	4 31	7 31	1	11 41		22	5 17	♂ ♃ ☽ Uranus rises 10h 59m A											6 27	7 0		
21	Sat.	4 31	7 31	1	morn		6	6 6	♂ ♃ ☽ 21 ♀ gr. Hel. Lat. N											7 24	8 1		
First Sunday after Trinity														Day's Length: 15h. 0m.									
22	Sun.	4 31	7 31	2	0 13		20	6 57	♂ enters ♃, Summer begins											8 24	9 2		
23	Mon.	4 32	7 32	2	0 48		4	7 51	Neptune sets 9h 42m A											9 25	10 0		
24	Tue.	4 32	7 32	2	1 29		19	8 48	St. John Baptist											10 23	10 56		
25	Wed.	4 32	7 32	2	2 18		4	9 49	♂ in Perigee : ♂ in ♃											11 19	11 52		
26	Thu.	4 32	7 32	2	3 14		18	10 51	♂ ♃ ☽												0 14		
27	Fri.	4 33	7 32	3	sets		3	11 53	♂ ♃ ☽ 27 ♀ ♃											0 43	1 3		
28	Sat.	4 33	7 32	3	8 11		18	ev.52	♂ ♃ ☽											1 33	1 55		
Second Sunday after Trinity														Day's Length: 14h. 58m.									
29	Sun.	4 34	7 32	3	8 52		2	1 48	St. Peter and St. Paul											2 22	2 43		
30	Mon.	4 34	7 32	3	9 27		16	2 40	♂ ♃ ☽											3 9	3 32		
MOON'S PHASES—Eastern Standard Time																							
☾ First Quarter.....				5d. 7h. 22m. A.M.				☽ Last Quarter.....				21d. 0h. 33m. A.M.											
☾ Full Moon.....				13d. 11h. 28m. A.M.				☾ New Moon.....				27d. 3h. 53m. A.M.											
Weather Forecasts —1-3, more or less rain, some thunder; 4-6, mild and pleasant; 7-9, hot, thunder showers; 10-11, clear and hot; 12-13, very pleasant; 14-17, frequent showers; 18-21, clear and warm; 22-23, hot, thunder showers; 24-25, clear and warm; 26-27, very warm, some thunder; 28-30 extreme heat, very dry.																							
BARKER'S POULTRY BOOK. We are now sending for 10 pink slips a complete book on poultry, giving full detail information as to the raising and treating of all kinds of fowls. This information will be of great value to anyone raising poultry.																							


VERY SICK COLT.—Mr. Walter Spicer, of Georgetown, Del., BARKER'S HORSE, CATTLE and Poultry Medicine. I had a very sick colt which I thought would die, as he would not eat anything. I got a package of MEDICINAL AND POULTRY POWDER and it brought back his appetite. I always expect to keep your powder in the stable.

USE BARKER'S LICE POWDER

for ridding Poultry of Lice and Vermin. See directions on package.

HEALTHY CHICKENS.—Mr. R. A. Wilkins, of Woodstock, Va., writes us as follows:—"I have used ever since fall and I find that it pays me well. I have a fine healthy lot of chickens."

THE ROMAN CHARIOT RACE HAD NOTHING ON CY MORGAN FOR SPEED.



Cy Morgan had visions of a race equal to the great Roman Chariot Race, when he raced Eben Slow at the County Fair. Cy kept his mare's legs in good condition by applying **BARKER'S LINIMENT** and toned up her system with **BARKER'S POWDER**. He felt sure of winning the big stake as he needed it to pay for his Liberty Bonds.

OUR CLAIM PROVES SATISFACTORY.—Mr. Worth Hampton, of Jellico, Tenn., in writing us, states:—"I have used for years and find that it is all you claim it to be. I keep it in my house all the time."

We put pink slips in all of our preparations, and additional slips according to the size of the package for which we give premiums as stated on pages 1, 12, 21, 27.

BARKER'S LIQUID DISINFECTANT FOR HOUSEHOLD USE: Pour into
 vermilion and diseases breed; also helps to prevent fleas, bedbugs, roaches, etc.

BARKER'S NERVE AND BONE LINIMENT

for Lamé Back,
Frost Bite, Mange,
Whitlow, Cramps of the Muscles, Scratches, Thoroughpin, Cracked Heel, Spavin and Ring Bone.

BARKER'S LICE POWDER. There will be no profit in buying if they are troubled with lice. The poultry man or farmer who uses BARKER'S LICE POWDER which is made of the best drugs for the purpose, will have a good chance with his prize winners. Good for all kinds of fowls.

Read a few Extracts from Thousands of Unsolicited Letters

Swelled Ankles.—Mr. J. B. Campbell, of Jalapa, So. Carolina, says: "One of my customers has a very fine horse that would have been ruined completely from swollen ankles, but got all right by applying Barker's Nerve & Bone Liniment."

Never Expect to be Without Barker's Remedies.—Mr. F. B. Harney, of Chuckatuck, Va., writes: "I used Barker's Nerve & Bone Liniment on an injured mare and she got all right again and able to work. I also use a great deal of your powder for my cows and hogs and do not ever expect to be without your remedies."

Best Liniment on the Market.—George A. Bailey, of Bristow, Ind., in writing us for quotations, states: "I have had occasion to use Barker's Nerve & Bone Liniment a number of times and have always found it satisfactory and consider it the best liniment on the market."

For Rheumatism the Greatest Liniment I Ever Used.—Mr. J. M. Daniel, of Boonsboro P. O., Va., says: "Barker's Nerve & Bone Liniment is the best liniment I have ever used for rheumatism."

A Mare so Lamé that She Could not Walk.—Mr. T. W. Carter, Ivy P. O., La., says: "I had a mare so lame she could not walk. I used Barker's Nerve & Bone Liniment and in a short time she could go about. I can highly recommend it."

A Strained Ankle Got all Right.—Mr. John C. Farrar, of Concord, N. C., in writing us states: "I fell from the top of a box car nearly fifteen feet and strained my ankle so bad that I could not walk. I used Barker's Nerve & Bone Liniment four days and was able to go back to work."

For Stiff Joints.—Mr. T. W. Handley, of Maurice, Ill., in writing us says: "I used Barker's Nerve & Bone Liniment on a horse that had stiff joints and it worked like a miracle."

For Weak Joints.—Mr. C. E. Jones, of Berkley, Va., in a communication says: "I have used Barker's Nerve & Bone Liniment for stiff and weak joints and find that it has no equal."

For Sprains and Rheumatism.—Mr. W. C. Conover, of Flemington, N. J., says: "I have used your powder for my stock. As for Barker's Nerve & Bone Liniment it cannot be excelled for sprains or rheumatism."

Our Claims Prove Satisfactory.—Mr. Worth Hampton, of Jellico, Tenn., in writing us, states "I have used Barker's Nerve & Bone Liniment for years and find that it is all you claim it to be. I keep it in my house all the time."

Badly Swollen Knee.—Mr. J. H. Rittenhouse of Frenchtown, N. J., in a correspondence, says: "I had a badly swollen knee for some time. I applied Barker's Nerve & Bone Liniment and it soon disappeared. I always expect to keep it in the house."

For Rheumatism.—Mr. F. H. Morris, of Pomeroy, Ohio, states: "The druggist sent me a bottle of Barker's Nerve & Bone Liniment for rheumatism and it has done me so much good that I feel like a new man."

Best for Poultry.—Mr. R. A. Ackiss, of Bask Bay, Va., in a correspondence says: "I find Barker's Poultry Powder is the best that I have ever used for chickens."

Barker's is the Best.—J. C. Hash, of Endicott, Va., says: "I have used different kinds of cattle powders but find that Barker's Horse, Cattle & Poultry Medicinal Powder is the best, and will come nearer doing what is claimed for it than any other that I have ever used."

Healthy Hogs.—Mrs. Fannie McCormick, of Brishially, Pa., writes us the following: "I think Barker's Horse, Cattle & Poultry Medicinal Powder is fine and have used it for fifteen years. I use it for my hogs and find that it keeps them in a good healthy condition."

For Milch Cows.—Mr. R. F. Moss (Merchant), of Sussex Court House, Va., when remitting, states: "We are compelled to keep Barker's Horse, Cattle & Poultry Medicinal Powder, as the farmers say that for milch cows there is nothing better."

Given Up to Die.—Mr. J. F. Wenger, of Wayland, Iowa, in a letter says: "Barker's Horse, Cattle & Poultry Medicinal Powder is the best in the world. I had a hog that was so sick that I thought it would die. I procured some of your powder and now the animal is as sound as ever."

For Heaves and Distemper.—Mr. C. E. Yeager, of Kimberton, Pa., writes us the following: "We always use Barker's Horse, Cattle & Poultry Medicinal Powder and consider it invaluable for heaves and distemper."

For Horses, Cows and Hogs.—Miss K. Shirk, of Lebanon, Pa., states: "I can recommend Barker's Horse, Cattle & Poultry Medicinal Powder highly, as we use it on the farm for horses, cows and hogs, etc."

Best Powder for Run Down Stock.—Mr. J. C. Bay, of Granger, Ind., in a correspondence says: "Barker's Horse, Cattle & Poultry Medicinal Powder is the best I ever tried; have used it often for my cattle and horses and know that it is O. K."

Best for Stock.—Mr. J. C. Judge, of Quitman, Ga., states the following: "I am in the dairy business and cannot write all the good things that I find about Barker's Horse, Cattle & Poultry Medicinal Powder. I have used all kinds of stock powders but find Barker's beats them all for horses and cattle."

Stock no Trouble when Barker's Horse, Cattle & Poultry Medicinal Powder is Used.—Mr. J. Webb, of Emerts Cove, Tenn., writes the following: "I have used Barker's Horse, Cattle & Poultry Medicinal Powder for years. I can recommend it to all stock raisers and especially those that keep cows."

Perfect Satisfaction.—Mr. John H. Rabuck, of Clingerstown, Pennsylvania, in a correspondence states: "I would like to add a good word for Barker's Horse, Cattle & Poultry Medicinal Powder, of which I have used quite a good bit. It gives perfect satisfaction and I am so well pleased with it that I would not have any other."

BARKER'S HEALING OINTMENT for old sores, galls or blisters, brought about by rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used by human beings for sores, chafes, blisters, abrasions, bites, itching, stings of insects, chapped hands, frost bites, piles, etc.

BARKER'S DIP AND DISINFECTANT

for helping to rid poultry of mites, lice, scaly legs, also for cleaning the houses, coops, roosts, drop boards and brooders.

BARKER'S NERVE AND BONE LINIMENT

for Lame Back, Frost Bites, Mange, Whitlow, Cramps of the Muscles, Scratches, Thorough-pin, Cracked Heel, Spavin and Ringbone.

for a lame horse and find it is the best I have ever used. I can highly recommend it.

BARKER'S NERVE LINIMENT AND BONE

BEST FOR LAME HORSES—Mr. George W. Baker, of Catskill, N. Y., in a correspondence says:—"I used

7th Month										JULY, 1919			31 Days	
Days Month and Week	SUN			MOON			ASPECTS OF PLANETS, Etc.	High Tide Philadelphia						
	Rises h. m.	Sets h. m.	Slow m.	Sets h. m.	Const'n c. d.	Souths h. m.		MORN	EVEN					
1 Tue.	4 35	7 32	3	9 57		29	3 29	♂ ♀ ☾ : ♂ ♃ ☾	3 56	4 23				
2 Wed.	4 35	7 32	4	10 26		12	4 15	♂ ♀ ♃	4 45	5 14				
3 Thu.	4 36	7 32	4	10 53		25	4 59	♃ in Aphelion	5 35	6 7				
4 Fri.	4 36	7 32	4	11 22		7	5 42	♃ Venus sets 10h 0m A	6 27	7 0				
5 Sat.	4 37	7 32	4	11 51		19	6 25	☾ ♀ gr. elong. E., 45° 28'	7 20	7 56				
Third Sunday after Trinity										Day's Length: 14h. 55m.				
6 Sun.	4 37	7 32	4	morn		1	7 9	♂ ♀ ♀	8 15	8 49				
7 Mon.	4 38	7 31	5	0 22		13	7 55	☾ in Apogee	9 10	9 42				
8 Tue.	4 38	7 31	5	0 57		25	8 42	Alphacca S. 8h 27m A	10 2	10 33				
9 Wed.	4 39	7 30	5	1 38		7	9 31	☾ in ☾	10 50	11 21				
10 Thu.	4 39	7 30	5	2 23		19	10 21	Mars rises 3h 26m M	11 38				
11 Fri.	4 40	7 30	5	3 13		1	11 11	Jupiter sets 7h 52m A	0 8	0 27				
12 Sat.	4 41	7 29	5	4 9		13	morn	Saturn sets 9h 28m A	0 51	1 8				
Fourth Sunday after Trinity										Day's Length: 14h. 48m.				
13 Sun.	4 41	7 29	5	rises		26	0 1	♂ 13 Uranus rises 9h 28m A	1 36	1 50				
14 Mon.	4 42	7 28	6	8 10		9	0 51	♂ in ☽	2 14	2 33				
15 Tue.	4 43	7 28	6	8 42		22	1 40	♀ in ☽	2 55	3 15				
16 Wed.	4 44	7 27	6	9 13		5	2 28	♂ ☽ ☾	3 36	3 59				
17 Thu.	4 45	7 27	6	9 45		19	3 16	♃ Neptune sets 8h 10m A	4 20	4 46				
18 Fri.	4 45	7 26	6	10 16		3	4 4	♂ gr. elong. E., 26° 47'	5 8	5 38				
19 Sat.	4 46	7 26	6	10 50		16	4 54	Antares S. 8h 37m A	5 59	6 34				
Fifth Sunday after Trinity										Day's Length: 14h. 38m.				
20 Sun.	4 47	7 25	6	11 28		0	5 45	☾ 20 ♂ ♃ ☾	6 57	7 35				
21 Mon.	4 48	7 24	6	morn		15	6 40	Vega S. 10h 39m A	7 59	8 38				
22 Tue.	4 49	7 23	6	0 12		29	7 38	☾ in ☽	9 2	9 40				
23 Wed.	4 49	7 23	6	1 3		13	8 37	☾ in Perigee	10 2	10 37				
24 Thu.	4 50	7 22	6	2 1		28	9 38	♂ in Aphelion	11 0	11 34				
25 Fri.	4 51	7 21	6	3 5		12	10 37	St. James : ♂ ♂ ☾	11 55				
26 Sat.	4 52	7 20	6	4 13		26	1 34	♂ ♃ ☾	0 27	0 45				
Sixth Sunday after Trinity										Day's Length: 14h. 26m.				
27 Sun.	4 53	7 19	6	sets		10	ev. 28	♂ 27 ♂ ♀ ☾	1 15	1 35				
28 Mon.	4 54	7 19	6	7 56		24	1 19	♂ ♀ ☾ : ♂ ♃ ☾	2 1	2 22				
29 Tue.	4 55	7 18	6	8 26		7	2 6	☾ gr. liberation W.	2 45	3 8				
30 Wed.	4 56	7 17	6	8 55		20	2 52	♂ ♀ ☾	3 29	3 53				
31 Thu.	4 57	7 16	6	9 23		3	3 36	♂ stationary	4 14	4 41				

MOON'S PHASES—Eastern Standard Time

☾ First Quarter..... 4d. 10h. 17m. P.M. ☽ Last Quarter..... 20d 6h. 3m. A.M.
 ☽ Full Moon..... 13d. 1h. 2m. A.M. ☾ New Moon..... 27d. 0h. 21m. A.M.

Weather Forecasts—1-4, generally clear and pleasant; 5-7, cloudy, rain, clearing warm; 8-9, hot, high wind, thunder showers; 10-13, generally clear and warm; 14-15, hot, little rain; 16-17, hot and cloudy; 18-19, severe thunder storms; 20-22, clear and hot; 23-24, very hot, dry; 25-26, heat continues; 27-28, hot, occasional showers; 29-31, little rain, much thunder.

BARKER'S LICE POWDER for ridding Poultry of Lice and Vermin. See directions on package.

Make your own Poultry Food Medicinal by mixing **Barker's Special Poultry Remedy** with the Feed. See directions on pack of **BARKER'S REMEDY**. Sold in Regular, Large and Extra Large packages; also in 12 and 25-lb. pails.

STOCK ALWAYS IN GOOD CONDITION—Mr. William DeJure, of Vineyard, N. J., in writing us says:—"Anyone wishing to keep their stock in good healthy condition should use **BARKER'S AND POULTRY POWDER**. I find it the best I have ever used."

BEST FOR STOCK.—J. C. Judge, Quitman, Ga., says:—"I am in the dairy business and cannot write all the good things I find about **BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER** I have used all kinds of stock powders, but find Barker's beats them all for horses and cattle."

ALTHOUGH HIS NIGHTMARE WAS A COW HE LEARNED THE MESSAGE OF THE STARS.



Visions sparkling bright and mirthful danced through Abe's head. Where was he going? What was he doing? One thing he knew he was seeing **BARKER'S**, and everywhere he gazed a healthy, happy animal sang the triumph of using the celebrated remedies. He sent for an extra supply of goods next morning. Give us your order at once.

FOR RHEUMATISM THE GREATEST LINIMENT I EVER USED.—Mr. J. M. Daniel, of Boonsboro P. O., Virginia, says:—"is the best liniment I have ever used for rheumatism."

BARKER'S NERVE & BONE LINIMENT

BARKER'S HEALING OINTMENT for old sores, galls or blisters brought about by the rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used effectively by human beings for sores, chafes, blisters, abrasions, bites, itching, stings of insects.

Make your own Horse and Cattle Food Medicinal, by mixing pack of **BARKER'S POWDER**. Sold in Regular, Large and Extra Large packages; also in 20-pound pails. See directions on pack.

BARKER'S GAPE REMEDY

All chicks that have difficulty to breathe, is sufficient proof that they have Gape. Mix our GAPE REMEDY with the drinking water and for extreme cases see full directions on package.

FOR WEAK JOINTS—Mr. C. C. Barker's Nerve and Bone Liniment is the best, and will come nearest to doing what is claimed for it than any other I have ever used.
 E. Jones, of Berkeley, Va., in a communication says:—"I have used it for stiff and weak joints and find that it has no equal."

BARKER'S NERVE AND BONE LINIMENT

BARKER'S NERVE AND BONE LINIMENT

BARKER'S IS THE BEST—J. G. Hash, of Empcott, Va., says:—"I have used different kinds of cattle powders but find that BARKER'S MEDICINAL POWDER is the best, and will come nearest to doing what is claimed for it than any other I have ever used."

8th Month										AUGUST, 1919			31 Days	
Month and Week	SUN			MOON			ASPECTS OF PLANETS, Etc.			High Tide Philadelphia				
	Rises h. m.	Sets h. m.	Slow m.	Sets h. m.	Constel'n c.	Souths d. h. m.				MORN	EVEN			
1 Fri.	4 58	7 15	6	9 52	♌	15	4 20	Lammas Day			5 0	5 28		
2 Sat.	4 58	7 14	6	10 22	♍	27	5 4	♋ ♉ ☉			5 48	6 20		
Seventh Sunday after Trinity										Day's Length: 14h. 14m.				
3 Sun.	4 59	7 13	6	10 56	♎	9	5 49	☾ 3 Venus sets 8h 44m S			6 39	7 13		
4 Mon.	5 0	7 12	6	11 34	♏	21	6 36	♋ in Apogee			7 32	8 9		
5 Tue.	5 1	7 11	6	morn	♐	3	7 24	☾ in ☉			8 29	9 4		
6 Wed.	5 2	7 10	6	0 17	♑	15	8 13	Altair S. 10h 48m A			9 24	9 58		
7 Thu.	5 3	7 8	6	1 5	♒	27	9 3	♀ gr. brilliancy			10 18	10 49		
8 Fri.	5 4	7 7	6	1 58	♓	9	9 53	Fomalhaut S. 1h 50m M			11 8	11 37		
9 Sat.	5 5	7 6	5	2 56	♈	22	10 43	Mars rises 3h 0m M			11 55		
Eighth Sunday after Trinity										Day's Length: 13h. 59m.				
10 Sun.	5 6	7 5	5	3 57	♉	5	11 33	☾ in Perigee			0 23	0 41		
11 Mon.	5 7	7 4	5	rises	♊	18	morn	♋ in ☉			1 6	1 24		
12 Tue.	5 8	7 2	5	7 15	♋	1	0 22	♋ in ☉			1 48	2 8		
13 Wed.	5 9	7 1	5	7 47	♌	15	1 11	Algenib S. 2h 46m M			2 30	2 51		
14 Thu.	5 10	7 0	5	8 19	♍	29	2 1	♀ gr. Hel. Lat. S			3 13	3 35		
15 Fri.	5 11	6 59	4	8 52	♎	13	2 51	☾ ☉ Inferior			3 57	4 21		
16 Sat.	5 12	6 57	4	9 29	♏	27	3 43	Jupiter rises 3h 34m M			4 44	5 14		
Ninth Sunday after Trinity										Day's Length: 13h. 43m.				
17 Sun.	5 12	6 55	4	10 12	♐	11	4 37	☾ in Perigee			5 37	6 12		
18 Mon.	5 13	6 54	4	11 0	♑	26	5 33	18 ☾ in ☉			6 36	7 14		
19 Tue.	5 14	6 53	4	11 55	♒	10	6 31	♀ in Aphelion			7 39	8 18		
20 Wed.	5 15	6 52	3	morn	♓	24	7 30	♀ stationary			8 43	9 22		
21 Thu.	5 16	6 50	3	0 56	♈	8	8 28	Polaris S. 3h 37m M			9 45	10 21		
22 Fri.	5 17	6 49	3	2 0	♉	22	9 24	Saturn sets 6h 58m A			10 44	11 16		
23 Sat.	5 18	6 47	3	3 7	♊	5	10 18	♋ ☉ : ♋ ☉			11 38		
Tenth Sunday after Trinity										Day's Length: 13h. 27m.				
24 Sun.	5 19	6 46	2	4 14	♋	19	11 9	St. Bartholomew			0 8	0 29		
25 Mon.	5 20	6 45	2	sets	♌	2	11 58	25 ♋ ☉ : ♋ ☉			0 54	1 15		
26 Tue.	5 21	6 43	2	6 55	♍	15	ev. 44	Achernan S. 3h 21m M			1 38	2 0		
27 Wed.	5 22	6 42	2	7 23	♎	28	1 29	♀ ☉			2 21	2 42		
28 Thu.	5 23	6 40	1	7 53	♏	11	2 14	Hamel S. 3h 41m M			3 2	3 24		
29 Fri.	5 24	6 39	1	8 23	♐	23	2 58	Uranus sets 5h 1m M			3 43	4 6		
30 Sat.	5 25	6 37	1	8 56	♑	5	3 43	Vega S. 8h 2m A			4 26	4 52		
Eleventh Sunday after Trinity										Day's Length: 13h. 10m.				
31 Sun.	5 26	6 36	0	9 32	♒	17	4 29	Neptune rises 3h 12m M			5 12	5 41		

MOON'S PHASES—Eastern Standard Time

☾ First Quarter..... 3d. 3h. 11m. P.M. ☾ Last Quarter..... 18d. 10h. 56m. A.M.
 ☽ Full Moon..... 11d. 0h. 39m. P.M. ☽ New Moon..... 25d. 10h. 37m. A.M.

Weather Forecasts—1-3, clear and hot; 4-5, cloudy; 6-8, considerable rain; 9-10, heavy thunder showers; 11-12, generally cloudy; 13-16, very hot; 17-19, hot and muggy; 20-21, thunder showers; 22-24, continued hot; 25-26, clear and pleasant; 27-28, little rain; 29-31, frequent thunder showers.


BARKER'S NERVE AND BONE LINIMENT

for Lame Back, Frost Bites, Mange, Whitlow, Cramps of the Muscles, Scratches, Thorough-pin, Cracked Heel, Spavin and Ringbone.

HEALTHY HOGS:—Mrs. Fannie McCormick, of Brishially, Pa., writes us the following:—"I think is fine and have used it for fifteen years. I use it for my hogs and find that it keeps them in a good healthy condition."

BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER

SIX BEAUTIFUL PICTURES in ten colors, large size, well worth framing. Send 18 pink slips for two pictures. They are known as sets 1, 2 and 3. We put pink slips in all our preparations and additional ones according to the size of the package.



Look upon these upset creatures—such germs would undermine many a thriving poultry yard. They must be destroyed—let **Barker's** carefully prepared ammunition kill that deadly enemy whose chief work is to cause total loss, which means no profit.

CUT TO THE BONE:—Mr. Joseph Gormont, of Keewaydin, Pa., says: "I had a colt that cut his leg to the bone. I purchased a bottle of **BARKER'S NERVE AND BONE LINIMENT** and in a short time he was able to walk around."

BARKER'S LIQUID DISINFECTANT For Household Use: toilets, sinks and drains where vermin and diseases breed; also helps to prevent fleas, bedbugs, roaches, etc. Pour into cesspools.

BADLY SWOLLEN KNEE.

Mr. J. H. Rittenhouse of Frenchtown, N. J., in a correspondence says:—"I had a badly swollen knee for some time. I applied **Barker's Nerve and Bone Liniment** and it soon disappeared. I always expect to keep it in the house."

TRYING TO FIX UP A SICK HORSE FROM A BOTTLE



PUZZLE PICTURE
FIND BIG FACE JIM

Fatty Jinks said to buy **BARKER'S**, but old Skinnem Hall advised the sale of some liquid he had, saying it could easily be given to old Glossy if Pop Knowitt knew how to do it. Then all the old stand patters stepped into Pop's barn to see the dose given. Fatty said it was as good as a first class show but he always knew that horse had more sense than his owner ever had. Give **Barker's** medicinal remedies with the feed. It will save worry and time.

YEARS OF USE SUFFICIENT PROOF. Mr. C. Mills, of Deluth, Georgia, writes the following:—"We have used **Barker's Horse, Cattle and Poultry Medicinal Powder** for years and will have no others, as they do not give the same results as **Barker's**."

BARKER'S NERVE AND BONE LINIMENT for lame Backs, Frost Bites, Mange, Whinow, Cramps of the Muscles, Scratches, Thoroughpin, Cracked Heel, Spavin and Ring Bone.

Makes your own Horse and Cattle **BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER** with the Food Medicinal, by mixing directions for a reliable article on pack of **BARKER'S POWDER**. GIVE IT A TRIAL. See the Feed. See

For household use. Pour into cesspools, toilets, sinks and drains where vermin and disease breed; also helps to prevent fleas, bedbugs, roaches, etc.

BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER
 Sold in regular, large and extra large packages; also in 12 and 25-lb. pails.
 Make your own Horse and Cattle Food Medicinal by Mixing with the Feed. See directions on pack of BARKER'S POWDER.

Interesting Facts and Information

Horse Sense (Cents).

During the last four years this country has been supplying the allied countries with draft horses.

It is estimated that from September, 1914, to January, 1915, there were exported 983,899 horses having a value of over millions. This does not include purchases made by the United States since its entry into the war. The drain has been steady and will increase with each month of the war. Years after the peace treaty is signed the United States will be called upon to supply the world with draft horses, as no other country will have enough breeding stock to make an appreciable showing.

Our farmers and stock raisers will be called on to supply the deficit. It will be both a foresighted and profitable venture to breed all available mares to the best stallions obtainable.

Table Showing the Quantity of Seed Required to the Acre.

Cotton.....	$\frac{3}{4}$ to $1\frac{1}{2}$ bu.	Beans.....	1 to 2 bu.
Corn.....	$\frac{1}{4}$ to 1 "	Peas.....	$2\frac{1}{2}$ to 3 "
Rice.....	2 to 2 $\frac{1}{2}$ "	Broom Corn.....	1 to 1 $\frac{1}{2}$ "
Wheat.....	1 $\frac{1}{2}$ to 2 "	Red Clover.....	10 to 16 lbs.
Barley.....	1 $\frac{1}{2}$ to 2 $\frac{1}{2}$ "	White Clover.....	3 to 4 "
Oats.....	2 to 4 "	Blue Grass.....	10 to 15 "
Rye.....	1 to 2 "	Orchard Grass.....	20 to 30 "
Buckwheat.....	$\frac{1}{4}$ to $1\frac{1}{2}$ "	Carrots.....	4 to 5 "

General Information.

The average human life is 31 years. A barrel of rice weighs 600 pounds. An acre contains 4,840 square yards. A firkin of butter weighs 56 pounds. A barrel of flour weighs 196 pounds. A barrel of pork weighs 200 pounds. Slow rivers flow five miles per hour. Timothy seed, 45 pounds per bushel. A hurricane moves 80 miles per hour. A rifle ball moves 1,000 miles per hour. Rapid rivers flow seven miles per hour. A hand (horse measure) is four inches. Electricity moves 288,000 miles per hour. The first lucifer match was made in 1829. Gold was discovered in California in 1848. The first horse railroad was built in 1826-7. A mile is 5,280 ft., or 1,760 yds. in length. Corn, rye and flaxseed, 56 lbs. per bushel. The first steamboat plied the Hudson in 1807. A moderate wind blows 7 miles per hour. The first use of a locomotive in this country, was in 1829. The first almanac was printed by George Von Purbach, in 1640. The first steam engine on this continent, was brought from England in 1753. Until 1776, cotton spinning was performed by the hand spinning wheel. A tub of butter weighs 84 pounds. A cubit is two feet. A pace is three feet. A fathom is six feet. A span is 10 $\frac{1}{2}$ inches. A palm is three inches. A great cubit is 11 feet. A league is three miles. There are 2,750 languages. Bran, 35 pounds per bushel. Barley, 48 pounds per bushel. A day's journey is 33 $\frac{1}{2}$ miles. Two persons die every second. Sound moves 743 miles per hour. A square mile contains 640 acres. A storm blows 36 miles per hour. Coarse Salt, 85 pounds per bushel.

The American Flag.

QUESTION: How many stars were there on the flag in the War of the Revolution? A. Thirteen. Q. In the War of 1812? A. Fifteen. Q. In the Mexican War? A. Twenty-nine. Q. In the Civil War? A. Thirty-five. Q. In the Spanish War? A. Forty-five. Q. Now? A. Forty-eight.

Countries at War with Germany and Her Allies, Austria-Hungary, Turkey and Bulgaria.

Country	Date of Entry in War	Country	Date of Entry in War
Russia.....	August 1, 1914	Portugal.....	March 8, 1916
Belgium.....	August 4, 1914	Rumania.....	August 27, 1916
France.....	August 4, 1914	Italy.....	August 28, 1916
Great Britain (Total)	August 4, 1914	Greece.....	November 25, 1916
England, Wales, Scotland,		United States.....	April 6, 1917
Montenegro.....	August 9, 1914	Ireland and the Colonies.	
Serbia.....	August 9, 1914	Cuba.....	April 7, 1917
Japan.....	August 23, 1914	Tavolara.....	May 28, 1917

Diplomatic Relations Severed With Germany.

Brazil.....	April 11, 1917	Liberia.....	May 9, 1917
Ecuador.....	April 14, 1917	Honduras.....	
Nicaragua.....	May 19, 1917	Nicaragua.....	May 19, 1917
Guatemala.....	April 28, 1917	Haiti.....	June 8, 1917
Costa Rica.....			
Panama.....	Offered Resources to United States		
Argentina.....			
Chile.....	Indorsed Stand Taken by United States		

Germany and Her Allies.

Germany.....	August 1, 1914	Turkey.....	October 29, 1914
Austria-Hungary	August 1, 1914	Bulgaria.....	October 11, 1915

Population and Armies of the Allied Countries.

	Population	Peace Strength	Available Unorg'n'd
United States.....	101,577,000	133,166	20,538,347
Russia.....	175,137,000	1,384,000	29,419,920
Belgium.....	7,571,387	58,033	1,164,277
France.....	39,601,509	790,000	2,620,302
Great Britain.....	437,947,432	138,497	7,427,000
England & Wales	36,960,684		Included
Scotland.....	4,728,500		under
Ireland.....	4,375,554		Great
Colonial.....	391,882,694		Britain
Montenegro.....	520,000	35,000	68,200
Serbia.....	4,600,000	38,316	554,143
Japan—Korea, etc.	73,807,299	250,000	8,239,372
Portugal.....	5,957,985	30,000	871,476
Italy.....	35,598,000	306,000	3,739,357
Rumania.....	7,600,000	113,257	921,602
Greece.....	5,000,000	60,000	514,260
Cuba.....	2,500,000	11,034	449,420

Table of Miscellaneous Weight.

	Lbs. to bu.		Lbs. to bu.
Clover Seed, Wheat,		Clean Rice.....	62
White Beans, Peas,		Castor Beans.....	46
Potatoes, Ruta Baga,		Oats.....	32
Sugar Beans.....	60	Apples or Peaches, dried	28
Onions.....	57		Lbs. to Bbl.
Corn, Rye.....	56	Wheat Flour.....	196
Carrot.....	55		Lbs. to Sack
Cracked Corn, Corn		Wheat Flour.....	98
Meal, Rye Meal, Salt	50		Lbs. to bu.
Barley, Buckwheat.....	48	Cotton Seed.....	28@30
Rough Rice.....	45		

BARKER'S LICE POWDER for ridding Poultry of Lice and Vermin. See directions on pkg. Make your own Poultry Food Medicinal by mixing **BARKER'S SPECIAL POULTRY REMEDY** with the Feed. See directions.

BARKER'S NERVE AND BONE LINIMENT
 for Lame Back, Frost Bites, Manure, Whitlow, Cramps of the Muscles, Sprains, Throats, Bruises, Cracked Heel, Spavin and King Bone.

HAS SAVED MANY A HORSE FOR ME.—Mr. C. M. Koff, of Englishtown, N. J., says: "I have used **Barker's Horse, Cattle and Poultry Medicinal Powder** for three years and it has saved many a horse for me. I can highly recommend it for stock."

BARKER'S NERVE AND BONE LINIMENT
 Mangle, Whitlow, Cramps of the Muscles, Spratches, Thoroughpin, Cracked Heel, Spavin and Ring Bone.

THE HEAVY WEIGHT CHAMPION KNOCKS OUT SKINNY SLUGGER



Try-em-all Bros. trained poor Skinny for this great match, but Bull Biffen believes only in the one famous reliable **BARKER'S** for all time, and his success is never failing. **BARKER'S PREPARATIONS** always do good work. Keep a big supply on hand.

FOR CUTS, BRUISES AND SWELLING.

Mr. G. D. Roberta, of Somerset, Ohio, says: "I have used **Barker's Nerve and Bone Liniment** on my horses with great success. I can cheerfully recommend it."

BARKER'S HEALING OINTMENT for old sores, galls or blisters brought about by rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used by human beings for sores, chafes, blisters, abrasions, bites, itching, stings of insects, chapped hands, frost bites, piles, etc.

for Lame Back, Frost Bites, 25

Make your own Poultry Food Medicinal by mixing of BARKER'S REMEDY.

BARKER'S SPECIAL POULTRY REMEDY

Sold in Regular, Large and Extra Large Packages; also in 12 and 25-Pound Pails.

with the Feed. See directions on pack

FOR SPRAINS AND RHEUMATISM—
 Mr. W. C. Conover of Flemington, N. J., says:—
 "I have used your powder for my stock. As for
BARKER'S NERVE AND BONE LINIMENT
 it cannot be ex-
 called for sprains or
 rheumatism."

10th Month				OCTOBER, 1919				31 Days			
Days	SUN			MOON			ASPECTS OF PLANETS, Etc.	High Tide Philadelphia			
	Rises	Sets	Fast	Sets	Const'n	Souths		MORN	EVEN		
Month and Week	h. m.	h. m.	m.	h. m.	c.	d.	h. m.				
1 Wed.	5 55	5 45	10	10 32		1	5 35	Fomalhaut S. 10h 14m A	6 17	6 48	
2 Thu.	5 56	5 43	10	11 29		13	6 24	2 ♀ stationary	7 14	7 46	
3 Fri.	5 57	5 41	11	morn		25	7 12	Venus rises 3h 49m M	8 12	8 44	
4 Sat.	5 58	5 40	11	0 29		8	8 1	♄ gr. libration E.	9 10	9 40	
Sixteenth Sunday after Trinity				Day's Length: 11h. 39m.							
5 Sun.	5 59	5 38	11	1 32		21	8 50	Markab S. 10h 6m A	10 5	10 32	
6 Mon.	6 0	5 37	12	2 37		4	9 39	♃ ♄ C	10 57	11 22	
7 Tue.	6 1	5 35	12	3 45		18	10 30	Algenib S. 11h 6m A	11 46	...	
8 Wed.	6 2	5 34	12	4 54		3	11 22	Mars rises 2h 15m M	0 8	0 33	
9 Thu.	6 3	5 32	13	rises		18	morn	9 Polaris S. 0h 24m M	0 56	1 19	
10 Fri.	6 4	5 31	13	6 6		2	0 17	♃ in ♄ : ♄ in Perigee	1 41	2 6	
11 Sat.	6 5	5 29	13	6 52		17	1 15	Achernar S. 0h 20m M	2 28	2 52	
Seventeenth Sunday after Trinity				Day's Length: 11h. 22m.							
12 Sun.	6 6	5 28	13	7 44		2	2 15	♄ in ♃	3 15	3 41	
13 Mon.	6 7	5 26	14	8 43		17	3 16	Hamel S. 0h 40m M	4 5	4 34	
14 Tue.	6 8	5 24	14	9 46		1	4 17	Jupiter rises 0h 28m M	5 0	5 31	
15 Wed.	6 9	5 23	14	10 51		15	5 15	Algol S. 1h 32m M	6 0	6 32	
16 Thu.	6 11	5 21	14	11 56		29	6 10	16 Saturn rises 2h 29m M	7 3	7 35	
17 Fri.	6 12	5 20	14	morn		12	7 2	♃ ♄ C : ♃ ♄ C	8 7	8 38	
18 Sat.	6 13	5 18	15	1 1		25	7 50	St. Luke, Evangelist	9 10	9 38	
Eighteenth Sunday after Trinity				Day's Length: 11h. 3m.							
19 Sun.	6 14	5 17	15	2 5		8	8 37	♃ ♄ C : ♃ ♄ C	10 8	10 32	
20 Mon.	6 15	5 15	15	3 6		21	9 22	♀ gr. brilliancy : ♃ ♄ C	11 0	11 21	
21 Tue.	6 16	5 14	15	4 6		3	10 6	Aldebaran S. 2h 36m M	11 46	...	
22 Wed.	6 17	5 12	15	5 6		16	10 50	Uranus sets 1h 20m M	0 6	0 30	
23 Thu.	6 18	5 11	16	sets		28	11 34	23 Rigel S. 3h 8m M	0 48	1 11	
24 Fri.	6 19	5 10	16	5 31		10	ev. 19	♃ ♄ h	1 28	1 50	
25 Sat.	6 20	5 8	16	6 7		22	1 6	♃ ♄ C : ♄ in ♄	2 8	2 29	
Nineteenth Sunday after Trinity				Day's Length: 10h. 45m.							
26 Sun.	6 22	5 7	16	6 50		3	1 53	♄ in Apogee	2 48	3 9	
27 Mon.	6 23	5 5	16	7 36		15	2 41	Capella S. 2h 52m M	3 27	3 50	
28 Tue.	6 24	5 4	16	8 26		27	3 29	St. Simon and St. Jude	4 10	4 32	
29 Wed.	6 25	5 3	16	9 19		9	4 17	Fomalhaut S. 8h 24m A	4 53	5 18	
30 Thu.	6 26	5 2	16	10 16		21	5 5	Neptune rises 11h 19 A	5 43	6 11	
31 Fri.	6 27	5 0	16	11 16		3	5 52	31 Halloween	6 38	7 6	

MOON'S PHASES—Eastern Standard Time

☾ First Quarter.....	2d. 3h. 37m. A.M.	☽ New Moon.....	23d. 3h. 39m. P.M.
☾ Full Moon.....	9d. 8h. 39m. A.M.	☾ First Quarter.....	31d. 8h. 43m. P.M.
☾ Last Quarter.....	16d. 0h. 5m. A.M.		

Weather Forecasts—1-2, cloudy, little rain, clearing cool; 3-4, quite cool; 5-6, clear and pleasant; 7-9, stormy, clearing cool; 10-12, clear and warm; 13-14, clear and cool; 15-16, little rain; 17-18, changeable; 19-21, mild, high wind; 22-24, cloudy and stormy; 25-27, pleasant; 28-29, cool, stormy; 30-31, clear and pleasant.

BARKER'S ROUP REMEDY.
 An excellent preparation for Roup, Colds, Catarrh, etc., in Poultry. SEE DIRECTIONS ON PACKAGE.

BARKER'S GAPE REMEDY
 for chickens suffering with this complaint. SEE DIRECTIONS ON PACKAGE.

FOR HORSES, COWS AND HOGS:
 Miss K. Shirk of Johnson, Pa.
 writes:— "I can recommend
BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER
 highly, as we use it
 on the farm for horses,
 cows, hogs, etc."

FOR HEAVES AND DISTEMPER:—Mr. C. E. Yeager, of Kimberton, Pa., writes us the following: "We always use BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER and consider it invaluable for heaves and distemper."

THE SKATERS WATCHED YOUNG JIMMY PRICE
DO GREAT STUNTS UPON THE ICE.

FOR ACTIVE MUSCLES
USE
BARKER'S
NERVE & BONE
LINIMENT



FAIR SHINES THE MOON TO NIGHT
WITH BARKER'S GLISTENING CRISP AND BRIGHT

PUZZLE PICTURE
FIND THE FARMER

The old moon laughs for he knows the ice is hard and many slips cause bruises for which he advises the use of stock and poultry need activity. BARKER'S REMEDIES aid the farmer in keeping all in a fine healthy condition.

BARKER'S LINIMENT for a speedy relief. All

A MARE SO LAME THAT SHE COULD NOT WALK:—Mr. T. W. Carter, Ivy P. O., La., says: "I had a mare so lame she could not walk. I used BARKER'S NERVE AND BONE LINIMENT and in a short time she could go about. I can highly recommend it."

BARKER'S ROUP REMEDY.—An excellent preparation for Roup, Colds, Catarrh, etc., in Poultry. See directions on package. BARKER'S GAPE REMEDY.—For chickens suffering with this complaint. See directions on package.

SIX BEAUTIFUL PICTURES in ten colors, size 15 x 22, well worth framing, three of women and three of children. Send nine pink slips for one picture or eighteen pink slips for two pictures. They are known as sets 1, 2 and 3. We put pink slips in all our preparations and additional ones according to the size of the package.

BARKER'S ROUP REMEDY If the fowl becomes droopy with the head and tail down and discharges from the nose and eyes, is a sure sign of Roup. Keep mixed with the drinking water BARKER'S ROUP REMEDY which is an excellent preventative. In extreme cases, sprinkle some in the roof of the mouth.

APPETITE WONDERFULLY BENEFITTED —Mr. J. W. Horstman, of Laurel, Del., in writing us, states:—"My sow would not eat anything and I thought she would die. I commenced giving her BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER and she started to eat and in a short time was the picture of health."

11th Month										NOVEMBER, 1919				30 Days	
Month and Week	SUN			MOON			ASPECTS OF PLANETS, Etc.	High Tide Philadelphia							
	Rises h. m.	Sets h. m.	Fast m.	Sets h. m.	Constel'n c. d.	Souths h. m.		MORN	EVEN						
1 Sat.	6 28	4 59	16	morn		16	6 39	All Saints' Day	7 37 8 4						
Twentieth Sunday after Trinity										Day's Length: 10h. 29m.					
2 Sun.	6 29	4 58	16	0 18		29	7 27		8 36 9 2						
3 Mon.	6 30	4 57	16	1 22		12	8 16	Polaris S. 10h 42m A	9 32 9 57						
4 Tue.	6 31	4 56	16	2 30		26	9 6		10 27 10 50						
5 Wed.	6 33	4 54	16	3 39		11	9 59	Achernar S. 10h 37m A	11 19 11 41						
6 Thu.	6 34	4 53	16	4 51		26	10 56		... 0 8						
7 Fri.	6 35	4 52	16	6 5		11	11 56		0 30 0 57						
8 Sat.	6 36	4 51	16	rises		26	morn		1 19 1 45						
Twenty-first Sunday after Trinity										Day's Length: 10h. 13m.					
9 Sun.	6 37	4 50	16	6 27		11	0 58	Mars rises 1h 45m M	2 7 2 33						
10 Mon.	6 39	4 49	16	7 32		26	2 2		2 56 3 23						
11 Tue.	6 40	4 48	16	8 39		11	3 3	Jupiter rises 11h 1m A	3 47 4 16						
12 Wed.	6 41	4 47	16	9 47		25	4 2		4 41 5 11						
13 Thu.	6 42	4 46	16	10 54		9	4 57		5 39 6 9						
14 Fri.	6 43	4 45	16	11 57		22	5 47		6 41 7 9						
15 Sat.	6 45	4 45	15	morn		5	6 35		7 43 8 9						
Twenty-second Sunday after Trinity										Day's Length: 9h. 58m.					
16 Sun.	6 46	4 44	15	1 0		18	7 20		8 44 9 7						
17 Mon.	6 47	4 43	15	2 0		1	8 4		9 41 10 1						
18 Tue.	6 48	4 42	15	3 0		13	8 48		10 32 10 51						
19 Wed.	6 49	4 41	15	3 58		25	9 32	Saturn rises 0h 30m M	11 20 11 37						
20 Thu.	6 51	4 41	14	4 56		7	10 17		... 0 3						
21 Fri.	6 52	4 40	14	5 54		19	11 3		0 17 0 45						
22 Sat.	6 53	4 39	14	sets		0	11 50		0 58 1 25						
Twenty-third Sunday after Trinity										Day's Length: 9h. 45m.					
23 Sun.	6 54	4 39	14	5 32		12	ev. 37		1 44 2 5						
24 Mon.	6 55	4 38	13	6 22		24	1 26	Aldebaran S. 0h 23m M	2 22 2 45						
25 Tue.	6 56	4 38	13	7 14		6	2 14	Uranus sets 11h 3m A	2 58 3 27						
26 Wed.	6 57	4 37	13	8 9		18	3 1	Rigel S. 0h 54m M	3 39 4 5						
27 Thu.	6 58	4 37	12	9 7		0	3 48	Neptune rises 9h 29m A	4 25 4 49						
28 Fri.	6 59	4 37	12	10 7		12	4 35		5 13 5 36						
29 Sat.	7 0	4 36	12	11 9		25	5 21		6 5 6 28						
First Sunday in Advent										Day's Length: 9h. 35m.					
30 Sun.	7 1	4 36	11	morn		8	6 7	St. Andrew	7 2 7 25						

MOON'S PHASES—Eastern Standard Time

	Full Moon.....	7d. 6h. 35m. P. M.		New Moon.....	22d. 10h. 20m. A. M.
	Last Quarter.....	14d. 10h. 40m. A. M.		First Quarter.....	30d. 11h. 47m. A. M.

Weather Forecasts—1-2, high wind, heavy rain; 3-6, generally clear and cold; 7-8, cloudy, little snow; 9-10, chilly; 11-13, clear and cool; 14-15, pleasant; 16-17, little rain, clearing warm; 18-20, clear and mild; 21-22, rain, cool; 23-24, cloudy; 25-26, changeable; 27-28, warm, showery; 29-30, cold wind, snow.

BARKER'S POULTRY BOOK. We are now sending for 10 pink slips a complete book on poultry, giving full detail information as to the raising and treating of all kinds of fowls. This information will be of great value to any one raising poultry.

BARKER'S GAPE REMEDY All chicks that have difficulty to breathe is sufficient proof that they have Gape. Mix our **GAPE REMEDY** with the drinking water and for extreme cases see full directions on our package. **GIVE IT A TRIAL.**

For Rheumatism: —Mr. S. Tucker, of Stone Fort, Ill., in ordering, states:—"I have suffered with rheumatism and find that BARKER'S NERVE and BONE LINIMENT is the best remedy. Please send me two dozen bottles as soon as possible."

Make your own Poultry Food Medicinal by mixing **BARKER'S SPECIAL POULTRY REMEDY** with the Feed. See directions on pack of **BARKER'S REMEDY**. Sold in Regular, Large and Extra Large Packages; also in 25-pound pails.

A COW'S LIFE SAVED.
 HORSE, CATTLE and POULTRY POWDER for 20 years and think it is the best in use. I saved a cow's life with it.
 Mr. Josiah Miller, of Johnsonville, Pa., in a letter says—'I have used BARKER'S

FOR STIFF JOINTS.
 Mr. T. W. Handley, of Maurice, Ill., in writing us says: "I used BARKER'S NERVE and BONE LINIMENT on a horse that had stiff joints and it worked like a miracle."

12th Month

DECEMBER, 1919

31 Days

Month and Week	Days	SUN			MOON			ASPECTS OF PLANETS, Etc.	High Tide Philadelphia		
		Rises	Sets	Fast	Sets	Constel'n	Souths		MORN	EVEN	
		h. m.	h. m.	m.	h. m.	c. d.	h. m.				
1	Mon.	7 2	4 35	11	0 12		21	6 55	Venus rises 3h 6m M	8 2	8 24
2	Tue.	7 3	4 35	11	1 18		5	7 45	♂ ♀ ☉ Inferior	9 0	9 24
3	Wed.	7 4	4 35	10	2 26		19	8 38	♀ in Perihelion	9 58	10 21
4	Thu.	7 5	4 35	10	3 37		4	9 34	☐ ♄ ☉	10 52	11 15
5	Fri.	7 6	4 34	10	4 51		19	10 35	♃ stationary : ☉ in ☿	11 45
6	Sat.	7 7	4 34	9	6 3		4	11 39	St. Nicholas : ☉ in ♄	0 8	0 38

Second Sunday in Advent

Day's Length: 9h. 26m.

7	Sun.	7 8	4 34	9	rises		19	morn	☉ 7 Polaris S. 8h 28m A ☉	0 58	1 27
8	Mon.	7 9	4 34	8	6 15		4	0 43	♂ Mars rises 1h 13m M	1 48	2 17
9	Tue.	7 10	4 34	8	7 26		19	1 45	♀ in Perihelion	2 38	3 6
10	Wed.	7 10	4 34	7	8 36		4	2 44	Achernar S. 8h 20m A	3 29	3 55
11	Thu.	7 11	4 34	7	9 45		18	3 38	♂ ♀ ☉ : ♂ ♃ ☉	4 22	4 47
12	Fri.	7 12	4 34	6	10 50		1	4 29	♀ stationary	5 17	5 42
13	Sat.	7 13	4 34	6	11 53		14	5 17	♂ ♄ ☉	6 15	6 37

Third Sunday in Advent

Day's Length: 9h. 20m.

14	Sun.	7 14	4 34	6	morn		27	6 2	☉ 14 ♀ gr. Hel. Lat. N	7 12	7 34
15	Mon.	7 14	4 35	5	0 52		10	6 46	♂ ♀ ☉	8 11	8 30
16	Tue.	7 15	4 35	5	1 51		22	7 30	Hamel S. 8h 24m S	9 7	9 25
17	Wed.	7 16	4 35	4	2 49		4	8 15	Jupiter rises 8h 41m A	10 0	10 18
18	Thu.	7 17	4 35	4	3 46		16	9 0	♂ in Aphelion : ♂ ♀ ☉	10 49	11 6
19	Fri.	7 17	4 36	3	4 42		27	9 46	☉ in ♄ : ☉ in Apogee	11 35	11 53
20	Sat.	7 18	4 36	3	5 36		9	10 34	♂ ♀ ☉	0 19

Fourth Sunday in Advent

Day's Length: 9h. 19m.

21	Sun.	7 18	4 37	2	6 26		21	11 22	☉ St. Thomas ☉	0 37	1 2
22	Mon.	7 19	4 37	2	sets		3	ev. 11	22 ☉ enters ♄, Winter be-	1 18	1 43
23	Tue.	7 19	4 38	1	6 4		15	0 59	Saturn rises 10h 17m A [gins	1 59	2 23
24	Wed.	7 20	4 38	1	7 2		27	1 46	♄ stationary	2 41	3 1
25	Thu.	7 20	4 39	0	8 1		9	2 33	Christmas Day	3 20	3 41
26	Fri.	7 21	4 39	slow	9 1		22	3 19	St. Stephen	4 3	4 23
27	Sat.	7 21	4 40	1	10 04		5	4 5	St. John, Evangelist	4 46	5 6

First Sunday after Christmas

Day's Length: 9h. 20m.

28	Sun.	7 21	4 41	1	11 8		18	4 51	Innocents	5 35	5 56
29	Mon.	7 21	4 42	2	morn		1	5 33	♃ Uranus sets 8h 54m A	6 30	6 51
30	Tue.	7 22	4 42	2	0 12		14	6 28	☉ 30 Neptune rises 7h 16m A	7 29	7 51
31	Wed.	7 22	4 43	3	1 19		28	7 20	♀ gr. Hel. Lat. N	8 30	8 53

MOON'S PHASES—Eastern Standard Time

☾ Full Moon.....	7d. 5h. 3m. A.M.	☽ New Moon.....	22d. 5h. 55m. A.M.
☾ Last Quarter.....	14d. 1h. 2m. A.M.	☽ First Quarter.....	30d. 0h. 25m. A.M.

Weather Forecasts—1-3, clear and cold; 4-6, warmer; 7-8, snow; 9-10, clear and cold; 11-12, cloudy; 13-14, little snow, warm; 15-17, considerable rain; 18-20, stormy, clearing warm; 21-22, moderate; 23-25, little snow, generally cloudy; 26-28, occasional snow flurries; 29-31, clear and cold, moderating.

BARKER'S LIQUID DISINFECTANT for household use. Pour into cesspools, toilets, sinks and drains where vermin and diseases breed; also helps to prevent fleas, bedbugs, roaches, etc.

BARKER'S HEALING OINTMENT for old sores, galls or blisters brought about by the rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used by human beings for sores, chafes, blisters, abrasions, bites, itching, stings of insects, chapped hands, frost bites, piles, etc.

BARKER'S NERVE AND BONE LINIMENT

for Lame Back, Frost Bites, Mangle, Whitlow, Cramps of the Muscles, Scratches, Thoroughpin, Cracked Heels, Spavin and Ringbone.

BEST POWDER FOR RUN DOWN STOCK.—Mr. J. C. Bay, of Granger, Ind., in a recent correspondence tells us:—
"I have used it often for my cattle and horses and know that it is O.K."

BARKER'S MEDICINAL POWDER
FOR HORSE, CATTLE AND POULTRY



Cream of Carrot Soup—Grate four large carrots and put them on the fire to cook in enough water to cover, adding a slice or two of onion and a stalk of celery. When tender press through a sieve, and add the liquid and pulp to a pint of thin white sauce, well seasoned with salt, paprika and a pinch of mace. Serve with croutons and the yolks of hard-boiled eggs pressed through a sieve.

Corn Meal Griddle Cakes—Into a pint of boiling water slowly sift a cup of yellow cornmeal and one-half teaspoon of salt. Boil slowly for fifteen minutes, then remove from the stove and add a cup and a half of cold milk, one egg well beaten, and sufficient flour to make a thin batter. Stir a teaspoon of baking powder into the flour and add a tablespoon of melted butter to the batter before frying.

Brown Sugar Syrup—To half a pound of light brown sugar add half a cup of broken maple sugar and cover with water. Boil slowly till as thick as molasses.

Veal Broth—Smash the bones of a knuckle of veal and add them, with the meat, to two quarts of water. Put in two large onions, cut up, two blades of mace, five peppercorns, salt to taste and a large slice of bread. Bring to a boil slowly and simmer for four hours. Skim once or twice, then strain, remove fat and serve.

Cherry Puffs—Cream one-half cupful of butter with two tablespoonfuls of sugar; add a beaten egg, a cupful of milk, two cupfuls of flour with one tablespoonful of baking powder sifted through it, and last of all one cupful of pitted cherries. Put into buttered cups and steam one-half to three-quarters of an hour. Serve with sauce.

Baked White Fish—Clean and split a large fish and put in a well greased dripping pan, skin side down. Season with salt, pepper, paprika and lemon juice, also grate half an onion over the fish. Dot with butter and bake allowing twelve minutes to the pound. Serve with tomato or any preferred sauce.

Bran Muffins—One egg, one teaspoon of butter or lard, two tablespoons of granulated sugar, one cup of sweet milk, one-half teaspoon of salt, one cup bran, one cup whole wheat flour, two teaspoons baking powder. Mix well sugar, lard or butter, add well beaten egg and milk, then flour to which has been added the baking powder and salt. Bake in muffin pans in a moderately hot oven.

Grandma's War Cookies—One cup New Orleans Molasses, three-quarters cup brown sugar, four tablespoons hot water, one teaspoon baking soda, one-half cup butter or lard, flour to make stiff, teaspoon of ginger or cinnamon may be added. Scald the baking soda with hot water before mixing with the ingredients. Roll the dough out thin, cut small cakes and bake in moderate oven until a light brown.

Rhubarb Conserve—Two pounds rhubarb, two pounds sugar, one cup seeded raisins, one cup walnuts cut fine, enough water to prevent burning. Boil down until the desired thickness.

The Golden Corn Cake—One cup cornmeal, one cup flour, one-half cup sugar, two large teaspoons baking powder, one-half teaspoon salt, one cup milk, two tablespoons melted lard. Mix and sift dry ingredients, add milk, well beaten egg and lard. Bake in shallow buttered pan, in medium hot oven about twenty minutes.

Fanny's Pickles—Six large cucumbers, six large onions, six large green peppers, one ounce mustard seed, one tablespoon celery seed, one cup sugar. Run cucumbers, onions and peppers through the coarse cutter of meat chopper. Sprinkle salt on, allow to stand over night; next day drain, add mustard and celery seed and cover with vinegar.

Baked Ham—One medium-sized ham, boiled until tender.

One and one-half cups dry crumbs (bread).

Three-eighths cup brown sugar.

One-quarter ounce whole cloves.

Two-thirds teaspoon mustard.

Two cups cider.

Trim ham, removing a portion of the fat, and insert cloves one inch apart; cover with crumbs, sugar and mustard, which have been mixed, pat firmly with the hands and place on rack in roast pan; bake in moderate oven one hour or until crumbs are brown.

Frozen Peaches—Scalp and pare two quarts of ripe peaches and rub through a sieve. Cook two cups of sugar and a pint of water together for ten minutes add a few crushed peach pits. Strain and cool, then add the peach pulp and the juice of half a lemon. Freeze and pack away to ripen.

Baked Onions—Peel medium sized onions, boil fifteen minutes and drain. Put in a buttered baking tin, add salt and pepper and enough beef stock to baste them. Bake until soft.

TO LAUGH AND GROW FAT get BARKER'S KOMIC PICTURE SOUVENIR, in 4 Parts, each part containing 50 Komic Pictures $4\frac{1}{2}$ by $5\frac{3}{4}$. For 2 pink slips we will send 1 Part; for 4 pink slips, 2 Parts; for 6 pink slips, 3 Parts, for 8 pink slips, 4 Parts. Each part is complete in itself.

BARKER'S LICE POWDER. There will be no profit in Poultry if they are troubled with Lice. The poultry man or farmer who uses BARKER'S LICE POWDER which is made of the best drugs for the purpose, will have a good chance with his prize winners. Good for all kinds of lice.

BARKER'S DIP AND DISINFECTANT

For helping to rid Poultry of mites, lice, scaly legs; also for cleansing the houses, coops, roosts, drop boards and brooders.

31

STANDARD ARTICLE.

Messrs. North Bros., of North, Indiana, in a communication, say: "Barker's Horse, Cattle and Poultry Medical Powder is as standard with us as granulated sugar."

To Pack Eggs.—Boil five quarts of water (set away to cool)—add one quart liquid glass; put in stone jar; place in as many eggs as will cover well (this amount will cover about eight dozen). Tie thick paper on top cover with a board to keep tight, keep in a cool place.

Molasses Candy.—One cup New Orleans Molasses, one tablespoon vinegar, one cup brown sugar, one ounce melted butter. Mix all together, boil without stirring until it hardens when dropped in cold water. Add an even teaspoon baking soda and pour in well-buttered tins. Walnut kernels or peanuts may be placed in the tins and the plain candy poured over them.

Potato Croquettes.—Use left-over mashed potatoes or boil four good size potatoes until tender; drain and press through a sieve. Heat in a sauce-pan, with an ounce of butter, season with salt, pepper, a small quantity of minced green pepper and a little onion juice. Beat in an egg lightly and set the mixture aside to cool. Form into moulds, dip in egg and bread-crumbs, fry in hot lard to a nice brown.

Quince Honey.—Peel and grate the quinces and cook until tender. Cook a pound of sugar with a pint of water and allow to simmer until there is a clear syrup. Then add the grated quince and allow to simmer for twenty minutes stirring constantly.

Popovers.—Two cupfuls of sweet milk, two cupfuls of flour, two eggs, pinch of salt; beat eggs well, then stir in milk and flour. Grease gem pans and drop in. Have gem pans red hot. This makes twelve large popovers.

Liver and Bacon.—Have the liver cut about three-fourths of an inch thick, lay it in a dish and scald it, allowing the boiling water to remain on it for ten minutes. Then drain, dry the slices and dip lightly in flour. Meantime fry thin slices of bacon till crisp and remove to a hot platter. Drop the liver slices in the bacon fat and fry a golden brown. Remove to the platter and pour off most of the fat in the pan, stir in a tablespoon of flour and cook a few minutes, then pour a cup of boiling water in the pan and cook the gravy till smooth. Season with pepper and salt to taste.

Beef Tea.—Cut a pound of lean beef from the round into small pieces, add a cup of water and one-fourth teaspoon of salt. Place in a double boiler and fill the lower half of the boiler with cold water. Simmer for two hours or longer. Stir frequently. Strain and season, then serve in a heated bowl with little pieces of toast or pulled bread.

Ham Savory.—Prepare four tablespoonfuls of finely chopped ham, one egg, a little milk, one ounce of butter and sufficient cayenne pepper to season highly. Beat the egg with the milk and add the pepper and ham. Melt the butter in a saucepan and pour in the ham mixture. Stir till quite thick, place on buttered toast and serve before it becomes cold.

Beet Salad.—Line the salad bowl with crisp lettuce leaves and in the center put alternate thin layers of cold boiled beets, sliced, and rings of hard boiled eggs. Have more beets than eggs and sprinkle the top with a little parsley and onion, chopped fine. Add dressing.

Dressing.—Mix together the following ingredients: One-half cup of olive oil, 3 tablespoons of cider vinegar, $\frac{1}{2}$ teaspoon salt, $\frac{1}{4}$ teaspoon of paprika, $\frac{1}{8}$ teaspoon of black pepper, 1 tablespoon each of finely cut onion, parsley, green pepper, red pepper, and 1 hard-cooked egg, finely cut. Thoroughly mix and serve on lettuce or any green salad.

Brown Betty Pudding—

2 cups apples, cut fine.
2 cups bread, cut in cubes or coarse crumbs.
 $\frac{1}{4}$ cup molasses.
 $\frac{1}{4}$ cup brown sugar.
2 teaspoons butter or oleomargarine.
 $\frac{1}{2}$ teaspoon cinnamon.

Brush small earthen dish with butter or oleomargarine, put a layer of apples on bottom, a layer of bread and half the sugar; add another layer of apples, the remainder of the bread, the remaining apples and cover with the rest of the sugar and dust with cinnamon. Add molasses and hot water, cover and place in moderate oven 35 minutes or until the apples are tender. Remove the cover and brown. Serve with fruit syrup or sauce.

Grape Juice.—Pick over the grapes, rejecting all unsound ones. Put in a porcelain-lined kettle and almost cover with cold water. Heat slowly, mashing the grapes and cooking until all the juice is out. Drain in a jelly bag and measure the liquid, adding one-third of a cupful of granulated sugar for each quart. Boil for four minutes, then bottle and seal.

Banana Fritters.—Mix and sift a cup of flour, two teaspoons baking powder, tablespoon powdered sugar and one-fourth teaspoon salt. Beat one egg till light and add to it one-fourth of a cup of milk. Add to the dry mixture and beat well. Then add two bananas cut in thick slices. Drop by spoonfuls into deep boiling fat. Cook a delicate brown and drain on paper.

Apricot Snow.—Soak a half package of gelatin in a half cupful of cold water. In saucepan put a cupful and a half of canned apricot syrup, adding sugar, if necessary, to make very sweet. Bring to the boiling point, add the soaked gelatin, take from the fire and stir until dissolved. Add one tablespoonful of lemon juice, strain and set aside. When cold, and beginning to thicken, add a half cupful of pulped apricots and the unbeaten whites of three eggs and whip steadily until the mixture is a thick, spongy mass; turn into a wetted mould and set away to chill.

Celery Toast.—Cook together outer stalks and roots of celery, in a little water, first cutting them into small pieces. Take them from the water, and to half a cup of this put a cupful of good rich milk. Thicken it with a tablespoonful each of butter and flour, salt and pepper to taste, put the celery back into it and pour all over buttered toast. Leave it in the oven three or four minutes before serving.

Maple Custard.—Three cups water, two cups brown sugar, three tablespoons cornstarch, one-half cup chopped nuts. Boil sugar and water and add dissolved cornstarch. After cooling add the nuts. Pour into molds and harden. Serve with cream.

BARKER'S ROUP REMEDY

An excellent preparation for Roup, Colds, Catarrh, etc., in Poultry. See Directions on package.

BARKER'S ROUP REMEDY for chickens suffering with this complaint. See directions on package.

BARKER'S GAPE REMEDY for chickens suffering with this complaint. See directions on package.

BARKER'S LICE POWDER for ridding Poultry of Lice and Vermin. See directions on package.

Make your own Poultry Food Medicinal by mixing on pack of **BARKER'S REMEDY**. Sold in regular, large and extra large packages; also in 12 and 25-lb. pails. **SPECIAL POULTRY REMEDY** with the Feed. See directions

To remove chicken lice from the coops, use a solution of 1 part of Barker's Lice Powder. It is also very essential to have a dust box with a liberal amount of Barker's Lice Powder mixed in the dust. Wash woodwork with a brush, also dust the chickens with Barker's Lice Powder mixed in the dust.



FARMERS' AND STOCK RAISERS' GUIDE.

BARKER'S SPECIAL POULTRY REMEDY
A REGULATOR AND TONIC
 Contains the most valuable ingredients of Barker's Horse, Cattle and Poultry Medicinal Powder with other added herbs and salts in a palatable form.

MANUFACTURED BY
THE BARKER, MOORE & MEIN MEDICINE COMPANY, Inc., Philadelphia, Pa.

Do not feed the fattening hogs any longer than is necessary. Slaughter them as soon as the temperature of the atmosphere is at the freezing point, which is better than when the weather is very cold. It is not economical to feed hogs in very cold weather if they be in proper condition; when fattening give regularly Barker's Horse, Cattle and Poultry Medicinal Powder, which will increase the appetite and aid digestion.

Clean out the feet of horses when they come in from the field after the day's work is done, and brush out the fetlocks, the neck and breast, and if there is any sign of tenderness apply Barker's Nerve and Bone Liniment. If the work horses do not go out into the pasture to get grass occasionally give each a pound of carrots or mangels two or three times a week mixed with Barker's Horse, Cattle and Poultry Medicinal Powder. No work horse should be fed dusty hay. The cattle can eat it, but it clogs the lungs of the horses and brings on coughs that may become troublesome. In such event give Barker's Powder as directed.

Hens kept in flocks of thirty or forty with about two males and good wholesome food mixed with Barker's Special Poultry Remedy will produce the best results.

HOW TO GET BARKER'S "KOMIC" PICTURE SOUVENIR BOOKS AND CHROMO LITHO-GRAPH PICTURES.—We put in each package of our regular Barker's Horse, Cattle and Poultry Medicinal Powder, also in our Barker's Special Poultry Remedy and in our Barker's Nerve and Bone Liniment and in Barker's Healing Ointment, one pink slip and in the large package of Barker's Horse, Cattle and Poultry Medicinal Powder and Barker's Special Poultry Remedy we put 5 pink slips. That we may know that the premiums go to those who use our preparations we require the pink slips to be sent to us. We have four parts of Barker's "Komic" Picture Souvenir. By sending two pink slips, giving your name and P. O. address we will send one part; for four pink slips we will send two parts; for six pink slips three parts; for eight pink slips four parts.

We also have some pretty Pictures, Chromo Lithographs, in 10 colors. They are in sets of two. We have 3 sets; will send one set for 18 pink slips. They are known as sets 1, 2 and 3.

BARKER'S NERVE & BONE LINIMENT
 Man or Beast.
 FOR RHEUMATISM, Sprains and Strains, Cuts, Bruises, etc.

IMPROVED **BARKER'S CHEMICAL & VEGETABLE HORSE, CATTLE & POULTRY**
 GUARANTEED NEARLY NINE-TENTHS VEGETABLE.
MEDICINAL POWDER
 Prepared by **THE BARKER, MOORE & MEIN MEDICINE CO., PHILADELPHIA, PA.**


Years of age which various animals attain, are as follows: Horse, 25 to 30 years; cow, 20 years; hog, 20 years; sheep, 10 years; fowl, 10 years; goose, 5 years. In order that these animals may reach such a good age, a certain amount of care and good treatment is necessary, the blood should be kept pure, by mixing Barker's Horse, Cattle and Poultry Medicinal

Powder with the feed, it keeps them toned up and always in a healthy condition to ward off diseases.

If the supply of hay is becoming short, the use of mixed hay and straw or fodder will lessen the amount of hay required, but cut foods, should be reinforced by adding a little more cornmeal and bran. After moistening all, mix in Barker's Horse, Cattle and Poultry Medicinal Powder which makes a wholesome and nutritious food.

Ground oats in two parts, bran one part and cornmeal one part, is an excellent mixture for young growing stock of all kinds. It is not necessary to keep young stock very fat, but they should be kept in growing condition at all times. The blood should be kept in a fine healthy condition by mixing regularly with the feed dampened Barker's Horse, Cattle and Poultry Medicinal Powder.

BARKER'S GAPE REMEDY with the drinking water and for extreme cases see full directions on packages. All chicks that have difficulty to breathe, is sufficient proof that they have Gape. Mix our GAPE REMEDY with the drinking water and for extreme cases see full directions on packages.



BARKER'S LICE POWDER

There will be no profit in Poultry if they are troubled with Lice. The poultry man or farmer who uses **Barker's Lice Powder**, which is made of the best drugs for the purpose, will have a good chance with his prize winners. Good for all kinds of fowls. Do not fail to have a dust box.



BARKER'S ROUP REMEDY

In cases of Roup the fowl will become droopy, head and tail down, and in extreme cases will discharge at nose and eyes. In order to prevent spreading of the disease, the fowl should be separated immediately from all other fowls, and the roof of the mouth well sprinkled with **Barker's Roup Remedy**.



BARKER'S GAPE REMEDY

It is not a difficult matter to know when chicks are affected from Gapes. The difficulty to breath freely is sufficient proof. All chicks should have **Barker's Gape Remedy** mixed with their drinking water and for extreme cases see full directions on our package.



BARKER'S HEALING OINTMENT

It is a remedy for old sores, for galls or blisters brought about by the rubbing of the collar or other parts of the harness or saddle, also for cuts, cracks, scratches, etc. Can also be used by human beings for sores, chafes, blisters, abrasions, bites itching, stings of insects, chapped hands, frost bites, piles, etc.



BARKER'S POULTRY DISINFECTANT

For helping rid and avoiding the dangers of mites, lice, fleas and other vermin which annoy the fowls while on the nests and roosts. Can also be used for household purposes. Use as directed.

USE
BARKER'S SPECIAL POULTRY REMEDY
HIGHLY RECOMMENDED FOR POULTRY DISEASES
PUT UP IN REGULAR, LARGE AND EXTRA LARGE PACKAGES. ALSO 25-LB. PAILS
THE BEST FOR RAISING CHICKENS, TURKEYS, GEESE, DUCKS AND SQUABS
A REGULATOR, CONDITIONER AND TONIC

BARKER'S
NERVE & BONE

LINIMENT

THE BARKER, MODRE & MEIN MEDICINE CO. PHILA. PA.

BARKER'S HORSE, CATTLE AND POULTRY MEDICINAL POWDER
BARKER'S LICE POWDER BARKER'S ROUP REMEDY
BARKER'S HEALING OINTMENT BARKER'S GAPE REMEDY
FOR SALE AT ALL DRUG, GROCERY AND GENERAL MERCHANDISE STORES