

Fifth Edition.


To Our Friends and Patrons.

The constantly increasing demand for our Fluid Extracts, Pharmaceutical Preparations, and Special Medical Compounds, has obliged us largely to increase the facilities for their production, and we are now able to supply promptly almost any quantity of the different articles named in the accompanying pages.

In this fifth edition of our list, the number of these is also much increased, and many new, valuable, and rare remedies are introduced.

As of old, we endeavor always to give everything as good as it can be made from the purest materials only, faithfully and skilfully compounded.

Kenneth Campbell & Co.
MONTREAL.



157
022
478WB

CAMPBELL'S
FLUID EXTRACTS.

THese extracts are prepared by the process of re-percolation, without heat, which so completely exhausts the material operated upon, that one ounce of Fluid Extract is equivalent to one ounce of the drug it represents. A few of our extracts may not be as dark in color as corresponding Extracts of other makers. This is not owing to deficiency of strength, but to the fact that during their preparation we permit no contact with any metal, but use altogether glass apparatus.

The present list comprises new and important kinds not to be found in our previous editions.

Ext. Absynthii Fl. (*Wormwood*)

Tonic, anthelmintic.

DOSE—From ten to thirty minims.

Per lb., \$1.00.

Ext. Aconiti Fol. Fl. (*Monkshood Leaf*)

Narcotic, sedative.

Very powerful, demanding careful administration.

DOSE—From one to two minims.

Per lb., \$1.15.

" Aconiti Rad. Fl. (*Monkshood Root*)

Narcotic, sedative.

Very powerful, demanding careful administration.

DOSE—From one to two minims.

Per lb., \$1.25.

" Achillæ Mill. Fl. (*Yarrow*)

Aromatic, tonic.

DOSE—From half to one drachm.

Per lb., \$0.95.

" Aletris Farinosa Fl. (*Unicorn Root*)

Cathartic, Emetic, Narcotic.

DOSE—From twenty to forty minims.

Per lb., \$1.75.

" Alni Rub. Fl. (*Tag Alder*)

Astringent, alterative.

DOSE—From twenty to sixty minims.

Per lb., \$0.90.

Ext. Aloes Soc. Fl.

Purgative, emmenagogue.

DOSE—From two to eight minims.

Per lb., \$1.75.

“ Althææ Off. Fl. (*Marsh Mallow*)

Demulcent.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Ampelopsis Quinq. Fl.*(American Ivy)*

Alterative, expectorant.

DOSE—From one to two drachms.

Per lb., \$1.10.

“ Angelicæ Arc Fl. (*Angelica*)

Aromatic, diuretic, stimulant.

DOSE—From twenty to thirty minims.

Per lb., \$1.50.

“ Anthemidis Nob. Fl. (*Chamomile*)

Tonic, febrifuge.

DOSE—From half to one drachm.

Per lb., \$1.20.

Ext. Apii Graveolens Fl. (*Celery Seed*)

Nervine stimulant.

DOSE—From twenty to forty minims.

Per lb., \$1.75.

“ Apocyni Andros Fl. (*Bitter Root*)

Tonic, diaphoretic, laxative.

DOSE—From fifteen to thirty minims.

Per lb., \$1.20.

“ Apocyni Cannab. Fl.

Cathartic, diuretic.

DOSE—From fifteen to thirty minims.

Per lb., \$1.10.

“ Araliæ Rac. Fl. (*Spikenard*)

Alterative, pectoral.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Araliæ Comp. Fl.

Alterative and pectoral.

DOSE—From half to one drachm.

Containing the whole ingredients for making Compound Syrup of Aralia (*Amer. Disp.*), which is prepared by adding four ounces of this Extract to twelve fluid ounces of Simple Syrup.

Per lb., \$1.10.

Ext. Aretii Fl. (*Lappa Minor, Burdock*)

Alterative, anti scorbutic.

DOSE—From half to one drachm.

Per lb., \$0.95.

“ Arnicae Mont. Fl. (*Arnica Flowers*)

Stimulant, tonic, diuretic. Chiefly used externally, diluted with water.

DOSE—From three to six minims.

Per lb., \$1.10.

“ Asari Can. Fl. (*Wild Ginger*)

Aromatic, expectorant, carminative.

DOSE—From twenty to forty minims.

Per lb., \$1.20.

“ Asclepias Syriaca Fl. (*Milkweed*)

Alterative, diuretic.

DOSE—From ten to twenty minims.

Per lb., \$1.10.

“ Asclepias Tub. Fl. (*Pleurisy Root*)

Expectorant, diaphoretic.

DOSE—From half to one drachm.

Per lb., \$1.10.

Ext. Aurantii Fl. (*Orange Peel*)

Aromatic, tonic.

DOSE—From half to one drachm.

Per lb., \$1.20.

" Ari Triphylli Fl. (*Wild Turnip*)

Expectorant, diaphoretic.

DOSE—From five to ten minims.

Per lb., \$1.10.

" Avenæ Sat. (*Oat*)

Nerve stimulant.

DOSE—From ten to thirty minims.

Recommended as a specific for the cure of the opium habit.

Per lb., \$1.40.

" Baptisiæ Tinct. Fl. (*Wild Indigo*)

Antiseptic, astringent and stimulant.

DOSE—From twenty to thirty minims.

Per lb., \$1.00

" Belladonnæ Fol. Fl.*(Deadly Nightshade)*

Narcotic.

DOSE—From one to four minims (with care.)

Per lb., \$1.40,

Ext. Belladonnæ Rad. Fl.

(*Atropa Bellad.* Deadly Nightshade)

Narcotic.

DOSE—From one to four minims (with care.)

Per lb., \$1.40.

" Berberis Aquifolii Fl.

Tonic, alterative.

DOSE—From fifteen to thirty minims.

Per lb., \$2.00.

" Berberis Vulg. Fl. (*Barberry*)

Tonic, laxative.

DOSE—From twenty to thirty minims.

Per lb., \$1.15.

" Belæ Fl. (*Bael Fruit*)

Astringent.

DOSE—From one to two drachms.

Per lb., \$2.25.

" Bryoniæ Albæ Fl. (*Bryony*)

Hydragogue cathartic, similar to jalap.

DOSE—From twenty to sixty minims.

Per lb., \$1.25.

Ext. Buchu Fl. (*Buchu Leaf*)

Diuretic, stimulant.

DOSE—From twenty to thirty minims.

Per lb., \$1.40

“ Calendulæ Off. Fl. (*Marigold*)

Diaphoretic, stimulant.

DOSE—From ten to twenty minims.

Per lb., \$2.00.

“ Calami Fl. (*Sweet Flag*)

Aromatic, stimulant.

DOSE—From five to fifteen minims.

Per lb., \$1.60.

“ Calumbæ Fl. (*Colombo*)

Tonic.

DOSE—From five to twenty minims.

Per lb., \$1.15.

“ Cannabis Ind. Fl. (*Indian Hemp*)

Anodyne, antispasmodic.

DOSE—From four to ten minims (with care.)

Per lb., \$1.75.

“ Capsici Ann. Fl. (*Cayenne Pepper*)

Stimulant.

DOSE—From one to four minims.

Per lb., \$1.50.

Ext. Cardomomi Comp. Fl.

Aromatic, stomachic.

DOSE—From half to one drachm.

Containing the ingredients for making Compound Tincture Cardamoms B. P., which may be prepared by adding 3 ounces of this Extract to 17 fluid ounces of proof spirits.

Per lb., \$2.75.

“ Cascara Sagrada Fl.

Aperient.

DOSE—From fifteen to sixty minims.

Per lb., \$1.50.

“ Cascarillæ Fl. (*Cascarilla Bark*)

Tonic, aromatic, stimulant.

DOSE—From fifteen to forty minims.

Per lb., \$1.10.

“ Castaneæ Vescae Fl. (*Chestnut*)

Expectorant, antispasmodic.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Catechu Fl. (*Acacia Catechu*)

Astringent.

DOSE—From ten to thirty minims.

Per lb., \$1.20.

Ext. Caulophylli Thal. Fl. (*Blue Cohosh*)

Emmenagogue, astringent.

DOSE—From five to twenty minims.

Per lb., \$1.00.

Ceanothi Fl. (*Red Root*)

Astringent, expectorant.

DOSE—From thirty to sixty minims.

Per lb., \$1.25.

Celastris Scand. Fl. (*False Bittersweet*)

Alterative.

DOSE—From forty to sixty minims.

Per lb., \$1.10.

Chelonis Glab. Fl. (*Balmony*)

Aperient, tonic.

DOSE—From half to one drachm.

Per lb., \$1.00.

Chenopodii Anthel Fl. (*Wormseed*)

Anthelmintic, antispasmodic.

DOSE—From twenty to sixty minims.

Per lb., \$1.20.

Chimaphilæ Umbel. Fl.*(Prince's Pine, Pipsissewa)*

Diuretic, tonic, alterative.

DOSE—From half to one drachm.

Per lb., \$1.00.

Ext. Chionanthi Virg. Fl. (*Fringe Tree*)

Aperient, alterative, diuretic.

DOSE—From twenty to forty minims.

Per lb., \$1.20.

“ Chiratae Fl. (*Chirata*)

Tonic.

DOSE—From fifteen to thirty minims.

Per lb., \$1.50.

“ Cimifugae Rac. Fl. (*Black Cohosh*)

Tonic, antiperiodic.

DOSE—From twenty to forty minims.

Per lb., \$1.15.

“ Cinchonae Calisayae Fl.*(Calisaya Bark)*

Tonic, febrifuge, antiperiodic.

DOSE—From twenty to sixty minims.

Per lb., \$2.50.

“ Cinchonae Co. Fl.

Febrifuge, antiperiodic,

DOSE—From half to one drachm.

Containing the ingredients for making Compound Tincture of Cinchona B. P., which may be prepared by taking 3 ounces $5\frac{1}{2}$ drachms of Fl. Ext. and adding proof spirit to measure 20 ounces.

Per lb., \$2.75.

Ext. Cinchonæ Flavæ Fl., B. P.*(Calisaya Bark)*

Tonic, febrifuge, antiperiodic.

DOSE—From ten to thirty minims.

Per lb., \$5.50.

“ Cinchonæ Pal. Fl.*(Pale Cinchona Bark)*

Tonic, febrifuge, antiperiodic.

DOSE—From twenty to sixty minims.

Per lb., \$1.75.

“ Cinchonæ Rub. Fl.*(Red Cinchona Bark)*

Tonic, febrifuge, antiperiodic.

DOSE—From twenty to sixty minims.

Per lb., \$2.25.

“ Cinchonæ Fl. P. B.*(Red Bark 5% total alkaloids).*

Tonic, febrifuge, anti-periodic.

DOSE—From five to ten minims.

Per lb., \$3.50.

“ Coca Erythroxyton Fl. (Coca leaves).

Stimulant, tonic.

DOSE—From one to three drachms.

Per lb., \$2.25.

Ext. Cocculi Fl. (*Anamirta Cocculus*)

Acrid narcotic.

Used locally in obstinate cutaneous affections.

Per lb., \$1.60.

“ Colchici Cormi Fl. (*Colchicum Root*)

Sedative, diuretic.

DOSE—From two to eight minims (with care).

Per lb., \$1.20.

“ Colchici Sem. Fl. (*Colchicum Seed*)

Sedative, diuretic.

DOSE—From two to eight minims (with care).

Per lb., \$1.50.

“ Collinsoniæ Fl. (*Stone Root*)

Stimulant, irritant, and diuretic.

DOSE—From five to thirty minims.

Per lb., \$1.10.

• Colocynthis Fl. (*Bitter Apple*)

Cathartic.

DOSE—From two to eight minims.

Per lb., \$1.50.

“ Conii Mac. Fl. (*Spotted Hemlock*)

Narcotic.

DOSE—From five to fifteen drops.

Per lb., \$1.10.

Ext. Convallariæ Majalis Fl.*(Lily of the Valley Root)*

Used in functional diseases of the heart,
but is not cumulative in action like Digitalis.

DOSE—From ten to forty minims.

Per lb., \$2.30.

“ Convallariæ Mult. Fl.*(Solomon's Seal)*

Mucilaginous.

DOSE—From twenty to forty minims.

Per lb., \$1.10.

“ Coptis Trifol. Fl. (Gold Thread)

Tonic.

DOSE—From half to one drachm.

Per lb., \$1.50.

“ Coriandri Sativ. Fl. (Coriander Seed)

Carminative, stimulant.

DOSE—From twenty to sixty minims.

Per lb., \$1.20

“ Cornus Floridae Fl. (Dogwood)

Tonic, astringent.

DOSE—From twenty to sixty minims.

Per lb., \$1.10.

Ext. Corydalis For. Fl. (*Turkey Corn*)

Tonic, alterative, diuretic.

DOSE—From ten to thirty minims.

Per lb., \$1.75.

Cubebæ Fl. (*Cubebs*)

Diuretic, stimulant.

DOSE—From half to one drachm,

Per lb., \$5.00.

Cundurango Fl. (*Condurango Bark*)

Tonic.

DOSE—From half to one drachm.

Per lb., \$1.20.

Cypripedii Pub. Fl. (*Ladies Slipper*)

DOSE—From twenty to sixty minims.

Per lb., \$1.25.

Damianæ Fl. (*Turnera Mycophylla*)

Said to be a powerful aphrodisiac.

DOSE—From half to one drachm.

Per lb., \$2.00.

Digitalis Fl. (*Fox Glove*)

Narcotic, sedative.

DOSE—From one to four minims (with care).

Per lb., \$1.15.

Dioscoreæ Vil. Fl. (*Wild Yam*)

Antispasmodic, specific for bilious colic.

DOSE—From ten to twenty minims.

Per lb., \$1.00.

Ext. Dipterix Odorata Fl. (*Tonka Bean*)

Stimulant, narcotic, aromatic.

Used in pertussis with asserted advantage.

DOSE—From five to ten minims, for a child.

“ Dulcamaræ Fl. (*Bittersweet*)

Narcotic, diuretic.

DOSE—From twenty to forty minims.

Per lb., \$1.00.

“ Epigeæ Rep. Fl. (*Gravel Weed ;
Trailing Arbutus*)

Diuretic, astringent.

DOSE—From twenty to sixty minims,

Per lb., \$1.00.

“ Ergotæ Hispan “Campbells” Fl.
(*Ergot of Rye*)

Emmenagogue, parturient.

DOSE—From ten to thirty minims

Per lb., \$2.00.

The marked preference shown for the above preparation by all members of the Profession who have used it, induces us to publish the annexed testimonials.

We believe it to be the most reliable Extract of Ergot for the following reasons:

1st.—THE CAREFUL SELECTION OF THE CRUDE DRUG. We use only Spanish Ergot, prime, fresh, fragrant, and entirely free from insects or extraneous substances.

2d.—THE PROCESS EMPLOYED. By our method, no heat is required, nor do we allow the presence of metal in any part of the apparatus.

3rd.—THE MENSTRUUM USED. As the result of careful experiment and long experience, we have found out what is at the same time the best solvent, and the best holder in solution of the active principles of the drug.

V. de Pamphlet published by us.

Ext. Erigerontis Can. Fl.*(Canada Fleabane)*

Diuretic, astringent.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Eucalyptus Glob. Fl.

Antiperiodic.

DOSE—From one to two drachms.

Per lb., \$1.50.

“ Euonymi Fl. (*Wahoo*)

Alterative, expectorant.

DOSE—From half to one drachm.

Per lb., \$1.50.

“ Eupatorii Perf. Fl. (*Boneset*)

Tonic, diaphoretic.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Eupatorii Purpur. Fl.*(Queen of the Meadow)*

Diuretic, stimulant.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Franciscae Uniflor. Fl. (*Manaca*)

Anti-syphilitic, purgative, diuretic, emmenagogue. Considered a specific in rheumatism.

DOSE—From ten minims to one drachm.

Per lb., \$4.00.

Ext. Fuci Vesic. Fl. (*Bladder-Wrack*)

To counteract obesity.

DOSE—From twenty to sixty minims.
Per lb., \$1.25.**Galangæ Fl.**

Aromatic, stimulant.

DOSE—From fifteen to thirty minims.
Per lb., \$1.20.**Galii Aper. Fl.** (*Cleavers*)

Refrigerant, diuretic.

DOSE—From one to two drachms.
Per lb., \$1.00.**Gaultheriæ Pro. Fl.** (*Wintergreen*)

Stimulant, astringent, aromatic.

DOSE—From thirty to sixty minims.
Per lb., \$1.00.

To this Extract we direct particular attention. It is prepared only from fresh prime *Spanish Ergot*, by the most recent process, which gives a very perfect and reliable production of uniform strength.

Gelsemii Semp. Fl.(*Yellow Jessamine*)

Febrifuge, antispasmodic.

DOSE—From three to eight minims.
Per lb., \$1.25.

Ext. Gentianæ Comp. Fl.

Tonic, stomachic.

Containing the ingredients for making *Misturæ Gentianæ*, which may be prepared by adding one ounce of this Extract to nineteen ounces of distilled water.

DOSE—From thirty to sixty minims.

Per lb., \$1.25.

Gentianæ Luteæ Fl. (*Gentian*)

Tonic, stomachic.

DOSE—From twenty to forty minims.

Per lb., \$1.00.

Gentianæ Quinquiflor Fl.*(Five flowered Gentian)*

Tonic, antiperiodic.

DOSE—From twenty to thirty minims.

Per lb., \$1.50

Geranii Mac. Fl. (*Cranesbill*)

Astringent.

DOSE—From twenty to forty minims.

Per lb., \$1.10.

Glycyrrhizæ Glab. Fl. (*Liquorice*)

Demulcent.

DOSE—From one to two drachms.

Per lb., \$0.90.

Ext. Glycyrrhizæ Decort. Fl.*(Decorticated Root) for Quinine Mixtures.*

Demulcent.

DOSE—From one to two drachms.

Per lb., \$1.30.

Gnaphalii Polyc. Fl. (*White Balsam*)

Astringent, diaphoretic.

DOSE—From half to one drachm.

Per lb., \$1.20.

Gossypii Herb. Fl. (*Cotton Root Bark*)

Emmenagogue, parturient.

DOSE—From one to two drachms.

Per lb., \$1.20.

Grindeliæ Robustæ.Expectorant, useful in Asthma and Hay
Fever.

DOSE—From half to one drachm.

Per lb., \$1.60.

Hamamelidis Virg. Fl. (*Witch Hazel*)

Tonic, diuretic, astringent.

DOSE—From half to one drachm.

Per lb., \$1.00.

Ext. Hedcomæ Fl. (*Pennyroyal*)

Carminative, diaphoretic, emmenagogue.

DOSE—From half to one drachm.

Per lb., \$1.10.

“ Heloniatis Dioicæ Fl.*(Devil's Bit, False Unicorn)*

Tonic, diuretic.

DOSE—From twenty to forty minims.

Per lb., \$1.50.

• Hamatoxyli Camp. Fl. (*Logwood*)

Astringent.

DOSE—From ten to forty minims.

Per lb., \$0.90.

“ Hepaticæ Trilob. Fl. (*Liverwort*)

Anti-spasmodic, diuretic, deobstruent, tonic.

DOSE—From half to one drachm.

Per lb., \$1.20.

“ Humuli Lup. Fl. (*Hops*)

Tonic, sedative, hypnotic.

DOSE—From twenty to forty minims.

Per lb., \$1.50.

Ext. Hydrangeæ Arbor. Fl. (*Hydrangea*)

Nephritic.

DOSE—From one to two drachms.

Per lb., \$1.00.

“ Hydrastis Canad. Fl. (*Golden Seal*)

Tonic, stomachic.

DOSE—From twenty to forty minims. *2.00*Per lb., ~~\$1.25.~~**“ Hydrastis Can. Fl.** (*Colorless*)

Convenient for external use.

“ Hyoseyami Nig. Fl. (*Henbane*)

Narcotic, anodyne.

DOSE—From five to ten minims.

Per lb., \$1.40.

“ Hyoseyami Nig. Fl.(*Henbane, biennial plant*)

Narcotic, anodyne.

DOSE—From five to ten minims.

Per lb., \$2.00.

“ Hyssopi Off. Fl. (*Hyssop*)

Stimulant, carminative, tonic.

DOSE—From half to one drachm.

Per lb., \$1.00.

Ext. Ignatiæ Amar. Fl. (*St. Ignatius' Bean*)

Tonic.

DOSE—From one to two minims (with care.)

Per lb., \$2.00.

Inulæ Hel. Fl. (*Elecampane*)

Tonic, expectorant, diaphoretic.

DOSE—From twenty to sixty minims.

Per lb., \$1.00

Ipecacuanhæ Fl. (*Ipecac*)

Emetic, expectorant.

DOSE—From half to one minim, as an expectorant.

Per lb., \$4.75.

Iridis Ver. Fl. (*Blue Flag*)

Cathartic, alterative.

DOSE—From five to thirty minims.

Per lb., \$1.10.

Jaborandi Fl.

Diaphoretic, sialagogue.

DOSE—From twenty to sixty minims.

Per lb., \$1.60.

Jalapæ Fl. (*Jalap Root*)

Hydragogue cathartic.

DOSE—From ten to thirty minims.

Per lb., \$1.75.

Ext. Juglandis Cin. Fl. (*Butternut*)

Tonic, cathartic.

DOSE—From one to two drachms.

Per lb., \$1.00.

“ Juniperi Fl. (*Juniper Berries*)

Stimulant, carminative, diuretic.

DOSE—From twenty to sixty minims.

Per lb., \$0.90.

“ Krameriae Fl. (*Rhatany*)

Astringent.

DOSE—From fifteen to thirty minims.

Per lb., \$1.20.

“ Leonuri Cardiac Fl. (*Motherwort*)

Emmenagogue, nervine, laxative.

DOSE—From half to one drachm.

Per lb., \$1.20.

“ Leptandræ Virg. Fl. (*Culver's Root*)

Cholagogue, laxative.

DOSE—From twenty to forty minims.

Per lb., \$1.40.

“ Lobeliae Inf. Fl. (*Lobelia*)

Emetic, expectorant.

DOSE—From four to thirty minims.

Per lb., \$1.20.

Ext. Lupulinæ Fl. (*Lupulin*)

Tonic, sedative.

DOSE—From six to ten minims.

Per lb., \$3.00.

“ Lycopi Virg. Fl. (*Bugle Weed*)

Tonic, sedative.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Marrubii Vulg. Fl. (*Horehound*)

Tonic, expectorant.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Maticæ Fl. (*Matico*)

DOSE—From twenty to forty minims.

Per lb., \$1.50.

“ Menispermi Can. Fl. (*Yellow Parilla*)

Tonic, laxative, alterative.

DOSE—From twenty to sixty minims,

Per lb., \$1.15.

“ Menyanthis Trifol. Fl. (*Bog-Bean*)

Tonic, astringent.

DOSE—From twenty to sixty minims.

Per lb., \$1.25.

Ext. Mitchellæ Rep. Fl.*(Partridgeberry Vine. Squaw Vine)*

Parturient, diuretic, astringent.

DOSE—From half to one drachm,

Per lb., \$1.20.

“ Myrciæ Acris Fl. (*Bay Laurel*)

Concentrated Extract, for making Bay Rum

“ Myricæ Cerif. Fl. (*Bayberry*)

Astringent, stimulant.

DOSE—From twenty to thirty minims.

Per lb., \$0.90.

“ Nepetæ Cat. Fl. (*Catnip*)

Carminative, diaphoretic.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Nucis Vomicae. Fl. (*Dog button*)

Tonic.

DOSE—From two to five minims (with care).

Per lb., \$1.20.

“ Nymphaeæ Odor. Fl. (*White Lily*)

Antiscrofulous, demulcent.

DOSE—From half to one drachm.

Per lb., \$1.10.

Ext. Para-Cota Fl. (*Coto Bark*)

Tonic.

DOSE—From two to ten minims (with care).

Per lb., \$4.00.

“ Pareiræ Brav. Fl.

Diuretic, tonic.

DOSE—From thirty to forty minims.

Per lb., \$1.45.

“ Papaveris Som. Fl. (*Poppy*)

Narcotic, anodyne.

DOSE—From fifteen to forty minims.

Per lb., \$1.00.

“ Paulliniae Sorbilis. Fl. (*Guarana*)

Astringent, stimulant, nervine.

Chiefly used to relieve sick headache.

Price according to cost of the Drug.

“ Petroselini Sat. Fl. (*Parsley*)

Diuretic.

DOSE—From half to one drachm.

Per lb., \$1.40.

“ Physostigmatis Ven. Fl.*(Calabar Bean)*

Powerful sedative.

DOSE—From one to three minims (with care).

Per lb., \$3.00.

Ext. Phytolaccae Dec. Fl. (*Poke Root*)

Cathartic, alterative.

DOSE—From ten to thirty minims.

Per lb., \$1.00.

" Pini Can. Fl. (*Hemlock-spruce*)

Astringent, tonic.

DOSE—From ten to thirty minims.

Per lb., \$1.00.

" Piperis Methystici Fl. (*Kava-kava*)

Sialagogue, diuretic and blennostatic.

DOSE—From twenty to sixty minims.

Per lb., \$2.00.

" Piscidiæ Erythrinæ Fl.*(Jamaica Dogwood)*

Hypnotic, but does not constipate the bowels

DOSE—From twenty to sixty minims.

Per lb., \$2.25.

" Podophylli Pel. Fl. (*Mandrake*)

Cathartic.

DOSE—From fifteen to thirty five minims.

Per lb., \$1.10.

" Polygoni Punct. Fl. (*Water Pepper*)

Stimulant, diuretic, emmenagogue.

DOSE—From thirty to forty minims.

Per lb., \$0.90

Ext. Pruni Virg. Fl. (*Wild Cherry*)

Tonic, sedative.

DOSE—From twenty to forty minims.

Per lb., \$1.00.

“ Pteleæ Trifol Fl. (*Wafer Ash*)

Astringent, tonic.

DOSE—From ten to thirty minims.

Per lb., \$1.00.

“ Pulsatillæ Fl. (*Anemone Pulsatilla*)

Alterative, emmenagogue.

DOSE—From two to five minims.

Per lb., \$1.25.

“ Quassiaæ Fl. (*Quassia Chips*)

Tonic.

DOSE—From twenty to forty minims.

Per lb., \$0.90.

“ Quebracho Fl. (*Aspidosperma Quebracho*)

Appears to relieve or control dyspnœa; has been found efficient in many cases of asthma.

DOSE—From twenty to sixty minims.

Per lb., \$2.25

Ext. Querci Alb. Fl. (*White Oak*)

Astringent, antiseptic.

DOSE—From half to one drachm.

Per lb., \$0.90.

“ Rhamni Cathart. Fl.*(Buckthorn Berries)*

Purgative.

DOSE—From half to one drachm.

Per lb., \$1.05.

“ Rhamni Frang. Fl. (*Buckthorn Bark*)

Purgative.

DOSE—From one to two drachms.

Per lb., \$1.00.

“ Rhei Pal. Fl. (*Rhubarb*)

Purgative, stomachic.

DOSE—From fifteen to forty minims.

Per lb., \$2.25.

“ Rhei Aromat. Fl.

Aromatic, laxative, stomachic.

Containing the ingredients for making Aromatic Syrup of Rhubarb U. S. P., which is made by adding four drachms and seventeen minims of this Extract to sixteen ounces of simple Syrup. N.B. This Syrup is half the strength of the Syrup Rhubarb B. P.

DOSE—From half to one drachms.

Per lb., \$2.25.

Ext. Rhus. Aromat. Fl.*(Sumach Berries, with aromatics)*

Astringent, refrigerant.

DOSE—From half to one drachm.

Per lb., \$0.90.

" Rhus. Glab. Fl. *(Sumach Bark)*

Tonic, astringent.

DOSE—From half to one drachm.

Per lb., \$1.10.

" Rhus. Tox. *(Poison Oak)*

Narcotic.

DOSE—From two to ten minims (with care.)

Per lb., \$1.50.

" Rubi Vil. Fl. *(Blackberry Root)*

Astringent, tonic.

DOSE—From twenty to thirty minims.

Per lb., \$0.90.

" Rumicis Crisp. Fl. *(Yellow Dock)*

Alterative, antiscorbutic.

DOSE—From half to one drachm.

Per lb., \$1.10.

Ext. Rumicis et Sarsæ Fl.*(Yellow Dock and Sarsaparilla)*

Alterative, antiscorbutic.

Containing equal parts Honduras Sarsaparilla and Yellow Dock Root.

DOSE—From half to one drachm.

Per lb., \$1.20.

“ Rutæ Grav. Fl. (Rue)

Emmenagogue, antiperiodic.

DOSE—From ten to twenty minims.

Per lb., \$1.10.

“ Sabinae Fl. (Savin)

Emmenagogue, diuretic.

DOSE—From five to fifteen minims.

Per lb., \$1.00.

“ Salicis Alb. Fl. (White Willow)

Tonic, antiperiodic.

DOSE—From half to one drachm.

Per lb., \$1.20.

“ Salviæ Vulg. Fl. (Sage)

Tonic, astringent.

DOSE—From fifteen to thirty minims.

Per lb., \$1.00.

Ext. Sanguinariae Can. Fl. (*Blood Root*)

Expectorant, stimulant.

DOSE—From four to ten minims.

Per lb., \$1.00.

" Santal Comp. Fl.

Diuretic, stimulant, specific for Gonorrhœa.

Containing Yellow Santal, Buchu and Cubebs.

DOSE—From one to two drachms.

Per lb., \$2.50.

" Sarraceniae Purpur. Fl. (*Fly Trap*)

Tonic, diuretic, laxative.

DOSE—From half to one drachm.

Per lb., \$1.50.

" Sarsæ Jam. Fl.(*Red Jamaica Sarsaparilla*)

Alterative, antiscorbutic.

DOSE—From half to one drachm.

Per lb., \$2.75.

" Sarsæ Houd. Fl.(*Honduras Sarsaparilla*)

Alterative, Antiscorbutic.

DOSE—From one to two drachms.

Per lb., \$1.25.

Ext. Sarsæ Comp. Fl.

Alterative, antiscorbutic.

DOSE—From one to two drachms.

Per lb., \$1.25.

“ Sassafras Fl. (*Sassafras Bark*)

Alterative.

DOSE—From fifteen to thirty minims.

Per lb., \$1.00.

“ Scillæ Mar. Fl. (*Squill*)

Expectorant, diuretic.

DOSE—From five to fifteen minims.

Per lb., \$1.00.

“ Scillæ Comp. Fl. (*To make Hive Syrup*)

Expectorant, diuretic.

DOSE—From two to eight minims.

Per lb., \$1.75.

“ Scoparii Fl. (*Broom Tops*)

Diuretic, aperient.

DOSE—From forty to ninety minims.

Per lb., \$1.00.

“ Scutellariæ Lat. Fl. (*Scullcap*)

Tonic, antispasmodic.

DOSE—From half to one drachm.

Per lb., \$1.20.

Ext. Senecionis Aur. Fl. (*Life Root*)

Diuretic, tonic.

DOSE—From half to one drachm.

Per lb., \$0.95.

“ Senegæ Fl. (*Polygala Senega*)

Expectorant, sialagogue.

DOSE—From five to fifteen minims.

Per lb., \$2.25.

“ Sennæ Alex. Fl.

Aperient.

DOSE—From half to one drachm.

Per lb., \$1.30.

“ Sennæ E. I., Fl.

Aperient.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Serpentariæ Fl. (*Snake Root*)

Tonic, stimulant.

DOSE—From five to twenty minims.

Per lb., \$1.60.

“ Silphii Gum. Fl. (*Rosin Weed*)

Expectorant, diaphoretic.

DOSE—From twenty to forty minims.

Per lb., \$1.70.

Ext. Spigeliae Maril. Fl. (*Pink Root*)

Anthelmintic.

DOSE—From one to two drachms.

Per lb., \$1.50.

“ Spigeliae et Sennae Fl.*(Pink Root and Senna)*

Containing equal parts of Senna and Pink Root.

DOSE—From one to two drachms.

Per lb., \$1.30.

“ Stigmatae Maidis Fl. (*Corn Silk*)

Diuretic, used in Nephritic Affections.

DOSE—From one to two drachms.

Per lb., \$1.45.

“ Stillingiae Sylv. Fl. (*Queen's Root*)

Alterative.

DOSE—From ten to forty minims.

Per lb., \$1.25.

“ Stillingiae Comp. Fl.

Alterative, used largely in Laryngitis.

Containing the ingredients for making Compound Syrup Stillingia. Amer. Disp., which is made by adding four ounces of this Extract to twelve ounces of simple Syrup.

DOSE—From ten to thirty minims.

Per lb., \$1.50.

Ext. Stramonii Fl. (*Thornapple*)

Narcotic,

DOSE—From one to five minims.

Per lb., \$1.05.

“ Symphiti Off. Fl. (*Comfrey*)

Demulcent.

DOSE—From one to two drachms.

Per lb., \$1.00.

“ Tanaceti Vulg. (*Tansy*)

Tonic, emmenagogue, diaphoretic.

DOSE—From half to one drachm.

Per lb., \$1.10.

“ Taraxaci Fl. (*Dandelion*)

Alterative, tonic.

DOSE—From one to one-and-a-half drachm.

Per lb., \$1.20.

“ Tormentillæ Fl. (*Tormentil*)

Astringent, tonic.

DOSE—From half to one drachm.

Per lb., \$1.50.

“ Trifolii Pratense Fl. (*Clover-Tops*)

Anti-spasmodic, stimulant, detergent.

DOSE—From one to two drachms.

Per lb., \$1.25.

Ext. Trillii Pend. Fl. (*Bellroot*)

Astringent, tonic.

DOSE—From half to one drachm.

Per lb., \$1.10.

“ Tritici Rep. Fl. (*Couch grass*)

Diuretic.

DOSE—From half to one drachm.

Per lb., \$1.05.

“ Tussilago Farfara Fl. (*Colt's Foot*)

Demulcent, expectorant.

DOSE—From one to two drachms.

Per lb., \$0.90.

“ Urticæ Dioicæ Fl. (*Nettle*)

Diuretic, tonic, astringent.

DOSE—From twenty to forty minims.

Per lb., \$1.10.

“ Uvæ Ursi Fl. (*Bearberry*)

Diuretic, astringent, tonic.

DOSE—From twenty to sixty minims.

Per lb., \$0.95.

“ Valerianæ Off. Fl. (*Valerian*)

Antispasmodic, nervine.

DOSE—From half to one drachm.

Per lb., \$1.15.

Ext. Veratri Veridis Fl.*(American Hellebore)*

Sedative.

A very powerful remedy, requiring caution in administration.

DOSE—From one to two minims.

Per lb., \$1.25.

“ Verbasci Tapsi Fl. (*Mullein Leaf*)

Demulcent, said to ease phthysical cough.

DOSE—From half to two or three drachms.

Per lb., \$0.95.

“ Viburni Prunifol. Fl. (*Black Haw*)

Tonic, astringent, diuretic, alterative.

DOSE—From one to two drachms.

Per lb., \$1.25.

“ Viburni Op. Fl. (*Crampbark*)

Antispasmodic.

DOSE—From half to one drachm.

Per lb., \$1.00.

“ Violæ Tricolor Fl. (*Pansy*)

Emollient, slightly laxative. Recommended as a remedy in crustalacta.

DOSE—From one to two drachms.

Per lb., \$1.60.

Ext. Visci Alb. Fl. (*Mistletoe*)

Antispasmodic.

DOSE—From half to one drachm.

Per lb., \$1.15.

“ Xanthoxyli Frax. Fl.*(Prickly Ash Bark)*

Alterative, carminative.

DOSE—From ten to thirty minims.

Per lb., \$1.20.

“ Yerba Reuma Fl.*(Frankenia Grandifolia)*

Recommended for diseases of mucous passages.

DOSE—From ten to twenty minims.

Per lb., \$2.25.

“ Yerba Santa Fl.*(Eriodictyon Glutinsum)*

Useful in bronchial and laryngeal disorders.

DOSE—From fifteen to sixty minims.

Per lb., \$1.50.

ELIXIR.

Elixir Acid Salicylic.

Each teaspoonful contains 2 grains acid.

Per lb., \$1.00.

Elixir Aletris Farinosa.

(*Unicorn Root.*)

Each dessert spoonful containing twenty minims of the fluid extract.

Per lb., \$1.00.

Elixir of Beef, Iron and Wine.

Containing 15 grains Liebig's Ext. Meat and 2 grains of the Iron Salt in each fluid ounce.

DOSE—One table-spoonful.

Per lb., \$0.75.

Elixir of Bromide of Ammonium.

Containing 5 grains of the salt in each fluid drachm.

DOSE—One teaspoonful.

Per lb., \$0.90.

Elixir Bromide of Calcium.

Containing 40 grains of the salt in each ounce.

DOSE—One teaspoonful.

Per lb., \$0.90.

Elixir of Bromide of Potassium.

Containing 10 grains of the salt in each fluid drachm.

DOSE—One teaspoonful.

Per lb., \$0.90.

Elixir of Bromide of Sodium.

Containing 10 grains of the salt in each fluid drachm.

DOSE—One teaspoonful.

Per lb., \$1.00.

Elixir of Bromide of Iron.

Containing 10 grains of Bromide of Iron in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.50.

Elixir of Calisaya Bark (*detannated*).

Containing the virtues of 40 grains of Calisaya Bark in one fluid ounce.

DOSE—From one to two teaspoonfuls.

Per lb., \$0.75.

Elixir Calisaya Bark and Bismuth.

Each ounce containing the active principles of 40 grains Bark and one grain Ammonio-Citrate of Bismuth.

Per lb., \$1.00.

Elixir of Calisaya Bark, with Iron.

Containing 16 grains of Pyrophosphate of Iron, with the virtues of 40 grains of Calisaya Bark in each fluid ounce.

DOSE—From one to two teaspoonfuls.

Per lb., \$1.00.

Elixir of Calisaya Bark, with Iron and Bismuth.

Containing the virtues of 40 grains of Calisaya Bark, with 16 grains Pyrophosphate of Iron, and 8 grains of Ammonio-Citrate of Bismuth in each fluid ounce.

DOSE—From one to two teaspoonfuls.

Per lb., \$1.00.

Elixir of Calisaya Bark, with Iron and Strychnia.

Containing the virtues of 5 grains of Calisaya Bark, with 2 grains of Pyrophosphate of Iron, and $\frac{1}{100}$ th grain of Strychnia in each fluid drachm.

DOSE—From one to two teaspoonfuls.

Per lb., \$1.00.

Elixir of Calisaya Bark, with Citrate of Iron.

Containing the virtues of 40 grains of Calisaya Bark, with 16 grains of soluble Citrate of Iron in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.10.

Elixir Cascara Sagrada.

Each teaspoonful equal to half a drachm of the fluid extract.

DOSE—From one to two teaspoonfuls.

Per lb., \$1.10.

Elixir Cathartic.

A moderately powerful and efficient purgative.

DOSE—For an adult, from one to two tablespoonfuls; for a child five years old, from one to two teaspoonfuls.

Per lb., \$1.00.

Elixir of Citrate of Bismuth.

Containing 16 grains of Ammonio-Citrate of Bismuth in each fluid ounce.

DOSE—From one to two teaspoonfuls.

Per lb., \$1.00.

Elixir of Citrate of Iron.

Containing 16 grains of Citrate of Iron in each ounce.

DOSE—One teaspoonful.

Per lb., \$1.00.

Elixir of Citrate of Lithia.

Containing four grains in each dessert-spoonful.

DOSE—From one to two teaspoonfuls.

Per lb., \$1.50.

Elixir of Citrate of Strychnine.

Containing $\frac{1}{8}$ th grain of Citrate of Strychnine in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.00.

Elixir of Coca Leaves.

Each table-spoonful containing twenty minims Fluid Extract Coca.

Per lb., \$0.90.

Elixir of Coru Silk.

Each dessert-spoonful containing one drachm of the Fluid Extract.

Per lb., \$1.00.

Elixir of Croton-Chloral-Hydrat.

Containing 1 grain of Croton-Chloral-Hyd. in each drachm.

DOSE—From one to two teaspoonfuls.

Per lb., \$1.50.

Elixir of Chloral Hydrat.

Containing 2 grains in each drachm.

DOSE—From one to two tablespoonfuls.

Per lb., \$1.00.

Elixir of Ergot.

An elegant way of administering our very reliable Fluid Extract. A dessert-spoonful (two drachms) is equivalent to thirty minims of the Extract.

Per lb., \$2.00.

Elixir of Eucalyptus.

Containing two drachms of the Fluid Extract in each ounce.

DOSE—From one dessert to one table-spoonful.

Per lb., \$0.75.

Elixir of Gentian with Chloride of Iron.

Each fluid ounce contains 40 minims of the officinal Tincture of Chloride of Iron and the virtues of 15 grains of Gentian.

DOSE—From one to two teaspoonfuls.

Per lb., \$0.75.

Elixir of Guarana.

Containing the virtues of 40 grains of Guarana in each fluid ounce.

DOSE—From one to two dessert-spoonfuls.

Per lb., \$1.75.

Elixir of Gentian Ferrated.

Containing 8 grains of Extract of Gentian and 8 grains of soluble Citrate of Iron in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$0.75.

Elixir Hydrobromate of Caffein.

Five grains in each dessert-spoonful.

DOSE—From one to two teaspoonfuls.

Per lb., \$2.00.

Elixir of Iodide of Potassium.

Containing 2 grains in each drachm.

DOSE—One dessert-spoonful or more.

Per lb., \$1.00.

Elixir of Pepsine.

Containing 16 grains of Pure Pepsine to the fluid ounce.

DOSE—One dessert-spoonful.

Per lb., \$1.25.

Elixir of Pepsine and Bismuth.

Containing 16 grains of Pepsine and 8 grains of Ammonio-Citrate of Bismuth in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.50.

Elixir of Pepsine, Bismuth and Strychnine.

Containing 16 grains Pepsine, 8 grains Ammonio-Citrate of Bismuth, and $\frac{1}{10}$ th grain Strychnine in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.75.

Elixir of Quinine and Strychnine.

Each teaspoonful containing 1 grain Quinine and $\frac{1}{60}$ th grain Strychnine.

Per lb., \$1.00.

Elixir of Salol.

Each dessert teaspoonful containing 5 grains.

Per lb., \$1.50.

Elixir Sodæ Salicylate.

Each teaspoonful containing 2 grains of the salt.

Per lb., \$1.00.

Elixir of Simplex.

(Colored or Uncolored.)

A pleasant vehicle for the administration of medicine.

Per lb., \$0.60.

Elixir Strophanthi.

Each dessert-spoonful containing 5 minims of the tincture.

Per lb., \$1.50.

Elixir of Taraxacum Co.

Composed of Taraxacum, Gentian, and Wild Cherry. An excellent vehicle for Quinine.

Per lb., \$0.75.

Elixir of Valerianate of Ammonia.

Containing 16 grains of the Valerianate of Ammonia in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.00.

Elixir of Valerianate of Ammonia and Bismuth.

Containing 16 grains of the Valerianate of Ammonia and 8 grains of Ammonio-Citrate of Bismuth in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.50.

Elixir of Valerianate of Ammonia and Quinine.

Containing 16 grains of Valerianate of Ammonio and 8 grains of Quinine in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$2.00.

Elixir of Valerianate of Quinine.

Containing 8 grains of Valerianate of Quinine in each fluid ounce.

DOSE—From half to one teaspoonful.

Per lb., \$2.25.

Elixir of Valerianate of Quinine and Strychnine.

Containing 8 grains of Valerianate of Quinine and $\frac{1}{4}$ th grain of Strychnia in each fluid ounce.

DOSE—From half to one teaspoonful.

Per lb., \$2.50.

Elixir of Pyrophosphate of Iron.

Containing 16 grains of the Iron Salt in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.00

Elixir of Pyrophosphate of Iron and Quinine.

Containing 8 grains of the Iron Salt and 4 grains of Quinine in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.40.

Elixir of Pyrophosphate of Iron, Quinine and Strychnine.

Containing 16 grains of the Iron Salt, 8 grains of Quinine and $\frac{1}{4}$ th grain of Strychnine in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.50.

**Elixir of Pyrophosphate of Iron,
Quinine and Bismuth.**

Containing 8 grains of the Iron Salt, 4 grains of Quinine, and 8 grains of Ammonio-Citrate of Bismuth in each fluid ounce.

DOSE—One teaspoonful.

Per lb., \$1.75.

Elixir of Sulphate of Quinine.

The bitter taste of the Quinine is not very perceptible in this Elixir. Contains 1 grain Quinine Sulphate in each drachm.

DOSE—One teaspoonful.

Per lb., \$2.00.

Elixir of Rhubarb and Colombo.

Each ounce contains the medicinal virtues of 10 grains Rhubarb and 10 grains Colombo.

DOSE—From one to two teaspoonfuls.

Per lb., \$1.00.

	Bottles 100 Pills.	Bottles 500 Pills.
Aconitine [Merck's Amorphous] 1-100 and 1-60 gr.	75	3 50
Aconitine Crystals [Duquesnel's] 1-500 and 1-200 gr.	75	3 50
Aloes, U. S. 4 grs.	50	2 25
Aloes, Barbadoes, B. P. 5 grs.	50	2 25
{ Aloes Barb. pulv., 2½ grs. }		
{ Saponis Pulv., 1½ grs. }		
{ Conf. Rosæ, 1½ grs. Ol. Cari, 1 grs. }		
Ales, Dilute [Dr. Marshall Hall's Dinner Pill] 4 grs.	50	2 25
{ Aloes Barb. pulv., 1 gr. }		
{ Saponis pulv., 1 gr. }		
{ Ext. Glycyrrhizæ, Theriaca, aa, 1 gr. }		
Aloes, Socotrine, B. P. 5 grs.	50	2 25
{ Aloes Soc. pulv., 2½ grs. }		
{ Saponis pulv., 1½ grs. }		
{ Conf. Rosæ, 1½ grs. }		
{ Ol. Myristicæ, 1 gr. }		
Aloes and Asafœtida, U. S. 4 grs.	50	2 25
Aloes and Asafœtida, B. P. 5 grs.	50	2 25
{ Aloes Soc. pulv., 1 gr. }		
{ Asafœtida, 1 gr. }		
{ Saponis pulv., Conf. Rosæ, aa, 1½ grs. }		
Aloes and Iron 5 grs.	50	2 25
{ Pulv. Aloes Soc. Ext. Conii, aa, ½ gr. }		
{ Ferri Sulph. Exsic., 1 gr. }		
{ Pulv. Zingib Jam., 1 gr. }		
Aloes and Iron, B. P. 5 grs.	50	2 25
{ Aloes Barb. pulv., 1 gr. }		
{ Cinnam. Co. pulv., 1½ grs. }		
{ Ferri Sulph., 1 gr. }		
{ Conf. Rosæ, 1½ grs. }		
Aloes and Myrrh, U. S. 3 grs.	60	2 75
Aloes and Myrrh, B. P. 3 grs.	60	2 75
{ Aloes Soc., 1 gr. }		
{ Myrrha, ½ gr. }		
{ Crocus, ¼ gr. }		
{ Conf. Rosæ, 1½ gr. }		
Aloes and Myrrh, B. P. 5 grs.	75	3 50
{ Aloes Soc., 1½ grs. }		
{ Myrrha, 5-6 grs. }		
{ Crocus, 5-12 grs. }		
{ Conf. Roses, 2 1-12 grs. }		
Aloes and Nux Vomica 2 grs.	65	3 00
{ Pulv. Aloes Soc., 1½ grs. }		
{ Ext. Nucis Vom., ½ gr. }		

	Bottles 100 Pills.	Bottles 500 Pills.
Aloes, Nux Vomica and Belladonna	65	3 00
{ Pulv. Aloes Soc., 1½ grs. }		
{ Ext. Belladonnæ, ½ gr. }		
{ Ext. Nucis Vomicae, ½ gr. }		
Aloin 1-10 and 1-5 gr.	50	2 25
Aloin ½ gr.	75	3 50
Aloin 1 gr.	1.25	6 00
Aloin Compound ½ gr.	75	3 50
{ Aloin, Res. Podophylli, aa, ½ gr. }		
{ Ext. Belladonnæ, ½ gr. }		
Aloin and Strychnine	75	3 50
{ Aloin 1-5 gr. }		
{ Strychnine 1-60 gr. }		
Aloin, Strychnine and Belladonna	75	3 50
{ Aloin 1-5 gr. }		
{ Strychnine, 1-60 gr. }		
{ Ext. Belladonnæ, ½ gr. }		
Alterative	75	3 50
{ Pulv. Opii, Pulv. Ipecac, aa, ½ gr. }		
{ Massa Hydrarg., 1 gr. }		
Ammonium, Muriate, Compound	1 50	7 25
{ Ammonii Murias, 1 gr. }		
{ Pulv. Opii, 1-32 gr. }		
{ Ac'id Benzoic, 1-32 gr. }		
{ Ext. Glycyrrhiza, 1½ grs. }		
{ Pulv. Acaciae, 1½ grs. }		
{ Camphora, 1-50 gr. }		
{ Ol. Anisi, 1-32 gr. }		
{ Antim. et Pot. Tart., 1-60 gr. }		
This is the BROWN MIXTURE of the U. S. P., with the addition of 1 gr. Ammonii Murias.		
Ammonium, Valerianate 1 gr.	1 00	4 75
Anderson's, [Scot's]	50	2 25
{ Aloes Soc., Pulv. Saponis, }		
{ Pulv. Colocynth, Pulv. Cambogiae, }		
{ Ol. Anisi, }		
Anti-Bilious	75	3 50
{ Ext. Coloc. Comp., 2½ grs. }		
{ Res. Podophylli, ¼ gr. }		
Anti-Chill	75	3 50
{ Chinoidinum, Ferri Ferrocyanidum, aa, 1 gr }		
{ Ol. Piper, Nig., 1 gr. }		
{ Acid. Arseniosum, 1-20 gr. }		
Anti-Constipation [Brundage's]	1 00	4 75

	Bottles 100 Pills	Bottles 500 Pills.
{ Res. Podoph., Ext. Belladonnæ, aa, 1-10 gr. } { Ext. Nucis Vomicae ½ gr. } { Ext. Hyoscyam, Pulv. Capsici, aa, ¼ gr. }	1 00	4 75
Anti-Costipation [Palmer's].....		
{ Aloes Soc., Ext. Hyoscyami, aa, 1 gr. } { Ext. Nucis Vomicae, ½ gr. } { Ipecac. Pulv., 1-10 gr. }	1 00	4 75
Anti-Dyspeptic	4 grs.	
{ Strychnia, 1-40 gr. } { Ext. Belladonnæ, 1-10 gr. } { Pulv. Ipecacuanhæ, 1-10 gr. } { Massa Hydrarg., 2 grs. } { Ext. Coloc. Comp. pulv., 2 grs. }	75	3 50
Anti-Dyspeptic [Fothergill's].....		
{ Strychnia, 1-20 gr. } { Pulv. Ipecac., ½ gr. } { Pulv. Piper Nig., 1½ grs. } { Ext. Gentianæ, 1 gr. }	1 00	4 75
Anti-Periodic		
{ Cinchonidæ Sulph., 1 gr. } { Ferri Sulph. Exsic., ½ gr. } { Res. Podophylli, 1-20 gr. } { Res. Gelsemii, 1-20 gr. } { Strychniæ Sulph., 1-32 gr. } { Oleoresina Capsici, 1-10 gr. }	1 00	4 75
Aperient		
{ Ext. Nucis Vomicae, ½ gr. } { Ext. Hyoscyami, ½ gr. } { Ext. Coloc. Comp., 2 grs. }	1 90	9 25
Aphrodisiac		
{ Ext. Turneræ Aphrodisiacæ, 2 grs. } { Phosphorus, 1-100 gr. } { Ext. Nucis Vomicae, ½ gr. }	50	2 25
Arsenic, Iodide	1-35 gr.	
Arsenious Acid	1-50, 1-40, 1 30 and 1-20 gr.	
Asafetida	2 grs.	50 2 25
{ Asafetida, 1½ grs. } { Pulv. Saponis, ½ gr. }	50	2 25
Asafetida, U.S.	4 grs.	
{ Asafetida, 3 grs. } { Pulv. Saponis, 1 gr. }	50	2 25
Asafetida Compound	3 grs.	
{ Asafetida, 2 grs. } { Ferri Sulph. Exsic., 1 gr. }	75	3 50
Asafetida and Nux Vomica		

	Bottles 100 Pills.	Bottles 500 Pills.
Asafoetida and Nux Vomica	75	3 50
{ Asafoetida, 3 grs. }		
{ Ext. Nucis Vomicae, $\frac{1}{2}$ gr. }		
Atropine ... 1-120 and 1-100 gr.	75	3 50
Atropine 1-60 gr.	1 00	4 75
Atropine and Morphine, No. 1	95	4 50
{ Atropina, 1-300 gr. }		
{ Morphinae Sulph., 1-24 gr. }		
Atropine and Morphine, No. 2	1 25	6 00
{ Atropina, 1-60 gr. }		
{ Morphinae Sulph., $\frac{1}{4}$ gr. }		
Belladonna Extract ... 1-20, $\frac{1}{2}$, $\frac{1}{4}$ and $\frac{1}{8}$ gr.	50	2 25
Bismuth, Subnitrate 3 grs.	1 06	4 75
Bismuth, Subnitrate 5 grs.	1 50	7 25
Blue Mass, U. S. $\frac{1}{2}$, 1 and 3 grs.	50	2 25
Blue Mass, U. S. 5 grs.	60	2 75
Blue Mass Compound	75	3 50
{ Massa Hydrarg., 1 gr. }		
{ Pulv. Opii, $\frac{1}{2}$ gr. }		
{ Pulv. Ipecac., $\frac{1}{4}$ gr. }		
Blue Mass and Iron	60	2 75
{ Massa Hydrarg., 2 grs. }		
{ Ferri Sulph. Exsic., 1 gr. }		
Caffeine, Citrate	2 50	12 25
Calcium, Sulphide [Calx Sulph], 1-10, $\frac{1}{2}$, $\frac{1}{4}$, 1 and 1 $\frac{1}{2}$ grs.	65	3 00
Calcium, Sulphide [Calx Sulph], 2, 2 $\frac{1}{2}$ and 3 grs.	75	3 50
Calomel 1-10, $\frac{1}{2}$, 1, 2 and 3 grs.	50	2 25
Calomel 5 grs.	60	2 75
Calomel, Colocynth and Hyoseyamus 5 grs.	1 00	4 75
{ Hyd. Chlor. Mite. Ext. Hyoseyami, aa, 1 gr. }		
{ Ext. Colocynth Co., 3 grs. }		
Colomel Compound	60	2 75
{ Antim. Sulph., $\frac{1}{2}$ gr. }		
{ Hydrarg. Chlor. Mite., $\frac{1}{2}$ gr. }		
{ Resina Guaiaci, 1 gr. }		
Calomel, Comp., B. P. [Plummer's] ... 5 grs.	60	2 75
{ Hyd. Chlor. Mite., 1 $\frac{1}{2}$ grs. }		
{ Antim. Sulph., 1 $\frac{1}{2}$ grs. }		
{ Res. Guaiaci, pulv., 2 $\frac{1}{2}$ grs. }		
{ Ol. Ricini, $\frac{1}{2}$ gr. }		
Calomel and Comp. Extract Colocynth 5 grs.	1 00	4 75
{ Hyd. Chlor. Mit., 1 gr. }		
{ Ext. Coloc. Co., 4 grs. }		

		Bottles 100 Pills.	Bottles 500 Pills.
Calomel and Opium	3 grs.	80	4 75
{ Hydrarg. Chlor Mite.,	2 grs. }		
{ Pulv. Opii,	1 gr. }		
Camphor and Henbane	2 grs.	60	2 75
{ Camphora,	1 gr. }		
{ Ext. Hyoseyami,	1 gr. }		
Camphor, Henbane and Valerian ..	2½ grs.	6	2 75
{ Camphora,	1 gr. }		
{ Ext. Hyoseyami, Alc.,	1 gr. }		
{ Ext. Valerianaë,	½ gr. }		
Camphor, Mono-Bromated2 grs.	1 25	6 00
Camphor, Mono-Bromated3 grs.	1 55	7 50
Camphor, Mono-Bromated5 grs.	1 90	9 25
Cannabis Indica Extract	1 gr.	65	3 00
Cannabis Indica Extract	¼ gr.	75	3 50
Capsicum	1 gr.	50	2 25
Cascara Sagrada Extract2 grs.	60	2 75
Cathartic Comp., U. S.		60	2 75
Cathartic Comp. [U. S. formula] ..	½ gr.	50	2 25
Cathartic Improved		60	2 75
{ Ext. Coloc. Comp. pulv.,	1 gr. }		
{ Jalapæ pulv., Res. Leptandræ, aa,	½ gr. }		
{ Ext. Hyoseyami, Ext. Taraxaci, aa,	¼ gr. }		
{ Res. Podophylli,	¼ gr. }		
{ Ol. Menthæ. Pip.,		
Cathartic Vegetable	3 grs.	60	2 75
{ Ext. Coloc. Comp. pulv.,	1½ grs. }		
{ Res. Podophylli,	3 gr. }		
{ Res. Leptandræ,	4 gr. }		
{ Jalapæ pulv., Ext. Hyoseyami, aa,	¼ gr. }		
{ -loes Socotrin pulv.,	½ gr. }		
{ Ol. Menthæ. Pip.,		
Cerium, Oxalate	1 gr.	1 00	4 75
Cerium, Oxalate2 grs.	1 50	7 25
Cerium, Oxalate3 grs.	2 00	9 75
Charcoal, Willow	3 grs.	60	2 75
Coca Extract	1 gr.	65	3 00
Coca Extract2 grs.	95	4 50
Cocoa Extract	3 grs.	1 25	6 00
Codeine	1-16 gr.	1 25	6 00
Codeine	1-5 and ¼ gr.	1 90	9 25
Codeine	½ gr.	2 50	12 25
Colocynth Comp. Extract	3 grs.	95	4 50

		Bottles 100 Pills.	Bottles 500 Pills.
Colocynth Com., B. P.	4 grs.	90	4 25
{ Coloc. Pulpæ pulv.,	4-5 gr.		
{ Aloes Barb. pulv.,	1 3-5 grs.		
{ Scammon Virg. pulv.,	1 3-5 grs.		
{ Potass Sulph.,	_____		
{ Ol. Caryoph.,	_____		
Colocynth Comp., B. P.	5 grs	1 00	4 75
{ Coloc. Pulpæ pulv.,	1 gr.		
{ Aloes Barb. pulv.,	2 grs.		
{ Scammon Virg. pulv.,	2 grs.		
{ Potass Sulph.,	_____		
{ Ol. Caryoph.,	_____		
Colocynth Comp. and Blue Mass.	5 grs.	1 00	4 75
{ Pil. Coloc. Co., B. P.,	3 grs. {		
{ Massa Hydrarg.,	2 grs. }		
Colocynth Compound and Podophyllin.		1 00	4 75
{ Ext. Colocynth Comp.,	2½ grs. }		
{ Res. Podophylli,	¼ gr. }		
Colocynth and Hyoseyamus, B. P.	5 grs.	1 00	4 75
{ Pil. Coloc. Co., B. P.,	3½ grs. }		
{ Ext. Hyoseyami,	1½ grs }		
Colocynth Comp. Extract, B. P.	5 grs.	1 00	4 75
{ Coloc. Pulpa,	1 1-5 grs.		
{ Ext. Aloes Soc.,	2 2-5 grs.		
{ Res. Scammon,	4-5 gr.		
{ Saponis pulv.,	3-5 gr.		
{ Cardamon Sem.,	1-5 gr.		
Colocynth, Hyoseyamus and Blue Mass.		1 00	4 75
{ Ext. Coloc. Comp.,	3 grs. }		
{ Ext. Hyoseyami, Massa Hydrarg., aa,	1 gr. }		
Colocynth, Ipecac and Blue.		1 00	4 75
{ Massa Hydrarg.,	2 grs. }		
{ Ext. Coloc. Comp. pulv.,	2 grs. }		
{ Pulv. Ipecacuanhæ,	1-6 gr. }		
Colocynth, Nux Vomica and Belladonna.		1 00	4 75
{ Ext. Colocynth Comp.,	2 grs. }		
{ Ext. Nucis Vomicae,	½ gr. }		
{ Ext. Belladonnæ,	1-10 gr. }		
Conium Comp., B. P.	5 grs.	50	2 25
{ Ext. Conii,	4 1-6 gr. }		
{ Ipecac. pulv.,	5-6 gr. }		
{ Theriaca	_____		
Cook's	3 grs.	50	2 75
{ Pulv. Rhei, Pulv. Aloes Soc , aa,	1 gr }		
{ Hydrarg, Chlor. Mite.,	½ gr. }		
{ Pulv. Saponis,	¼ gr. }		

	Bottles 100 Pills.	Bottles 500 Pills.
Copaiba	3 grs.	75 3 50
Copaiba and Oleo-Resin Cubeb	5 grs.	75 3 50
{ Massa Copaibæ,	2 grs. }	
{ Oleo-Resina Cubebæ	1 gr. }	
Copaiba and Oleo Resin Cubeb	5 grs.	1 25 6 00
{ Massa Copaibæ	3 grs. }	
{ Oleo-Resina Cubebæ,	2 grs. }	
Corrosive Sublimate ... 1-100, 1-50, 1-4 ^o , 1-30 and 1-20 gr.		5 ^c 2 25
Croton Chlorat [Butyl Chloral].....	1 gr.	1 15 5 50
Croton Chloral [Butyl Chloral].....	2 grs.	2 00 9 75
Croton Oil	$\frac{1}{2}$ gr.	1 00 4 75
Damiana Extract	3 grs.	1 00 4 80
Damiana and Phosphorus Comp		1 50 7 50
{ Ext. Turneræ Aphrodisiacæ,	2 grs }	
{ Ext. Nucis Vomicae,	$\frac{1}{2}$ gr. }	
{ Phosphorus,	1-100 gr. }	
Dandelion Extract	3 grs.	60 2 75
Digitaline, Pure	1-60 gr.	75 3 50
Dinner [Chapman's].....	4 grs.	60 2 75
{ Pulv. Aloes Soc., Pulv. Mastiches, aa,	1 $\frac{1}{2}$ grs }	
{ Pulv. Ipecacuanhæ,	1 gr. }	
{ Ol. Fœniculi.		
Dinner [Cole's].....		60 2 75
{ Massa Hyd., Pulv. Aloes Soc., aa,	1 1-5 grs. }	
{ Pulv. Jalapæ,	1 1-5 grs. }	
{ Ant. et Pot., Tart.,	1-50 gr. }	
Dinner [Lady Webster's].....	3 grs	60 2 75
{ Pulv. Aloes Soc.,	2 grs. }	
{ Pulv. Mastiches,	$\frac{1}{2}$ gr. }	
{ Pulv. Rosæ Gallicæ	$\frac{1}{2}$ gr. }	
Diuretic		75 3 50
{ Ext. Buchu, Potass. Nit., aa.	1 gr. }	
{ Scillæ Pulv.,	$\frac{1}{2}$ gr. }	
Elaterium [Clutterbuck].....	1-10 gr.	75 3 50
Emmenagogue		1 25 6 00
{ Ergotin, Ext. Helleb. Nig., aa.	1 gr. }	
{ Ferri Sulph. Exsic., Pulv. Aloes Soc, aa,	1 gr. }	
{ Ol. Sabinæ	$\frac{1}{2}$ gr. }	
Emmenagogue [Mutter].....		75 3 50
{ Ferri Sulph. Exsic.,	$\frac{1}{2}$ gr. }	
{ Terebithina,	1 $\frac{1}{2}$ grs. }	
{ Aloes Soc.,	$\frac{1}{2}$ gr. }	
Ergotin [Each pill equals 5 grs. Ergot of Rye $\frac{1}{2}$ gr		75 3 50
Ergotin [Each pill equals 10 grs. Ergot of Rye 1 gr		1 15 5 50
Ergotin [Each pill equals 20 grs. Ergot of Rye 2 grs		1 60 7 75

	Bottles 100 Pills.	Bottles 500 Pills.
Ergotin [Each pill equals 30 grs. Ergot of Rye 3 grs]	2 00	9 75
Ergotin [Each pill equals 20 grs. Ergot of Rye 5 grs]	3 00	14 75
Ergotin and Aloin	1 60	7 75
{ Ergotin Purif. 1 gr. }		
{ Aloin., 1-5 gr. }		
Ergotin and Cannabis Indica	1 00	4 75
{ Ergotin Purif., 1 gr. }		
{ Ext. Cannabis Indicæ, ½ gr. }		
Eucalyptus Extract	2 grs	75 3 50
Ferruginous [Blaun's]	3 and 5 grs	75 3 50
{ Ferri Sulphas }		
{ Potassæ Carb., aa. P. Æ., }		
Galbanum Compound	50	2 25
{ Asafoetida purif., Galbani pulv., aa, 3-5 gr. }		
{ Ferri Sulph. Exsic., Myrrhæ pulv., aa, 3-5 gr. }		
{ Tr. Canthar., 3-5 gr. }		
Galbanum Compound, B.P.	50	2 25
{ Galbani pulv., Myrrhæ pulv., }		
{ Asafoetida Purif., aa, 1½ grs. }		
Gelsmium Extract	1 gr.	75 3 30
Gonorrhœa	5 grs.	60 2 75
{ Cubebæ pulv., 2 grs. }		
{ Massa Copaibæ, 1 gr. }		
{ Ferri Sulph. Exsic., ½ gr. }		
{ Terebinth. Venet., 1½ grs. }		
Grindelia Robusta Extract	3 grs.	1 00 4 75
Guarana Extract [Paullinia]	3 grs	2 00 9 75
Helonias Compound	2 grs.	1 00 4 75
{ Res. Heloni., Res. Viburni, aa, ½ gr. }		
{ Res. Cautophylli, ½ gr. }		
{ Mitchella Rep., 1½ grs. }		
Henbane Extract	1 gr.	60 2 75
Hepatic	1 00	4 75
{ Massa Hydrarg., 3 grs. }		
{ Ext. Belladonnæ, ¼ gr. }		
{ Ext. Colocynth Comp., 2 grs }		
Hooper's	2½ grs.	50 2 25
Hydrastine [White Alkaloid]	½ gr.	2 50 12 25
Hydrastine [White Alkaloid]	1 gr.	4 00 19 75
Hydrastin and Podophyllin	1 gr.	1 00 4 75
{ Hydrastin Phosphas, ½ gr. }		
{ Res. Podophylli, 1 20 gr. }		
Hyoscyamine [Alkaloid]	1-50 gr.	5 00 24 75
Hyoscyamine [Alkaloid]	1-200 gr.	2 20 10 75
Hyoscyamin [Resinoid]	¼ gr.	1 00 4 75

	Bottles 100 Pills.	Bottles 500 Pills.
Hypophosphites, Compound	1 50	7 25
{ Calcii Hypophos, 1 gr. }		
{ Sodii " " 1 gr. }		
{ Potassii " " 1 gr. }		
{ Ferri " " 1 gr. }		
Ignatia Amara Extract	1 25	6 00
Iodoform	1 00	4 75
Iodoform and Iron	1 25	6 00
{ Iodoformum, Ferrum Reduct, aa, P. Æ., }		
Iodoform and Nux Vomica	1 25	6 00
{ Iodoformum, 1 gr. }		
{ Ext. Nucis Vomicae, 1 gr. }		
Iodoform and Opium	1 50	7 25
{ Iodoformum, Opii pulv., aa, 1 gr. }		
Iodoform, Iron and Nux Vomica	1 40	6 75
{ Iodoformum, Ferrum Reductum aa, 1 gr. }		
{ Ext. Nucis Vomicae, 1 gr. }		
Ipecac and Opium [Dover's Powder, U.S.] 2½ grs.	60	2 75
Ipecac and Opium [over's Powder, U.S.] 1½ grs.	1 00	4 75
Ipecac and Squill, B. P.	50	2 25
{ Ipecac Co., pulv., 3 grs. }		
{ Scillae pulv., Ammoniaci pulv., aa, 1 gr. }		
{ Theriaca, }		
Ipecac, Powdered	50	2 25
Irisin	75	3 50
Iron by Hydrogen [Quevenne's]	70	2 25
Iron by Hydrogen [Quevenne's] .. 2 and 4 grs.	75	3 50
Iron, Citrate and Strychnine	75	3 50
{ Ferri Citras, 1 gr. }		
{ Strychnina, 1-50 gr. }		
Iron Compound, U.S.	60	2 75
{ Pulv. Myrrhæ, 1½ grs. }		
{ Sodii Carb. Ferri Sulph Exsic, aa, 1 gr. }		
Iron, Dialysed [Scales]	1 50	7 25
Iron, Ferrocyanide	60	2 75
Iron, Iodide [Blancard's Formula]	75	3 50
Iron, Lactate	60	2 75
Iron, Phosphate and Strychnine	1 00	4 75
{ Ferri Phosphas, 2 grs. }		
{ Strychnina pulv., 1-60 gr. }		
Iron, Protocarbonate [Vallet's Mass]		
2 and 3 grs.	50	2 25
Iron, Protocarbonate [Vallet's Mass] .5 grs.	60	2 75
Iron, Valerianate	1 00	4 75
Jaborandi [See Pilocarpus]		

	Bottles 100 Pills.	Bottles 500 Pills.
Laxative [Cole's].....	60	2 75
{ Res. Podophylli, 1-10 gr. }		
{ Hydrarg. Chlor. Mite., 1 gr. }		
{ Ext. Colocynth Comp. pulv., 3 grs. }		
Laxative Special [See Fordyce Barker on Puerperal Diseases].	65	3 00
{ Ext. Coloc. Comp. pulv., 1 $\frac{3}{4}$ grs. }		
{ Ext. Hyoscyami, 1 $\frac{1}{4}$ grs. }		
{ Aloes Socotrin pulv, 5-6 gr. }		
{ Ext. Nucis Vomicae, 5-12 gr. }		
{ Res. Podophylli, Ipecac pulv., aa, 1-12 gr. }		
Leptandrin	60	2 75
Leptandrin	70	3 25
Line, Lactophosphate		
Lupulin	50	2 25
Lupulin and Camphor	1 00	4 75
{ Lupulinum, 1 gr. }		
{ Camphora, 1 $\frac{1}{2}$ grs }		
Mercury, Bin-Iodide .1-40, 1-25, 1-16 and $\frac{1}{8}$ gr.	50	2 25
Mercury, Bin-Iodide 1 centigramme.	50	2 75
Mercury, Cyanide 1-20 gr.	50	2 25
Mercury, Protoiodide $\frac{1}{4}$, 1-5, $\frac{1}{4}$, $\frac{1}{2}$ and $\frac{1}{2}$ gr.	50	2 25
Morphine, Acetate $\frac{1}{8}$ gr.	75	3 50
Morphine, Acetate $\frac{1}{4}$ gr.	1 00	4 75
Morphine, Muriate $\frac{1}{8}$ gr.	75	3 50
Morphine, Muriate $\frac{1}{4}$ gr.	1 00	4 75
Morphine, Sulphate .1-20, 1-16, 1-10 and $\frac{1}{8}$ gr.	75	3 50
Morphine, Sulphate 1-6 gr.	80	3 75
Morphine, Sulphate $\frac{1}{4}$ gr.	1 00	4 75
Morphine, Valerianate $\frac{1}{8}$ gr.	1 00	4 75
Morphine and Belladonna	70	3 30
{ Morphinae Sulph., 1-6 gr. }		
{ Ext. Belladonnae, $\frac{1}{8}$ gr. }		
Neuralgia [Brown-Sequard].....	1 75	8 50
{ Ext. Hyoscyami, Ext. Conii, aa, $\frac{3}{4}$ gr. }		
{ Ext. Ignat. Amarae, Ext. Opii, aa, $\frac{3}{4}$ gr. }		
{ Ext. Aconiti, $\frac{1}{4}$ gr. }		
{ Ext. Cannabis Indicae, $\frac{1}{4}$ gr. }		
{ Ext. Stramonii, 1-5 gr. }		
{ Ext. Belladonnae, 1-6 gr. }		
Neuralgia [Brown-Sequard] as above, without Ext. Ignatia,	1 65	8 00


	Bottles 100 Pills.	Bottles 500 Pills.
Neuralgia [Brown-Sequard] half strength	1 15	5 50
{ Ext. Hyoscyami, Ext. Conii, <i>aa</i> , $\frac{1}{2}$ gr. }		
{ Ext. Ignat. Amaræ, Ext. Opii, <i>aa</i> , $\frac{1}{2}$ gr. }		
{ Ext. Aconiti, 1-6 gr. }		
{ Ext. Cannabis Indicæ, $\frac{1}{2}$ gr. }		
{ Ext. Stramonii, 1-10 gr. }		
{ Ext. Belladonnæ, 1-12 gr. }		
Nitro-Glycerin	1-100 gr.	75 3 50
Nux Vomica Extract	$\frac{1}{2}$ and $\frac{1}{2}$ gr.	50 2 25
Opium, U.S.	1 gr.	75 3 50
Opium Extract	$\frac{1}{2}$ gr.	1 25 6 00
Opium Extract	$\frac{1}{2}$ gr.	1 00 4 75
Opium Extract	1 gr.	1 50 7 25
Opium and Acetate of Lead, No. 1.	2 grs.	75 3 50
{ Opii pulv., Plumbi Acet., <i>aa</i> , 1 gr. }		
Opium and Acetate of Lead, No. 2.	2 grs.	60 2 75
{ Opii pulv., $\frac{1}{2}$ gr. }		
{ Plumbi Acet., $1\frac{1}{2}$ grs. }		
Opium and Acetate of Lead, B.P.	5 grs.	75 3 50
{ Plumbi Acet., $3\frac{3}{4}$ grs. }		
{ Opii pulv. Conf. Rosæ, <i>aa</i> , 5-8 gr }		
Opium and Camphor	3 grs.	75 3 50
{ Opii pulv., 1 gr. }		
{ Camphora, 2 grs. }		
Opium and Nitrate Silver		1 60 7 75
{ Opii pulv., 1 gr. }		
{ Argenti Nitras, $\frac{1}{2}$ gr. }		
Ox Gall	3 grs.	60 2 75
{ Fel Bovis Purif., 2 grs. }		
{ Pulv. Zingiber, 1 gr. }		
Pepsin [Saccharated]	5 grs.	1 00 4 75
Pepsin [Pure Concentrated]	$\frac{1}{2}$ gr.	1 00 4 75
Each pill equals 5 grs. Saccharated Pepsin.		
Pepsin [Pure Concentrated]	1 gr.	1 00 4 75
Each Pill contains 10 grs. Saccharated Pepsin.		
Pepsin and Bismuth	5 grs.	1 15 5 50
{ Pepsinum Sac., 2 grs }		
{ Bismuthi Subit, 3 grs }		
Pepsin, Bismuth and Strychnine, No. 1.	5 grs.	1 60 7 75
{ Pepsinum Sac., Bismuthi Subnit, <i>aa</i> , $2\frac{1}{2}$ grs. }		
{ Strychnina, 1-60 gr. }		
Pepsin, Bismuth and Strychnine, No. 2		2 00 9 75
{ Pepsinum Pur. Conc., 1 gr. }		
{ Bismuthi Subnit, 5 grs. }		
{ Strychnina, 1-60 gr. }		

	Bottles 100 Pills.	Bottles 500 Pills.
Pepsin and Iron	90	4 25
{ Pe. sinum Sac.,	1½ grs. }	
{ Ferrum Reductum,	1½ gr. }	
Petroleum	75	3 50
.....	5 grs.	
Each pill contains 2 minims crude oil petroleum.		
Phosphorus 1-200, 1-100, 1-50, 1-30, 1-20 & 1-12 gr.	65	3 00
Phosphorus Compound, No. 1	75	3 50
{ Phosphorus,	1-10 gr. }	
{ Ext. Nucis Vomicae,	¼ gr. }	
Phosphorus Compound, No. 2	75	3 50
{ Phosphorus,	1-60 gr. }	
{ Ext. Nucis Vomicae,	¼ gr. }	
Phosphorus Compound, No. 3	75	3 50
{ Phosphorus,	1-50 gr. }	
{ Ext. Nucis Vomicae,	¼ gr. }	
Phosphorus Compound and Iron	90	4 25
{ Phosphorus,	1-100 gr. }	
{ Ferri Phosphas,	½ gr. }	
{ Ext. Nucis Vomicae,	¼ gr. }	
Phosphorus, Digitalis and Ext. Hyoseyamus.	90	4 25
{ Phosphorus,	1-50 gr. }	
{ Pulv. Digitalis, Ext. Hyoseyami, aa,	1 gr. }	
Phosphorus and Digitalis Compound	90	4 25
{ Phosphorus,	1-50 gr. }	
{ Pulv. Ipecacuanhae, Pulv. Opii, aa,	¼ gr. }	
{ Pulv. Digitalis,	½ gr. }	
Phosphorus and Extract Aeonite	75	3 50
{ Phosphorus,	1-50 gr. }	
{ Ext. Aeoniti Alc.,	1-6 gr. }	
Phosphorus and Ext. Cannabis Indica	90	4 25
{ Phosphorus,	1-50 gr. }	
{ Ext. Cannabis Indicae,	¼ gr. }	
Phosphorus and Iron	90	4 25
{ Phosphorus,	1-50 gr. }	
{ Ferrum Reductum,	2 grs. }	
Phosphorus and Strychnine	90	4 25
{ Phosphorus,	1-50 gr. }	
{ Strychnina,	1-60 gr. }	
Phosphorus and Valerianate Zinc	90	4 25
{ Phosphorus,	1-50 gr. }	
{ Zinci Valerianas,	½ gr. }	

	Bottles 100 Pills.	Bottles 500 Pills.
Phosphorus, Ext. Nux Vomica and Ext. Aloes.	90	4 25
{ Phosphorus, 1-50 gr. }		
{ Ext. Nucis Vomicae, $\frac{1}{2}$ gr. }		
{ Ext. Aloes Soc., $\frac{1}{2}$ gr. }		
Phosphorus, Ext. Nux Vomica and Carb. Iron.	90	4 25
{ Phosphorus, 1-50 gr. }		
{ Ext. Nucis Vomicae, $\frac{1}{2}$ gr. }		
{ Ferri Carb., 1 gr. }		
Phosphorus, Iron and Aloes	90	4 25
{ Phosphorus, 1-50 gr. }		
{ Ferri Sulph. Exsic., $1\frac{1}{2}$ grs. }		
{ Ext. Aloes Soc., 1 gr. }		
Phosphorus, Morphine and Valerianate Zinc.	1 50	7 25
{ Phosphorus, 1-50 gr. }		
{ Morphinae Sulph., 1-12 gr. }		
{ Zinci Valerianas, 1 gr. }		
Phosphorus, Nux Vomica and Cantharides.	90	4 25
{ Phosphorus, 1-50 gr. }		
{ Pulv. Nucis Vomicae, 1 gr. }		
{ Tinct. Canthar. Conc., 1 m. }		
Phosphorus, Sulphate Zinc and Lupulin.	90	4 25
{ Phosphorus, 1-50 gr. }		
{ Zinci Sulphas, Lupulinum, aa, 1 gr. }		
Picrotoxin	75	3 50
Pilocarpin, Muriate	1 00	4 75
Pilocarpin, Muriate	1 75	8 50
Pilocarpus Extract	1 50	7 25
Piperine Compound	75	3 50
Piperin, Hydrarg. Chlor. Mite, aa, $\frac{1}{2}$ gr.		
Plummer's [See Calomel Compound]	60	2 75
Podophyllin	50	2 25
Podophyllin	60	2 75
Podophyllin and Blue	90	4 25
{ Res. Podophylli, $\frac{1}{2}$ gr. }		
{ Massa Hydrarg., $2\frac{1}{2}$ grs. }		
Podophyllin and Leptandrin	90	4 25
{ Res. Podophylli, $\frac{1}{2}$ gr. }		
{ Res. Leptandrae, 1 gr. }		
Podophyllin, Capsicum and Belladonna.	90	4 25
{ Res. Podophylli, $\frac{1}{2}$ gr. }		
{ Ext. Belladonnae, Alc., $\frac{1}{2}$ gr. }		
{ Pulv. Capsici, $\frac{1}{2}$ gr. }		

	Bottles 100 Pills.	Bottles 500 Pills.
Podophyllin, Coloc., Henbane and Calomel.	1 00	4 75
{ Res. Podophylli, Ext. Hyoseyami, <i>aa</i> , $\frac{1}{4}$ gr. }		
{ Ext. Col. 'o. pulv., Hyd Chlor. Mite., <i>aa</i> , 1 gr. }		
Podophyllin Compound	90	3 25
{ Res. Podophylli, $\frac{1}{4}$ gr. }		
{ Ext. Hyoseyami, $\frac{1}{4}$ gr. }		
{ Ext. Nucis Vomicae, 1-16 gr. }		
Podophyllin Compound [Eclectic]	1 00	4 75
{ 1 es. Podophylli, $\frac{1}{4}$ gr. }		
{ Res. Leptandrae, Res. Juglandis, <i>aa</i> , 1-16 gr. }		
{ Res. Cimicifugae, 1-32 gr. Ol. Capsici. }		
Podophyllin, Ext. Coloc. and Belladonna	1 00	4 75
{ Res. Podophylli, $\frac{1}{4}$ gr. }		
{ Ext. Colocy th Comp, 2 grs. }		
{ Ext. Belladonnae, $\frac{1}{4}$ gr. }		
Poke Root Extract	60	2 75
{ $\frac{1}{2}$ gr. }		
Poke Root Comp.	1 00	4 75
{ Ext. Phytolaccae Alc., 2 grs. }		
{ Ext. Stillingiae Alc., 1 gr. }		
{ Ext. Stramonii Alc., $\frac{1}{2}$ gr. }		
Rheumatic	1 00	4 75
{ Ext. Colocyath Comp., $1\frac{1}{2}$ grs. }		
{ Ext. Colch. Acet, 1 gr. }		
{ Ext. Hyoseyami, Hydr. Chlor. Mite, <i>aa</i> , $\frac{1}{4}$ gr. }		
Rhubarb, U.S.	75	3 50
Rhubarb Comp. U.S.	75	3 50
Rhubarb Comp. B.P.	75	3 50
{ Rhei pulv., $1\frac{1}{4}$ grs. }		
{ Aloes Soc. pulv., 1 gr. }		
{ Saponis pulv., Myrrha pulv., <i>aa</i> , 5-8 gr. }		
{ Theriaca, $\frac{1}{2}$ gr. }		
{ Ol. Menth. Pip., }		
Rhubarb, Comp. and Blue Mass.	75	3 50
{ Pil. Rhei Comp., 3 grs. }		
{ Massa Hydrarg., 2 grs. }		
Rhubarb Comp. and Calomel	75	3 50
{ Pil. Rhei Comp., $1\frac{1}{4}$ grs. }		
{ Hydrarg. Chlor. Mite., 1 gr. }		
Salicin	1 15	5 50
{ 2 $\frac{1}{2}$ grs. }		
Salicin	1 60	7 80
{ 5 grs. }		
Salicylic Acid	60	2 75
{ 1 gr. }		
Salicylic Acid	75	3 50
{ 2 $\frac{1}{2}$ grs. }		
Salicylic Acid	1 25	6 00
{ 5 grs. }		

	Bottles 100 Pills	Bottles 500 Pills
Zinc, Phosphide		
Zinc, Phosphide 1-6 and $\frac{1}{4}$ gr.	75	3 50
Zinc Phosphide and Ext. Nux Vomica ... $\frac{1}{2}$ gr.	1 00	4 75
} <i>Zinci Phosphidum,</i> } <i>Ext. Nucis Vomicae,</i> } 1-10 gr. } } $\frac{1}{2}$ gr. }	1 00	4 75
Zinc, Valerianate 1 gr.	95	4 50
Zinc, Valerianate 2 grs.	1 25	6 00



NEW REMEDIES.

The attention of the Profession is directed to the following list of rare Medicines and Chemicals.

Acid Chromic Cryst. puriss.

Absolutely free from Sulphuric Acid, well adapted for medical and surgical use, especially for diseases of the larynx and uterus.

Antifebrine.

This body was discovered by Drs. Cahn and Heph, in the medical Hospital of Prof. Kussmaul, Strasburg, and carefully examined and experimented upon by these gentlemen as to its physiological and therapeutical qualities, whereby its value as a Febrifuge and Antiseptic was fully confirmed. It quickly reduces the temperature, without producing undesirable after effects. Antifebrine is administered in doses of 0.25—1.0 gramme, which may be repeated up to a total of say about 2 grammes pro die. Lately this preparation has been highly recommended as a remedy for neuralgia of the face.

Antipyrin.

Reduces the temperature in fevers of the gravest type from two to five degrees, without any disagreeable after effects. The reduction of the temperature takes place after 1 to 2 hours, and is effected without the profuse perspiration and spasmodic shivering fits so common under similar circumstances, a gentle action of the skin only being produced; the period of action varies between 7 and 20 hours. Dose—15 to 30 grains; children $7\frac{1}{2}$ to 15 grains dissolved in water or wine; to effect a material reduction of temperature, 45 to 75 grains are sufficient, this amount is given in 3 doses hourly, two of 30 grains and one of 15; for children, 15 grains hourly—*Zeitschrift für Klinische Medicine Bd. XII., II. 6.* (*Berliner Klinische Wochenschrift No. 20, 1884.*)

Apiol Cryst. Alb.

Apiol white cryst. (Parsley Camphor.) The name Apiol was formerly suggested for the Stearapten of the essential oil of Parsley. It is used in doses of 0.25 grm. in capsules against Intermittents and Dysmenorrhœa.

Apomorphine Muriate cryst pure.

"This salt has the form of nearly colorless crystals, soluble in water and alcohol. Its solution on exposure to the air and light, becomes gradually green; a change which is said not to diminish its

effect. Apomorphine is a certain emetic, 0.004—0.01 grm. causes vomiting within six minutes; given in refracta dosi, it provokes expectoration."—Merck.

Cocaine Hydrochloras "Merck."

This preparation being the original and standard one we keep it only, in stock. His Cocaine preparations continue up to the present to hold the first position among all competitors. The form in which they are now produced by him, fully meets the most exacting demands as to purity, and also as to outward appearance. The hydrochlorate is granular, crystalline, and white; free from every contamination or impurity; burning on a platinum plate without residue, and fully sustaining the tests with Sulphuric Acid, or with Sodium Permanganate, and containing an unusually small per centage of water (0.5).

Cantharidin, Cryst.

The active blister-producing principle of the *Lytta vesicatoria*. Colorless, rhombic, light-refracting tablets, nearly insoluble in water, also in Alcohol; more readily soluble in Chloroform, Ether, and in fatty oils.

Codeine Sulph. pure cryst.

" **Phosphate soluble (Merck).**

The demand for this mild Hypnotic increased

when Merck's readily-soluble Codeine Phosphate became more generally known. This salt dissolves in four parts of water. The solution subcutaneously injected does not produce any pain or reaction at the place of incision.

The dose of the Phosphate for Diabetes is 0.06 gm. three times daily, increasing by 0.06 gm. every eight days up to 0.54.; Cod Liver Oil (Smith, Hermann) is taken at the same time. For Morphinism doses of 0.02—0.04 gm.

Eserine Sulph.**Eserine Salicyl**

Alkaloid from the Calabar Bean, Myoticum. The Salicylate is not hygroscopic, and therefore more suitable for general use.

Eucalyptol,**" Crystallizable.**

Is valuable as an antiseptic. It is said to be three times as powerful as carbolic acid in destroying bacteria. It is used like turpentine for inhalations, etc., and is much esteemed as an antipyretic in intermittent fever. The Crystallisable is double the strength of the ordinary.

Homatropin**" Hydrobromate.**

One of the derivatives of Tropeine. The Hydrobromate is the most useful salt, being non-

hygroscopic, and soluble in water. It is a rapid mydriatic, dilating the pupil in 15 minutes, the effects passing off in from 6 to 10 hours.

—

**Hyoscyamine pure cryst. white light
(Merck.)**

From *Hyoscyamus niger*. This *Hyoscyamus* is perfectly pure, and absolutely all that can be desired, both as regards purity and excellence of quality. It is isomeric with Atropine and identical with Daturine and Duboisine.

This preparation is used by oculists instead of Atropine; subcutaneously as hypnotic in cases of insanity, and as an Antispasmodic in Asthma, Epilepsy, Whooping Cough, Chorea, etc.

The dose is, as a hypnotic, up to 0.005 grm. subcutaneously.

—

Hyoscin Hydriodate.

Of 101 subcutaneous injections of Hyoscin, in doses of $\frac{1}{2}$ to 1 milligramme, administered to a large number of patients in the Clinical Hospital for mental diseases, at Dorpat, during the months of July, August and September last year, not one failed to produce sleep, nor were in any case dangerous secondary effects observed.—(Merck.)

—

Ichthoyl.

This substance is produced from a bituminous mineral found in the Tyrol.

Ichthyol contains much sulphur, and is used in diseases usually treated with sulphur.

In acute rheumatism, a 10% ointment is painted on the joints, which are then wrapped in wadding, this treatment is said to give relief; for chronic rheumatism, neuralgia, and lumbago, a 20—30 per cent. ointment is recommended. It has also been employed in the early stages of gonorrhœa, in the form of a 1% injection.

Iodol.

Is used, like iodoform, in the shape of an ointment, gauze, powder, or with collodium. The effect is milder than that of iodoform. Should be kept in a dark place. Preferable to iodoform on account of being devoid of smell.

Naphthaline Pure—for Internal Use.

Is applied externally as an antiseptic, like iodoform, and possesses the power of destroying fungi. Internally for diarrhœa, also in typhoid fever and gastro-intestinal catarrh, in doses of 2.8 grains as a powder. Naphthaline is valued as a guard against moths, and for preserving collections from small insects. As a corrective of odor, it is very advisable to add *Ol. bergamot* when dispensed.

Naphthol.

Is applied externally, similarly to tar, in skin diseases, either in the shape of ointment of 3 to 25

per cent., or in an alcoholic solution of the strength of 2 to 5 per cent. Administered internally, it was not successful, causing toxic symptoms. Particular care should be taken not to confound it with naphthalin.

Paraldehyde.

$C_6H_{12}O_6$ —A colorless liquid, boiling at $124^\circ C.$ —Paraldehyde possesses hypnotic properties and is a valuable substitute for chloral hydrate, over which it has an advantage in not lowering the arterial pressure.

Paraldehyde induces tranquil sleep, during which the pulse is diminished in frequency, but regular. It has been found useful in epilepsy, periodical mania, delirium tremens, &c., and the absence of paralyzing action on the cardiac centre, allows it to be given with safety to general paralytics.—*Lond. Med. Record*, January, 1883. Dose—30 to 120 min.

Pilocarpine Hydrochlor Cryst.

“

Nitrate

“

Pilocarpin is the well-known alkaloid of the Jaborandi leaves; it has a powerful diaphoretic salivating action. West gives very small doses (0.005—0.01 gm. subcutaneously) in cases of nocturnal sweating of consumptives.

Resorcin.

Its action is weaker than that of carbolic acid, in external application. It is used in the form of ointments and injections. Internally it is given in doses of 8 to 20 gr., as an anti-fermentine and anti-febrile remedy.

Salol.

Said to possess many advantages over salicylic acid and its preparations. Being insoluble in water, it is free from the nauseating effects of salicylate of soda, which some patients find so objectionable that even syncope has sometimes supervened on ingestion. Passing through the stomach unaltered, it undergoes decomposition in the duodenum, where it comes into contact with the pancreatic juice, and is broken up into salicylic acid and phenol.

It has been used in all rheumatic affections, in chronic urticaria, in suborbital neuralgia, as an antipyretic, in diabetes, in intestinal catarrh, in typhoid fever, in cholera, against intestinal catarrh of the bladder, in ozoena in otorrhoea, as a local application in gonorrhoea, and as a mouth wash. Dose—5 to 30 grains.

Sparteïn Sulphate.

$C_{15} H_{26} N_2 H_2 SO_4 + 8 H_2 O$ —A crystalline salt, soluble in water. Introduced as a cardiac remedy

in 1883. It has since been found that $1\frac{1}{2}$ grains in solution produced marked effects on the heart, without interfering with the nervous or digestive systems. Its action is divided into three stages: first, like digitalis, raising the action of the heart and pulse, then regulating the cardiac rhythm; and lastly, like belladonna, accelerating palpitation. After the use of this drug, the general strength and respiration improve during three or four days. Sulphate of Spartein is indicated in cases of atony of the myocardium; it will establish a normal pulse, invigorate a weak circulation, and at the same time strengthen the cardiac muscle.—(*London Medical Record*, March 15th, 1886.) Dose— $\frac{1}{2}$ to $1\frac{1}{2}$ grains.

Saccharine.

Saccharine forms salts which all possess a powerful saccharine taste. The sweetening power is about 230 times greater than the best beet or cane sugar. Physicians must be glad to find in saccharine a substance by means of which diabetic patients may enjoy food not hitherto admissible in their cases. As saccharine does not belong to the carbo-hydrates, it possesses no nutritious qualities.

Urethan (Ethyl) Pure.

Ethyl-Urethan, the Ethyl-Ether of carbaminic acid, is in the form of white, colorless crystals, readily soluble in water. Riegel-Giessen fixed

the dose at 3—4 grm. In cases of nervous Agrypnia, Urethan is often very efficacious. For infantile disorders, it is also highly recommended. Unfavorable symptoms seldom or never result from the use of this medicine.—(Merck.)

Terebene.

It is applied externally as an antiseptic for diverse wounds, and for antiseptic inhalations in phthisis and bronchitis. It is kept best in a dark place. Care must be taken to obtain a perfectly pure preparation.



SPECIAL PREPARATIONS

INTRODUCED BY

KENNETH CAMPBELL & CO.

**Campbell's Emulsion of Cod Liver Oil
with the Hypophosphites.**

It is a combination of the nutritive properties of Cod Liver Oil with the remedial powers of the Hypophosphites. It has attained great celebrity in cases of Pulmonary Consumption, Emaciation, and wasting nervous diseases. Each tablespoonful contains 6 grs. of the mixed Hypophosphites of Lime and Soda.

Campbell's Syrup of the Hypophosphites, after Churchill.

A most excellent and reliable form of administering these well-established remedies, the Hypophosphites of Lime, Soda, &c., in cases of General Debility, Consumption, and pulmonary diseases generally. Each ounce of the Syrup contains about 15 grains of the mixed Salts.

Campbell's Montreal Chlorodyne.

Prepared from one of the most approved formulas, and found to possess excellent therapeutic qualities. It is also moderate in price.

Campbell's Saccharated Solution of Chloral.

SOL, CHLORAL, SACCH.

An agreeable and permanent preparation of that invaluable medicine, never deteriorating, and being always ready for instant administration. A teaspoonful of the solution (one drachm) contains five grains of pure Chloral Hydrate. Every dose should have an equal part of water mixed with it before being exhibited.

Glycerole of the Hypophosphites.

An elegant and agreeable preparation containing five grains each Hypophosphites of Lime, Soda, and potash to the fluid ounce.

DOSE—One to two teaspoonfuls.

The Royal Food.

For Infants, Invalids, Convalescents, &c.

The Royal Food is a delicious, light, nutritious, and economical diet for Children, Invalids, Con-

valescents, and persons of weak digestion. It is easily prepared, suits every taste, digests rapidly, and is readily assimilated. The Royal Food contains no alkali, malt, or other ingredient artificially added, but is naturally rich in nitrogenized elements, and the phosphatic and saline ingredients necessary to perfect nutrition of the human frame. The objections to imported foods—want of freshness and liability to become unfit for use—are obviated in the Royal Food by scrupulous care in its preparation and mode of putting up. The fact of its being made on the spot is an additional guarantee of its freshness.

Geo. W. Morrow

Geo. W. Morrow



Geo. W. Morrow

Geo. W. Morrow

CAMPBELL'S
MEDICINAL SYRUPS.

Syrup of Phosphate of Iron, P. B.

Each drachm contains 1 grain of Phosphate of Iron.

DOSE—One teaspoonful.

Per lb., \$0.50.

Compound Syrup of the Phosphates.

"CHEMICAL FOOD."

Contains Phosphate of Lime, Iron, Soda and Potash.

DOSE—One teaspoonful.

Per lb., \$0.53.

Syrup of Lacto-Phosphate of Lime.

Each drachm contains 2 grs. of Lacto-Phosphate of Lime.

DOSE—One dessert-spoonful for an adult.

Per lb., \$0.60.

Syrup of Lacto-Phosphate of Iron.

One gr. Lacto-Phosphate of Iron in each drachm.

DOSE—One dessert-spoonful.

Per lb., \$0.60.

**Syrup of Lacto-Phosphate of Lime
and Pepsine.**

Two grains Pepsine and two grains Lacto-Phosphate of Lime in each drachm.

DOSE—One dessert-spoonful.

Per lb., \$1.00.

**Syrup of Phosphate of Iron, Quinine,
and Strychnia.**

THE WELL-KNOWN EASTON'S SYRUP.

Each drachm contains 1 grain Phosphate of Iron, 1 grain Phosphate of Quinine, and the thirty-second of a grain of Strychnia.

DOSE—One teaspoonful three times a day.

Per lb., \$1.00.

**Syrup of Phosphate of Nickel and
Manganese.**

DOSE—One teaspoonful to one dessert-spoonful.

Per lb., \$1.00.

Syrup of the Hypophosphite of Iron.

Each ounce contains 4 grains of the Salt.

DOSE—For Adults, one dessert-spoonful three times a day;
Children in proportion.

Per lb., \$0.60.

Ext. Zingiberis Jam. Fl. (*Jamaica Ginger.*)

Stimulant, carminative.

DOSE—From ten to thirty minims.

Per lb., \$1.25.

S Y R U P
OF THE
HYPOPHOSPHITES OF IRON AND QUININE.

We wish to invite the attention of physicians to this preparation, which, of late, is being used more extensively than heretofore. Some of our Montreal physicians are using it in their practice, and, it would seem, with very favorable results. It appears to be specially suitable during recovery from fevers, and is also useful as a tonic in cases where a combination of iron with quinia is indicated.

The Syrup contains 1 grain of Hypophosphite of Iron and half a grain of Hypophosphite of Quinine in each fluid drachm.

DOSE—One teaspoonful.

Prepared by **KENNETH CAMPBELL & Co.,**
PHARMACEUTICAL CHEMISTS.

Per lb., \$2.00.

Syrup, Ferri Iodid P. B.

Per lb., \$0.60.

“ “ unalterable. (CAMPBELL'S.)

Per lb., \$0.60.

vide page 91.

Syrup, Ferri et Quinæ Iodid Double.CAMPBELL'S *vide* page 96.

Per lb., \$1.65.

Syrup,	Ipecac.....	per lb.	\$0.60
"	Rhei Arom.....	"	0.50
"	Senegæ.....	"	0.60
"	Sennæ.....	"	0.50
"	Scillæ.....	"	0.30
"	"	"	0.40



SUNDRY PREPARATIONS
OF THE
PHARMACOPIA.

Subject to fluctuations of the market.

	Per lb.
Acetum , Cantharidis.....	\$1.00
“ Colchici	0.32
“ Opii	4.00
“ Scillæ	0.25
Chlorodyne	2.00
Collodion , Surgical.....	1.00
“ Flexile.....	1.00
“ Cantharidal	3.00
Liq Ammon: Acet.....	0.20
“ Arsenicalis.....	0.20
“ Arsenici et Hydrarg. Iodid.....	0.70
“ Bismuthi.....	0.60
“ Epispasticus.....	2.67
“ Ferri: Perchlor.....	0.20
“ Ferri Pernitr.....	0.20
“ Ferri Persulph.....	0.20
“ Opii Sedativi..... (¼ bottles)	3.33
“ Plumbi	0.17
“ Potassæ.....	0.18
“ Strychniæ.....	0.80

	Per lb.
Liniment: Aconit.....	\$1.20
“ Belladonnæ B. P.....	1.20
“ Camphor: Co.....	0.54
“ Chloroform	0.76
“ Crotonis.....	1.87
“ Iodi.....	2.10
“ Saponis	0.60
“ “ Methylated.....	0.36
“ Sinapis.....	1.48
Spts: Ætheris Comp: (Hoffman's Anodyne)	0.80
“ “ Nitrosi	0.65
“ “ Nitros: Methyl.....	0.36
“ Ammon Arom.....	0.55
“ Ammon Fœtid	0.60
“ Chloroformi	0.65
“ Camphoræ.....	0.60
“ Lavand: Comp.....	0.65
Tinct: Aconiti, Fol.....	0.36
“ “ Rad. P. B.....	0.66
“ “ Rad. (Fleming's).....	0.84
“ Aloes (from best Socotrine).....	0.60
“ “ et Myrrh.....	0.85
“ Arnica Flor.....	0.36
“ “ Rad	0.60
“ Asafœtida	0.60
“ Aurantii.....	0.48
“ “ Recent.....	0.84
“ Belladonnæ	0.40
“ Benzoin: Co.....	0.80
“ Buchu	0.70

	Per lb.
Tinct: Calumbæ.....	\$0.48
" Camphor: Comp.....	0.50
" Cannab: Indic:.....	1.16
" Cantharidis.....	0.50
" Capsici.....	0.60
" Cardamon Comp:.....	0.50
" Cascarillæ.....	0.36
" Castor.....	
" Catechu.....	0.36
" Chiratae.....	0.50
" Chloroform et Morphia.....	1.20
" Cimicifugæ.....	0.48
" Cinchon.....	0.76
" " Comp:.....	0.65
" Cinnamoni.....	0.40
" Cocci.....	0.44
" Colchici Sem:.....	0.50
" Conii Fol:.....	0.50
" Croci Hyps:.....	1.08
" Cubebæ.....	1.00
" Curcumæ.....	0.60
" Digitalis.....	0.45
" Ergotæ.....	0.80
" Ferri Perchlor.....	0.44
" Gallæ.....	0.45
" Gelsemii.....	0.68
" Gentianæ: Comp.....	0.50
" Guaiaci.....	0.75
" " Ammon.....	0.75
" Hellebor: Nigr:.....	0.40

	Per lb.
Tinct: Humuli	0.40
" Hyosciami.....	0.45
" Iodi	0.80
" Jaborandi	0.46
" Jalapæ	0.44
" Kino.....	0.70
" Krameriæ	0.40
" Limonis: Cort:.....	0.54
" Lavand: Co:.....	0.65
" Litmus.....	0.47
" Lobeliæ.....	0.46
" " Ether.....	0.72
" Lupuli	0.55
" Matico	0.54
" Myrrh	0.64
" Nucis Vomiceæ.....	0.60
" Opii	1.40
" Opii Ammon.....	1.40
" " Deodor	0.80
" Pysostigmati.....	0.75
" Podophylli	0.44
" Quassia	1.40
" Quinæ.....	1.40
" Quinæ Ammon.....	0.75
" Rhei	0.56
" " et Aloes.....	0.50
" " et Gentian.....	0.48
" " et Sennæ.....	0.40
" Sabinæ	0.36
" Sanguinariæ	0.36

	Per lb.
Tinct: Santal: Rub:.....	0.60
" Scillæ.....	0.42
" Senegæ.....	0.60
" Sennæ.....	0.48
" Serpentariæ.....	0.54
" Stramonii Sem.....	0.46
" Tolutan.....	0.72
" Valerian.....	0.45
" " Ammon.....	0.65
" Verat: Virid:.....	1.00
" Zingiber.....	0.60
" " et Anthem.....	0.80
Unguent: Calamin.....	0.52
" Cantharis.....	1.12
" Cetacei.....	0.67
" Hydrarg Fort.....	0.90
" " Mit.....	0.80
" " Nitratis.....	0.75
" Resinæ.....	0.40
" Sulphur.....	0.27
Vin: Aloes.....	0.60
" Antimon.....	0.50
" Colchici.....	0.50
" Ferri.....	0.50
" Ipecac.....	0.75
" Opii.....	2.00
" Pruni Virg.....	0.64
" Rhei.....	0.70

LISTERINE

THE NEW ANTISEPTIC AND DISINFECTANT.

It has been found eminently useful in Surgical cases of every description, for old and indolent sores, for Nasal Catarrh, and all catarrhs of the mucous membrane, and in obstetric practice.

Internally it has been given with success in cases of malignant

FEVERS, DIPHTHERIA, DYSENTERY, DIARRHEA
AND CHOLERA.

DIRECTIONS.—In internal use the dose is from half to one teaspoonful, diluted with a little water.

For external purposes, for Ulcers, Wounds, Abscesses, Sore Throats, and for general use as a wash or injection, it is usually diluted in the proportion of one part Listerine to eight of water. This dilution may be modified in accordance with the judgment of the practitioner.

N.B.—We prepare our LISTERINE from the original formula, which is stronger than the published one, and contains some ingredients not found in the latter.

KENNETH CAMPBELL & CO.,
Wholesale Druggists,
603 CRAIG ST., MONTREAL.

CAMPBELL'S
UNALTERABLE
SYRUP
OF
IODIDE OF IRON.

This SYRUP is prepared by a new process, which renders it insensible to the effects of light and air, and by which the usually unpleasant taste is quite removed, rendering it especially suitable for Children and Infants.

DOSE—For Children, from 30 to 40 drops three times a day. For Adults, from a teaspoonful three times a day.


PREPARED ONLY BY

KENNETH CAMPBELL & CO.

Wholesale Druggists,

No. 603 CRAIG STREET,

MONTREAL.



OZONIZED FLUID,

NATURE'S OWN DISINFECTANT.

The active principle of this safe, pleasant and efficacious Disinfectant is OXYGEN, which is eliminated whenever the fluid comes in contact with unwholesome organic matter.

It is not poisonous.

It is the most thorough Deodorizer and Disinfectant known—decomposing noxious gases and all causes of infection perfectly.

It is easily used, and cannot be mistaken for other fluids.

It has a fresh, healthful odor.

It will be found invaluable in times of infectious outbreaks.—In epidemics of Cholera, Small-Pox, Diphtheria, Scarlet Fever, &c., and as a general disinfectant and preventive of disease; for Drains, Cesspools, Sinks, Closets, Stables and the sick-room.

DIRECTIONS—Mix a dessert spoonful of the fluid with a pint of water, or a large wineglassful with a pail of water. This may be sprinkled about, placed in saucers about the room, or poured down drains, &c., or cloths saturated with it may be hung where required.

Agents for Canada,

KENNETH CAMPBELL & CO.

608 Craig Street, MONTREAL.

CAMPBELL'S
SKREI
BRAND OF COD LIVER OIL.

THIS is the finest COD LIVER OIL ever yet brought out. It is a Norwegian Oil, carefully prepared and selected for our own trade with an unusual amount of care and cleanliness, and it is giving increased satisfaction. Cod Liver Oil usually has such a disagreeable taste, and is to many so difficult of digestion, that its excellent nutritive and medicinal qualities are not experienced. The "Skrei" Oil is free from these objections, being beautifully clear, pale and bright, almost tasteless, and readily assimilated by children and the most delicate invalids.

The diseases for which Cod Liver Oil have been found beneficial are numerous. The principal ones are Consumption, Chronic Colds, Obstinate Coughs and Pulmonary and Scrofulous Complaints generally.

The undersigned direct attention to the fact that this brand of Oil is theirs alone, that the Label and word "SKREI" have been registered at Ottawa as their Trade Mark, and that the bottle, in which it is put up, has been registered in accordance with the Act for the registration of Industrial Designs.

The SKREI OIL may be obtained from all respectable Druggists, and wholesale from

KENNETH CAMPBELL & CO.,
603 CRAIG STREET,
MONTREAL.

CAMPBELL'S
ELIXIR
OF
CASCARA.

An excellent aperient in Habitual Constipation, especially adapted for the cure of Bilious Diseases, Dyspepsia, Sick Headache, Constipation, &c.

Persons who are unable to take Cascara on account of its bitter taste, will find no difficulty in taking this agreeable preparation.

Dose—A teaspoonful to a tablespoonful; children in proportion.

Most efficacious when taken morning and evening, in doses of one to two teaspoonfuls.

Prepared by
KENNETH CAMPBELL & CO.
WHOLESALE DRUGGISTS,
603 Craig Street, Montreal.

THE BLOOD MAKER.

(TRADE MARK.)

A remarkable and never failing medicine for increasing the volume of Blood in the human body, for restoring its Purity and Vitality, and thereby imparting to Brain, the Nerves, and the whole system, Tone, Vigor, and perfect Health.

THE BLOOD MAKER cures or relieves all Pulmonary Diseases, such as Consumption, Weakness of Lungs or Throat, Asthma, Bronchitis, Chronic Cough, Hoarseness, Loss of Voice, &c.; also diseases caused by impure or Anæmic Blood, such as Scorbutic Complaints, Skin Diseases, Pallor, Weak and Palpitating Heart, &c.

THE BLOOD MAKER cures or relieves all Nervous Diseases, such as Hysteria, General Debility from Nervous Exhaustion, Sleeplessness, Lowness of Spirits, Nervous Irritability. It is also invaluable for weak or delicate Children, and in every case where poor or vitiated Blood is the cause of impaired Health.

DOSE—For Children of 5 to 10 years, a teaspoonful; for Adults, a dessert spoonful, three times a day.

AGENTS FOR CANADA,
KENNETH CAMPBELL & CO.,
Wholesale Druggists,
MONTREAL.

CAMPBELL'S
SYRUP OF THE
DOUBLE IODIDE OF IRON
And **QUININE.**

An energetic TONIC ALTERATIVE in all cases of Weakness, Poorness of Blood, Indigestion, Loss of Appetite, Consumption, Intermittent Fevers, &c., &c.

Prepared with great care, upon true Chemical principles; it presents not a mere mixture of Iodine, Quinine and Iron; but a perfectly defined compound, easily administered, uniform in result, and unaffected by exposure to heat, air or light.

Dose—For Children, twenty, thirty, or forty drops, according to age; and for Adults, a dessert spoonful in a little water, three times a day.

PREPARED ONLY BY

KENNETH CAMPBELL & CO.,
Wholesale Druggists,
MONTREAL.

CAMPBELL'S
QUININE WINE

(TRADE MARK)

Still maintains its high reputation as a faithful preparation of Quinine, combined with pure wine and vegetable aromatics.

IT HAS BEEN PROVEN AN INVALUABLE REMEDY

IN CASES OF

LOSS OF APPETITE,

DYSPEPSIA,

LOWNESS OF SPIRITS,

INDIGESTION,

and for the prevention of malarial diseases in low-lying and agueish parts of the country. Many poor and cheap imitations are in the market, but the above is the original and genuine, having had a steadily increasing sale for more than twelve years.

TO BE HAD FROM ALL DRUGGISTS,

AND WHOLESALE FROM

KENNETH CAMPBELL & CO.

603 CRAIG STREET,

MONTREAL.

CAMPBELL'S
ELIXIR
— OF —
BEEF, IRON,
— AND —
WINE.

*A carefully prepared Compound,
invaluable in low fevers, and all
diseased conditions of the system
in which a nutritive stimulant is
indicated.*

Dose—One tablespoonful three times a day.

PREPARED ONLY BY

KENNETH CAMPBELL & CO.
Pharmaceutical Chemists,
MONTREAL.

ATTENTION IS DIRECTED TO
OUR VERY CAREFULLY
MEDICATED
ANTISEPTIC DRESSINGS.

BLEACHED JUTE.

SUBLIMATED "

CARBOLIZED "

NAPHTHALIZED "

IODIFORM "

EUCALYPTUS "

SUBLIMATED GAUZE.

CARBOLIZED "

NAPHTHALIZED "

IODIFORM "

EUCALYPTUS "

MARINE LINT, &c., &c.

KENNETH CAMPBELL & CO.

UNCAT

Almonacs...

L. Dr. G. L. Morrow

1091624925