

Reveraster

Jan 4th, 17

D-Merry Carroll

Mrs [redacted] (cont'd.) 43.

Born Jan 1804 - at 1903.

Baby in 1804 - now weak since never got over

2nd baby 1807 - lived - & 9

1811 born - after Watson done.

1815 - curdling.

1816 married - lost blood - Curdled in 1810. teeth
& now. Left near home now. now

regular.

W. a st. but at 19. was better. & never robust.

now. cannot sleep - has neuralgia - eat well but
often want. & lets in 3 m. - has pulling & so. but now
had infuen. - Bed weight 8. 2. now. 7. 5/4.

neuralgia - over head & face - in back & very right side
not high & now let face more fatter - sleeps very little
eats & now - . Bowels regular - faeces good appetites

Means realne.?

Dr Forsyth York
Jan 8. 17

~~Frank~~ 48. York.

Bur. in stomach. for 12 mos. - indig. ached
& sometimes bad & never vomit not measured. slept
in back - not shrt. Food. sometime constipation - but
not always. lost a lit. - but not much. sleek nessless -
worries almostra. wa a lit. V. h. m. had long illness about
40 yrs. had 12 mos. a eventally or told me had run
down & had stomach bad got clogged up in stomach a. stuck
readily. man - can do work - not wear. appt. side not not
much today. Bowels. regular - worse. Dr. F. said no bear
but helped the bowels. Tea. Coffee & tobacco - smoke mod.
To. H. York. - m d of cancer. B. 3 65. all living. Married
was to living. 2 d. . . no bad dis.

worse in am. varies - the burning not in bed - not burning
lewest trouble at 4. not a pain - a burning. harts in hot -
may be all day. thro. towards dinner time more severe & better
after dinner. never vomited, felt sick. nostrils red dark
closed..

- 1) Greg. conj. 2) well now, 3) not anxious. 4) tongue furred. 5) abd
not des. 6) skin not dry. 7) Rat neg. by not be felt. 8) sweating
severe. 9) deeper than usual. easily. 10) not in appetite 11) when嗽嗽
dry - probably. ulcer. - 12) deb. 2) take off in 14 carriage. 14) abraded 3 nos
perute.

Bud Spleen.

Sacra-thorac articlitis

Dr Schwartz 28.1X.17
2 Adams Rd.
Hawthorne, N.J.

18 mos ago who walked hard & still in made & work
got worse freq. a h person to farm in both legs & in less mos -
3. gave up could walk but feels made weak. & had a great
weakness with pers. pain all over. chiefly down the legs. Sent to
walk for a short time. bad & could hardly have bath etc. there got
worse. gradually. pains & weakness - never so that could not
walk at all. only sitting & lying could could not walk. was
in bed 3 or weekly. pain the dominant thing. Pain was
when walking & of moves about. of course deeply & most. State
was kept in - better. Today a year in bed. pain & weakness
for small of back to feet. Pain走行at night - of never st.
weakness. Rest not take to it. Then all the time. not in spells
has been in spells - at frequent intervals. starting - & hot feel
chief. pain in back & buttocks. but also in legs.. Prod attack is
which could not keep feet on ground. - Aspirin helps. Better
calm. when don't walk & never run / get off. Otherwise well
no loss in weight. Eye sight bad - not worse. Legs are thin
now. Today walked over 10% till one - Starts off to walk. As sit
there are cut of muscles are enormous loss / rest in back.
no trouble with ~~buttocks~~ buttocks & bladder. No loss of sensibility.
no actual weakness. only the pain... In bed 2 mos off & on.
with the pain. getting in & ray plate.
1 Swelling at right sept. 1816 on both sides - 6 mos ago. now of
anything less. Then bigger in od. than now.
2) spleen noted first in Febt 1816 in Balt. Dr Case.

1 Good colour - 2 no emaciat. (3) Walks well but stoops like
the knees - bent. - Has not walked steadily for more than a year - no
swelling of other joints. (4) Marked def. of back - bilateral swelling
over sacro-iliac joint: & the whole. sacral region looks stiff & swollen
there not redness. The swelling can diffuse. nothing special
to be felt - but painful along the archet. in both sides. & also over
the sacrum. all more or less possible but lateral a lot restricted
no swelling of muscles. no loss of sensiti. anywhere. nothing in
gen. sacral nerve. Blood & ur. nom. K.J. diff't get at adni
with reinfarment. Babu, not brach. Found 15. phal.
sister work. of the lower segment of sacrum. The shadow
at art. - sac. l. look normal. & sac bone not involved.
Spleen enlarged. Cut to naked edge palpable.

Spleen. enlarged. Cut to naked edge palpable.
Oct 16. R. 5. m. W. 8 oz. dg pl. 2986 Pdy 63

On Nov. 16. Found 3. - Pdy in 36. by 20 "def. spleen
and liver. Had by son & analog. Liver twice. Dec. 16
RCC 4. Liver. 8.00. Pdy in 53
Dr Hayden. RBC. 55.000. See 3500. PL. 65.

Dr Hayden. RBC. 55.000. See 3500. PL. 65.

Aug 25 - June 22nd 1917.

27. XII. 17. Treat for 3 times since 1 week in Oct. 1 + 2 times
rec. 3 times. week. 16 treatments.

1) Can walk better 2) no pain practically. for a month - a dull ache
in back - 3) no compensation can now do everything - was a little after
walking & get pain. 4) - weak & catarrh win & also becomes down
toll' legs but no hair. Sleeps well. 1) walks well. 2) spleen still large. easily
4 fingers br. below costal border of mesial main region. 4) Back remarkable. nothing good. Two pads of fat in
each sacrum & a broad swelling on sacrum. but neither feel like def. tumor. K.J. good. Left knee gone.

Abd. Pain - possible Seth Am.

15-X-17

remarkable case - see Stiles or Edson

G. [redacted] 30 The Ranch Busing. ^{Original paper in his} came in after busing a
stone - & gradually came on. - kept working with pain. every
day, never free. & laid up over 6 mos straight off. In bed all
the time - never free. 4 element could come to food not.
He sleptest. Sleeks body suffer pain bad. Walks very much.
(some days. not sleep 4-6 hours or more without walking). & A.
up & go about - done no work since. not free from bain
for a month. worse when up & about. No loss in weight
except at first. always in upper abdomen. no diarrhea. not
constipated. no vomiting. Cannot rest in the back for 5-minutes
without being in agony. & terrible when stoop. "just hung out
in a sled but - a bit low" To move at home - in shells last
for an hour. ask Belcher word. - does it a good lot. - rolls it
at times.

V. h. before my headache. Good family - hist: 7. f. 65.
Married 15 years. children 3. healthy.

1. looks painful & worried. not good. - not a very man
2. Abd. a little full in Spig. - diffuse pulsations in Spig., a
bit more to the left than right. - but not excessive (b) wide
spread slight retractile puls in costal borders & & L. 2-3 umbilic
st. in st. side want... & certainly not round.
- 3) no diff. between Bell & palpation. The working is worked, but
abst. not bad. The pain is excessive & the curves of the ribs
& spine is bented about 2 or 3 degrees. no diff. of stomach
diffuse pulsation but no shock felt with fingers & deep pressure
over costal margins & it is visible.

- 4) nothing visible or palpable about
- 5) no breast. back or front. is at least ab. seem ~~now~~
- 6) Pal. in peritoneum. No ad. & lit. slig.

30. X. 17 Beevers did a section today. & there was found 1) an unusually small space between the abd. wall and the spine. 2) an adenoma the size of a walnut in the liver 3) no adhesions indicating an Rd after 4) the aorta felt thickened & hard but there was no aneurysm. altogether there was nothing to account either for the pain or for the wide spread pulsation
Now it remains to see the operation per se will cure.

Chronic Parotitis
renaulttis case.

Dr. Cardew. 13.XI.17

Mrs [redacted] 54 Cheltenham

- V. h. woman - not strong - rt. fever at 18. heart affected
fever. ~~were~~ children. never very strong. Bronchitis.
an acute ending with after an illness a hard
P.I. began & on 9th ago; the rt par gland swollen & pain & pain
bad & then to the pt a discharge. at first did not discharge now
has lasted 2 or 3 years - worse externally - Dreadfully.吐痰
worse, swell & more & discharge more. - swells up & bursts - now
a runlet on the side - then pt no discharge & swelling go down.
no discharge into the mouth. Pain incessant day & night
- 1) skin of whole rt. hardened region covered with yellow crusts
 - 2) whole gland enlarged. Edges across back well defined. It now
in reduced stage when swollen is very big & weeps at first clear & then
a sort of mucus.
 - 3) papillae on skin - bit red - no exudate? comes out
 - 4) sensation good - very sensitive & touch. no touch most
sensitive to touch.

Musso - Bradwell Tremor.

Dr Braune Hartnell

4. XI. 17

Miss [redacted] 35 Cheltenham

1st noticed tremor 6 yrs ago - shiver - staying with friend who had appendicitis - not in rt hand - could hardly write. Tremor did stop. passed off. - had it on & off & control. 3d. began a has not cleared. more sometimes - always there - stops in sleep - Had in arm on whole. feel muscle cramp - no pain - Had neuritis in other arm - 3 years had it 8 yrs. & since that time it seems worse. Tremor. all intently year - has to use two hands for drinking. when at rest not altogether quiet & has to use two hands for writing - can feel the little tremor vibration (- elbow keeps shaking - can feel the little tremor vibration (- elbow

1 V. h. g. (2) arm normal looking (3) coarse tremor - large. more or equal a of left or hand int. quiet at rest. but tremor a little & she can feel it. while hand moves. can hold up & move well without much shaking while hand moves. can hold up & move well without much shaking small tremor (5) loss of power, (6) no anasthesia. (7) Radial pulse. perhaps a bit smaller than left but diff to feel as the tremor is disturbing. (8) no speech tremor. (9) neck - not suggests of conv. with (10) subit. pulsat. certainly deeply rt. as left not the superficial. spine (11) subit. pulsat. certainly more evident on than left - visible & palpable. - While being measured for a central wt. I have never seen a case like it

Gastown

Chikanham

High - Blood pressure

21.18.17

~~██████████~~ 54 ~~S.~~ (2 Beday Hrs) London.

7-11. 7. S. 52. Males. m. 23. d. March. B. f. 2 died at 43. 16 hrs & centra heart. S.O. P. I. V. h. till afternoon go. alt. of 66 f. lived at 45. (4 g). heavy in habitus - 3 years Premier. & leg. 4.5 ago had health down. very strong - late hrs. or said. + pressure. Highest. 170 - 200 ft. service. no sympt. but. but of Bulmore. Thyroid strong cum. does - a look like man. 130 but heart distinct. not regular for 18 mos. after not sick again. not fully recd. P. I. same sympt. had good - lost control when. It also. not dry. had bad times could not walk eyes. will not see - down. stayed for week - & an amput said bent a small vessel in inner ear. - not gone away - & last few weeks more accelerated can for a mos get up hold on to bed post - so prunig - no ruyng in ear - no headache. - blood v. good - in am. for six weeks - - knee not change. (January. never use. full name above. no alt or casts - - Boring golden feels well. now Bl. press. - - 130. me 165 - 180. - Giddiness marked v. h. m. very clean & soft & firm. arteries not very thick. A - b. in right hand not very fragile. Arteries very rough. Tumid in fingers. Red & swollen

Mrs A [REDACTED] 29 so Ockenden

China for 2 years 1908-10. all hard. Hand began
num 1908. 2-3, not swollen suddenly no pain. pain
suddenly. - Now ill. and not in bed for fortnight. Hand & fingers
little pain still. - Cold a week. + cold went away
but hands a lot dozen. stayed away 18 mrs & 3 nos
ups washed swollen. - Standing a lot 7-9 at night. - Purple
for 3 weeks. - worn out + bad life. - Pain in liver +
angina. - Scarlet rash. - of hips down very! Other body
not much. + rays skin very well. Was up in planter for 2 min.
swelling had gone but blue skin + 48 hrs later looks well
3 nights.

- 1) Rest. - (2) Iain - salicylic. (3) Tonic (4) gentle - oil rubbers

Toothache, good colour, cold hands,
no chills, hands now congested, at first
distinctly congested, look full even inflamed, &
slightly swollen margin, inner surface, flanks,
also slightly swollen marked cyanosis, the thickening
very evident along outer margin especially to sole,
edges of instep preserved, feet painful to touch
skin loose nowhere brownish subcutaneous
infiltrations very quickly noted when elevated
marked heat, dorsal artery not palpable, well marked
in left. posterior tib not felt in right left
posterior felt no roughness felt in bones,
marked brownish discoloration over dorsum
tarsus infiltration along tendons. reflexes present

Feb 6/17. 7. still bad. not so red. dor. swollen, brown, very hot
& feels on press of more swelling outside edge - redness. (B)
leg bandaged at under end of tibia & fibula. (A) now up for dinner
more hot red & hot at night - better in day & keeps it up..
Toes not so blue..

Aortic Insufficiency.
athletes heart

6.13. 01

Dr Martin.

[REDACTED] 42 Lynchburg Va

seems played out 'sets up tired can't stand up
& get - feels bad all head. nerve. seems like come out
of poison or m. b. broken down from my heat, & it heat
too hard". suff little appearance. not at close near a year
but summer comes all the little appearance is out. of mind.
fever off. this year all of a sudden what they said
seemed the greatest thing in the world: depressed all the
time no energy - not laziness - no nerve. Lasted him
1 1/2 years. In '86 had fever &c. temple pain in back last
4 years. and t 115. gradually better in '88. - unless suffing.
"want of an account" Then took Rh. S.S.S (no general dis.
got better. grad. till 1 1/2. ago. too last year feeling awful
rotten. - wife ill., worries & cares. very depressed a blue. "how
my legs? I have a trembling in my legs. knees tremble
like half crack. uric acid in blood (or water) ^{another} touch
of malaria. I believe they are just growing.
Fr 105. terminate not being enter. tobacco none. gained in
weight. Bimly up as fast walk. urine all night scanty
& high colored. - sleeps well - no bad dreams.
has been utterly pumped out in a race.

- 1 Park
- 2 erg Stein
3. S & S M

Well nourished - muscular looking man. Eyes

look a little heavy - orbit a little infiltrated.
Tongue is clean. Pupils are equal - react well to
light. Pulse is regular - tension a little plus. Pulse
recurrent. T. m. reflex active. Apex beat in 5-th -
inside n. l. - No increase in area of cardiac
flatness. Slight throbbing in vessels of neck. In
aortic area a well marked diastolic murmur.
The maximum is at the right third costal car-
tilage - well heard down left sternal border.
Murmur is transmitted towards the apex -
no rumble in diastole at the apex. No pulsa-
tion over the manubrium. No special pulsa-
tion in vessels of neck. Examining the apex
more carefully - when he stoops over it is visible
in 5-th - just outside the nipple. Both sounds are
well heard at the apex - and there is a soft
transmitted diastolic murmur. No distinct
Corrigan pulse. Pulsation in vessels is visible. As a
young man he was a dedicated to athletics - pulled
in boat crews - a sort of all round athlete for

about four or five years. Dr. Bartholomew
20 years ago examined heart and said
he had a lesion of the aortic valve - would
never be any better but would gradu-
ally grow worse. Began hill climbing
and

good deal of
trouble. Was examined by Dr. Louis
about 8 yrs. ago - who said as far as
heart was concerned he might go in
the prize ring. Has passed life insur-
ance many times since.

Funerual Card Draft

XII. 24. 00

In F. F. Peard 32

C. very ghe pulse Reg. of the life dis.

Passed preg before. 27. ago lasting 4 hrs. & order
said an intermitting. V. h in mid ear trouble
but Jan. - middle ear des. all well now. No other
diseases. Has not had any interm. humerly.
Ache in the pillow. Sleeps on right side. Not short
of breath. Plays golf. gets duff leaves over. Fast walker
& A - good. In d c of health. Father alive. healthy.

Slow man. V. much nble a dm
at m. N L - not duff. no shock in thrill. Flatness
in 4th. r. st. & u. l. On ^{left} ~~right~~ first sound clear. a & b
after each a soft apex but not constant. At base in recent
fortune apex but more distal desap. in full inspiration & desisted
also at base. No acc of a red sound.

Tall 1/60 Sky.

ab 35.

1. X. 9. 05. W. 23rd U. . 3 time ab. & t.c. found in
life dis. by am. Last time by Peurse. only
a few hyaline & one epithelial. no black butte
or far. Worked hard. Lives a quiet life. not
smokes cigar. being enter. Good appetite. Gave up
2 meals a day. no coffee.

Bl. pr. Riva Rocca 240 - Jantway - exp. 170 - diast. 140

I-19-05. He looks very well; good color; no anaemia. Tongue is clean. Seven years ago had an attack of gout in the great toe. Radial not palpable. A. b. palpable in 5th, inside the n. l. A. c. f. lower border of 4th, r. s.d. Manubrium is clear. H. s. are clear at a. and b. No accentuation of aortic second. An occasional drop in the beat of the pulse.

~~Hospital~~ Nutritive Valve disease. (Steell's Murmur) 8.20.98

~~Hospital~~ 24. Elkton Va. (Dr Wolf.) & Dr Chapman.
Married 6 years. 2 children youngest 17 mos.
Complaints of heart attack for some time. more
severe last attack of R. - in Feb - all night long, & not
relieved yet. Dreadful cough.

R. - at att. ab 10-12. now ^{now} ab 8. not after 15. . . and last Feb.

Thought. She was well. Before last attack not short
of breath. - Cough better now.

Pain in right lung since last Feb - suffered much with
not slept up much. Lost in weight 95. from 125.

Pain is in the left side of sternum. is made worse by exertion
Tired, enlarged follicles full. Sleeps with head
high. not bear left side without pain.

Looks very well - color good - lips are not
blue - usually a little paler - no thickening
of the joints at all. Heart's action is
forcible. Percussion is clear in front. Breath
sounds are clear at both bases. Apex beat

is outside the nipple line - forcible - no definite thrill - slight systolic over body of heart. To the right of sternum both sounds are clear - no murmur. On manubrium the second is well heard - soft diastolic. This becomes louder and more intense ^{ward st. clav.} in the second left inter-digital space - where there is also a soft systolic. All along the left sternal margin the double murmur is quite intense - loud over the body of the heart. Apex beat very loud - rough systolic - shock of the first also felt. Murmur is transmitted well into apilla. There is no murmur with diastole below the fourth rib. It is heard well in the sternum to the fifth rib. Systolic murmur is propagated with the greatest intensity

to the back on both sides. It is heard
as low as the renal.

Pulse is full in volume - quite
regular - not collapsing.

X^c

W.M.S.

Mutual Valve disease
Cardiac Reserve

3 26 86

~~No. 111~~ 28. 13 w mt ver ple.

sample of heart -- for 5 or 6 years. This consider-
ately well. ^{the smaller feels 1/2 a}

During past winter a few recent at night able - ^{no pain} -
just gassy & sleep. very crisis - all day & night. Start
out of bed with terror feeling as the death would follow by
upon it. no pain, some cramps within the body - in the
abdomen & legs. Britton in Oct. has had
Heart not beating very fully, not pulsating.
4 or 5 bad ones. less frequent. Last part for the summer.

Start up in terror - always a reverent about heart - just
has had one in two or three days. Smother feeling, no pain
would prefer being much. Sc. fever several many years ago - 12
^{no ac.} R. pneumonia many & over
9. he goes until 2 weeks ago. not so well. health fade
at ~~1~~ has been worn in business - worn down.

Heart never violent - feels like hills. For 2 weeks
at night irregular. while crudel as the heart was bad, fell
weak.

Ends well no anxious - no more tension.

A.b. in 616(?) below nupt. - favorable. - a little diff in
size. found a syst tract. end, organ. heart as tight as a 4 in co
not t sp of sc - nothing in the base. But not ac.
ordered retrograd. m 11/10

11. 6. 99 very nervous, hypochondriacal & depressed.
has had one or a number of the nocturnal heart
attacks - feels anxiousness & as tho there was some
terrible crisis in his life.
Today patient is evidently very nervous and upset.
No essential change in the cardiac condition.
Apex beat is a little outside - regular - forcible.
Bruit is loud - heard in the mid-axilla. The
first sound is heard at the angle of the
scapula - but not the murmur. It is not
heard in the pulmonary area. Second
pulmonic clear. Advised to take mod-
erate exercise - live a quiet life - no sudden
exertion.

1-18-04. In sitting posture murmur is scarcely audible. Both sounds are loud and clear. The murmur is not transmitted; less marked at the apex than I have ever heard it; not heard at the pulmonary area. Both sounds are clear at the base. A little bulging of the praecordia. Liver is not enlarged. Spleen not enlarged. Right kidney not palpable.

X-15-PR. Pulse is regular. A. b. is in. Shock of first well

felt.. Perhaps a little praecordial bulging. Very soft, rather distant apex systolic, of much less intensity than formerly; scarcely audible, except then the breath is held.) No distinct bruit. In the r. p. murmur is scarcely audible. Slight accentuation of pulmonic second. Abdomen looks natural; no fulness in right iliac fossa; no tension; no special pressure; one can roll the head of the caecum and probably the appendix under the finger; not painful; no thickening along the iliocostalis fascia.

Suspected cardiac disease.

Dr. Burgess
Stretcher, Jr.
Oct 3rd,
Dr. Burgess,
say 10 AM
8th

~~██████████~~ 21 139 Broadstock Rd. (Kres) 2 m.

or B. said valve, of heart, feels stiff & br. - even when at rest.
+ you get out of breath - not much now. now, last spr. caught to-
uch. spell in faint. at time - swoon. not much diff. - not
now. Bed weight \$1.3. 3 now before 10.8.

was Rheumatic as child. not joint infl. has had "murmuring in the
heart", "as early as ~~the~~"

1. On repair. no enlargement. ap. in normal situation. no thrill
no murmur. at ap or base. clear. (2) on the st. card-resp-bruit
with crack. (3) after being exertion. a soft open bruit a cusp. card-
resp. but the soft open is heard when he holds breath.

(1) + go shows -

(2) -

(3) chest

~~Scalp~~ Army neurosyphilis

X 1, 2, 00

~~Scalp~~ 44. U. S. A.

Army Board, refer. In Ar 18 years.
Malar, as by oppo in Tucson, Arizona in 86-88, recurred
in 92 adov. coll. severe attack Mexico, '93 same place, in
mean time, Mexican and in Texas. H. Meyer La. 94-97, almost
cured. Parasite, tertian ^{mal. abs. in 98. my aunt found her}. Had Malaria with & peculiar
impulse in eyes for 10 years. History of hard full &c. & rube-
ns th. fever. now pains & neuralgia. Desch. ch. & nodded
a day. No typhus. Went before board yesterday, up for Surg.
In us really, for some months, but sick most of the time. Has
palpation of heart most after eating or. not walk at night.
Her. & high stony. Reg. nor const. Married. 2 child. Slaten
H. Adam. R. I. & no parasite.

Looks a bit sallow - a little anaemic. Conjunc-
tive are a little watery. Pupils dilated. He is ev-
idently very nervous. Pulse is rapid. Good deal of
fine muscular tremor during the examina-
tion. cold-moist hands - cold feet. Very active
skin reflex - rare motor flushing. Arteries are
not sclerotic - no increased tension. Apex beat
just visible - in fifth - within the nipple line. No
shock - no thrill. Both sounds are clear at apex -

first a little muscular - clear in pulmonary region - perfectly clear at base. No cardio-respiratory murmur. After exertion (rapid movement of the arms) heart acting very rapidly - 36 to the minute quarter. Soft systolic bruit at apex in recumbent posture - no thrill. Two minutes later in recumbent posture aperituit is gone - and the pulse is at 96. Cardiac flatness lower border of fourth within the nipple line - and at left sternal border.

Pulseation in abdominal aorta, which has been very marked for ten years. It often produces a sensation of faintness.

Abdomen is flat - natural looking except for the increased pulseation of the ab-

Abdominal aorta. Stomach tympany
is low. Slight gastroptosis. Right
kidney easily to be felt on deep
inspiration. Edge of liver just
palpable on deep inspiration. Area
of liver ~~bulges~~ flatness not in-
creased. Edge of spleen is easily
felt on deep inspiration - descends
about an inch below the costal
margin - is firm and hard.

Multiple Telangiectas.

Dr Anderson.

X. 28.10

~~H. S. H. M.~~ (wander name Bell) 357 m. schen.

In the family. - father. no others. 1 b. s. died of diabetes.
Lasted about 6 years. Epistaxis. more from nose than mouth. Face spots - a
many in lip, & tongue. - from which she has not bled. . . Mother assumes the
m. says further addams. Father died of pence & endox. after but had
hemorrhage. white face in mass of telangiectas.
Spots about a half - now bleed since a baby. - all life. Had few
much worse. when young. - better than now - for a week will bleed
very dry & then for a month will not. - now muscles pliable. not any good
. Has been cauterized. Sprinkle - mac McDonald - - did not good - but always the
tendency. Doctor did good. 5-8 op's - never bleeding: in bed.

Med. sized woman, marked palor of face. The presence of
many naevi in lips at once attract attention, they are of two kinds
small - superficial bright red telangiectas from 2-4 mm in
width and larger bluish angina which cause the mucosa
to project. There are three or four of these of 10-15 mm in extent
(2) on the tongue are half a dozen small naevi - two of good size
then an num on the buccal & pharyngeal num. (3) When I find a has
on cheeks a dozen or more chiefly small. There is one of 3 in
extent just on ~~one~~ end of the ridge of the nose. (4) The mucous
mem of the Septum in the lower half in both sides run over & with
a thick scale of crust of blood. She had bad bleeding two days before.
no angina were visible. (4) on skin I found a few scattered
purpleish bluish, one 2-3 by mm. the others of one nail
nothing on skin of body. . . skin not pale. nothing in blood.
in skin.

1. cat lactate

2. dead rust

(~) radium

Cardio-respiratory
murmur.

(Army Rejection)

10. 8. 95

~~D. J. H.~~ . 23 West Point. (full failed Surgeon USA)

Rejected yesterday by the Army board - at the physical examination for "emotional heart".
W & S. no illness since childhood. Mal. when 8-10. No
ac Rh.. Athlete in moderation. Smoker - but in moderation
as regards... Not cons. of any heart trouble at all. never knew
until this Board rejection. - Sent to me by Dr Reed for examination

Healthy looking - tongue clean. Muscular -
well built - height about 5-feet. 9 inches.

Pulse is quiet - 72 to the minute - full
in volume - tension moderate - readily
compressible - vessel wall not sclerotic.
Chest is well formed - no are of abnor-
mal pulsations. Apex beat just visible
in fifth interspace - below and inside
the nipple - not forcible - no thrill - no

increase in the area of cardiac dulness.
Heart sounds are clear at the base -
aortic second not ~~accentuated~~ intensified.
Sounds are clear at lower
sternum. At apex a well marked
cardio-respiratory murmur during
inspiration - generally two-puffed -
with each inspiration - which is syn-
chronous with the heart beats - then two,
sometimes three beats without the
cardio-respiratory murmur. When
he holds the breath no murmur -
at the end of deep inspiration no
murmur. At the apex there is a
regular rhythm - two beats during
the height of inspiration - associated with
a puffing murmur and then three - sometimes
four beats without. It is heard round in the axilla.
After exertion the same rhythmic murmur a little
more intense - no murmur in recesses of neck - no
murmur in subclavian.

Post. typhoid phlebitis

5. 8.00

D. F. H. - operat for osteo
nephritis

~~John J.~~ chester town md (Dr Simms)

Ill for 3 mos.

18 mos ago typhoid fever. fever, severe. came after
it. Hand & swollen when had the fever. I laid by for it
In course often mouth could get about. In 2 or 3 mos
well & healthy - used shells & a drug. swollen & heavy.
More at night no pain except when ill. Now has
(in see) begun went to Doctor who said he could
cure him... no good. Balled him... Dr Muller operate.
for osteo-nephritis. no pains. Bad stomach. colds.
In last 5 wks after operat. could not eat. Left feet & for
2 mos turned & could not sleep; feet, now worse self
still.

Healthy looking man. good color. Tongue is clean.
no tophi. Pulse is good - regular. Left leg a little
uniformly larger. There is now very moderate
enlargement - no edema. Pulsation in
the artery is well marked - no definite cord
in the vein. Distinct slight enlargement
of the superficial veins of the thigh. Skin

reflex is very marked. Abdomen is full -
nowhere specially tender. Spleen is ~~en~~
not enlarged. Liver not enlarged. Heart
sounds are clear. Apex beat is in good
position - no increase in area of cardiac
flatness.

Mr. Stay is positive that when he went to G.
Miller's Sanatorium he had no pain at
the head of the tibia - nor any swelling.

Tuberculosis
+ asthma.

Preston Brightin,
July 11/10

~~11 J St. 55-~~

7 ft 5 in. 16. all life. Saines. to home in '82. 45.

after pleuroy + asthma period all of asth. see you. died at.
and we grew up. all this life rev. - coughing. colds 2-3 days. Then
'82 - br 14-5. very life & p. at end partner. more than ever. + after
3 years a new ptm. Jan 1900 had influenza. left chest. cough very
violent. Follows sputum. Tub. was diagnosed. bacilli in sputum
then 3 mrs. now reg. 1901. small of b. Ticks up until 1901. Then
had to give up food. Had lost 14 lbs. sputum found in neck &
spoon loaded cough. never real strength. And then in seven years
had occ. small hemorrhages. now from the 1st and 1905 and
up to year by year. went about. began to take exer. self. &c. Then
about 1906. all in face. Last 14 ft b. 1906-7 very little wife
ill + died in 1907. cough + hoars. + all being money. Kept well
till 1908. at home + nothing worse. + except me own had a slight
hem + a little one after. 1909 spring began so about + at last
talked with lady with idea of marriage. Dr. said that it was not
heart - but more & less self. + feel better same time Nov.
1909 7 br. + over then Dec + Jan. then about a coughing. + in
way to So. N.Y. + saw Colman (L.C.) who saw sputum in + a few
bacilli - again Jan a few. very bad. Feb saw Dr. Colman. patches
in lung + dilat. of rt. heart also liver enlarged. - the b. aching then
nothing. etc in mouth bacilli + in April better. + able to walk a few
hours. Had increased in weight + asth a very weight. Saw surgeon

said "I was one. cardiac dilatation" & lay down. He said it never stand, it gave me pain & marned life." French Dr. X-ray work & result in confr diagnosis & French man pleased with adhesions so he left early. Mat. reported. P.S. same home not so well. 2nd of breath & going up stairs and palpabilit. at night. Heart thuds &c. cough & expect. at present. In former cases T.b. has read another spout now not much. - don't like weight round chest with them. Stand & walk easily.

Healthy looking man, good colour, well nourished W. about 12.1. Pulse regular, good volume. Arteries not sclerotic. Chest is well formed. A little shotty enlargement of cardiac posterior triangle more on left than right. Clavicles are equal no depression. Tideline bears in line of diaphragm. Heart is large, rather barrel shaped. Expansion slight. measurement right $14\frac{1}{4}$, expansion under an inch. Left $17\frac{1}{2}$, expansion about $3\frac{1}{4}$ in. Overbeat not visible; no pulsation in cardiac area or to the right of the sternum. Flatness above left clavicle. Impaired resonance to the 2nd rib, in fact all the way down left side is less clear than on right. Above clavicle q. b. Breathing sounds scarcely audible. Below in an expiration of equal length barrel tubular; a few slight crackles of induration; louder towards the sternum; intensified by deep breathing & cough. Expiration thus quite emphatic to the right upper lobe in front q. b. Breathing sounds normal, relative intensity, a few crackles over the sternum. Behind striking difference between last two lungs in quiet breathing to the left. No more feeble than the extreme base. Spiration scarcely audible. Numerous crackly rales at apex. In recumbent posture no definite a. b. visible nor palpable. Absolute cardiac flatness right sternal border middle line, top of 4th rib, very low over left half of front of chest. Liver edge is to be felt just 2 f. b. below costal border. Spleen not enlarged.

Tuberculosis
hut

XII-12 04

~~W.H. 84~~ 84 7622 Park Ave

Old man tub. in lungs. - Bush t. bone
5 wings slight haem. bl. up 1/2 beaten. at one.
Slipped before or got there. In usual health. had had
a cough 10 yrs. 14 yrs. none. Coughed slightly in the am
for two years. No calcareous sediment. 4 & ago.
had a colitis several yrs. v. h. w.

7-4. 7622 W. 1st & w. B₂, S₂ The brother has acute
bright - 7 or 8 yrs. we br. a physician examined them
had tuber. got better. Has had it 18 yrs. has been
away many years.

after the haem. or said was slight infect. nothing in the same
the lungs. gained 16 lbs in weight in 5 yrs. were Bailli
and pectoral. Has been close confined in the am & now
facing - a very day. com. 6-7 years. working 10 hrs a day.
Takes dust

Healthy looking fellow; good color. Tongue is clean. Good muscu-
lature; weight 158. Pulse is good, regular. Chest is well formed;
angle good; expansion exce lent. The right side of the chest is exact-
ly 18; left 16 7/8; expansion on right side an inch and three-quarters;
left about the same. A. b. is in normal situation. No difference
whatever between the apices. Perhaps the right clavicle stands out a

little more prominently than the left. Percussion is clear in front. Breath sounds are very quiet on both sides in front; rather suppressed and distant on the right. On full breath the air enters everywhere. No rales on coughing. Slight friction at left apex behind. An occasional crackling rale. No flatness anywhere. No special difference in the fremitus on the two sides. Heart's action is clear. Spleen is not enlarged. Liver not enlarged. No enlargement of the glands.

Pul. Tuberculosis
remarkable case.

{ Dr. Astley
Lunatic
Shoreham, Wash. X-20-04

~~§ 1~~ 23 Sheltville 16.
most & ballonized last fall. after N.P.
remaster. last fall. coughing & Jane & I. not over &
had hemoptysis. now at home. in am 11. had been usually
weak. ver. & etc. & might up a B 1/2. Triget red. - Dr
Sand. from Lung. red. & puffy. in bed. heart weak. Had
had a night sweat now. & sand n P. & 3 runs 4 Jan. - 9 1/2
March. No fever all the time - Out-worned at home while
in bed. a girdle. & support. Cough. disappear. & this Spring
ver. Dr. Went & sea shore & coughing blood every day since
so same. Spots it up with a hand. - comes up & coughs.
3 w. ago a large one. 3 handkerchief. In am cough. &
sweat during the day. & Sputum filled with blood,
but no weight. 130 to 116. No fever. all his of day. not a
particle - all the time. no soreness. Sputum scant. bacilli found.

7 H. On - 9. 28, m 97 85. S₄ B. all died in May
(in Lunatic). no Tub. - Father b. died of consumption 35. g. Rd.
~~16~~

Sputa bloody since the middle of July. -

She looks well; color good. Tongue is clean. Chest is well
formed; costal angle good. The supraclavicular spaces are equal.
The right clavicle is perhaps a little more prominent than the left
and a little less motion right than left. No increase in the fre-

itus on either side. A little higher pitched note at the right apex; extends along the sternal margin. Clear at the left apex. At right apex in front the heart sounds are loudly transmitted. Expiration is prolonged. A few crackling rales, not specially resonant, best heard along the sternal margin and as low as the 4th rib. When she draws a deep breath they are more marked. The rales are fine, crackling, not resonant, and the breathing is not cavernous. On coughing the rales are distinctly crackling and behind slightly resonant. Behind they go almost as low as the angle of the scapula. Clear in the flanks on both sides. H.s. are clear at a. and b.

October 20, 1901

E. J. S. - Sputum Examⁿ

I. Macroscopic Examination

Thick tenacious distinctly blood-stained mucus.
No special odor.

II. Microscopic Examⁿ

1. Fresh Specimen - Numerous red & pus cells.
No elastic tissue found.

2. Stained Specimen A fair number of
tubercle bacilli found.

N.B. Character of specimen entirely different
from that previously examined, and which
contained no tubercle bacilli.

N.B. Fullmer

1981, ab 2000ft

Forest mtns - Dr. Osler

first animal 3 species total. I

most birds = both altitudes common & well
also least alt

two 3 species total. II

all up to alt common - several alt. I
many even share alt

To return up to higher levels. II
know least about

traffics little need of release. III

birds no minimum planned for up
least about as many as existing
level of BC

Tuber ulvum pulmonum

Nov 8th. 07

Dr. Reine
Loring.

~~Hospital~~⁶⁸ Loring Mass

St. good crust. fair well. calanch. in marsh like
most bush man. Vile weather & anxiety about wind at head of school
bore me down & 2 snow storms in April. comp. April. & Dr said anxiety
would be bad ever "savor" - spas cough. & then. certainly. & said all
clear but that cough would be perpetually & sleep & dry. Had
this summer - well nerved him. everything uneven 8-10 pm after
nerves. got better in sun warmed flesh. walked & in May went
to give the Clark Lecture at Cambridge Eng. Dr Davis go. Then away
the vapors. Slacked off 15th. Strength good & cough slight. Vile walk
Meng Oct 23. & smoggy & raw & cold. not only going calanch &
but this overall & anxiety has come back & ridiculous spas cough
which comes on when excited or sleeps or anything at all. Every time
comes on when excited or sleeps or anything at all. Dr Davis of the 18th lecture
gave 2 lectures. hoarses & so but as they are in October of the 18th lecture
& breath is short. - Did pick up but not quite to
normal weight. No fever. splits up mucus not much. for
have been brought up twice. In am more. - This for year. no blood
count. - Did not get back his word completely.
Malam at 2 in the Potters Marsh. had hand & over sev
1. dyspepsia

2. Pale.

3. pulse not very rapid

4. censored of left up like. - flat. not nodular

5. strong breathing & roles. very resistant to stimuli. about covers his

6. At apex also hub. a few roles also resistant. tub. pseudo-cerv

7.

Tub.-Pleurisy

Sept 6 A.D. 9

10 Everard Place St. Leonards.

or Chatterton
Mozaffarpur

~~10 Everard Place St. Leonards.~~
~~Titanurhi, Bengal~~

In India 28y. old. had fever 1st in '85. severe attack came home. ill for 4 mos. & 1 well. never again. Dyester $3\frac{1}{2}$ years ago acute attack last up some days, 12-3. much blood & mucus. So was it came home. 4 mos. Other well. P. D. fever Mo in 6 or 8 mos. began mo of T. in eve. to $102^{\circ}-83$. nothing but the fever. but fell ill last for 11. 7. to 9. 6. mo to 81° was well in Jan. began went into. could till May. had fever then but not incapacitate. went to Simla for a mo. no good. went to Maghabpur & rest there under treatment. Sphen not enlarged. a liver. He said that also liver still not said no. Besides pleurisy in not lungs. Mo in 3 years. Cough with it. of a warm day all night. When fever from pleurisy 3y ago had some fever. Pain in chest. Cough for long time - as long as the pleurisy. None of late - not more. Spills at very little - Sputum nothing in it. On Aug 29 well to aden. Fever for 29th. Good appetite.

Good colour. Tongue clean. Pupils equal, react to light. No anemia. Pulse regular, a little rapid q6 in sitting posture. Chest is long, thin. Spaces well shown, equal on both sides. Expansion a little less on right than on left side. Lower right spaces a little less distinct, hescicular, the 8th & 9th in middle line. No tenderness on pressure on either side of the chest. On the right side clear along the sternal margin. Flatness begins just below 3rd rib in nipple line extends out into the axilla. Upper end of

liver flatness is an 6th rib, lower border.

From behind both sides look equal, right perhaps a little fuller than left. Intershances are well shown. Percussion is clear behind until one reaches the outer border of shoulder blade, then flatness extends into the axilla. Air enters well freely into the base of the right lung. In the axilla outside the right nipple there is a well marked friction, after coughing a few well marked crackling rales. Heart sounds are clear - apex in base. Abdomen is flat, natural looking. Spleen not enlarged. Liver edge just felt. 2 fingers breadth below costal border. Glands not enlarged.

~~Glycerauna~~. Tachycardia
melanosis scleræ (or) Ochromis. 1. 16. 93

~~██████████~~. 57. Salisbury Md.

F.H. good. F.T. 2. m. 74 or 75. all nervous & high strung -
always well except nervous. 20 y. ago sprained ankle -
wore a brace. Not for 10 years. active & vigorous. Had two
seme in office. Stiff in knees - cannot take carriage.
^{slight stroke} 10 y. ago
any more.

Sugar 2 years ago. $2\frac{1}{2}$ p.c. Last summer went to Castle Hay,
only a brace then ($7\frac{1}{8}\text{ of } 1\frac{1}{2}$ p.c.). Broke down this
year (2nd neck) nervous. attacks. Had intermittent pulse
attack. Wore in Nov. slight trace then. (Dr. Da Costa)
nervous & indigestion - whole left side - & stern on the left
shoulder. In 82. carbuncles - not really. No pains in
leg. Stiff knees - for years. Mother & brother seemed
never passed large amount of urine. -

Healthy looking man - color very good - no
anaesthesia - tongue clean - a patch of pig-
mentation on the inner angle of the
right conjunctiva. Pulse rapid - 116 - low
tension - vessel not sclerotic - easily com-
pressible. Knee jerks present.
Bhest is well formed - no throbbing in cer-
vical vessels - or in sternal notch. Liver

dry - scaly - patches like psoriasis on trunk.
Apex beat not visible - not palpable - slight pulsation in lower sternum. Percussion on manubrium clear - upper limit of cardiac dulness about 4th - does not extend beyond mid sternal line and just within nipple. On auscultation both sounds audible at apex - soft bruit with fist. Heard along anterior axillary fold - well heard in lower sternum. At aortic cartilage and over manubrium it is well heard - not rough - propagated into vessels of the neck - Second sound is clear - not accentuated - no tracheal tuggering. Heart sounds are transmitted to the back - the bruit is not heard. They are loud in the left infra-scapular region. Respiratory sounds are clear.

Abdomen = Scar of a carbuncle just at left of navel - edge of liver readily palpable below costal margin - Spleen not palpable - no tenderness over pancreas on deep pressure. Superficial area of liver dulness diminished. Neither kidney palpable - no pain on pressure over the renal region. Outline of the discs a little obscure on left side - no retinitis. The patches of pigment are on both ~~eyes~~ - on both sides of the corneae - symmetrically placed - beginning about 2 mm. from the

edge of and extending about 5 mm. in the transverse - and a little more in the vertical direction. Those in the sclerotic are blackish brown in color - the inner ones are the most extensive. About the one on the inner aspect of the left eye - and the outer one on the right - are a few little yellowish fatty bodies. The pupils are of medium size and react to light and on accommodation.

No ab.

Order T. n. v.m.

Jan 14, 95. Pm side cultures - negative on exam
To table Suratoga only.

Pulse not so intermittent .. Color good

June 6th - 95; Pulse 120; otherwise condition is good.

10. 16. 95. None has been high culture. Sugar last month trace
Has pain in back. does five sit. 6 or 7 lbs lighter. To go in well
the other.

Oct. 24-1901. Pulse 120, practically the same as it was in 1895. Apex bruit is louder—a little more intense. General condition is good. Within the past ten years a remarkable pigmentation has developed over the molar regions on both sides, and the pigmentation on the inner surfaces of the ears has increased extraordinarily. No increase in the pigmentation of the conjunctival. It is a pigmentation that is black—not brown—so that it looks like the black of black-heads—but it is in the skin.

Oct. 10th, 1902. Large, full pulse, quite regular. A. b. in fifth, not specially forcible. No pulsation over manubrium, visible or palpable. Rough, wiry systolic at apex. Aortic second is clear. The systolic is propagated into vessels of neck. No pulsation above the sternum. Marked throbbing in both subclavians.

Dec. 4th, 1903. His pulse is much more regular, only an occasional drop; very good volume. The a. b. is not visible, not palpable. Cardiac flatness just at the nipple line. The same sharp musical bruit at apex and along left sternal border, well heard at aortic cartilage and transmitted into the vessels of the neck, very loud in sterno-clavicular; no murmur to right of sternum. A little more stiffness of the joints.

X. 11. 04 . For a year very good condit. tec. yslh. of health. last year over the heart 4 or 5 key comp.
Bland & same. No bad attack since left Hospital.
This

The pulse is regular and full; the beats are longer, but the irregularity has disappeared entirely. The color of the lips is good; color of the finger nails good. The hands and fingers are distinctly more stiff. A. b. not visible, not palpable. The same wiry systolic bruit at a. and b. Second sound is clear. No signs of enlargement of the heart. The systolic bruit is not propagated

into the vessels of the neck; heard loudly over manubrium. There is no pulsation in the second right. The aortic valves close cleanly. No flatness over manubrium. No flatness outside the n. l.

1401 LOCUST STREET

PHILADELPHIA

January 18, 1895.

Dear Dr. Osler:

The condition which you describe in your note is usually called melanosis sclerae. It is sometimes symmetrical, sometimes not, and I think more frequent in the upper portion of the sclera than in the region which you describe. It is a congenital fault almost always, I think, although somewhat similar patches occur after one or two of the inflammations which attack the anterior portion of the uveal tract. If it is congenital, it is due to a process which I believe the Germans describe as "natur-spielen." You will find a very good account of the condition in Graefe und Saemisch's Handbuch der Augenheilkunde, Vol. II, p. 117, a somewhat poor account in Picque's Anomalies de Developpement et Maladies congenitales du Globe de l'Oeil, p. 168, and also a modest reference to the same in that epitome of wisdom which the child of Satan has purloined from your office. A copy of the latter is now speeding its way so that the jewel may be restored to its crown.

Yours sincerely,

Graebe

Dr. William Osler,

1 West Franklin Street,

Baltimore, Md.

* His epitome, not the child of Satan

THE JOHNS HOPKINS HOSPITAL,
NORTH BROADWAY.

HENRY M. HURD, M. D.
Superintendent.

Baltimore,

November 10

1896

Analysis of Urine

The urine has a distinct yellowish or dark brown smoky color, with a slight hazy white precipitate; no special odor to be noted; reaction is markedly acid; spec. grav 1025. The urine on standing has deepened in color.

Chemical Examination -

Urine contains a very faint trace of albumin. Fehling's Copper solution is reduced in a peculiar manner. It is first turned an inky-black color and on further heating a reddish-yellow precipitate is thrown down. The urine is optically inactive and does not yield CO_2 with the fermentation test. Negative also for sugar with the Phenylhydrazine and Bismuth tests. No diazo reaction. On the addition of KOH solution the urine becomes a deep brownish green color on standing, this color extending gradually down through the column of urine.

Microscopic Exam -

Few hyaline and finely granular casts; cylindroids, numerous epithelial cells and an occasional pus cell. Few oxalate of lime crystals.

N.B. - Am endeavouring to isolate the crystals of the homogenetic acid.

J. B. Fletcher

Nervous Palpitation

1.25.82

~~Hospital~~ K. 29 213 St Paul.

Palpitations - up hill feels the action.
Dyspnoea bad - at one time. Pupil smaller. He accept.
for life ins. ^{6 mo} 6 years ago. Only not. p & v for 3 years.
no ac Rh. Has had soreness in chest - had grippe.
2-3 yrs ago - no typhoid. Had malar. 7 years ago. Was symptomatic
well. + strong as usual - gained 10 lbs in weight - in year
not a smoker. Exercise moderate - as boy. not in races
now.

Healthy looking - tongue is clean - no throb -
ring in superficial vessels. Pulse 92 in
standing posture - no thickening of the
vessels. Apex beat visible in fifth inside
nipple line - not heaving - no thrill - no
increase in superficial area of dulness.
On auscultation both sounds clear at
apex and base - first is sharp - neurotic.
Recumbent - Heart sounds clear - occasional
intermission. *Lata diajuncta* Petalum
Abdomen a little relaxed - tympanitic - throb -
ring in abdominal aorta

10.29.98.

Post-lightward Pain - after Bed sore }
" " Culrature

64-16-95-

anular dunes } 2nd year

~~John D. Allen~~ 4

4

Gettysburg Pa. (so I think)

Complaints of heart trouble.

Couple from typhoid fever 2 years ago. very severe.

leg in post. flexed at st. angle + then - turned in leg

Had been up. Could be moved or handled. Barn kept
in bed.

Possibly a neuritis. Had to have the leg stretched by Dr. Ford

Possibly a neuritis. Had to have

Possibly a neuritis. Had to have

Possibly a neuritis. Had to have

Rh of spine appears - over bed over a dead shrub

...fam. Keeps you sleeping : for

Heart trouble 3 mos ago. first noted. Valley alone asked

fullness. an attack one night. Had Blake numbers

In home for 4-5 weeks - short breath when walks -

Does not peel back - cut well - Eat sleek hamball

Elaine will take walks with a

Looks very well - well nourished - walks with a limp - leg is straight - but knee flexed. Pulse is 92, medium tension - medium volume - not collapsing - easily compressed. Apex beat not visible - not palpable - diffuse impulse in fifth.

Sounds are clear at apex and at lower sternum and at aortic cartilage. First sound only

10/29/98

nothing in the chest & am. no.

heard here - a little accentuated. No abnormal areas of pulsation. Liver not enlarged - spleen not enlarged - lungs clear in front.

Very large bed-sore on the back - down to the bone - covered only by scar tissue on the sacrum - another one just under the fold of the gluteus.

This man has had pains on and off for fifteen or sixteen years in the back - so that he has rarely ever passed a night without having to get up and rub the back just about and above the scar. Evidently now his condition is largely one of neurasthenia due to the prolonged pain.

His right leg is entirely cold he says.

Wrote to Dr. Dickson advising active counter-irritation - the wet-pack - and large doses of strychnine.

Eopthalmia goutre.

5: 2. 95~

~~John H. [redacted]~~ 22. 10 17 A chas. - from Dr
Perry. U.S.A.

Nervousness - chief compl. & headache - stomach.
Heart. Came on suddenly ^{3 years ago} & felt as if died in insane
no ill in family. asylym. a few
never very strong. slim. delc. always nervous. off.
when 15 years near - situated. Now no use of eyes. cannot
read for more than a few". headache.

Skin dark. Hair & muscles much worse. 16 x 1 & few
spider - ex. Dryness of throat & mouth. weight 350 lbs.
eye larger. prominent. Throat. ^{138 lbs.} lost him a
few weeks. now 118.

Heart action rapid. nose blocked. & scabbed cut out
compl. some growth.

Pulse 38 to 40 beats. Tremor. marked. in hands.

Thyroid large. pulsated from the larynx at upper angle. and
evident - but irregular. & as low as 2nd rib in sternum.

Heart throb much. forcible action

No stellwigs sign - no grape sign - not gouty.

Eopthalmia very slight..

Has not had the Thyroid & or Perry suggests it. not better and
To

The three lectures . m r digitalis. m 1 of verber. m. 1 of aconite

10. 23. Bell - gained 18 lbs in summer

To go + Harry Thomas.

5. 9. 96. Will typhoid belles' for only 3 weeks.
no change from them.

Circumference above 23., middle 30° below - 36.6.
Lwls worse - very Belladonna m & xx vi l. d.
near all winter.

ordered sulpho pink opoda sss xx.

Labyrinthine Vertigo.

6. 13. 95.

[REDACTED] 49. 404 Column 51.

(from Dr. P. Randolph, Jr.)

Vertigo - Le tournes. 1st attack everything turned.
Followed by terrible nervous prostration.

1st attack 7th ago. stood in cor. of street. turned suddenly
feet dizzy. Obj. moved. all night all. before 9th am. Sudden
falling out of bed. hours on opp. street. looking thru
window. Then had another. 3rd after - quite well meanwhile.

Then next attack last Xmas night. Sitting at table
looked to left & turning head back. Head began to ro.
Della & I lasted 1 $\frac{1}{2}$ hours. no prostr. no vomiting
sweat. Della & I lasted another. severe. about 3 hours
no nausea. In morn. 13th another. severe. about 3 hours
came in in washing. sloshing. felt poorly from start.
Lying down Obj. kept going for a hour. abd. Pale - ashy.

Column. slight cold perspiration. April. 1st another. which
was lasted over nine. intervals. One 17 days. June
up the all. bad. Easter Monday. could not say whether he was
walking up or down or sideways. Had to sit or lie in
wheelchair. as location idea at Wall. Perfect anoxia.
Abd. way to go. as location idea at Wall. Perfect anoxia.
had to go up on hands & knees. & had
to be directed wh. way to get in. very prostrated
after it. & mind travelled like Royal Blue. could not
control mind. no sleep. no snore. very disturbed

Jade. for 20 weeks. no fat pelalm at. least. on manure
Had been going about more, falls. now trouble ⁱⁿ looking.
from H. b. & a cold back the head is unsteady. & light
weakness in legs at times. lost in weight. 15 lbs. - 20
by diet. No Roaring ~~sounds~~ with 1st attack. ever since the
~~last attack.~~ constant, in rt. side, like chugging at times
P.H. Active man. never tired. No over work. Tired worker.

Ears trouble six years ago. i Haslam thought due to
goutine. after gripe. Freed from it. The roaring
is always worse with the attack. or if he is very nervous.
Cold feet & hands. & cold chills - week before last.
began in feet.

Digestion now is good..

Had an attack of Kidney colic. about 1st. Child from
hypoderm. lasted 5 hrs. - & after return to cushion
had rest.

Healthy looking man, iron - grey ^{or} Pupils
are equal - react well to light and on
peripheral irritation. The tongue is
clean - pulse is steady and regular -
vessel not sclerosed. For condition of
To Nitro - gly. cold pack -

eyes and ears see Dr. Randolph's notes. Hearing is pretty good for the watch in the right ear.

Heart sounds are clear - no accentuation of the aortic second.

No dilatation of stomach - liver is not enlarged. Spleen not enlarged - Knee jerks are feeble.

7. 3. 95.

- Traumatic neurasthenia. -

Vertigo. Edema of ankles

62

Jr

██████████ 1204 N St. Washington

Feb. 9th, 1895. Cut head & forehead inc. 3 hrs. after run over - shaft ran tho. coat. - & dragged. Dug at base of brain. Dizzy when turning in bed.. streaks like Ele. thro. brain. Slip 6 weeks. Then relapsed. In bed most of the time. Urinates 3-4 squirts. Headache & increase in size of the urine. Several relapses. Dizziness a wave into brain ^{now} could move about ^{now} brain by ^{now} few weeks say between 2 feet. Hair all in cerebellum. Few weeks say between 2 billions. T. in mouth. not above 98°. Even since vowels regular as med. no loss in weight. Gain 2 lbs. (Dr. Bull N.Y.) reduction from caused increase in pulse. never below 100 - often 110. When it attempts to walk had a dazed feeling & walked stiffly with head. Dug it out & is relieved of it. Pressed on ^{now} foot ^{now} hand ^{now} without any question. Massage caused has recd. ^{now} without any question. Massage caused feeling like lumbergo - stiff & if sit down gets up - stiff when step down because far below a pain in spine. Now not dizzy - very little. Now high pulse - no effect. Now not stiff - very little. Now has a little stiffness in ankles - & stroph. & acute. Now has a little stiffness in ankles - now slightly swollen. Gen. health good. Tongue clean. Liver bowels healthy.

Pulse in colon good. Pupils equal but dilated & med. red. arteries red. No ripples or tinglings. - no ripples of R.I. No sensory changes.

no sensory disturbances - eye grounds clear.

no changes of note anywhere -

Eyes Pupils normal. -

Snd clest. fresh air. - - & no medicine.

Urine clear - no albumen - . Normal in quantity.

Casts ?

'Obsessive mentale.'

Sept. 10 A.D. 95.

(Dr McAlister)

~~J. H. M.~~ Iron master 30 Harrisburg, Pa.

F.H. M. Cancer, 40. F. u. w. Not married.

Course of nervousness. In summer.

18 mos ago. had a frost at night. - & deprieced easily excited sexually at times. Last S. & W. & thus S. had a new feeling not fear not depression. Kind of cerebrum. of ready get thinking phrenctly. in attention something wrong. Thus summer set in acute. but if fewer. About a m. ago. felt some like a scared feeling. felt about heart beat fast. lastles 2". 2 nights after again, more more marked, in waves. Then thought I may have a seizure - no sweat. & meat. no pain. Troubles bear 2 days. & th. after saw Dr Mc thought to. 2 weeks ago again while in walking room. in day light. an unusual feeling of fear. - apprehension. not anything scared.

Rides bicycle - & takes exercise. a much the same thing but slight - not sure. In the last year. noticed kind of started feelings. of doing - get a start even in day time.

Smoke up - a little - about a month.

Dr. McAlister
R.J. 4 a.m. ner. & restable. no symptoms

Ordered. wet. pack at night. Boronide. & Nux. vom.

Nov. 25-16 Better at times. still curious feelings like uneasiness
× low spirits, no so much dread & apprehension
not errors.

Is M. steadily on 3 weeks. ordered by X of Tenth Regt for
the 2nd

3. 25. 57 well last winter - good spirit & mind - but ringing in
ears. In 8th. not so well. In Mar a cold. after back
a month worse & in July away for 2 weeks. all right in 2 days.
In Nov worse than ever. Don't for 3 months. not back a day
before bad. occas. well but owing to ears. Depress & blueness
scared feeling. often at night. sleep not so violent but started
longer. 10". Real fear. little loss of sea sickness without the
nausea. What opinion of it kind gallbladder. Feels sometimes
as if he was too well. Sleep well. Colon good. - at work.
"Solf & assist to marry"

Henoch's Purpura.

10.14.95

AB

~~Aug 18~~ 27. norfolk va.

Couple of cold feet & after 2 or 3 days pains in stomach & a fever & in the m. or next day the bowels move 2 or 3 times. Attacks for 6 or 8 years used to have 2 or 3 times in succession.

Cold feet all the time - 2 or 3 days before it comes the ice cold feet & stomach moves.

Stomach - gripes - vomiting - not colic. - of course the seed - always in center - sharp. sometimes double up or upper int. pretty bad. no mumps. &

Fever with the pains - by the time he gets into bed.

7. last ~~at~~ 6 - 10 hrs. never look t. Talks all sorts of nonsense like in a fever. Imag. he has 26 tumors & 26 stomachs in a row &

Pain in back right side - terrible indigestion always in the side.

Had great big liver spots all over him. Thought at first he had been unprovident. First one 8 years ago. Will go 2 or 3 months without, & then 6 mos. Has had them every two months.

Blotches began on arm & neck & then on stomach 1/11

18

Sometimes as big as palm of hand. Now or 11/2 or 2 years
never not in leg. Sometimes dark brown - never
white.

No pains in joints - no swelling. No trouble
in the family like it.

Medium sized man - looks pretty
healthy - perhaps a little pale - Tongue
clean - gums not swollen. Pulse is quiet.
Examination of heart and lungs nega-
tive.

The abdomen looks natural - is not
swollen. On deep inspiration the edge
of the spleen is distinctly palpable -
area of vertical dulness five fingers
breadth. Stomach is not enlarged -
Liver normal - no increase in size.
No spots now on the skin - no oedema -
no swelling of the legs - no swelling of
the joints.

Pains in chest - pleuritic character

12. 12. 95.

[Redacted] in 48. Wilmington Del. (from Dr. Hussey)

Compl. of lungs - pains in shoulders & sides & lower part of hips, thro' the breast. - hips to neck. Lasted. - since last February. Began acutely - but cannot fix the date - first pain thro' the breast bone & the right side. Pains come in early am. & late day & night. Keep awake. so bad the perspiration. Pale & cold at times - feel it coming up in face. Palpit at heart with it. Pain never specially at heart. Pain always same nature jumps about one side to the other. Slacking pain in chest - even jump with it.

Loss in weight - not much - except in abd. 169 now 159. Liver abd much irritated. Today 160.. not losing appet. good. no nausea no vomiting. No cough. but says continually. in throat. Yesterday in digestion - Id sort - since 1882. bit of hiccups much pain in passing - pain in stomach. 1882-3 had it for a year - reduced to 5 Hobs. Indigestion 2-3 am go to w.c. 4-5 a day times until 9 am. pain in stomach & bowels. Pass little ball after well in 8:30. well no jaundice. - all gone but a slight one & again yesterday.

P.C. Well nourished man - grey hair -
panniculus is everywhere well preserved.
Pupils are equal - complexion a little
sallow - color of ears good - color of lips
pretty good - tongue is clean - mucous
membranes of mouth good color. The
neck is unusually broad at the base -
clavicles not noticeable - supra-cla-
vicular spaces look full - broad on
left side. Supra sternal notch is full.
This fulness is largely due to the fat.
Perhaps the lateral processes and tis-
sues in the neighborhood are also a little
prominent - no distinct individual
glands are felt. No prominences on chest
or on scapulae - no pulsation.
Apex beat faintly visible just below sup-
ple. Draws a deep breath without pain,
pretty equal - ~~left~~ right side perhaps
a little ~~less~~ more than left. Breath

sounds are equal at both apices & in front - a little distant and muffled on quiet breathing - not very full and clear on deep inspiration - no adventitious sounds. They are well heard in mammary region.

Heart sounds are clear at both apex and base - no specially transmitted to axilla (?) - first sound is well heard at manubrium. There is no tracheal tuggering. Expansion good behind - at left base a little flatter.

The seventh cervical looks very prominent and broad - no tenderness - no dulness behind. Brackling - perhaps pleural-rales at the left base behind. Tactile fremitus is well felt on both sides. The pleural sounds extend around the heart. The abdomen

is natural looking - soft. The gall-bladder is not palpable. Examination of the abdomen negative - examination of rectum negative. No enlarged glands - no epididymitis.

Ordered the iodide of potassium.

12.7 98.9 A day very well and Pains on & off, not worse but cannot stand it - recently down a stone - In sum pain gone. Stomach 179, able to attend to work all along.
Remarkable circumstances of these since June or May hundred grm dissolved & full - no swelling papule or froth Mila has seen him - or 7 days inf 2 cases he has seen

Barttinis deformans

3.62.86

Mrs [REDACTED] 525 N ches.. 49.

changed. ch. Rh. . no child.

F.H. & son died. y(35) in y Cens. F. of April. 50 G.P.O. day
no ac R. not robust always well..

3.y. began had not been well had grippe. went to Old
Point. Full induced the feet went. in arm. could not get
shoes on. Hands soon swollen. was then swollen but
not red. 11 knee - rt R. both shoulders. cannot get hands
& head. I out of lame & full of pain. of hands. mud puffy,
affec most. mud print stiff. took a little time & glory.

Heberdens node in little finger of left hand after me very
pronounced. radial deflection of ter. platauyx. RT-little
finger ter. phal a little nodular. Both dor. surf of all
hands swollen & puffy. Wrists were swollen in Barnes
(Dr Macrae) They are better now & smaller.
Shoulders. only affected at times with pains. Pad of
palmar. of index finger rt. is swollen.
has swelled up all sort of things - no difference. not affected

by damp weather. Pass plenty of time'

To go to hot springs-

Dig - potarsa on my bed . Little tables -

Mental value disease

5-16-86

~~Aug 3rd 1886.~~ (S) (Father suggested at 4).
Hagerstown. 33.

compl. of heart trouble - has had ruffness & asthma ..

P.H. no Rh. sc. measles. no typhoid. When 13 or 14 had 8th month & fainting. Ideas had at that time laid up in bed, has had swelling of legs. Has had to get up at night "walk half the time". Wheezing cough very bady - when young.
F.O. no h trouble, consumption, anæmia and rheumatism. L. & r. l. br. 15. 16. d. c. unk.

a. br. few wt. much h. a. l. - no trouble in path. Should of 1st. marked. L. and. very tol. soft syst. 8th of it very weak. pul 2nd accent. no mur in a or h. reg. -
Lungs clear.

To rect. To neck bronch. T. little dyspepsia
To me Digitalis. My X- 15 d on wages in each month.

Cancer of stomach - severe anaemia -
Remarkable double murmur just June 6th - 15%
alone apex.

~~James D. Thompson~~. 64. 18 E Lawrence st. (or Baden

Couple of mdy. dyspep... when eat distress
would throw it up - bowels got to make a terrible
noise. and enough to be heard across the room. Not
that on May 1st. Pale since 3 or 4 weeks -
Is a dyspeptic. In 1871 sick reduced to 108 lbs. pale
then. - no severe - at business ever since. Had hem of
bladder for month to Oct - 12.4. ago. No urines
lost. in weight 5- or 6 lbs. 120 now. 2 months ago
115.. 125 is ord. weight. Vomiting after food.
In abd. in lo. bone. not much gas come up.

Looks a little pale - not very thin - fairly
good musculature. Face has a yellow
pigment - marked on the neck - Tongue
is clean - Anaemia is quite marked.
on conjunctiva and on face. Pulse is
full - tension good - forcible pulsation
in the peripheral vessels - rather sugges-
tive of collapsing pulse. Marked oedema
of the legs - skin thin and glossy. Throb-
bing in vessels of neck and in sternal

notch. Apex beat not distinctly visible. Visible pulsation in superficial mammary artery - Mambrum is clear. Systolic murmur at apex - not very loud. Soft systolic at aortic region - second is clear. Below the fourth rib a well marked double murmur on left side - systolic soft - diastolic quite distinct. Heard also at the apex - is not heard at pulmonary region or at aortic region or down the mid-sternum.

Abdomen is full - natural looking. On inspection a distinct tumor in the left half of epigastric - extending into the left upper quadrant of umbilical region. It descends with respiration and becomes much more distinct. It has an excursion of at least two or three fingers breadth. At intervals it becomes more prominent - particu-

early just to the left of the navel.
The throbbing of the aorta is com-
municated to it. On palpation
in the parasternal line about two
fingers breadth from costal mar-
gin - there is a nodular body - a little
tender on pressure - and it is that
which one can see moving up and
down with respiration. To the right
and on a level with the navel there
is a second nodular body - not near-
ly so distinct - not so large. No en-
largement of the glands in the groin
or in the neck. Spleen is not enlarged.
Liver is not enlarged. Well marked
Litten's phenomenon. Intumescence of the
abdomen - deep seated - feeling as though
the glands were enlarged.

Died about 3 mo after Dr. Baker

Scleroderma

6. 16. '86

Mr. [redacted] 49. Savannah Ga. Dr. Carlton.
7 ft. 8 in. • F. d. at 73. M. l. & well. B & S. w. & st.
Grippe in Oct. 85 - bad. worse at. a hard to
keep up. Rheum. muscular. felt for a month. Shaking
him a little in rt. foot & ankle. acute aches. Lasted up
several weeks - yielding under cold & K.I. Compl of
gt. weakness & could not get up & move about; pain swelling
& heat of breast. Saller pt of face in event of things. Slow
got better & R. but general cond did not. This spring
was better - more or weaker - at times better at times
worse. Shook hands & shudders of breath. particular
weakness; swelling of feet. In am. with malacia mnl.
PH. well & st. not robust as bg. good teeth, no venous
dise. typh. pneumonia at 13. very severe. His last for 175
to 185. Has been a pretty heavy drinker - has
been free eater.

No pains in legs now, no mental symptoms. No pain
in hands. Never had R before Oct.

Face looks natural - lines on the forehead
show well. Fibroid induration on fore-
head attached to periosteum - nodule the

size of a pea - where he had a bit of brick
lodged. This has undoubtedly grown larger.
Lines about the eyes show well. naso-labial
fold plainly seen. No tophi. Skin of cheeks feels
a little parchment-like, - particularly just
above the naso-labial fold. No trophic
changes in the hair - skin of neck is
natural. Skin of chest becomes very hy-
peremic on exposure - no thickening
or induration of the skin of trunk.

Arm - no involvement of the upper arm -
skin perfectly natural. Forearms look
normal - from about half way down they
are decidedly hide-bound. The hands are
congested & no other trophic changes.
Skin of the back of the hand picked
up with difficulty. Skin of the fingers
is entirely hide-bound - cannot be picked
up - ^{they} feel very firm and cold - and as
he expresses it - like sticks. He can't make
a fist with difficulty - imperfectly - cannot

flex the terminal phalanges - can flex the middle phalangeal joints at a right angle. The fingers are cold - hands are moist. The pads of the fingers are very firm - skin a little shiny. Palms of the hands are hard and quite indurated - no stiffness in the joints of the arms at all.

Legs - no involvement of the skin of the upper or lower legs. When he stands up there is a most marked congestion - extending well above the knees. This the doctor says has been especially noticeable in the morning - the feet become very purple. The ankles look a little swollen - and marked with the shoe in several places - pits half way up the legs. After standing for a few minutes the foot becomes quite purple & venous

congestion is extreme. Big toe joints
not specially swollen - not specially
tender. No tophi in ears.

Apex beat is felt in fifth - no en-
largement of heart. Action is a
little rapid - in the erect posture
is 138. There is a soft murmur at
apex - probably due to the rapid
action. At base sounds are clear.
No pigmentation of skin.

Sept. 7th '91. The fingers look scarcely
so purplish as they did - and I
think are scarcely so cold. Otherwise
there is no essential change. The
nails are all heavily ridged hori-
zontally and the ridges beaded. The

erythema extends up the arms - no special change in the face. Bora-
plains somewhat of a little numb-
ness on the left side of the mouth
and on the upper and lower lips
and along the left cheek as far
as the lobe of the ear. The naso-labial
fold is a little stiff - as it was at
the first examination. There is no
special change in the skin of the
trunk. The feet are very livid and
cold - skin about the ankles and
feet feels a little indurated. Cer-
tainly as he stands up sits down
there is less congestion about the
legs.

Mr. ~~Ward~~ has had a fairly good

summer. The pulse rate has been
from 87 to 108 - average of 95 or 96.
There has been no palpitation of
the heart except for a week - when
he stopped the Digitalis mixture.
He took the thyroid extract faithfully
until about a month ago. He
is stronger - able to get about better,
and the color of his face is better.
His present weight is 135 pounds - the
same as when he came to Baltimore.
He ran down to 131 pounds - but
has gained again.

May 13th, 1905. He looks remarkably well; the color is good; the facial expression is very natural. While the face looks a little

smooth, it can be wrinkled easily and the skin does not feel at all sclerotic. The ears are not affected. Practically now no involvement of the face at all. The hands still look a little congested. He has very much more use of the hands; formerly he could not more than partially flex the fingers; now he can make a fist; they are always cold; not always blue. He still uses the hands a little clumsily. The hands feel moist and cold; they look a little blue; the skin is a little stippled like a washer-woman's hands; can extend the fingers almost completely. The skin on the backs of the hands is soft; the skin over the fingers is firm and indurated, but not nearly so much as formerly. No involvement now of the skin of the trunk; a good many dilated venules. A. b. is not visible, not palpable. Heart's action is rapid, an occasional drop. The legs are wonderfully better. There is no redness. The vaso-motor condition has entirely disappeared. Practically no sclerosis of the skin of the legs. He took the thyroid for at least a year. The left ear, which was involved, and the left side of the cheek, took nearly three years to soften; the skin is now perfectly pliable.

Jan. 25th, 1906. He has still a little lividity in the hands and feet; hands still get blue. The most striking change is in the face. The ears are now soft and flexible. The face looks natural, perhaps a little smooth; still no crow's feet. The skin can everywhere be picked up, and there is no single spot presenting any actual scleroderma. There is a most remarkable change in the hands. He can now make a fist. The skin can everywhere be picked up. It has lost its elasticity; the pinched fold takes a considerable time to disappear. He can flex the terminal phalanges. The skin can be picked up on the

back of the proximal phalanges, and raised in folds on the others.
Feet still get livid; has gained in weight. Is wonderfully better.

~~noons~~ - crural neuralgia.

6.22.96

~~[REDACTED]~~ Raleigh NC 37.. (W. Hubert Hayward)
Professor
Script of leg & foot - & heart.

Four years ago a numbness in muscle of rt foot - moves
on up the leg to the knee - only when walk - same
thing seems to show in the lumbar - burns. often with
vertigo. Palpitation of heart - leg gets red a bit - but that
does not come with the numbness. On both sides of the face
numb man - has the "redell" - never heard the word pell -
in cold weather. Worked too hard

In last month. Shortness of breath - vertigo is bad.
For six days has hardly been able to walk on account
of the stomach. No dysphagia

Thin rev. looking man. Nothing evident in the
foot - Sens perfect - Kf; very much exaggerated.
No pain in back.

Leg is very interesting. After he walks for a couple
of blocks it will stop him short - indescribable feelings -
numbness - as though asleep - could not go on - if keeps
on, an uncontrollable desire to stop. If he rests it will
pass away. At same time a feeling of burning and con-
traction in stomach - sickish feeling - and a genera-

tion up back as though the pain was rising.
Looks pretty well - pupil reflexes are good.
Apex beat is within nipple line - not forcible -
no increase in the area of dulness. Heart
sounds are clear at apex - first is a little
short and nervous - no accentuation of the
aortic second. Stomach is a little re-
laxed - no clapotage.

Cerebral tumor or Hysteria - which (?)

8. 19. 96

~~W.H.S.~~ 38. 2014 Boller.

M. 15th. 2 ch. 1 msc. 3 mrs.

18 mos ago woke up with very spell. no pain no headache. just before between sneezing period. Some mss per week until 6 mos ago except pain is shunab - another very spell. night - fitful. no diggers. a 3rd spell 3 months. every month about 3 mos about mss period. I. I & ang. diggers.

Has had 10 days a n. n. n. n. with headache first headache. - after vom. slurred. gurg. & at back of head. very severe, could vom little & bit - has to lay down. always in back. Faded. never has to hold on. never have fallen. Had a bad spell on street - Face got flushed and. Feels in legs as tho asleep. after the spell not lost in weight.

In '91. attack pain & short. flushed & in oral had papillitis. no ed. no vom. no headache. cuffed & leeches before the attack Dr says oral will about 4 hrs & face gets flushed. Headache never any - severe spell & over 3 hours. - suffers really from syncope - 3 minutes spells in street.

(over)

Looks very healthy and well - good color. Eyes are perhaps a little prominent - but that is natural. Perfect movements of the ocular muscles - all movements of facial muscles are perfect. Grip of the right hand - of left 37. Stands well with the eyes closed. Knee jerks are distinctly increased - no ankle clonus. Very marked blurring of the outlines of the ~~fa~~ left papillae - particularly in the lower section - no swelling. Very marked blurring of the outlines of the right papillae - veins are large and full - contrast between the two sides is quite striking. On direct illumination the right papillae looks very white - the inner quadrant most so - no haem-

morrhages. Hearing in the right ear
is quite defective - can hear the
watch at some distance less than
in the other ear. Sensation is
perfect. Heart sounds are clear. Pulse
is a little rapid. Slight relaxation
of the stomach. Nothing whatever ab-
normal to be felt. No enlargement
of the liver - or spleen.

Throat looks quite - natural.

11.25.86. Has been taking K.I. up to 8mxxv
a.d. with great benefit. No errors all the
time. & dinner is better.

Preataxi latre

9.29.86

~~49~~ 49. *Usnichia dug.*

Recurring attacks of pain last me yesterday.

For 3 days - Friday eve. began at night as usual. Thought
could stop it by podenine 446 gr. no effect - after went to bed
in 3 places. (a) under left chest (b) in front & (c) lower right ankle.
Gradually, usually can stop them by $\frac{1}{4}$ gr of morph. Bed night.
sharp pain somewhere that had spasms of pain cuts up
& clenches the fists - until about in bed in the all night in those
weathers. Stayed all that night next day, Sunday
night stopped temporal. Monday again. Yes afternoon began to
disappear. Pain would des in the we slept & disappear in
the other. ~~Has since~~ ~~toothache last~~ Oh Saturday am.
having taken as much in as thought after. Took some
saw in of Hyoscyamus. Then another, told gave morphis
sure at 8 pm in of gr. 42 in 2.0" another of gr. 42, &
put up pressure on arm. Fell asleep & slept all night.
never bad it so long as this.

F.H. Parents died wh he was young - no nerv. tr. S., ^{rural a.}
Nev. first. I.B. d. of soft glaucom 52.

P.H. healthy as boy. Enter my in '66. In '68 had symptoms
severe attack - comes. Was thoroughly treated, active

Had gouty attacks 6 mos. No ex pos. or hand shft.
1st attack of present trouble October Bel $\times 74 \frac{76}{\text{age}} \times 78$ - say
76' began & have the pains, thought they were rheumatic.
In legs. no swelling, pains in dist part, stark in knee
or sole of foot or in heel in both sides, tho, not together. &
down the sciatic nerve. '78 - '81 in cruise attacks at time
well - characterized. in bd ship took ^{the} Danat, read account
of jalasca - described the disease - before '81 in '80. Fished
a year with it in '82. on duty - over in event abroad
saw Eugene Dupuis - under his care - treated him
first. Charcot saw him, said takes - & treat. Springs
of Danalox. in so. off Fra. bathed 21. went to sand in the
chilian monte - no pains for a year. Then comes back.
Belton went to Danalox again. no effect. 3 weeks. Since
then off - m. as a rule not in capable. 44 gr of Memphis
slips it. In '80 first had it & in 16 years. the 44 gr does
not lose its effect. No one knows wh bring in - where
under the name. Gets nervous, & excited, knows it is coming
in - (P.M.)

No ataxia - no visual trouble - a short time ago in
reading. Sexual vigor unimpaired.

Pretty temperate -

The pains are always in the legs. for a long time chiefly in the
inner aspect of left foot & along outer side of calf, but now in various
parts. Once he has a little twinge in the left hand, when tide
station is good.

Very healthy looking man - arteries soft -
no sclerosis - no increased tension.

Knee jerks gone - a trifle on reinforcement. No disturbance of sensations ~~on~~ affected side. regions. Very slight pupil reflex. Pupils of medium size. Slight difference in size - right is about $3\frac{1}{2}$ - left not much more than $2\frac{1}{2}$. Discs look a little grey - vessels are not narrow. Strongest light does not produce very active contraction.

Benn-Heng.

10. 4. 86.

15 May
Dr Klemens.

~~Herr~~ York Pa 50.

sht gbr. & asthma. a y ago had it & it went away. Now 5 or 6 weeks. cold in head, cough, very short of breath. always hand complete, run very red. Main cough..

R as child. Typhoid f. 30 y ago. otherwise healthy. Both clav. tired muscles a good deal. Moderate drinker - possibly too much.

Pulse 100. tension increased.
a. b. diffuse in 5-16. outside nippable line. - sound clear and much accentuated. no gallop rhythm.

Liver enlarged. not much.

He is a very full blooded man. eyes & face flushed.

all. heavy ring on fingers

Order morning purges. Niemeyer pills.

Jan 10th 1897. Well. Walks well. Lost 20 lbs. Has not taken beer but so short breath & walking. at home bad. Sleep no swelling feet. Walks well all the time. Work gone.

a b in 5th in rep line & outside. p-90. regular tension
not high. soft mur at apex. curva rough. going 1st up &
down stem, systole like a crunching sound not soft as a pencil
knit. has no deadlike knit. no great accent. of a. 2nd.
liver not enlarged.

Dark so meatuses off first. Took them again this week
appet. good - does not drink.

To take. strach $\frac{1}{2}$ strophium. n. r.
dl. aorta.

12. 8. 28. Keller for a year. good condition. - did
not need much med. could walk a mile. no
cough. daleg worn a mouth. st. t. treated. Looks
well - has lost somewhat in weight. Pulse
is a little rapid particularly after exer-
tion - regular - tension good. Cardiac
impulse is forcible - in fifth - a little out-
side the nipple - no murmur at apex.
Sounds are clear at base. Aortic second
is accentuated. Pulseation over manu-
brum. Flatness is marked. Pulseation
is continuous with that of the heart.
Slight tracheal tugger.

~~1~~
Staves Disease & Sclerodema.

3.23.97.

1116 Government Ave.

~~██████████~~ 40

Emmitsburg end.

Dwelling last fall. in sept. little fit now.

In January or Feb 5 weeks.

5 ph. 10 y. ago had attack - a little so throat, not much on skin hives did not come out. Treated steadily for 5 years Hg. & K.I. For two years well. dry eyes. bald. Now gout appear 2 years ago wh enlarges the eyes. Eyes at the same time. Palpitation at same time is a little earlier last fall in Hospital at St Paul for the dry eyes. not all attack not all gone yet. Picked up in Jan.

Brown complexion probably from the sun -

Fairly well nourished man - complexion brown - marked exophthalmos, fully 2 mm. of the sclera exposed above and below cornea. Pupils of medium size react to light. non Braggs sign slightly marked - the descent of the lid does not keep pace with the descent of the eye - occasional retraction of the upper lid - almost complete loss of the power of cover -

gence - wrinkles the forehead slightly as he looks up. Fine tremor well marked. Medium sized goitre - both lobes and middle affected - marked visible pulsation. Thrill, particularly in upper region, very intense bruit, systolic and strong, continuous murmur at the sternal notch. Cardiac impulse is very wide, visible in second, third, fourth and fifth inter-spaces. Apex beat is seen in fifth outside nipple line - felt also slightly in sixth. Both shocks well felt, markell thud of the sounds at the base. Loud apex systole, increases in intensity towards sternum - very intense in the pulmonary region. In the second left interspace a distinct short systolic murmur, well heard when he draws a deep breath.

Legs are infiltrated, a little swollen, remarkable pigmentation, ^{appeared} particularly on the skin of the leg two years ago last fall, without , or without any

rash on the skin. It is a deep brown staining of great intensity. It extends close to the spine of the tibiae. On the sides of the legs it does not reach so high. On the outer side of the leg it is just three inches from the head of the fibula. On the left leg it extends a little higher on the outer side, but the areas are very symmetrical. Behind it extends in an uneven border a little above the most prominent part of the calf. It shades insensibly into the normal tan skin. The color is very peculiar tan brown. It looks perfectly smooth. There are in places over it little whitish elevations scattered over the whole leg, much more marked on the outer aspects. One or two of these look like definite little fibroid nodules. These are very closely set over the skin, but only a few of them project beyond the surface. On palpation these brownish areas are leathery, firm, hard.

the skin can nowhere be picked up. Everywhere the line of demarcation between the normal and the infiltrated skin is quite well marked; one feels a distinct ridge - a slight discoloration of the skin beyond the most prominent part of this ridge. The scleroderma is limited accurately to a line just above the margin of the foot top. No coldness - nowhere pits - no cutaneous fibroid nodules.

Abdomen is full - large - edge of spleen is readily to be felt below the costal margin. Edge of the liver is normal. Knee jerks are a little exaggerated.

May 21st 97. Thinks he has lost in weight, and has not been so well. Pulse has been more rapid and irregular. Has felt the heart's action more, and has had more headache. Pulse now full - a little jerky - occasionally drops a beat, 120. No change in the esophthal-

mos. He perhaps looks a little paler.
Very marked throbbing in the neck.
Superficial veins over the thyroid and
the external jugular are much dilated - both external jugulars are as big
as large-sized lead pencils. Venous pul-
sation in them as well as in the smaller
veins. The whole gland throbs - in fact
there is marked beating and heaving out-
side the nipple line in fifth interspace
and over the entire front of thorax. There
is also a very localized impulse in the
left siphoid angle. Very prominent im-
pulse in the right hypochondriac region,
evidently pulsation of the liver - most
pronounced between the right nipple
and the tip of the tenth rib. Marked
pulsation of the veins of the backs of the
hands. Capillary pulse in the wrist. Ap-
petite is diffuse in fifth and sixth inter-
spaces - wavy. There is a loud systolic
bruit =

~~loud~~ ^{thin} bruit at the base. No essential change
in the sclero-derma on the legs.
Brawny induration as at previous
note. Over the tibia there is some
oedema, fits a little.

Patient died on Aug. 8th - 97.

Ball valve stone
cholelithiasis

4. 27. 97

Mrs. ~~J. A. M.~~ 40. Prof. station ab co & a. (so McGrade
Cough of cut flower - relieves - & convalesces
1st attack 7 years ago. 12.9 ago went to Tampa
died too much - rough voice. muffled for 6 or 7 mos. pains
in side, & high fever. ^{sweat} ~~sweat~~. same as now. Then
had peritonitis. in 85 said mesentene very ill.
In bed 17 weeks.. At first voice muffled for 2 or 3 years
never cough began again ^{3 or 4} ago. Heavy dull pain
in head no chills at first. 1st attack of jaundice
in 88 or 89. chills then a high fever, not regular).
Health poor for years. married in '91. very delicate. No
jaundice then & terrible tching after body. At Kintecal
jaundice & even now. a year ago visited all of eng.
after violent chill, a fever & sweat. after then
had them all along for weeks every few weeks
fever chills sometimes w/ a chill. T. 103-105°
extreme pain in liver. & still left yellow urine
for a month. Stool - . stools an clay colored.

Has bleeding from bowel at times.

Looks pale and thin - skin has a
brownish tinge - little icteroid. Lips
are of good color. Pulse is good. Curious

staining of the skin. Abdomen is a little flat swollen - right costal groove obliterated. Respiratory movements are natural. Liver is not enlarged. Left lobe can be felt just a finger's breadth above the navel - right lobe does not extend so low, not more than three finger's breadth from the costal margin - little tender - not so much as it was - surface is smooth - uniform. Edge of liver can be felt very distinctly on bimanual palpation - lifting up from behind feels like the edge of a spleen. There seems a very distinct notch or groove in the mamillary line which divides the right lobe from a tongue-like projection extending to the level of the anterior superior spine - thin edge easily felt going considerably below the level of the hand and which further over to the right than is usual in the tongue-shaped depression. Gall bladder is not palpable. Upper limit of liver dulness on the seventh. Edge of spleen is just palpable. Llands are not enlarged. Heart sounds are clear.

Epilepsy, post Epilep.-dell -
+ prunes

6.20. 87

~~Tell a friend~~ ^{to Fry,} T. (J. T. 3117th Washington D.C.

4th child. Healthy. not diff labour. grue well
as baby. About 1½ yr ago began run over but not hurt-
wagen passed over, imagines that the cause. 6 mos after
1st attack - app well. Slight conv. More called, falling
down protruding mouth, lost conci. ^{falling all} Next in a few weeks
11 mos ago very severe, one, after it he became delirious. 4 or
5 hours. Dr put him under chloroform. Left bed next am
jerks a great deal. now as a crz. after that wore for
11 mos. Began again March 3rd. Pain in stomach
over abdomen - 4th vomited. attack then. Last in
March severe conv. April 15th severe. 3 hr.
after he fell asleep after got out grue int office mid
day after cold. May 4th severe. June 10th. 3 hrs. vomiting. Next
day delirious saw things, a shineded. & saw terrible
things for 4 nights. Then went into sick. Pains in
legs at times. - Bowels regular - no excess in diet. more blood
coughs since March 3rd. not a month greater
F. H. no one ~~similar~~ in family. He has such nervous
looks thin & pale, large eyes.

Person, healthy. adenoids - enlarged tonsils, no heart disease
or aq. R Br. & have adenoids removed.

Dec. 13th. '95. Has had no severe attack -
six weeks ago a very slight one. Has
grown - looks well - good color. Has
not had any screaming spells at
night - no more night terrors.

Syphilis - true paus &c

6. 28. 97.

~~██████████~~ 24 Ellicott city Md. M.E.

At Hurlbough in V. Ohio - in a progressing
in shops as apparent, after three seven months little
done completely. got home on 4 w. ago - come.

Paus in joints, shrunk & hand swollen. Pain in chest. No
swelling in joints. Has fallen off 18 lbs since 1 bank of. Pains
in bones. Quite well when went there. had a child, was
never, but no malacia. not land up with fever. But pains
in the hips - not sharp - dull

P.H. Apple college a year left from. In Freshmen year 4. 9. 80.
syphiles. was so nervous, Dr. Estes. Had a sore. Had at last.
Amas had a rash in skin. Foot. has for 2 years. & a half
the yellow tablets for Dr. Estes. Otherwise very healthy.
Very nervous.

node in 2nd metacarpal bone of left hand. Paus in rt.
elbow in sternum. no end of spleen no fever.
very a change. very marked. redness of cheeks

K.I. 88 XV. T.c.d. To take for a month. stop for
2 weeks & then take again for another month. -

9. 11. 97 Better for 188-189. Paus gone. Little gone - all right.
K.I again for 2 mos.

Post? Myxædeme fruste. writing numbers &c.

10. 25. 97

3508 Morgan St. St. Louis

Mrs. [REDACTED]

54 St. Louis New York (61 W 17th St.)
now compl. crippled and gouty. (or delirious)
numb in hands, left side paralysed. suffered intensely for
years with loss of hearing. & eyes open in steering.^{2749.15}
now relief, including of which two hands returned. now
last fall - could not pull a block last fall. Pale all life
swelling more for a year - now t. march in bed. - constant
nausea. No acute infl. gout. at Hot Springs, April. 189. ago.
Summer. pretty comp - suffered all the time - cold
hands, cold feet even in warm weather, even after walking
no ulcerous trouble. Bowels always constipated. always pale, always
with blue lips. appet. miserable. dreams come at night:
a man.

No special puffing of the ankles.

Weight has increased in the last 3 or 4 mos. He was
weighed 107. now weighs ^{50 lbs increase in} 110.

An unusual degree of pallor - decided puffiness of the
face - slight yellow tinge - very myxoedematous
suggestion. No great swelling beneath the eyes at
present. The skin is very dry and harsh. Lips
look a little blue. There are no gouty concretions
on the ears. Slight commencement of Heberden's

notes on the fingers - and a little fibroid thickening on the ulnar side of the second phalanx of the middle left finger. She rarely perspires. Hands are a little cold. Tongue is clean. Pulse is quiet, regular. The thyroid is at any rate decidedly smaller than normal. She is now gaining in weight every month. Spleen is not enlarged. Liver not enlarged. Heart sounds are clear - no cardiac murmur. Both discs are clear - no changes in the retinas. Thyroid gland not to be seen. Neck is thin - trachea can be readily felt. - scarcely a trace of the thyroid can be felt.
has felt soggy & heavy usually, slower & takes a while to get white
lumbar plexus attached.

order a Times bullet of W. as a mix.

order a horses collar & 2
+ 2 gms daily for 2 weeks of thy 4 t. stopped the Fe.
Nov 6th Begins the 2 tablets daily : feels better. & less
flavored.

Clinical Laboratory - Johns Hopkins Hospital Oct. 26th 1897.

Total Amount - 640 ccm.

Deep amber yellow color, clear, with a flocculent white precipitate.

Reaction - faintly acid. Sp. Gr - 1015.

Albumin - very faint trace.

Sugar - none.

Diazo reaction - none

Urea - (Hypobromite method)

100 ce = 0,012 grammes.

640 ce = 7,680 "

Uric acid - (Hopkin's modⁿ of FOKKER-SALTZSKIKHETT,

100 ce = 0,0310 grammes.

640 ce = 0,1984 "

Microscopical Ex. amⁿ - Very few medium sized hyaline + finely granⁿ casts. Quite numerous pus and squamous epithelial cells. Few cylindroids + oxalate of lime xtals.
uric acid

(over)

Jan. 6th - 98. Patient has been at the Hot
Springs for two months - and is a good
deal better. Haemoglobin 62% Has been taking
4 grains of thyroid extract for two months -
is to increase it to 5 grains in the day.

7

Nervous Dyspepsia.

40. 2 8. 97

Mrs [REDACTED]³⁵ Birmingham ala.

Cramp colic - at all M 5 or 6 - above navel - lasted. Morphine - glass full grain whisky, slept 20x of these severe attacks in the five years. Last Hasty ben-saph over 4 or Kelly. 14 months ago. No attacks after the operat until 3 weeks. Stomach trouble bad.

Cans

Gained 14 years, no child. Has had 4. Dr Mitchell 7.9. ago first. 2 or 3y ago. Convul seizes. evolvd hyster. none since. None since Dr Kelly did operation. Better but getting over again. Gained 10-15 lbs in # last year. Excruciating cramps at 8pm-11pm. now the nausea at 10pm late - apple eating in man - collapse in severe nausea - get weak & the peristalsis off... 2 or 3 short attacks not bad. Much acid. - no pain due to the attacks -

Unconsciousness has ceased since the operation.

Liver. - Edge of right lobe easily felt - no ten-
derness - gall bladder cannot be felt. Pain on
pressure increases as you cross the parasternal

line. The pain is very much more in the middle line just above navel. Spleen not palpable.

Stomach.- Upper limit of tympany on 7th - extends low - two fingers breadth from the navel. Distinct soreness on deep pressure. The pylorus cannot be felt. After inflation stomach tympany extends to level of navel. Right kidney not to be felt.

Heart.- Apex beat is in normal position. Sounds are clear at apex and at base.

Anæmæ splenica

10. 29. 97

Abs.

[REDACTED] 58. Rockford Ill.

C. of Sul. Spleen.

Mal. regim. On a fever as child. at 7. well. since in 72 had erysipelas bad. That's all except Rheur. acut suff. at 10. were since. Hard work in practice. temperature "

P. I. In winter 82-93 found T. 102.5 - & a dose or 2 of aloethine. a few steps - did not feel sick - Had the fever for 6 weeks. did not feel sick - doubtful wth. the smaller. after a mos not able fed & swollen & painful - only a few days - was painful. noticed spleen enlarging - not very prominent. In 93 went to Fair mounted along about May 85 - found was anæmia & in 94 mounted along about May 85 - found was anæmia & weak. Took tinct. In June not strong. In Aug very debilitas & aches still. Said off & on - got out last 2 mos. acute diminished. In Oct & Nov. gradually turned on Jan 96 was pretty well, walked & went home in Jan, went back, did good full work in '96 till May found latter pt of May anæmia & pale. Took anem. & iron, got a derma & old tincture. not so large as in 95. T.M. 2 lbs, adrena & suprarenal varicose. Blood showed 4,400,000. & 51 oz.

Looks a little pale - no extreme emaciations. Tongue is of good color. Pulse is of good volume.

superficial blood vessels not especially full.
Abdomen is large - navel projects. There
is very distinct prominence to the left of
the navel - mass descends with inspiration.
A second mass descends just below the costal
margin. In the first a distinct notch can
be seen. On palpation the notch is readily felt.
Spleen is firm, hard - edges are rounded. The
lower margin is a little below transverse na-
vel line. Edges are singularly rounded - surface
smooth - does not extend far back into the
renal region. The other prominence just to the
right and above the navel is evidently the colon in
flatulent distension. The edge of the liver can
just be felt two fingers breadth below costal
margin. In nipple line no enlargement. A
small ecchymosis just to the left of the navel -
no distension of the veins. Apex beat of heart is
pushed up, just below the nipple. Sounds are
clear. Aortic second a little snappy. One or two
enlarged glands in the left side of the neck -
one or two in the groin. No puffiness anywhere.

JOHNS HOPKINS UNIVERSITY,
BALTIMORE.

Oct 28 99

Dear Dr Osler -

The examⁿ of ~~the~~ blood
is quite interesting

Fresh specimen - moderate polikilocytosis -
slight increase in size of reds - Few microcytes &
macrocytes - apparent diminution in no. of leucocytes.
No nucleated reds seen.

Blood Count -

Reds - 4,788,000.

Leucocytes - 5,200

Haemoglobin - 60%

Stained specimen - same polikilocytosis &
variation in size as in fresh specimen - No nucleated
reds seen.

Differential Count

Small monos - 52.0 %

Large mono? - 2.0 %

Transitions - 4.8 %

Polymorphonuclears - 40.0 %

Eosinophiles - 1.2 %

Gastrentis -.

11. 5. 57

[REDACTED] 37. Montreal. (Dr Laplante)

Spurred bout. T always high. very weak & cannot sleep. (10 days). F. since Sept 15th. long illness - since July. Last Spring peculiar. sens. dead in hands & feet, whitish band in May & June. very ill & in August severe chills & fever 2 or 3 weeks. In Sept. no fever. Dr Aug not bad but no energy. Sept 15th. Dr Evans syphilitic. headaches, no diarrhoea since Aug. had elev of T. Dr Trile & arrhythmia - all at sea during it. Night cough - little by day - when left at N in Sept took Terbene. lost 8 lbs in weight. Sudden chills, good deal of perspiration at night. Dr Berstell - helped him. The hoarseness now is from last Tuesday. the cough now

F.H. m. l. 76. h. 7 d. 57. of Tuber pul. \$1.43. W. 41. h. lost one br. of small part. 8th m. m. side old. arm & arm. 1. w. 2 m. front neck.

A.H. In 1868. had a fever much same as this fall. 10 weeks in bed never attended, said it was not typhoid, when it was in a year had bout with stomach. Had pains when skin empty.

Asthenes deformans

11. 1887

[redacted] 52 Savannah Ga.

(Dr. J. D. Martin)

Weakness in legs a year. F. things noticed.
Can drag steps - sharp pain the left ankle. June 1st '85.
Gone in 2". Some pain in rt. knee - that day. From that at
times - pain. feet hurt in summer. ankles肿胀: not stiff in
going up & down stairs. Feet heavy. diff't more. Later in summer
hands felt peculiar. not numbness. it does not tire fingers right
in Sept '85. index finger less so. It percept stiff & very cold
not move it at all. Lasted until April. Then disappeared. all
the time weakness & stiffness reached knees, diff' in walking
ankles & heels - not perceptibly swollen. In Bath April 6. '86
could scarcely walk. feet so swollen & ankles so bad
could not walk. Took 2 doses of some drugs physico &
got quite well - walked about & started for April 96 to Feb
87. appear just as well as ever. Could not hang his
clothes up before, after could quite well.
In Feb. '87 began by 2nd of fringe was red & the stiff at eye
off on day. but gradually could bear at. Feb. April '86. a Feb '87
it went - became swollen - is there now. Bad since Feb '87
142 shings helped him some relief. Had oper mouth a
taped hole in July '87. & ran down in health.
F. H. Ed 72. In 28 inch b - no arthrosis. 16. d of dorsal. S. 2 very
no joint
pit. h. & well until 50 never ill. no infl when. kept out of doors
25 years ago p. 114 - 120 then. 4 pester in 1854. no attack since
28. trouble much.
P.C. very healthy working man. 205 lbs. very working hard in
220 lbs. Height larger than last. with heart & lungs.

. all move of hand & arms made - no end of th. in elbow joints. wrist swollen puffy. much belated. much ligament swelling - R. worse. Fingers not affected. Can pull & unbutton the clothes etc.

Knees & ankles affected. Knees less than a bit with an end. onto patella seen. slight creaking. Ankles enlarged move n. good, ligam thick.

Heart. 128. No palp end. very fat manance. Sallot 73.

at apex. sounds are clear at base & fecal heart rhythm with sounds alike. very curious cond. valve says at apex of old nutril in stage of insuff. but he is comp. no short breath to incurrence, except a violent exert. or on sleeping. But breath for fat man as he is. Has had this for 25 years of insuff. was sig for life ins. in 1872 for rapid heart action & has been rapid ever since - cont. no trouble until last the sale of gate. Then the hot baths without trouble. Some pull good no alt. Bowels reg. - apet good fond of - hearty eaten.

R J ant +. part left.

12. 21. Heart Heard from tho Dr D. much better
(new man)

Neurasthenia

11. 2 1-87

~~[REDACTED]~~ 33. Cleveland, Ohio, Dr Pestkind
Wife of Mr H. Aug bed does care.

Headache - 2-4. in Cleveland felt a cramp.
in ball of foot . . toe next little.. shoe made a differ
never has it in a slipper - only when walk. Hurt table
shoe B. 1 mos later fell a day after getting off
volley ball. Carried for 3 mos & fly blaster helped it
mean time felt the neuralgia of the R. after arm bell
went to left leg, only when lying down. - in course of sweating
not an acute pain, but else fly blaster helped. A. went
to right knee. Bottom of spine - then - tissue in region
contended it. only occas. sometimes cannot sit. Pain
in knee. Every month temple headaches - regular.
Gen health good. except once a year or so constipated
& evidently nervous & high strung.. appetite usually
lost 10 lbs - deep dark rings.

Dark, very looking woman, bent all night. stomach
low. R. kidney is low. - splashing in stomach.
Blood at 70°

Tabes dorsalis

no syphilis

2.28.55

Dr. Salmer

~~fallen down~~ 42 1247 Kenesaw St. Washington D.C.

com. of doc. atoxia - long sudden

only 3 weeks. Eye 5 years ago. E.T. rectus paral.
^{left}

~~the~~ lightning pains for a g. or so. none now.

Fainted tried to straighten the eye. Dr. Keyser -

Ran the chance, 16 head gurneys. Never any size.
M. at 23. once child. - wife had 1 miscar.

no rash. no breaking out. ^{no blepharitis.} Attending to business.

3 wago no atoxia. 1st noticed when went to pass

water. no eye dropped out. Sensed power gone 3
weeks ago. A few days after went to Park. collapsed
suddenly. Dawn M. Several days. retentive. Rechin
too affected uncontrolled. collapsed ^{water off the caught}.

all recent. Alaska. noted tightness about the legs

had noticed heavy last year. - could not walk in the
dark. Trouble has increased very much. Water turns

^{legs all the trouble}

Present: 1 Rumburg (2) argyl Rob. (3) marked atoxia. 4. the J's much
marked reinforcing. R.J.R. very slight - L. much vag in
tempo. (5) Sensed power gone. (6) Distress of muscles
or bones. (7) Flabby. legs & no relaxation of the muscles.
(8) Eyes. Left E.T. rectus too far. no drooping of the eyelid
no atrophy of the optic nerve.
K.D. 8m x 4 L.ed..

Traumatic Neuroasthma.

3. 14. 96

[REDACTED] 30, 175 57th ave Chicago (Horne Clyde Ohio)

C of severe pains in head & c. & pains centre in
optic nerve deep. M. June 20th 97. Knocked down & run over
by a ^{motor} ~~motor~~ car.
Sustained. and iron has inserted into left
eye. Then became unconscious, at time iron & at time
conscious. Lapsed off in the mouth of May. (Dr. Stevens). Fever
dwarf. Spasms inside of 24 hrs. Heavy burden. Spasms were
general. Opisthoton. retract of head. tetanus like & rigid body.

In bed until 10th of Aug. Sat mind home. had attacks slight as
spasms were what sleep. about. The excitement would come in.
as possible family. after the day. In 2 weeks was forced to ride.
was carried, in 3 carried in the way. repeated convulsions in the sleep.
at Clyde and worse. Breathing very rapid & irregular. Had
sufficing spell after fearful convulsion. Oct. 20th well enough to
go to work. Walk with 2 canes, could not coordinate. Two often
lay off. 4 or 5-d in moon. laid off in Dec for 2 weeks.

Mrs. Head has now. localized. head pain - at times up to temples
throbbing will cover the end of convulsions. Sudden forgetful. A
feeling as tho. going up. after a fit all right. She washes good
after. etc. Digestion & eating a burden. Pains in stomach, &
motor. sympt. In July for one day. off by got cold in busing & leg hard
aphexia. Clapt a day. to move. His left hand gets at times numb & useless & painful
less. Lost his 10 lbs. For past two months at most. only the pain
in head & right eye.
Went back to same firm. - School teaching. quite apparently has year
and a half.

good. Right nerve - very red - no change about the
muscles. Dynamometer - left 80 - right 70 - knee jerk plus

7. H. F. liv. & well - healthy. M. dead 30.5. a.m. D. 5.3 a.m.
old sister. a fall & when 30 mrs had spinal disease. &
hepatitis.
14. In school saw hand. walked our way. Post at Bald
win College. Post grad at Harr. Tutoring. Traveled. for fun.
Took am. no alcohol. no epithis. High string & endurance

Healthy looking man - robust - well nourished
dark complexion - dark hair. Pupils are equal,
react well to light and on accommodation -
and on cutaneous irritation. Movements of
muscles are perfect. Pulse is steady - good.
Gaso-motor system active, very marked der-
matographia - sweats profusely. Heart sounds
are perfectly clear - ~~second~~ The skin is free-
ly movable over the occipital bone - Occip-
ital ridge is well marked - and the
ridge on protuberance well marked. No
special difference between the two sides of
the occipital bone. There has been a little
thickening or induration at the base of the occipital bone.
Movements of the cervical vertebral perfect. No
hemianopia with coarse tests. Left optic disc - margin
sharp - well defined - no cupping - no trace of neuritis - tint

Intestinal sand

Mucous colitis

Morning diarrhea

Pain - morphine habit

3. 17, 98

[REDACTED] 36. York Pa.

Lincoln neb. 75. 2 years ago came back

to York. Gave up after the grippe. & a mucous colitis
used to get at beg. Fever. several - in August. Nervous
system. Practiced. In Oct. malaise pain in limbs &c. T.
grippe again. Then aching. etc. lasted 3 weeks - in bed. 1st. well
after which passed mucus. shreds. cast-almost - occas. bright
mucous than membrane. came home. 3 weeks after better & still
passing mucus. & oralgia & pain in left hypopharynx region. pain
in cr. by feces. - sore spot. Returned to Lincoln. In Chicago caught
cold. Had grippe again & one day or specimen arrested & found
no ulceration. Much run down. & worried. Morning passage -
mucus in stools. always when awake uneasy feeling - several
passages - regular mor. cleanse because of the 3 or 4 passages
until 10 am kept busy. Pain in bowls & very intense - cold temperature
hyperder of morphine eased him. after which took more. Finally with
a 1/4 eased him. In the day until dinner intensity of pain
~~passed~~ & during that time the swelling offshoots, the aphrodisiac
2d. has passed & during that time the swelling offshoots, the aphrodisiac
regained in flesh. since has not gained in lost - varies a little. appetite
good. now gen health good. not bowel trouble keeps up. In my grippe
& mucous colitis York treated him. Passed sand small oval body
irregular & beautiful garnet color, not affected by alkali or acids. Tested
for phosphate - wh. was present. run from the bowel. Under the microscope
looks small oval bodies. My Uncle passed the sand - mine now
for 2 1/2 mos last year. The 2d differs for the first. He brings a
sample of about half a teaspoonful of brownish small - sand like
& gritty. little stuff in color. Morphine ever since over even over 1/2 - 1 1/4
a day. (2 1/2 years). Mucous colitis goes more gradually gradually
changed. For over 10 mos no more diarrhea. Recal'd diet etc.

Hiccup & belching

4-19-98.

[REDACTED] (T.H.S.) II. Union Mills Carroll Co. a man

for 9 mos pain & belching & hiccup at night. not always - no loss in weight. From 60. only 2 lbs heavier. Began with all of abd. muscles & in right lump of pain in stern. At inter had then pain at night. belching all the time & hiccup. (Dr. Battingslea physician. & Dr. Herring) Not for 3 weeks until Sunday night. Pain & nausea, a belching began Saturday am with hiccup. & not well till 12 M. Yester
y and pain in stomach. Begins before 10 o'clock. continuing as late as 6 pm. Food no differ., since the beginn. has lasted 1/2 an hour. once at 4 pm had eaten whipped cream & S. Nuts followed oatmeal & cream & sugar.

Healthy looking boy - good color. Liver and spleen not enlarged. Stomach not distended. Right kidney can be easily felt. Appendix palpable. Heart sounds very remarkable case. Probably nervous. are clear. Little relaxation of stomach - not marked.

To take the mag carb. 1/2 tea spoon. Tongue little large

5-20. Better, but relive till last sat. night

May 14. Took cold. had tonsillitis. att. in Sat night. pain in head & stomach no vomit. w/ the pain. no hiccup or belching. attack 'on 6 to 10 pm. no belching'. Good appetite

ate soft crabs for ~~laffer~~ Saturday night - & strawberry
Sleeps well mouth open - not a snorer.

5. 24. '00. V. much better now. sleeps. Return
when 5 weeks with more pain. Comp of
pain in stomach comes & goes in chest. Pain in
shoulder & side; Only in eve. Thro' occ in morning
walking does not disturb. Some belching. He last week
not so much, as first, but more pain & serum.
Looks pale, good appet. Goest, bid, has a little
stiff gressue. Riders. Up to 3 w. & strong

Looks a little pale and yellow - looks nervous.
He is distinctly tremulous. Both this boy and
the twin brother have a little tremulous-
ness of the hand - more in the other than
in this one. Liver is not enlarged. Spleen
not enlarged. Abdomen is perfectly nega-
tive. Appendix is just palpable - no tender-
ness over it. Tonsils still a little enlarged.
Apex beat is within the nipple line. Skin
reflex a little active. Tongue is clean.

Auscultation.

4-22-98.

~~Edgar H. King~~ 42. Providence R.,

(Dr King)

Very healthy. Run down & never down & has
affec heart. no ac. all. S. f. 10 or 12. but
all clear - tubo. Very healthy, active in pol. lawyer
sec state in R. I. H. aff. fast pulse & after taking ill
very. was white not red of breath. not grew up till
and laid up in bed Oct. Dec 3rd. to left for South Jan 25th
weather no fever. got pale - no liver trouble. gained
6 or 8 lbs. very much better. now them before taken ill
183 - died in 188. never had an attack of gout
before. no diabetes. over work. no special symptoms.
app now good. always careful.

Well nourished, healthy looking man - little pale &
swallow. Tongue is clean - eyes are clear. forehead
culature. Radials are ~~visible~~ ^{nipple} - temporals not
visible. Pulse easily compressed - vessel not
Hemoglobin at 70% especially sclerotic. Apex beat
not visible, feebly palpable. No increase in the
area of cardiac dulness. Heart sounds are
quite clear at apex, over body of heart and at

base. No pulsation over manubrium - no bruit.
Chest is well formed - lungs are clear at apices
and at bases. Breath sounds large and
full. Abdomen relaxed - soft. Spleen not to be
felt - edge of liver not palpable. About
normal area of liver dulness.

3. 24. Beller. Hemoglobin 90% at least. Looks still
a little pale. Pulse a bit fast. but sound and clean.
Has gained 11 $\frac{1}{2}$ lbs in four mos.

4. 14. 00. Impr & did well 2 mos ago weighed
200 lbs. strength not so good. active at
work. Worked a lot with barrels. -
Good and 85% hemog

Oct. 28th, 1902. He has been very well for the past two years. In the middle of September he had an attack of vomiting and purging and became very constipated. He has had several attacks since. Very much opposed to going to school; this possibly had something to do ~~is~~ with the first attack. He looks pretty well, a little thin; tongue is quite clean. A little tremulous and occasionally a little jerking of the hands and trunk. Abdomen is soft. Spleen is not enlarged. No pain over the appendix. Appendix is readily palpable. Liver not enlarged. Glands in groins are a little enlarged. No enlargement of glands in the neck. Very nervous and apprehensive. Does not want to go to boarding school.

Nov. 11th, 1902. Has not been quite so well; had pain Saturday and Sunday; did not vomit. The abdomen is a little distended; has just had his lunch. The outlines of the stomach are visible; lesser curvature is just above the navel. Distinct slight dilatation of the stomach. Splashing as low as two finger's breadth below the navel. Pylorus is not palpable. Spleen is not enlarged. Liver is not enlarged. No glands to be felt. There is slight peristalsis. The lesser curve is very plainly to be seen moving up and down with

inspiration. Evidently marked dilatation.

Ordered two grains of mercury and chalk three times a day for a week.

Dec. 9th, 1902. He was quite sick for a while; recurring pains; better for the past ten days. Tongue is clean.

IN OFFICE.

9 A.M. TO 10 A.M.
2 P.M. TO 3 P.M.
7 P.M. TO 8 P.M.

TELEPHONE 585

James Borth
James Borth
James Borth
James Borth
68 JOHN STREET NORTH,
Hamilton, Ont., Jan 189.....


~~Mabel Hartman~~

aged 21.

Family History. - Father died aged 42 of "peritonitis."

Mother living. One brother died of diphtheria, one of pneumonia, two of cholera infantum.

Paternal grandfather died of softening of the brain. Paternal grandmother alive and well.

Great-uncle on father's side died of softening of the brain. Maternal grandparents - cause of death unknown. Two great-aunts ^(or cousins) on mother's side both insane.

Present History. Four years ago began to suffer from neuralgia in head followed by "bloating" after eating. Neuralgia continued for twelve months at which time

IN OFFICE.

9 A.M. TO 10 A.M.
2 P.M. TO 3 P.M.
7 P.M. TO 8 P.M.

TELEPHONE 585

2

68 JOHN STREET NORTH,

Hamilton, Ont., 189.....

vomiting commenced continuing about six months, followed by an interval of immunity for three months, vomiting re-commenced and continued for fifteen months, stopped for a month, started again, and vomited five months, stopped for a month, started again and vomited two months, stopped two weeks started again and is still continuing.

Has never had any serious illness of any sort and knows no cause for her present trouble.

Came under my care for the first time March 25th. Told me she had been under the care of different physicians with temporary benefit. She was treated by a physician for ulceration of the stomach with benefit for the time being. Finally the patient consulted a Toronto surgeon who in consultation with a physician

IN OFFICE.

9 A.M. TO 10 A.M.
2 P.M. TO 3 P.M.
7 P.M. TO 8 P.M.

TELEPHONE 585

3

68 JOHN STREET NORTH,

Hamilton, Ont., 189.....

advised removal of the ovaries.
To this the patient declined to
submit and came up to Hamilton
& consulted me March 25th.
I made a very thorough examination
throughout. I could find nothing
in the chest. I could find nothing
in the abdomen - no intercostal
respiratory distress or other
reflex cause of gastric dis-
turbance. I examined her bi-manually
under an anaesthetic. Uterus, tubes
& ovaries appeared in all respects
normal, though slightly undereized.
She had about a slight inequality
of the pupils. I put her under a tapeme
but could find nothing in either
femur. There was also no account
for the incessant vomiting - The
patient did not appear to be in
any sense nervous. The physician
who treated her for ulcer of the stomach

IN OFFICE.

9 A.M. TO 10 A.M.
2 P.M. TO 3 P.M.
7 P.M. TO 8 P.M.

TELEPHONE 585

4

68 JOHN STREET NORTH,

Hamilton, Ont., 189.....

I knew she a very Capable doctor
and I advised Miss Howell to
submit - ~~an~~ exploratory incision
over the region of the stomach in
order to ascertain whether any
adhesions or pyloric stenosis
might be causing the trouble -
The patient consented and I
opened the abdomen on April 9th.
I explored the stomach, pyloric
& frenum and the first part of
the duodenum. The parts as far
as I was able to make out appeared
normal & the abdomen was closed.
I felt I could not scantly remove
of the ovaries, firstly because I
could detect no lesion in those
organs and secondly because
I failed on the Clostridium cross-stain-
ation to find any connection
between the vomiting & the generative

IN OFFICE.

9 A.M. TO 10 A.M.
2 P.M. TO 3 P.M.
7 P.M. TO 8 P.M.

TELEPHONE 585

5

68 JOHN STREET NORTH,

Hamilton, Ont., 189.....

organs. I have expressed the ~~suspicion~~^{suspicion} & the patient and her friends that the vomiting may be of cerebral origin. The history of more or less head trouble on both sides of the family leading me to this view.

Hysterical Vomiting
(Remarkable case). X

5.31.88.

'copied on'

~~██████████~~ Oct 20 Hamilton st. Dr Cockburn M.D.
History appended. Stenograph ~~was not written for 1/2 hr.~~

No neuralgia for 3 years. Complaint as soon as eat
you vomit - sometimes cannot finish a meal.
Vom after each meal. - If does not eat anything for a day
or so will keep it down. Does not vomit at all. - some days
as soon as gets up in bed, comes out - thinks she vomits
at all. Best weight 130 lbs now? Vomits same after each meal.
Tucks well. never vomit at night. Has had the stomach
emptied out. Sometimes will retain a glass of water.

Keeps well. Took a walk due for 4 mos. after the operation & along well for two weeks. no pain. comes
up early. - same as goes down.

Does not look nervous. - tells a good tale
Never has been unwell - only a few times in her life.
advised to go ahead a walk - not to take any medicine

General condition good. Tongue pretty
clean. Blood condition good. Fairly well
nourished. After inflation no special dis-
tention - stomach tympany fingers breadth
above the navel. No peristalsis. Right kidney is not
palpable

Nervous vomiting & cough.

5-988.

147
Dr. Phil of Ball.

(~~fall 1888~~)

~~██████████~~ 11. Nashville Tenn.) ?

"Mollygrunts". W & S tell 2 or 3 y. ago same -
lost flesh without spell of disease. not in bed. Vomiting
spells: began 4 years ago. Chr. care of hiccups. & the
mn. is superinduced. by the hiccup. V. attacks not very
freq. cut his meat & go into throat has food up - plays
at once, no nausea. takes more food in an hour or so. No
appetite. May have 2 a day - or goes a week or ten.
Nothing he eats seems to disagree. No pain esp. stomach.
Pain in back. spine back sometimes. Last week vomit-
ed. lost his weight. & can tell 3 or 4 mn before it comes
up - a bit sick. no pain. stool. No gain for 3 years in weight.
When & was obese. Has grown. no end of liver.

The hiccups are freq. & generally when they get bad will vomit.
never vomits without having hiccups first - except at times
thin bz. red. bms. has endulc last night. weight 69 lbs.
T. w & S. not. in rev.. 2 other chld. ~~one dead~~ f.c. not ner. bz -
seems self possessed
or still recognizably in diabetes -

8. negative. no cut. skin no gland cul. T

Defective development

11. 24, 98.

~~Defective development~~ 2 Launenberg or C Dr Prince

W. & St. when born. nat. labor. long. 2 no aday
all night till 9 mos old. showed a nervous shaking
of the body & a tremblig - had a head - h. very muscled
mouth makes grimaces. does not grasp things naturally
has grown well, good appetite. Telt. all cut well. Good.
shakes head - does not try to crawl. - can raise up from
bottom. - Recog. you. mother. does not know a strong
playful. Lots of crying. no stiffness. has conv.
with her head. has lost strength... no convulsions. No attempt
to say word. Good pt. of time on floor. Had screaming spells often.
Has not gotten as much notice now as at 9. or 10 month.
W. now. healthy looking.. mouth open. crust - put fingers
in. hears & sees. no ~~yes~~ nystagmus. Head is well
formed, rather small. Grasps with an irregular move-
ment of hand - & large spreading movement of fingers. no
stiffness - no rigidity. Back straight - suddenly a
defective development. will not. spasticity - no -
- good outlook. And then that 2 years will decide
whether I do or the contrary.

To uncle Dr Prince.

Socorro Atascia.

& sub. G.P.

C or Kerr.

1-22-99

~~██████████~~

33. 923 Peruviana work.

Syph. 5 yrs ago. syphilide - pretty thorough treatment -
mild. K.I. guns tincted. sub-cutane.

Tong. a year ago - sore on it.

Fraying ⁽¹⁾ occurs at night - pains severe ^{at night and} for ages.
at times now. - a few days. (2). First attacked a kind
of jellifying of the limbs - a current. or current of the limbs

(3) Rh. pain for a mes. & seven attacks - sharp
as tho. ice tongs pulling on muscles. Chvort
limbs. (4) sucking & weak - fitting. cannot
stand way of legs.

Ph signs. Heavily botched and char.

(a) K.J. abs. (b) Rumburg. not present.

(c) no aquall Reb. (d) no atrophy.

a slight sclerosis. of arteries.
not an aneur.

state the K.I. 20 yrs b.c.d., & probably 1 month.

1. 30.00 Better in many ways - pains gone. Emulsions
still inv. some troubles. Passes during night sometimes

was a nos. about, involuntarily, active & vigorous. &
lost a bit in weight. 5 or 6 lbs. Lived well. Considered.

X. 7. 04 1½ at Schwagfeldt. Freiburg. Rebhaus
3 m for Freiburg. Dr. Lasker. Treated
by Dr. a. Had many cases - stores & rooms &
sleepless. after attack in Prov. we are probably
after 2 or. in Aug 18⁰² got along until April. In
Bleeding was trivial burden. diet was. On N.Y.
got run sat down little sharp & squeaked at. sent for a
doctor. felt body - had a strong spell. got never
back to Bellevue. and. I still felt all night. Dr. came
in. next am. Roentgen came. Told Paresis had.
After another night. talk to shepherds. Dr. Franklin &
Dr. Kerr. 3-4 days began to get better. 133^c clothes on
& gained 20 lbs. Dr. Kerr. & Dr. Franklin said endrod
breath. went to Dr. Preston - felt well. said go to
mountain. Dr. Leppmann in Berlin & said no Dr. got rest
152-153. no headache or pain.

Recently went to N.Y. got position. some work & hard
work - broke down - suffered a little. Dr. says after 1½
year of rest. - Had a little too much, land available at night

& no Roentgen

& Leppmann. Kruy Pring After. No 33.

Very talkative - not flighty - very sensible - no suspicion in
any form talk - no del. of 8m

X-7-041 He looks very well. Definite Argyll-Robertson pupil.
Station is not bad. Distinct radial sclerosis. A. b. is not outside
nl. l. Heart sounds are clear at a. and bl.

Transc. aphasia.

9/25/55

~~McPherson~~
Dr Friedenwald

Last wedne. vomiting. mem. lost. did
not know she had been here. 2 am reg. memory.
ab. loss of mem. from 7 p.m. to 2 am. overall.
negl. no abt.

Fall - sister, 34 yrs. Typhoid when young.
4 children. 1 dead. No headache, good appet.
For last few years ailing. well till 2 yrs. ago
urine .5-3. ags. Mrs. died. one sibling had
similar. spinal irritation. nose. This sun. at
ab. col - took hot baths got nervous. Encephalitis.
Pain in head, & ner. weakness. Drill headache
in am. cheff. could not eat in all. ab. a little less in
weight.

gets up 3 times at night. more so than usual.
drunk.

Exam. negative. no sp. arachn. sclerosis
Heart clear. no changes in the urine.

To go slow & care in rating & diet. 167. gr v. & 167.

Heart-hurts &c. at night

9-29-99

(or Glasgow)

~~Hearts~~ [redacted] 52. Lexington Va.

C. palp at least - 4 years. Began with a shock - rarely before from dysp. Constantly now wth a little ~~or jags~~ short intermittent pain spells at intervals. 3 hour spell & then in a spell - with a start & then heart begins to throb violently. Spells usually & well. & then 3 hrs ago then a succession of attacks sleeping on back becomes attack & on average we might in 2 mos. or 15^{hrs}. only relief is a walk... Dr. Janeway gave spadom $\frac{1}{4}$ & strophantidin a m viii. Digital not opac & Dalcrida gave strophanthin

V. h. woman no children. no let down. not a nervous woman until the palpitation came. change of life began at same time has improved. not. may be much less severe. Diet no right. specially. has made excessively ner. always feels little dying. depression follows. 150 & sleep suddenly & an undesirable depression follows. no head pain. pulse 120 min

No trace of enlargement of H. soft apex beat, no thrill

To use Paraldehyde & wet packs at night.

Counts P. S Glasgow (used them for six mos)

X. 9.01 On in Charlottesville uproot the hem this summer & very ner since. Non palpable. Pulse less accelerated

Gave Dr. M. Gruber
D. M. Gruber scared the life out of her, excited & alarmed
her into danger. Water, puls. & heart hurry &
quiet mind & measured

Parkinson's Disease.

11. 29. 59.

~~██████████~~ 38. 211 W German st.

c nerves. - London affected. lasted
for 6 or 7 years. 1st thing noticed a cut of the toes
when stood up & the fingers became stark & stiff
get stiff in extreme. & separated every day - all
the time the balling in each finger..

G. h. good fine. not an ache or a pain, active in
business. In publ. in last stood to Congress. very heavy smoker
7. ⁸⁻¹⁰ cigar. no nerve trouble in the 7-78. in 68. This
arthritis B & S. well. is nervous. No disease of any kind in
this man. very heavy smoker. something influences
it at a moment or whenever feels it at once.
^{In 2-3 months good. very quiet. nothing much done or smokes}
For an hour in the day not feel anything in arm. no
cut of toes or stiff of fingers. but of 25 cases. usually
slight - it is in him. People stop him in street talk
I don't know. of writing. lists & names, hum. do not
do it at all. This for 3 or four years. can ride pressure.
No pain - not even a passing pain - nothing but general loss of
weakness & standing still he stops & has a tremor
slight tremor on the hand at rest. As far back as 1892 ~~can~~ he
remembers feeling a little tired.

Very healthy looking man - well nourished - weight
(census). M. d. (PD & C) 80 $\frac{1}{4}$ for 10 days - slip of 5'
smoke Tobacco & whisky. live a good life

198. Gait and station look normal. No disturbance of speech. Pupils are equal - react to light and on accommodation. Undresses himself readily and easily - unbutton and button clothes without difficulty. When he wants to turn round he has to make a great many steps. There is a distinct shaking when he attempts to turn quickly - and there is a slight tremor of the whole body. When he bends forward there is a little decided shaking of the legs and of the trunk - not of the head. As he walks the arms hang close to the sides - does not swing them. After walking a few minutes the fingers and thumbs are in extension and a little separated and he complains that they feel stiff. The feeling of stiffness in the hands is from about the middle of the metacarpal bone - never seems to affect the wrist - there is never any drawing in flexion - always in extension. It is only when the fingers are at rest that they feel stiff - when at work no abnormal sensation. When free the fingers naturally work themselves into the extensor position. No incoordination - no tremor in either hand - either when at rest or when held out. When he first awakes in the morning he swings his arms - and there is no stiffness. The muscles are well nourished - no wasting. Sensation is per-

When he is at rest there is a little shaking of
the left arm.

fect. sensations to pain, touch and thermic
sense normal. Hands become sticky - has to
wash them a dozen times a day. When the
hands are in extension he cannot instant-
ly, quickly flex ~~them~~ and extend the fingers. There
is no retention of the grasp when he holds on to
an object firmly - the let-go is instantaneous.
The muscular grasp by dynamometer is
right just 100 - left a little less. Knee jerks
are plus. Station is perfectly good. He can go
down stairs or down hill much better than up.
Can stand erect without any tremor. When
he stoops over a little the shaking of the limbs
and trunk begins at once. Feet look normal. After
removing his shoes and stockings the toes were
drawn up a little. Big-toe and second widely sep-
arated from each other. Toes feel as if drawn
to the floor but they are evidently drawn up.

Gall stones &
neurosis

11.30 88

[REDACTED] 38 2222 Broadwell ave

c. 9 mos ago began with grippe; contraction
(in Feb) of muscles on rul. left side taken pell-mell over suddenly
called to his wife. The reverend man ^{Tempoire man, no exertion} had left him, the
muscle were cramp in leg & arm - left side. crawled back
to couch, did not lose consciousness. very much frightened
that he relaxed. but was stiff for several hours.
Saw Dr Chambers 8 years ago, interested in stone works
in Trenton, lump in abd. Dr up there, send a tumor, came
home next morn. Saw Chambers - 4 am, send no tumor
no trouble with it till the grippe. Then it followed up that
got pains in pit of the stomach. - at the spot - can feel
a hard lump. Has had lately 6 attacks of the pain. 2 or 3
days, wentened & is baggad after each one. lost 10 lbs
in 2 days. Pain is intense. Morphia relieves of get enough.
Pain goes sometimes up the neck. gets cold, & trembly.
Ends up. sweat freely. hair is hunched & forehead white
was yellow & crevices white crumpled - no attack. attack
brought on by worry. Has had family trouble who has been troubled
very. Is very irritable. waffled by diet. If walks up hill
feels not get it. but is plagued with feels something - then
a weight "stone hanging to a cord squeezing up against me"
no nausea. no vomiting. Has been bad more than
seen a week. goes to bed, severe headache at time. The reverend
stood up, cannot walk about, cannot stand, gets up

a great deal of gas. Is dusted up with the pain - no diarrhoea.
constipation. No rumbles or burping in the bands. Two
attacks in five weeks. at Trenton. Has lost from 223 to 180
inches a bit sick & pale. pulse good, tension normal. Heart
sound clear. The hepatic carb. stands out as a prominent
body. A Doctor said he had a tumor there. Nothing to
be felt in abdomen. Liver not enlarged. While with
a doctor in a 5 weeks trip he had no attack.

Great deal of gas. belches incessantly.

12-4-99. Bad attack on Sunday morning at two
o'clock. Pain under right costal margin. Very
tender now over the gall bladder. Gall bladder
is not to be felt no jaundice. Looks a little
pale. Did not have to take morphine. This at-
tack was short.

Phish soda $\frac{1}{2}$. tea sumpth. . 2 liter of soda water

Mutual des. arteriosclerosis.
Ch. nephritis

12.10.89

Dr Gordon

~~██████████~~ 24 Richmond Va

c renal disturbance. about latter part
of April noticed pains in back. In June returned. urine
8 am. alb. & casts present. stopped work. told no swelling
of feet. went to mountains. abt. 2nd. till Aug. 24th.
Rest 10 days in bed. went to Raleigh. in bed abt. next 9
weeks. alb. not abt. disappear. once or twice did disappear
Cast abs. till a few days ago. Since Nov. 1st. weight gained
& feeling pretty well. Pain in back still present. Urinaly
large. quantity. Sp-gravity not noted. Dr G. thought it
first faint heart attack. about 12 - 14 went swimming
too long & that night had apparently rapid heart action.
& cough after. Continued all full of 'e & f.'

Diphth at one. y. very bad abt. nasal scars at angles of nose.
L. very. of b. act. Radicals sclerosed. abt. in 5th m.
abt. pul in pull ar. no thrill. apex syst. mur. propag to
axilla & scapula. both. 2nd. acc at base. no decrease when mur.
No Pul in vessels of neck. no & in veins.

Urine abt. in both st. Sp gr 1023.

To go ahead with work

Mono-crural Paralysis agitans

12.13.89

~~He had been~~ 55- 2219 Md Ave
one who was epileptically affected (miss in H. W. H. 1872) can of 80th of double
c. rt. leg, most. shake now & then when

excited or anxious. Walked 2 or 3 mrs, never before
only one leg, sometimes when no excitement, enough to
be a serious annoyance. No intermission until cracking
in arm. in 8th June fell like a Rh. in the leg, 9 a.m.
were light. Some trouble with left arm & shoulder,
in lack of faculty - in writing. (is left handed writer)
trusting curation & of course made any time pain
under the shoulder.

Gave up writing with rt hand 28 years ago. Injured
the arm in some way. Teaching school when 25-4 yrs
after a tired arm. sleep & fire. got up up in comb if in bed
& threw the bucket of water in the RT arm arm so tired. It'd
next day. was unable to write.. lack of uses until
& a pimple in wh. spoiled the hand. Dr Mitchell said
let alone for a year a write with the other hand.. No
writing, no loss of power. but of late a glass of water
would fall. of paper. to take a half full it would
shake & spill it. w. & healthy. not a very man.
always good health. this he did. some most. shaking when
walks well. former movements made.
^{no trouble in arm otherwise} Sometimes a little sense of numbness in it. not conscious of
it unless it is shaking.

Healthy looking man - good color. Station &

Elise D. Walker

Dec. 13th 1899.

Eliza Walker
Dec. 13th 1899
Dr. Asler. Eliza Walker
Elizabth Walker

Pulmonary Tuberculosis.

12-20-99

Dr Rusk.

~~W.S.~~ 31 107 E 25th St.

Physical exam is wt. Nov 13 lb. 2nd same weight
3rd 14 lb. 4th on 15 lb. 5th weight of 15 lb.
not much. 10-12 month old. Other. He is not large
or . Before that only weighed this summer. Gripe for
a month - fever & felt bad. Looked bad. This summer
lost weight. 10-11 lbs. Feeding now.

Lived a year in same house - inf 7 weeks months
7.4. 7 d. 50 - hemoptysis. In L & R. $\frac{1}{2}$ S. well
nothing trouble & eat fairly. nothing in his past

days have been & am of or R. nothing found.

Looks pale and thin. Chest is a little long
and narrow - measures from tip of clavicle
to 10th rib 13 inches. Left clavicle a little more
prominent than right. Less motion at left
apex than right. Right lung is clear. Left lung
impaired resonance at apex in front and be-
hind. Numerous moist rales as low as 5th
rib in front and to middle of scapula behind.
Expiration prolonged. Medium sized resonant

vales on coughing. Temperature 100°. Pulse not above 100. Went ad m Jan remained about 10th.

5-3-00 Resonance - very slight difference. Has gained 17 pounds. Few crackling rales at the end of deep inspiration. No tracheal breathing.

X. 20. W m 127. up to normal. Good appt. good day, no cough no expect, no fever
Tubercle ^{was} started in April. Tubercle in sternum

I. 7. 01 In town at work 3 hrs a day. - good and good appt. & sleep. In eve a little fever, cannot get rid. weight same - gained 3 lbs in 3 months (differences). before TB. a few. 1.5-01). Ten fingers fair, able to do a good deal. Left arm & rt also involved. evidently has been an ulceration

good. No trace of any tremor of the head. No characteristic attitude. The right arm is just as well nourished as the left - no wasting. His right hand and arm for everything. Little fine tremor but not more than one usually sees. Dynamometer - right hand 65 - left the same. When squeezing dynamometer there is a slight involuntary tremor of the right leg. It shakes - too - on any excitement or any special feeling of responsibility. It sometimes shakes when the leg ~~down~~ is quite at rest. never shakes when he lies down. All the movements of the leg are perfect. knee jerks are present - equal on both sides. Does shake - and there is a rhythmical movement of the ~~foot~~ foot on the ankle. By strong exertion of will he can stop it for the moment - or if he moves the position. It affects the whole leg. The hand never shakes with the leg - not the slightest incoordination. When he throws the whole weight of the body on the right foot it will stop the shaking. If he stands ordinarily and leaves it loose when excited it is more apt to shake. The pupils are equal - of medium

size - react slowly to light and on ^{actively} accom-
modation. The face looks natural - not
at all impassive. Only once on examin-
ing the pupils - when the leg was shaking -
there was a distinct and positive - but
slight tremor of the head.

2. 6. 00 Looks well. No change in the legs.. not tremble much
in odd-way but does when does not want to. Leg went like a "wheel
with the band off." any apprehension will cause it

III. 10 05. Tremor present in 1800. now ^{Parkinson}
fusces, & mottled T. of hand. & gait
is heavily. & drag.

Ularododeni.
(new history)

3.4.00

or wa Ferguson.

~~██████████~~ 49. Mon Mtn N.H.

V. h. m except. Stomach. 25-7. Began to walk hard. & g. broke down. got thin. Water brush. Went to road. 4 or 5-7. got well. Spec. in business. Several visits. Fever & cong of lungs. went for 2-7. in leg. I. g. & start of a fit after it "was "jerry & potted cat". Went to machine work. 18 years hard at it. a. ago last Feb. started to be oceans give a mouth. In blizzard. Terrible distress. gas. for a year well. but for a year no bed. took cold was good. 16 years ago bled inside from the bowels. Last March in N. J. accident. got hurt. Had black stools for 4 or 5 days after. On June 2nd. bloomed up. bat at work. went home & lay in bed. Terrible pain in stomach & thro' bowels. Magnesia did not relieve. gin. rounded it off. black nothing stuff that was bleeding. In am. got up felt weak - had to go to bath. bleeding from bowels & heavy barrages dark tan black clots or Oscar McCull. ulcer of stomach in bed a week. - nervous for a minute no more bleeding. but starved. "I'll eat small and never over the bed". Bowels bad, constipated & begins with them, went in last night. Terrible pain in chest. thought cancer on bowels & bladder. Began to take Magnesia & soda. got up after 4 weeks. For an other month gained. Two mos ago set back. Bowels clogged up. pain every day. no blood. no vomited. - not nausea. Splendid appet. always craving & picking. relish everything. "Dot or Hare in the stomach". say Ferguson that little acid. M & V. good and very think wanted. craving for pickles etc. but the H.C. did good

boned up stomach. Took the acid. Much mucus comes tho,
now better. . From 180 to 167 in two months. Has had the
pains rather a month. Sometimes does not take soda.
The pain. never an acute pain since 20 years double ab. but
that went away. Pain is relieved by pressure & Kneading.
Tongue not bad light white.

(1) No doctor known. (2) Diet simple. (3) alcohol, 3 1/2 pints.

Henderson.

3. 8, 00

[REDACTED] 28 Danville Ky

c. of 34 yrs ago sub. to headaches periodically. Ashville & Danville. Thought to be Malaria about 18 mos ago physician said. so violent & frequent Malaria. Dr. Fleischer had much good. Encouraged drinking but still not well.

F.H. Mother sick very severe. died of surg oper for Ad laeum. 45. survived for 10 years. F. living 60
Bro. B. 1. died 18 approx. S. 2 L & R. Both headache
P.H. long & can remember like young, big cold sunray
line in front of eye. pain after.. Triangle - go at few eyes.
This by his self 5¹/₂ yrs ago. Eye 21 days narrowed down
every other day. Sooth - better. Relieve last fall. but went
4. Began with seas. pain went & play baseball
duller & fiercer. Eyes sensitive. feels cold - hands.
& feet. Cannot stand. eye balls burn. Nausea seldom.
no vomiting. Pain in old attacks came very fast in a
year a vomiting. headache. Ford. any medicines or diet
Dr. very diet great improvement. Kept weight fairly well.
2 peculiar things, intense itching for 18 mos it aches. like
teeth one of the headaches. Both mind the most time. for
about 2 years ag. followed vaccination. arm swelled
19 lbs in left arm. recurring in trips. one in side an abscess.
burn. large amount. one at night. clear as water. nothing
about but the urine acid. Has give the Eudocidin &c

now. cur.

of an cuff cuff headache... now once a day. now. about not
cured - a person. It was 18 mos since had the very bad spells.
6 mos ago rev. rever over. Colic. Has to stay quiet.

Eyes. relief. Headache is always frontal.

Robust - healthy looking man - good color.
Tongue is clean. Pupils are equal - react to
light and on accommodation. Skin reflex
fairly active. Well marked corona of veins around
the line of attachment of diaphragm - unusually well
marked for so young a man. Pulse is steady - regular -
easily compressed - vessel just palpable. Radials are not
visible. Distinctly anastomotic pulse. No capillary pulse,
abdomen looks natural. Liver flatness begins on up-
per border of seventh and extends to costal margin -
edge not palpable. Right kidney can only just be
touched. No dilatation of the stomach. Liver beats
in normal situation - no thrill. Aortic second not ac-
centuated. Heart sounds are clear - no increase in
area of cardiac flatness. Knee jerks are normal -
not specially accentuated. Gums are clear - vessels
a little full, particularly the veins.

Nervastenia bostonica

5-14-00

Dr Bradford.

~~[REDACTED]~~ 5-1. Boston

For some time dejected & uncomfortable
in head. numbed. - in neck. - often numb in head.
Travelling for 6 hrs. 2-4. ago time broken up; fallen
deaths.

Looks thin - sunburnt. Pupils unequal - right ~~is~~
the larger of the two - react slowly to light.
The right in full light is about 15 mm.
the left scarcely 4. Pulse quick - regular -
tension good - 72 - which is unusually
high. Skin reflex active. Apex beat is in
5th - normal situation. Sounds are clear
at apex and base. Knee jerks are normal.

Tumor of stomach.

Subcutaneous nodule

\$.00

~~██████████~~

44 937 P.S. wash &c.

c indig. all life. come for a year

has lost 20 lbs. & strength. not able to do anything
much. Nausea...occ. vomiting occurs. 1/2 day. last time
Wednesday. Cons. passes thru. Slime & mucus. Every cut
disagrees one as much as another. one t band
7 ft. 7 d. st. bundle 77. M d. c ch dead. 65. B 2 S 2 Wx
86. very active.

Has severe all day severe like pain
distinct tumor seen in st. Ep. Dog on inspiration
feels a mass which can be rolled beneath finger. There is a
short little nodule edge of pen ~~tooth~~ of nail very hard &
in the skin. The left ep. cecum glands are enlarged. The
~~left~~ inguinal.

To come in Hospital for a week. get diet reg.

Prob. Bronchectasis?

5-14.00

Dr Scott.

~~Bronchitis~~ 51.

Bronchial trouble. Colds. This winter,
July - for many years. No Neuralg. fever. colds.
no sneats - pains tho. eyes & ears. Coughs all winter.
2 or 3 hrs thru the night. Weight. no loss.. strength.
weakened by the frequent colds. Coughs hard, unsofted,
much. clausby lasting

A-7-14. 7. died of acute Laryngitis - ill a year. Adds his
inter due of pulmonary. B. 2. S. 2. worst. 15 lbs bad enough
for 60 years. In N.C. was known in Southern Pines & Pinehurst.
Later free of cons. Much diff in breath when has colds at
night.

Lungs well - Marked rales of rusp. more on left side
general. Left sh - a bit dura. No great flutering. a b. not
marked. Some clear, max. int, under man. no flatt. under
clav. Slight rales less at apex inf. well marked impulsive.
7 res. at left base. a few rales. no tub. br. no st. prophy. of
expir. rales at base - small, not bubbling.

Dr McCrae reported no tub. Bacilli

" 7. 02. notoughing day. run cough & cold for several & much
wheezing & labored breathing a much expect. lost in weight
as fever. Began with very cold. no asthma last winter's
very marked chronic mastitis with singular enlarge-

ment. Piping rales everywhere over the front
of the chest. ~~No~~ flatness. Everywhere over the
back of the chest piping rales. Prolonged
expiration. Wheezing, asthmatic breathing.
~~No~~ flatness.

abs.

Paralysis - secondary to
breast cancer.

10-10-60

~~2~~
Paral.

Dr Tiffey operated. Feb. 19th. 98, left side
seen me 2^y before.

Pain in chest & back Aug. 99. Then went rollers
on R. shoulder & arm. Place in hot plate size of palm here
was acute. under left side, esp round the side. Very
unbearable, excruciating. acute, right after night. 2-4 a.m.
still in R. arm. occas in left. ^{out to March.} Backward pain to neck. Shingles
in R. shoulder & chest. Nov. In March. pain down whole
back & one eve. became paralyzed. Not right for first
down not arms. Could not sit up. remained paraly-
& only began to walk on Aug. use of hands & body began. a
morphine had to be given. Turner who was fatal, Dr. said
bladder disten 5 weeks. That night. Thot meningitis
legs stiff. ~~would~~ Much pain down spine. To back of
neck in evening could not move, down, down & death
^{of neck & legs} door. Dr. Tiffey saw descended bladder, swelling despatched
& des. also. Morphine reduced. Day began to get better, more
& anxiety & 16-June, steadily getting better. still have to take a little
a little pain in R. arm & sometimes in shoulder & left. feet great
stiffness can not be in sole for a few moment. Walking
well. without cane goes up & down stairs. stiff. sit down
easily. In arm cannot walk at first. From 3 gm to 1/2 L. d.
slight recurrence. Dr. Tiffy ~~suspected~~ that not spine. - Has not gone
away. (over)

The spine is quite straight - no hump. Right shoulder blade is perfectly natural. Can twist the spine perfectly well - bones are quite free. No glands enlarged above the clavicle at all. A little nodule just at the angle of the axilla - another little spot like a pea in the second intercostal space - and another on the fifth rib. The one at the angle of the axilla was larger. The knee jerks were increased. Lungs are quite clear. Heart sounds are loud and clear.

Hysterical Laryngismus

10 22, 10

Rem. case.

D. Hunter

R. M.

~~██████████~~ 3:4 Kings Mountain NC

Naso-pharynx. Has occ spasms of throat
7-y. ago. For an hour sometimes, several yrs
a few minutes face swells & cyanot. eyes weep &
& he grasps for breath - never before 7 years ago. Has
& pull for his breath. Cried & get much worse not so
bad long time since all over in hands & feet. Sat nervous
& weak & felt exhausted. So to & in now. Indigo.
& anything that excited him would bring it in. The
phrenic galleries in his throat can swallow well & does
not suffer any pain except when takes a fresh cold. Has
colic. Relief uses Turkey "into the phrenic". Has taken
1/2 a pt a day. Red of them for two years. Begun 2
years ago. Was then dyspeptic. Coughs but little,
all attacks are suddenly. Laryngeal. Weeps more now
20 yrs more. Last week last attack - all night even
but cannot control his voice. 3 y. ago had the voice ~~very~~
changed. Now a ~~guttural~~ slaccato - syllable voice with inter-
vals. Slammered ~~of~~ a deal. at first afterwards only
a slaccato voice. rather low & with an effort. Did the
slam 3 y. ago. & now (1c from 3 weeks). In saying long
opines the mouth puffs the lips & takes a good while
to get it out - nor has learned to talk easy & it does not
alarm him. Sometimes cannot get started right. Has
to be careful & say but not as he naturally would.

in man. 6 chld. V. a. h. man until 7.4 ago. until 4 of 2 years
has done a great deal. In a slm since 15. conf. Hard student, interested
in my office. active.

7.4. 7.7. 9. h. M. 69. was an invalid 12 years to about 3.7 ago. Had
red eye trouble. Was nervous. As bad was not nervous, was short
& very thin & was after a bilious fever very puny & pale. - But chicken
poxed at home. Dr McCoy said he had nervous prostration 7.7.
ago. Not now so bilious - but is very unwell. No serious illness,
7.4 ago. Hand healed. Has had catarrh. -

7.4. Hanes began stupor - felt he had it all day. felt ill. About
and over, came in again started him little not before
at home, peccata multorum. came all over him. voice was
not affected. Had the spasmodic attack that Oct. was a bad one
sack for mouth. nose felt all down. Laid up for 3 weeks
~~when took to~~ in bed most of the time attacks once a day.
were not so long. Went to "Good Helper springs". Got so bad came
home in 3 w. a day. He got home long of the trip & haunted
an awful hard attack in bed again 2 w. Went this 1st
month to Den Butler tree & Kraus (d). 2 all. These. Came
home in Oct. more for a year +. in good health but had to
be careful in diet. Began to feel weak for a week or so had
cough. Kraus again ^{year} taking ^{gum} rubbed 3rd time 2 years of freedom
now 2.4. off & in. runs Dec. went

apparently good. has to be careful. Bed at 8. - sleep + 12 or 2. Thro' all
full of phlegm & for that all day may not sleep a wink. has
& wakes up & hauls it out. restless. For 3 w. every night this
has happened. Had the same 8 years ago. Then could not talk
straight above a whisper. talked low but not as to others un-

Healthy looking fellow - dark hair - dark eyes. Look neuropathic.
Tongue is red and clean - has not an asthmatic facies. Chest
is well formed. Large framed - larged boned man - not very
stout. Skin reflex very active - hyperaemia comes out at once.
Neck looks natural - no enlarged glands. Thyroid and lymph nodes
al. Apex beat is in normal situation. Chest looks well formed -
clear in front. perfectly clear at both apices. Heart sounds are nor-
mal at apex and base. no increase in the area of cardiac flatness.

Chr. urticaria

XII - 18-00

Dr. Tyles

niles

Dr. Dovas
wash.

43. (M. g. c. marsh.) Knob.

Chromic cuthcaia. 3-7. a.g. 96 Augt. came
to brush. 97. Aug 1st at home still + fever - had hives
much pain. Had a boil on arm after it. Arms + hands
swelled till bone was out. Hives began bad after that
hives pretty regular - esp every day. Itching + burning in feet
est that time but as cold weather was off. Went to
97 + 98. Dr. Bree gave me medicine for malaria. Iodide of K. 10 -
+ 50 + ging back cured it. Went home 99 better.
now free from hives. char has changed redder swelling
in feet. great ripes. bright color. now scattered. not
plaster on feet or ankles. now in face sudden on eye that
face swollen. In many inst. as redness. In hands. & in
cheek felt like burning a vertebrate artery place. 4
Aug. 1st 97. suddenly began disease in cold brush
at 5 am flushed no vomiting - severe to last of march.
at first a dull eng later followed by fever. as long as got in the feet.
partie after riding horse back - Rode up in the 2nd cold
as thick as finger. Itching severe in & around. no swelling
in face until last 8 mos. now a change for better & cold
gets worse. No blood in urine. Irritability no severe chills
but wakes up with pain in the arm.
drel. not a heavy eater. moderate in diet. eat 2 lbs of beef a 2
days. 8 strawberries without.

but wakes up with pain in his diet. eat 2 lbs of beef or 2
drol. not a heavy eater. moderate diet. no 2 lbs of beef or 2
years. not seen by any article. 3 days before with red.
No swellings or bog.
7 ft. 7 d. 42 ref. Rhen. In diet 52 Rhemadose. cough like croupy
26 sisters. 24. no Rhem. no attack very well & strong
as rule. good habits. no sneezes. - changes weather will cure

cold has always had inflam. can even tell in am whether
the weather has changes by the swelling of his face. Has had attacks
& great swelling of face in one side with -

Healthy looking man - good color. No topki.
One slightly raised patch on the left fore-
head and one outside the outer canthus
of the right eye. They are coming out about
the neck. Distinct ordinary urticarial
patches on the arms. Numerous patches
on the right arm. Signs of old acne on
the back - a good many scars - a few
fresh urticarial wheals. Vaso-motor
reflex very active. Skin of the chest
is pretty free at present. Very ex-
tensive urticarial rash (simple) on the
legs. Liver is not enlarged. Spleen not
enlarged.

~~[REDACTED]~~ Neuroasthenia
Ref of the Life Insurance
for the Death May in 1888.

22.07.
II. 8.05

39. Phila. Pa

El. R & lighting work - travelling all time,

Smoker since 14. 5-6 mos ago 10-12 cigars. Chews till
2 yrs ago. Married 8 yrs. Mother neurotic. active.
died at 54. diarrhoea. F. abd w. 77. Part of index a gas
can recall that father had. Towards the heart for 6 or 7 years
2-3 yrs ago throat in bad shape. Dry. felt dizzy - did not help.
grappled Jan 29 - got next to Palm Beach. That day after dinner
"fell lost control of ner. even dangling loose in body" or steamed
round heart all night. Got better. When left felt A.I. 10° per sec
3 am cramps in hands 5. again diarrhoea. 6 am. Weak & dizzy
Went to bed. 4th time to bed. & fainted away. Had slight running
in bed 2 days - while lying down had faint spells about the heart.
esp. when the pills were out of the womb. Got out. Lost 133 - t. 120.
Gatherwood with Salinger. There seized with same pains & heavy
stools. Cramps & diarrhoea at Atlantic abt. 5 or 6 w. after (in March).
Two German who said ner break down. not in worry in business. Took
Iburi - not care. for 10 days sent to a masseur
& a trip .. 3 weeks O.R.C for 27 by sea. Went to atl. abt. Built up more.
at home cramps & ner. went Europe - felt well. London bad. low
spirits. 90 days ago had attack of nerve had to depress. In Swiss did
not feel comp. - some fear. attack of diarrhoea at Interlaken. Vagabond
good condition. Felt 90% better. 4 of last July. at atl. abt. Had been
going up & down every day. excited & strain. Partner a "pea-knuckle player"
On 4th played cards - poker in pm. set off fire works & after it supper.
To be 4 for his following day. 4 am said public excited. Esq. D.
made him get ancup & checked. Said wait till old or comes & said when.
do you catch it. at up & said the young Doctor. & did not pass him

Spent to Barr Harbor very well. Last summer, body very fit - away early; now very fit. Very good - . Dropped morning - lived in much - x - 3 - 6 days. Slight cold chills & got all worked up - . On Remington - sick at stomach 2 days. Got up right & wrote up with gurgling urine in right side got worked up. got nervous - . Gurgling in rt. side annoyed him - that appendix? Six or 700 c. taken per day. Massage. Swedish movements. 35 trochanter last weekend. 15 or 16 back pain tho' abd. following an argument. Left hand - 55³/4 hours. suffered no appreciable distress. Pain against the fingers. He never felt blue nor. a gurgling in rt. side. Lips inflamed. Heart cracked up. Urine heavy & 4 vessels. sudden attacks leave him & suddenly. Right pain at times in heart. Drinking red. Blood urine. Get moderate. For 3 or 4 weeks going out a great deal.

7/15 - Standard therapy was discontinued. I awoke this morning - voice hoarse - goes heavy day, but decided not to see doctor. Heart looking mean. Good color. Pupils are equal - react well & to light and to accommodation. Tongue is clear. Pulse is steady - regular. Radials are just palpable. No increase in the respiration. Temporals are not sclerotic. Skin reflex is exaggerated. Apical beat is just within nipple line - no thrill. Sounds are palpable. Flatness extends to nipple line. No flatness over manubrium. In sitting posture first sounds are clear at apex and at base. On re-hear - heart sounds are clear at apex and at second sound at suprasternal junction reduplication of second sound at base apex soft systolic at apex and at aortic cartilage. In recumbent posture after exertion apex beat not outside nipple line. Apex systolic murmur intense - heard all over body of heart. Disappears completely on held inspiration. Liver not enlarged. Spleen not palpable. No dilatation of the stomach - lower border of tympanum just at the navel. Descending colon is finely contracted - easily felt. Appendix is palpable - perfectly normal. Knee jerks are normal.

2/7/05. The apex beat is in 5th, just palpable; no increase in the area of flatness. First and second sounds are clear in recumbent and sitting postures. No murmur at pulmonic area. Aortic second not accentuated. The knee jerks are normal. Pupils are active, react to light.

Urine clear.

Spondyritis post typhoid
Dr King

3-11-07

[REDACTED] 28 2200 Calmar ave.

Ty. f. in Sept. very bad. protracted - no amphy
except this. after ^{white} curvate began rigidity of muscles of back
that stop & change position. pain in effort to move. to
stop or pull up or turn over in bed, cry out. Walked all
along - a steady state. Gouty hip & about all day & business
for last 3 mos. gained in weight. was much emaciated.
~~had~~ local signs. Butts little a little curvaceous. walked with
difficult. Mother died of cancer of pit. while he was ~~convalescing~~
now back from trouble. no spot in back. & sometimes
short across. no pains down the legs - cannot stretch legs out
straight. If lie down on floor the pain on getting up. Bladder
& rectum all right. cannot work as well as formerly.
After he got up shuffled along - could not lift his foot
for fear of pain.

Prog. good.

Healthy looking man. Evidently neurotic. Good color -
good nutrition. Movements are all rapid and good.
He has a distinct obliquity of the thorax - and of the
shoulders - the right shoulder is lower. This was
certainly present before the typhoid. Of the move-
ments of the spine - the posterior is fairly good.
The lateral are good. The anterior movements

are very restricted. There is little or no mobility in the lumbar spines. The natural curvature in the lumber region is perhaps a good deal exaggerated. The rotatory movements are fairly good. He cannot stoop over to tie his shoes - or to touch his knees. No disturbance of sensation. No trace of prominence of any of the spines. There is no tenderness except low in the lumber region. He has had no girdle pains. Knee jerks are a little increased. No Babinski's sign. No ankle clonus.

Abdominal Neuralgia.

6.4.61
Dr. Heltetom.

[REDACTED] . 18. Sewickley Pa

c of neural. abd. . . . cross-eyed at

3 y old. cried at 7th mrs. filled with glasses at 6. Begun & have attacks sick headache often begun to start at intervals. at 12 had developed to a neural on the abdomen. not head, not so freq. the headache. about 6 yrs ago. "has ~~had~~" a fit of rolling & drooling". Mother described. last for 10 to 20 hrs. Late at night - wakes & goes 4 am & the ays as day light comes. now they are longer last 2 1/2 hrs. goes to bed. is strong for abd & has skin around a very. beg. of the pain. no local starting point. toward the end of persisting irritants not swollen, evit to touch afterwards. no drunk not a bite, not even water unless it's hot. Sometimes does not irritate. June Jan. has had one a month. 3 years ago last Jan. discovered leg 7 1/2 ft of "shiner" curv of spine. got a shave. decided a curved change always deserved. They had been getting worse. so all off for Feb, & all June & then slight one. one or the other of 3 in the year. Better ever since. Not all due to the spine. But they have been coming back but not so severe. Though an evra. for a gouty condition to pain & mental des in childhood. No spots cut on the skin. No swelling of the joints no bloody come. Now. Operation in 1951 for a curv. No marbled knippin signs left. Dr. Kelly, 1st of April everything normal. nothing arose with usually perox

Feb 11, 1903 went home. Saw at noon drawing & measuring. Available for
(about) 6 months. Begun to walk and talk - a bit at a time the comes around
and the head of one whole day. Other night a rousing affair.
12. Go interpreted. Dressed bring her back. He said 3 things. One
D. L. says were his attack. Here $3\frac{1}{2}$ months. He has not seen her
had any attack. No brand did not see her. Have tested blood &
urine balanced and - mentally.

Mr. V. mentioned it. Not her. No other cases in the family
but just capital stuff. Tongue fatty. Bowels open.

Wife's color is good. Tongue is clean.
Little engorged over the eyelids - but no
marked edema. Dilated venous over
both upper lids. Pulse is good, regular,
reason compressed. The abdomen looks
natural & no distension - no swelling. Marked
abdominal pulsation. T. m. r. moderate. Little
tender over the transverse colon. Right kid-
ney just palpable. Little brownness of the
skin of the abdomen - distinctly brown - no
sclerosing. No dilatation of the stomach
appendix just palpable - can be rolled under
the fingers - no thickening. Spleen is not en-
larged - not enlarged. Gall bladder not
palpable - special soreness - pinched over
on feeling directly over the g. b. Little tenderness
over appendix.

~~██████████~~ 35. Bd St. Boston.

Pork Recd. (coetford) never ill. except
a laryngitis - then in 1888 P. Recd. stayed there
and food. Rest business 2 mos. back a week 14²
at 122. Sp of 88... not ill there. Came up in 98. Lorn my
* chly after dinner. Went back Dec 99. Took a lot of Mew.
Stayed all about us say till all winter. Rel. May 1900.
In June 1900 back to P. R. all right. wearing & dagg. -
Returned in Oct. 00. a week very busy. Had sudden re-
right arm after a bout of bloody urine - preceded by nothing
but 1/2 hr extra stumbled & jumped up stairs. Got bed Blood
appeared. - no pain. death! In arm clear. Back dis-
comfort - that night寒颤 again. 2nd day clear
Friday morn. could not pump ship, saw Jim Murphy.
clots & am. blood. urine. Said 2 weeks alone - no trace
malaria, had per good appetite. Returned to P. R. ready
3 days urine cleared quickly. In 2 days, all right got their
morn. 1st. felt perf well - no return till end of June.
on homeb. M - bone plus head back - more bleed. long.
that night felt body. next day poorly. Then at last in bed
in eve. had a chill. never one before. - next day better
and not has blood. not have dull ache & that often & pm
blood gum & almost turned apple butter. 2 dys of he went
back to N of Island. Cnt. to buy ultiy. Dr. puzzled. found
a little swelling in the abd. measurable no malaria in 00
Came up to Grumpford. March 20th. again end of Feb. a little
blood... spleen sul. Malaria & 2nd symptom. Dr. called. gave quinine
& dark pills. In 3 w after. Got better. Gained in weight 8 lbs. 2 w ago
earlier seem malaria. Spleen greatly changed - much smaller

to well & doing all sorts of things, not very comfortable. But seen ~~on~~ last
have rung about a very slight.
Lips pale - certainly a bit swollen. Conjunctivae a little
pale. Color of lips good. Tongue clean. A few little
varicosities on the lips - none on the cheeks.
Pulse is steady - regular - no sclerosis. Abdomen
looks a little full - slight prominence in left
hypochondriac region. Spleen enlarged - the
lower border in nipple line - exactly 10 cm.
from c. m. To the right it does not extend be-
yond the ~~upper~~ parasternal line - edge is round-
ed - notch not palpable - freely movable - can
be tilted forward - comes out directly from
beneath the costal border extends deep into
the flank - descends with respiration. On palpa-
tion in the epigastric region the mass can be felt far
out over toward the middle line. Below it is rounded. No
distinct edge to be felt - posteriorly or behind - no
definite edge. Upper limit of percussion is far back.
Clear over the 7th - 8th & 9th interspaces - almost
to the costal border to the right of the axil-
lary line. The ascending colon cannot be felt
well in front of mass. Liver not enlarged.

To under
2 mrs

Goutie.

Peyronie's Disease

4. 23. 01.

6. 11. 02

Dr. Tilton.

met her before Springfield, Ohio.

~~C. F. [REDACTED]~~ 5-4 Charlotte N.C. Dr. Cowell

c of enl. of the Thyroid. does not know how long. 4 or 5 d ago reacted to neck & found it acutely tender. Her probably been here. No dis. in general health. well & strong - no thyr. no palpable. 4 feet from the F.H. no member of family with goitre. etc.

Perfectly healthy looking man - good color - brown. Pupils are equal - react to light - no exophthalmos. Tongue is clean. Pulse is 80 - regular. Neck - decided fulness of the thyroid - little more in right than in left lobe - bulges the sternocleido - middle lobe also a little enlarged.

R.I. 8m x 6.6 for 2 weeks past month.

Communicated pulsation from the carotids. Maximum measurement over the root of the neck in the thickest part of the tumor - obliquely - drawn tight is 37 cm. The

Pulse rapid regular. Heart action is weak.

The carotid pulse weak. Trachea shifted to left. Slight enlargement of the thyroid itself. The thyroid is soft - not painful - uniform - no nodules in it - no tumor. Isthmus is full and large - fingers can be placed deeply below it so that it does not extend sub-sternally. No thrill over it - no bruit. Heart sounds are well heard over it. No bulging of manubrium. Clear on percussion. Apex beat is in 5th - normal situation. Marked diaphragmatic corona. Heart sounds are normal - no accentuation of aortic second. After exertion and in the erect posture heart sounds are normal - no bruit over the thyroid. There is no pressure on the wind-pipe. Spleen not enlarged. Liver normal in size. No dilatation of the stomach. No enlargement of the lymph glands.

4. 23. 01. Did not take the
med. Quite much the same. Took well
& feels well. Dr. says he has tuberculosis

of the carotid pulse. Trachea shifted to left. Slight enlargement of the thyroid itself. No nodules in it - no tumor. Isthmus is full and large - fingers can be placed deeply below it so that it does not extend sub-sternally. No thrill over it - no bruit. Heart sounds are well heard over it. No bulging of manubrium. Clear on percussion. Apex beat is in 5th - normal situation. Marked diaphragmatic corona. Heart sounds are normal - no accentuation of aortic second. After exertion and in the erect posture heart sounds are normal - no bruit over the thyroid. There is no pressure on the wind-pipe. Spleen not enlarged. Liver normal in size. No dilatation of the stomach. No enlargement of the lymph glands.

of the carotid pulse. Trachea shifted to left. Slight enlargement of the thyroid itself. No nodules in it - no tumor. Isthmus is full and large - fingers can be placed deeply below it so that it does not extend sub-sternally. No thrill over it - no bruit. Heart sounds are well heard over it. No bulging of manubrium. Clear on percussion. Apex beat is in 5th - normal situation. Marked diaphragmatic corona. Heart sounds are normal - no accentuation of aortic second. After exertion and in the erect posture heart sounds are normal - no bruit over the thyroid. There is no pressure on the wind-pipe. Spleen not enlarged. Liver normal in size. No dilatation of the stomach. No enlargement of the lymph glands.

Ch. Muc. colitis

Remarkable case.

X 1. 15, 01

Dr. Leon Straus
Son S. Klein

~~Mr. [redacted] [redacted]~~ (Jr) 27. 4408 Delmar ave St Louis Mo

Ill 3 years - beg 12th ago - came w/ pain in left side
Phot. of head - no swelling or joints but pain. Last ab
2 m. pain in left side, got better & always seem in poor health. & a
swelling remained there for years. still a little elevated, here,
& they think it might be a sigmoid wt. In 3rd. bowel trouble -
but all 8 years, began from bowel. 3rd membranes began to come
& bowel would swell to enormous height, not疼, not upset.
Had each shell in bed last year Jan 13th. in bed till March
gone to the bowel trouble - membrane a hemorrhage. Time
was down to 5th-6th July 1900 No better for a time after that more. Operation
in the bowel. & came - partly pus in the bowel & taken out - no sigmoid.
but got the rectum. not better - but is worse. still passes membr.
bowels, cramps, always - men. Come up are water. Peres have
come 4th - 3rd year - & his little skin. 1/2 w/ full & in
eye. Pain of dragger sensat - sometimes acute pain, sharp
at night - lost in weight, 120 - to 100 lbs. Becomes dehydrated almost
no worms or虫子. bowel & same in stomach. a few
does not look body.

74 6 ch. all living & s. wh dies of Pneum. 7. ill. now. not her man, he
not疼, no fever, no tumor.

Looks pretty well in the face. Pulse is good. Abdo-
men looks natural. Recti are a little tense -
very difficult to palpate. Descending colon can

be felt as a firm, distinct, unusually well marked tube - can be traced up as far as the tip of the 10th rib. There is more tension on the left than on the right side. No special tenderness on pressure over the flexure. Nothing over the stomach. No special dilatation of the stomach itself. Heart sounds are clear. No enlargement of the heart. Kidney not to be felt on the right side - easily felt on the left.

ad?Tuber pneumonia
Kempton Mablecare.

XI. 20.01

Dr Morgan }
" Howell } Darkslury

~~_____~~ 25. Darkslury W Va

C bad cough - 1 y or so recently worse & spit up mucus. No loss in w. has gained. Ort our with a V. h. man, not married. Bed weight 137. now 132. T. L. & W. w. d. of regular. 9 b & 5 all w & living P.H. add 2 nights. S & w. 1st thing was the cough. - 'no sign of spatu... no chills no sweat slaps soundy. Coughs every day. runs eyes more. - Has no fever! 2 or 3 times a week lessen. T. 101² F. 100² Red with exertion of cough & mucus is as good as any one

looks pretty well - good color. Pulse is good - regular. Chest is fairly well built - a little less movement at left than at right apex. Left clavicle a little more marked. Rather a wide area of cardiac impulse. Flatness on the left side from clavicle to lower border of 5th rib. Very intense tubular breathing. Large resonant rales with both in- and expiration. Numerous loud bubbling rales as low as 7th rib, practically all the way to the extreme edge of the lung in the axilla. Bubbling rales over the back chiefly with inspiration held below the angle of the scapula, at the extreme

base feeble breathing. Exaggerated tactile fremitus. Diminished resonance - marked at the apex and as low as angle of scapula. Decided impairment of resonance even in the infrascapular region. Heart sounds are clear.

Percussion note is flat. There is no tympanic quality at the apex in front and there is nowhere in the axilla a proper resonance. On palpation one gets as high as the second rib over the dull area the shock of both first and second sounds. The pulsation is very marked over the flat area in front. Abdomen is natural. No enlargement of liver or of spleen.

Dec. 5-07. The rales are not as large and bubbling. Resonance impaired over the whole lung. Flat in front and behind at the apex. Marked impairment and increased fremitus. Breathing is less intensely tubular. In front of the apex coarse resonant rales at the end of inspiration. In the lower lobes behind medium sized rales with both in and expiration. The right lung is perfectly free. No

spot in the left lung which has not some abnormal sounds. He has gained in weight and says his feverish spells are better and he feels in first class condition. More life and energy than he has had for six months.

Tuberc. in shunum

May 22. Patient's main complaint now is cough at night with distress in the epigastrium. Shortness of breath has not been very distressing. There has been no haemoptysis. Weight is now 122. States that he has not had any fever for the last 2 months, temperature having been taken by thermometer. No night sweats. Expectoration much less abundant. Has had diarrhoea for 4 days. Looks fairly well. Pulse is of fair volume, regular, 116 to the minute. Moderate clubbing of finger tips. Temperature - 100°

Thorax. - On ^R right side expands decidedly more than left. Considerable flattening above and below both clavicles, a trifle greater on left side.

Still a wide area of cardiac impulse.

Lungs.- Left side.- Vocal fremitus is well flattened throughout and exaggerated ^{below} clavicle. The percussion note is markedly impaired over the entire left front and throughout the entire axillary region. In the 1st and ~~in~~ particularly in the 2nd left there is very marked amphoric quality to the percussion note with definite cracked-pot resonance. Posteriorally the percussion note is felt just below the level of the spine of scapula~~r~~. Over the lower interscapula^{area} region the resonance is good. Over the subscapula^a there is no modified resonance. On auscultation breath sounds are enfeebled above clavicle with numerous coarse moist rales. In the 1st, 2nd, and 3rd intercostal spaces there is typical amphoric breathing. Resonant rales not heard at present. Marked pectoriloquy. The breath sounds throughout the axillary region are markedly enfeebled accompanied by coarse moist rales. The vesicular character of the breath sounds has entirely disappeared throughout the back. There is no tubular quality to the sounds, but everywhere ^a coarse moist rales are audible.

Right Lung.- Clear throughout on percussion and auscultation

with the exception of a few moist rales above clavicle and in I. i.s.

Heart.- Sounds everywhere clear. 2nd pulmonic accentuated.

Nov. 6.- Patient returns for advice as to where he should spend the winter. Says he feels stronger, coughing less. Has gained 5 pounds in weight since the last visit. Thinks he feels better in every way. Dyspnoea is his most distressing symptom.

Physical Exam.-

Left Lung.- Condition is very much the same as on last examination. The signs of the activity are now most marked in the 3rd interspace in anterior axillary line; on the whole not quite so marked as on last visit.

Right Lung.- There has undoubtedly been progress in the tuberculous involvement on right side. There is appreciable impairment of the percussion note as low as the 2nd rib, and above this level there are very numerous coarse rales on inspiration. Expiration slightly tubular. In the 1st and 2nd interspaces just at sternal margin the rales are unusually coarse and have a suggestive resonant quality. Expiration prolonged but not tubular in front. Physical signs practically the same over right suprasternal fossa. The apex of the lower right lobe seems to be involved. The breath sounds have a distinct tubular modification for a short distance below the level of the spine of the scapula. Patient has friends in Denver and in Texas. Advised to go to latter state.

Died Dec. 1902.

Suspected tuberculosis

X 11. 15. '01

Dr. Putnam

114 2 3 8 1st.
ny.

[REDACTED] 40 119 E 64th. N.Y. [REDACTED]

'capped by fevers'. never strong as child until seven. at 14 'typical' rheumatic case. Then no fever until Roman fever in '86. Set up well usually last 3 or 4 days - seems to have no violent attacks. These fevers like all the usual decay as about the typhoid. 2 years ago had measles in May not bad. Got out too soon - felt badly. Dr. No T. in am but in pm 3 or 4 after the measles had to go to bed again. Was sick - no question there. Dr. Putnam said typhoid fever - not high 103° . Caught a cold & then it got set well. Called it abortive typhoid. This in '89. Not strong tho same well in autumn & winter but not up to usual condition & some time not A.L. This summer got a 'real' gnm' some lost mind of duty. had slight fever. Dr. found gnm. but still this could work felt badly. Middle of Oct. making a round of suspect taken ill & card it with malaria. had a chill & fever 102° at very intervals. went to work in a sweat. 5 or 6 days felt badly gave up & had to bed one fever low. Scarcely perc. in am & in evening $100-101^{\circ}$ & went on for a week. nothing in blood. Dr. was suspicious. Dr. Delafield saw him. "Said n.y. fever" - rather rare thing he said. The 8 am was nothing the acc for the fever. Then descended a severe in rectum. & found a fistula. Dr. Putnam would operated 3 or 4 days ago today - did well.. healed. When got over no temp. 98.4° . was picking up & with good appetite started to do work. Last Thursday had fever again $99+$ inc. & fell to very low. 98 in am. 4 pm chills & T. 101° . Dr. sometimes a little sweat. T. go down by eve. In this cold attack could eat. Tried & p. that I was & element. Came regular. Lasted a week. Has had more since. Thunder. Saturday felt ill & cold today. T.H. 98° . was not strong, had weak dinner & at 45 went abroad a while then

very careful.. Died in '86 . Had slight road attack - say. Then
Bz. S. B. d. Burned. - . has lost collar. . medical. T.B. in ec
no syphilis, not a woman.

P.C. not a st- looking man, very visible in face & ears.
4 am - pra. st. night nothing on lungs or heart, a few fine
rattles at top of right lung, he heard - no lab breathing. Heart
area of lungs most carefully examined. no sign of pleur. sub.
Heart sounds clear. at. I normal. Spleen liver spleen not enlarged.
no glandular enlargement. Trachea has healed apparently.
arteries a bit sclerotic. but apex beat is not out aortic and
is not muffled. Heart has been examined - clear.

The case is an interesting one - he has probably taken the
inflammation - the fistula is an important clue being a
fairly tight little tube around about the case.

to have out of doors

Diabetes insipidus

Dr. Landis
11 7. 02
Dr. Allen
or Holt-

~~Diabetes insipidus~~ 35- Cincinnati Ohio

3.4 yrs. had head pain & fever - aching for months & bending in sc. cause been felt body took bed & one night had attack - knew nothing more. For months had headache. Poor + I a common condition changes, lost power of speech, talk 4-5 hrs - part going, then all right went home. 3-4 weeks after (lost Phrenitis) went up & down. Our. night eyes peculiar did not sleep right. So. came him blind & urine for past year seemed delirious. Was oft. 99. Rec. got up had dread of third day. Not so gley.. Has had the thought over since - nothing seems to go well. Head + the trouble - going on for 3 years. Recently from the doctor a back & kidneys - no sugar. Fevers 10 - 20 per cent 24 hrs. Eyes not 4 with Ophthalmologist. 40-60 cigarette - day no headache.. not much after the attack. Before the attack for 3 years had the headache off & on.. Positive that before the attack had us red - in urine in the throat.

(must drink cold things. Lager + grateful) Came so 1½ weeks a day. at night. worked 5-6 hrs to drink. Eye: Thirsty all the time - no moment without it. Urine 12.9. poor +. Since then has taken K. I. for him to time. Started with 30 mg a day. up to about 150 drops a day.

attack. occ 2 or 3 w. often went to bed in ace of headache. Pt lay down for a several months. Attack came this summer has number not been. was queer in am. called Dr. Allen. Headache for hours, breathes very quickly - very quiet. few weeks before. T. was up to normal, because for a month - talked at random did not know who he was. as far as his apparent.

(over)

Very nervous man. Married nine years. Father died of consumption. Mother living and well. One brother died of consumption - one of diphtheria. Two uncles died suddenly of heart disease.

He looks a healthy man - weight 204. Good color. No sclerosis of the temporals. Tongue red and clean. Pupils are of medium size - react to light. Pulse is slow regular perfectly steady. No special sclerosis of the arteries. Ocular movements are perfect. Movements of facial muscles perfect. He perspires a good deal in summer - not especially in winter. Abdomen is full - natural. Liver not enlarged - edge of right lobe readily felt on deep inspiration - feels perfectly normal - upper limit of flatness on 4th. Little tension on deep pressure over the pancreas - no duration. Spleen is not palpable. Apex beat not visible - not palpable. No increase in area of cardiac flatness. Heart sounds are clear at apex & base. Trilium is clear - no pulsation in sternal notch. Station is good - stands on either leg. Knee jerks are plus-plus. Tactile sensation is perfect. Distinguishes heat & cold.

Min. - Sp. 2 100.2 + 100.3, my. otherwise

Cerebral Tics

Dr Ball.

II. 13.02

~~██████████~~ 48 Lock Haven Pa
 W. with tongue. In church. - at 6 p.m. dinner tongue
 got stuck - could not use it. could hardly understand. just
 for. a minute - at the table between 6 & 7. a bell came again.
 Up he took a gun. went to get it. was in bath room again
 little or of palate had dropped. Sat down. at home had 2nd attack
 2 or 3 hrs ago. Last Sunday ^{9th} am. at church. all at once began to move
 before I looked. a face drawn up on right side. Drawn up a
 was moving for 20-25". It turned a ^{9th} yesterday morning. Head worked
 steadily right. & headache in neck before. Pain awful. but
 could get about. On Saturday before head almost crazy. Slept
 fallen home in bed.. did not fall - friend caught. Walked out of
 church - did not feel badly. Has been a little better lately. Was
 on bed Sunday. - all right Monday, no headache. one last night
 in bed. 7-11. Sat.

P.H. 16 m. Obscure disease.. Dr. said 8y. another rel. was
 16 or 17th. hair fell out, was under treatment. Dr. Ball Nov 15 in
 16 yrs & he is. Married. 1 living. 1 dead. wife no longer
 for 9 years. Temperate. before that heavy drinker.. was a painter.
 from 16th year. not much for last 5 years. no painter this. no blue line.
 Face. nose & all S. & left pupil smaller than right. both react
 very sluggishly. to light well in accuracy. R. J. a little diminished
 nothing in number of legs or arms. Little runs in upper part of head
 several good in both sides. ~~also~~ Hearing a little below par
 no trouble in ears.

K.D. M +. bed

Chrysuria

D. Lewis

II 1802

Kensington Md

~~61.~~ Keosau Forest Glen Md

c. of Chrysuria wine - off & on for 20 years. Dr. after
at home & then comes back in must wine every night. never
open 2 or 3 at a time come in twice for a month. never
for 3-6 or 12 mos. never blood. never. never any body
sediment. has lived 3-7. at 2nd Forest. Washington 15 years.
Before had lived in O'Fall. 10 years. Born in Parkesburg SC. Lived
there all 15 or 20. was sick when left Charleston. Regained here
in O'Fall. no other trouble but this - nothing serious. good
ap. good dig. no swelling of legs. no pains frequent urination
5-6 times a day & once at night. clear in am but often
cat - becomes milky. of late all the time cloudy & crust
in am early.

Spare - thin man - young looking for his years. Arteries are
sclerotic - tension not increased. abdomen looks nat-
ural. No swelling - No enlargement of the inguinal or
suprapubic glands. They can be felt on the left side
as small shoty bodies. No enlargement of the scrotum.
No swelling of the legs. No tumor. No distension of the
veins of the abdomen or of the legs. Spleen is not en-
larged. Liver is not enlarged. A. v. is in 5th - a
little outside the nipple line. Aortic second is a
little accentuated. Pulse jerks are + + . Eye grounds and
discs are clear. *Hoplitis grandis*.

Abs.

Arctic Sturnus.
attacks of unconsciousness.

III. 11.02

Dr W. H. Fairfax,
Hague Va

[REDACTED] 3d Kinsale, Va

W & son. - attacks 4 of hurting around the
heart & became unconscious. 1st one 2-4 ago.. one in Oct. one
last Jan. Have got heavier. In last 3 lost consciousness 1st one didn't last
fall. Felt pain in chest first. Not a healthy man. Malnutrition
liver spleen or child. In. 5 years. 2 children. Very healthy. His
youngest child is 2 y. old. - death of breath of mouth fast.
He went after the dog. but will run with a stick & stopped him. Has
stabbed him again - looked pale - came up the walk. in 't the
house - lay down on his back - became unconscious - fainted & in
a few moments face dark & purple like. After this eyes were
red & jaws dropped. seemed like 10" to his wife perfectly still
when he came to - lay down breath as tho could not breathe.
began to struggle - could not be kept down - took 5 people & held
him by arms & put up - was unconscious. remained unconscious for
some time. 2nd attack playing tennis - over excited. kept
knee in cold snow very running. Attack began with
a pain in chest a burning pain like a screen. Has got nervous.

Healthy looking man - good color - eyes a little in-
jected - pupils equal - react to light. No involun-
tary movement of the face or facial muscles. Looks a
little sickly - no consti-

healthy man. Skin is clear. Pulse is rapid-
regular no sclerosis of the arteries. Knee
jerks are normal.

Heart - a..t. is in 5th-not forcible. Soft bruit
at apex. Loud bruit at base extends along the
arteries. No thrill. No pulsation on tibia-
brium. Aortic second is clear. Distinct thrill
when the breath is forced out. Liver is
not enlarged. Twelve years ago inflamma-
tory rheumatism - another attack six or
eight years ago.

Balalent Cystic Kidney

Dr. Tolson

III. 24. 02

~~██████████~~ 39 Chestnut Hill Boston.

Had grippe 2. 9. ago severely. Dr. Baldeur. (Ches. Hill) he said kidneys all off to me found per. in chamber. Before that lived a bit - fulness in abd. more at times feel a bunch. what made think mother died of cystic disease of kidneys. b. in 42nd in 1882 Dr. Fitz & Dr. Westcott. She was 50. had been in & st. Had good further accn. before death. Has not felt that they are larger. Abd. is not P. h. v. m. a strong. exp. - taken ^{large} tablets no pain in back - lame. Dr. Tolson saw in June. for about days... Dr. Baldeur suggested a Dr. Fitz that he had the Balalent kidneys. Patient kindly had thought fit. Has not passed blood often. inf 2 times. Recently at Pittsburgh. 10 days ago. for 2 days. about 5 or 6 years ago was staying, tripped a bad fall - blood in urine at that time in bed 2 days. feels a thickening in head P.C. looks well & strong good color.

Robust, healthy looking man - weight about 145 stripped good color. Tongue clear. Pupils of medium size - react well to light and on accommodation. Superficial arteries sclerotic. Heart - a. l. in 4th & 5th, in and just inside the nipple - a little forcible - rather wide area of pulsation! Aortic second palpable. Soft systolic at apex. Ringing, accentuated aortic second. Abdomen, symmetrical - looks a little full in proportion to the chest. The costal border in the nipple line is lifted on

void is not enlarged - both lobes palpable - Both shells are clear.

both sides, a little bulging below the right costal border. The flank bulges on both sides. Girth of abdomen at navel - bent - 85 cm. - over level of umbilicus 89 cm. From behind slight bulging in both flanks. When he stands up there is a marked prominence of the abdomen and a distinct evident discrepancy - particularly in the flanks. The lower ribs have been spread by the masses. On palpation both flanks are occupied by large masses. On the left side - the larger extends fully 3 inches below level of navel. Not so much to be felt except on very deep pressure below the costal border in the nipple line. On bimanual palpation the mass can be lifted up and visibly pressed forward - irregularities can be distinctly felt. It is interesting that the descending colon runs over it - and can be felt as a cord. (He himself has noted it. That it can be moved from side to side). In the right side the mass is not so large. The colon is felt in front of it. There are several distinct nodular prominences - one can feel the definite hemispherical irregularities with the greatest ease. Both masses descend with inspiration. The liver is not enlarged - perhaps a little pushed up by the tumor. Thy-

Hodgkin's Disease

B. Sorenson
Dr. Muhlenberg
1 V - 16 02

~~name~~ 31 165-3 Remond Ave. Wash DC.

ent. glands. tend to stand. No ent. glands

all last Dec. no swol. not strong since last baby
Dec. 9. men 10 dgs old also in left breast. painless
swelled. 3 abscess. 3 or 4 w. To 105° . Cough all that
time. Fever on & off all this the minute after supper
to be well. So 101° . None since Feb. 1st.

March 12 went out. till April 3rd - 2 volv. measles. bronchitis
Summer & fall hard. active & well. December. very
bad. Oct. 1st bad cold - bronchitis. 28th volv. neutritis in
right leg. pain & stiffness - in bed 1 mos. & in esp.
months. Nov. 1st. had a kernel under the left axilla
swelling & low fever. in neck. 1st. at left axilla. still
night. On Dec. white left breast seems swollen. 3rd Jan
swelling above the clav. bone - here over size. now
none in the other side. none in arms. not sore. Celom
dipper in the arm & swollen in breast. 3 w. of. very red
swollen. & brownish color. about as w. as 2 mos. Feb
has improved. Swell neck large at Saenger. Large when she
left home

Looks fairly well - well nourished. A little red-
ness of the throat no marked swelling of
tonsils. On left side of neck no enlargement.
No enlargement of thyroid. No enlarge-
ment above right clavicle. On the left side no

enlargement in inframaxillary or at angle of jaw.
Enlargement of groups at both anterior and posterior
triangles. They are freely movable - not attached
to the skin - have not coalesced specially. The most
prominent one is at the highest point of sternocleido-
cleido. The group above the clavicle obliterates the
contour of the bone. Infraclavicular chain en-
larged. In the axilla none enlarged. One or two
high up under the pectoral no swelling or indura-
tion in the right breast. No nodules. No cul-
ture of either breast. Note a little higher pitched
at left apex - which may be from the infiltration
of the glands. Occasional clicking rale at infra-
clavicular region. No tubular breathing - no fric-
tion. Breathing a little higher pitched and tu-
bular at left apex. Pulse is good. Heart sounds
are clear. Spleen is not enlarged. No enlarge-
ment of glands in groin.

4-21-02. Temp. for 5 days ranged from 98.3° in the morning to
 100.5° in the pm. - and once last evening 101° . She has had
an attack of the swelling for past 3 or 4 days and a feeling
of fulness and distress. Curious fulness in comparison

with the last examination (15th) over supra-clavicular region. There is fulness over the upper pectoral fold. Glands beneath the pectoral are distinctly enlarged. In the axilla they are not enlarged.

Sept. 24th, 1902. On superficial inspection no glands visible; no trace of enlarged glands in the axilla. One just beneath the clavicle. In the right axilla perfectly clear. Manubrium is perfectly clear. No glands palpable in the groins. No enlargement of the glands above Poupart's ligament.

Dec. 5th, 1902. The gland behind the scar and the one just below the clavicle have increased in size since last note. Nothing to be felt above the sternal notch. Manubrium is resonant, resonant under the left clavicle. Air enters equally in the upper bronchus on both sides. No pectoriloquy. Behind no difference between the two bronchi. A few wheezing rales at apices, more at left than at right. No increased fremitus.

Sept 25 1903. recent big bunch below rt clavicle.. curving infolded & infiltrated. none in axilla. Small number c. clear or with ends of lungs

Sputum - repeated examinations negative for tubercle bacilli.

Blood - Apr. 21. 1902. Hb. 68%. r.b.c. 5.112.000. w.b.c. 15.000.

Diff. - P. 54%. M. 6%. Lm. 17%. Eos. 2%

Oct. 10. 1903. Hb. 60%. r.b.c. 4800000. w.b.c. 29.000

Diff. - P. 95%. S.M. 1.7%. Lm. 3.2%. Eos. 2%.
Mast. 3%. non-nucleated reds.

July 22. 1922. This was a very remarkable case - She had many
operations and lived 10 or 12 years from the time of onset.

Thomas McCrae

Brain Tumour

X 2202

~~██████████~~ 27 Atlantic City, N.J. Hotel Traymore

double vision 6 mos. - 1 $\frac{1}{2}$ - 2 yrs. ago. which occurs
suddenly came on a m. as into when st. crypty. continues
all at once - 2-4 weeks - intervals free. It had an attack this
m. not much hrs. headaches with them. H. not severe as a rule.
called conv. & rather more frequent. Prior no headaches. more
a hz. Headaches & pain preceded the double vision. with the
D. V. felt. went on & hand & leg. wh. for a time more appear-
ing or marked. consciousness was normal. wh. was with a number
of hurried. - still exists. - not increased, nor the number. same
duration. weight = gained a little. 1 $\frac{1}{2}$. a little off on number.
a little misplacing words.. no handwriting? occurs. in left.
a little dragging, a little. Later symptoms.. more slowly. I ex. felt quite
deaded back of resolution in left side of face. - in forehead. - jumbled
left side feels dead up - in last two or three weeks a little numbness. at
times a prickly - of leaves won't lace his shirt. for a moment & less.
in longer too on roof of mouth. eye not bloodshot. Pulse less
been normal. Dr. D. S. has seen since.. Eye optic nerve
introduced. somewhat. 7 mos ago saw him & he said good condi-
tion much later he said "all off" double vision. eye infl. had
come in. came in off the at. left side. Mother died of consumption.

Fairly healthy looking man. Slight strabismus. General facial ex-
pression good. Movements of the ocular muscles seem perfect. Slight
cast in the right eye, but no actual paralysis of any one of the mus-

cles. Good movements in the temporal on the left side. Movement of the facial muscles perfect. No anaesthesia of the face. Grasp is good, equal on the two sides. Pulse is equal. Stereognostic sense good in both hands. Knee jerks are normal. Station is good. No difficulty whatever in locomotion. No hemianopia. Subsiding optic neuritis. No haemorrhages. Operated on last Spring by Dr. Da Costa.

Remarkable
Petit Mal.

XII. 16.02,

38

~~forrest Rd Rot Park off~~

c species of fainting spells - sub-cusser
has had since last summer. runs & runs & runs
had been asleep - did not know his wife - could not
bring him back to his identity - 3 ft from time did not
know anything - eyes were open, able to look. For 10-15
did not answer at all. just blank. was one 2 or 3 etc
a shorted one. Has had 6 in all, all able - takes
short while coming thru. his obs in throat able & does
not speak 10-15" can walk in it. hand does not
know. changes in color white - does not know anything.
Has not a bellman a run, in stomach, a nose.
Knew when he comes out of the attack. Had no a bird.
Knew it must & then when he came to himself he
was in the car & must have taken a ride of 15" at
least. Drowsy - a bad headache. no headache.
well otherwise. Has had no brain trouble. Some jitters
& has had loss of sleep.
F.H. Father prone in 75 - had petit mal - didn't faint;
M. his son. 6 Br. & S. 18. is delicate, ner. & sensitive
& who is nervous.

Healthy looking man; good color; tongue clean. Pupils are equal,
a little dilated, react well to light. Pulse is regular, 72. Vaso-

R Br. Sis & R. b. d.

Previous diagnosis - nervous hysteria

motor reaction is active. Heart sounds are clear at apex and base.
Stomach is not dilated; tympany is a little high. Liver not enlarged
Spleen not enlarged.

X 30. 03

same now every two weeks, - greater
loss of memory, - no convuls. but will fall over
as before. but not his business as a lawyer
he has memory loss of the ups in the all night - one
all the night.

V. poor case. Mrs. Frank Brumle

Alch. Deans

XII. 1902

~~Age~~ 46 ~~sex~~ m Lubag Ille av

c lame - left leg. mid of aug. Notice swelling. both ankles. from knees. - weakness. legs. can't drop & fall in. can only get up step of dragging. Has to pull up. weather affect. no pain. never anything listed. to getting better. none吐血. no appetite. has fallen away. P.H. V. h. m. cigarette smoker. all the time. exp. 10. V. hard worker. strain & worry. began to drink. at 23. been. feels... very his wife says.

To 21p.m

He has got a Bacchic facies. Florid face. He walks with a dragging, staggering gait, left leg more than right; stands on his heels with difficulty; stands on his toes fairly well. Knee jerk slightly present on right side. Slight incoordination of the hands. Decided weakness in the flexors of the left leg. Slight stasis as the feet are held down; hands are much congested. Fair grip in the

right hand; not so strong in the left. Pupils are equal, react to light. Tongue is furred. Abdomen--liver can be felt two finger's breadth below the costal border, hard. Spleen is not palpable. ~~Heart~~
Heart sounds are clear at a. and b. Pulse is regular; slight sclerosis of the vessels. Slight fine tremor of the fingers. No wasting of the legs.

"Say goodness"

1.31.03

~~██████████~~. Wash Oct:

27 ago. Dr. at Meag. Dr Webster & Dr
Crushong had ^{said} a cough, thin & fever every night
& night sweat. not much exp. was made over him &
an emac. Sent you at Ht Springs about ext. short.
Phlebitis left leg. last year ^{Nov 1900} had all, little anger portion
had some hard knote - ^{had} red hot did not done piping
2 days ag. at Nanfum. Dr Heuerman 2 $\frac{1}{2}$ yrs. 206 lbs.
was down - sent off - trip at Paris. Got back Dec 6th.
no short - pr. of gr up stans. very sc warm, & lying in mid sc.
left hand swollen at knee & des. & black pain had to
have a splint. left foot swollen. could not wear a shoe.
3 in 4 days. Left arm feels asleep.

Expansion is equal on the two sides; clear on percussion at both apices. Breath sounds are clear at both apices in front; no prolongation of expiration. At the extreme apex on the left side zn occasional fine piping rale with inspiration. A. b. is in 5th, not normal situation, fairly forcible action at the 5th a little beyond the n. l. Slight pulsation in the lower sternum. Upper limit of c. f. on 4th, does not extend beyond the right sternal margin, just

out to the limit of the apex beat. At apex first and second sounds are well heard; first is a little murmurish, but no distinct systolic bruit. Accentuation of pulmonic second. A little soft bruit along the left sternal border. In r. p. bruit is more distinct at the apex. Slight irregularity. Pulse is regular, of good tension; no sclerosis of the artery. Ulnar surface of left hand a little swollen; no redness. Color is good; no anaemia. After exertion a little decided wave at the apex.

Senes III

abs.

Anæmia spherulosa.

case I

Th 11, 03

Dr Stockton

~~Mrs. [redacted]~~

41

~~1000 ft. S. of Buffalo~~

Buffalo

c of anæmia, dis. mid of life. note dry throat & lips a month, impert satif the throat & exhaustion no inc. in urine. weaker no loss of weight. Imp. lately. In Aug. visited Western a few days. did not say anæmia and nothing before. Not once all along the line. Std ap. pur. birds reg. - not well for 2. y his wife says. never lost. rate. V. h under. & been Empyema. F.H. good. F. 73. pneum died at 78. M. d. ac. tr. B₄ S. wds. P.H. not heard. Jaund. at 6. another at 11 o' at 21, & more or less liable with liver ever since. Sleep suddenly at her all the time. Perf. man. Rob. mrd. Kavell others. no 83 miles, or gen. 1st att of Jaundice at 6. was ill many weeks. 2nd at 11. was sick at 3-4 weeks. deeply jaundiced. & all night. Cannot say ever perfectly well always apt to be a little yellow. 3rd all. at 22 an acute attack. lasted 10 dgs. event rapidly. Married at 22 year. Has alw. his wife say been induced & jaundice. 4 or 5 slight attacks 2 eggs a little yellow. None high colored.

The spleen was enlarged much more than 1 to now. Anæmia has reduced it.

No pigmentation.

Takes the anæmia drug over at H. S. Dr. Jodidi.

He looks a little pale; skin is dry; a few little blotches over the face; a little puffiness and oedema of the eyelids (has been taking arsenic and iodide of mercury); tongue clean. There is only a moderate pallor of face; a little yellowness and infiltration of the conjunctivae. General surface of the skin a little yellow, more marked on the trunk than on the face. Pulse is regular, steady, good tension; no special sclerosis. Abdomen is soft. Left hypochondrium--spleen is enlarged, can be readily felt, very movable; posterior border can be felt in the flank. It can be tilted forward; notch is not palpable. Below it reaches just to the level of the anterior spine and to the left exactly 6 cm. from middle of navel. Liver--edge is just palpable on the deepest inspiration, slips over the finger, does not feel specially hard; left lobe not enlarged; upper limit of liver flatness parasternal line on 6th, nipple line on sixth, extends just to costal border; mid-axillary line on 7th. No glandular enlargements. A. b. in 4th, a little tilted out; soft apex systolic bruit; sounds clear at a. and b. Lungs are clear. No retinal haemorrhages.

Neuroasthenia

V. 4. 03

atlas out of place!
see letter.

D

230 w 44 th St.

~~██████████~~

since 15th year. headache. up to 14th he had blues about & ch. crusty & headache. M? no so or rather & attack. F had head trouble. she outgrew the blues attack. ch. of headache. sense of pressure & weight in top. now more diff. at time. hard to concentrate. At College. walked home and it. then run home head warmed. Had to lay out in sun. year. Then taught for 2 years. Has had spells of feverish husband long time. for nearly. last year better. in summer high altitude. well when mild. rest. cure. at mrs. Thompson for the time - summer weight - no desire. but a son & began to have little other paper get bad again. last spring was on the edge of infection. & the fear of it ruined her. This spring not so well. & until this winter in Nov. easy life. no strain, seeing few people. when unwell. aches & exhausted. no fever much. Head. chilly all the time. Convalescent. more than usual. but now very tired. no tremor. & is cheerful except when the head bad. sometimes not quite clear. in head. Thus. loss of rest. vene. as sole of a dog good. & then tired. Pain in ball of left big toe. not worse at night. no redness. Can do slight. eyelid not itched. overrunning. no itchy feet - no gout in family. Walks with 4 hours. in sun. better in eve. Started easily. tea coffee or wines. cannot go to church. Does not mind a crowd in open place. Has had a dead offspring about alone. is giddy at times, is a bit apprehensive.

F. wrote about the wine.

383 Broadway,

~~Musical Box~~, Nov. 2, 1903.

My dear Dr. Osler:

When I con-
sulted you in May, you were
kind enough to ask me to write
you in the fall "how the fight went
on." That in itself has been very
consoling, — your recognition that
it was a fight.

Well, I took a very thorough
course of Bland's pills, and I
think there is some improvement
in the matter of anaemia, though
I have not yet succeeded in
getting the blood tested. But the

head trouble has undoubtedly been worse. I spent the summer at the seashore, on the Maine coast and at Grand Manan, blessed island! which gives you all the advantages of a sea voyage with all the comforts of home. I lived outdoors very largely, ate good food with a good appetite, and was very hygienic generally; but it was really a tough summer. A constant struggle with insomnia, intervals of pretty serious depression, and such sense of stain and confusion in the head! I wrote my letters and read a little, but with great difficulty. I came here about a month ago.

The friend with whom I am stay-
ing has been helped wonderfully
by osteopathy, and I have begun
taking treatments of her man. I
understand that you will not
approve of this, but something
had to be done, and I tried it as
a last resort. This man is not
an ignoramus, but a registered
physician of this state, besides
being a college graduate and a
gentleman. His name is Dr.
Sidney A. Ellis, and he is prac-
ticing in Boston. What he says
is at least interesting. He finds
that my atlas is out of place,
and that consequently there is
not only constant irritation of

the medulla and sympathetic nervous trouble, but so much pressure on the vertebral artery as to interfere seriously with the circulation in the brain. He judges that this condition is of many years' standing, if not congenital. Two other osteopaths agree with him in this diagnosis, and I must say I believe it, because it corresponds so exactly with my experience, and explains all my difficulties so naturally.

Dr. Ellis believes that in five or six months he can work the atlas back into its normal position, and that in a few months after that the brain should be working.

normally. To my mind the degree of relief and mental activity which can be attained is wholly unproven; but I mean to give him every opportunity to make a thorough trial; and just having the hope is doing me great good.

Will you pardon me for saying that my one interview with you made me feel as if you were a friend? I suppose that is part of what it means to be a great physician. And my confidence in your broad-mindedness makes me feel sure that you will be generously interested in this case. I cannot help feeling

what if I should get keep in this way it might suggest the employment of this method in other cases, and so have results important enough to make me rejoice to have been permitted the long distress.

Perhaps this is "too previous", but I trust you will forgive it, and also this long letter. I shall take the liberty by and by of sending you word how it all turns out, - if it does turn out.

May I just add that your advice about comforting myself with poetry helped me through some of the hardest places this summer?

I hope you had a rich and

delightful summer, and I am
always

Sincerely and gratefully yours,

~~Walter Besier~~

8 Morning.

[REDACTED] 53. 17. E 120 St.

no shock at over 3 years.. V. h work ing. no symptoms.
 not much alcohol. no watch. not much walking. did not walk very
 long. some numbness of legs. more or less. naturally irreg.
 No headache. nothing in his or sister. walked very slowly but
 not dejected. No headache the wife. virgin 18 years. ac. Dr. R. in 1870
 high fever. 3 weeks in bed. no recurrence. 14 eggs in gallbladder
 in粪便. dig. not good till lately. Eat fruit. scarters. 12 or
 15 years. F.H. no headache in family.
 M. living. right name. Hand pinched for water. 3 years. 41st dy
 of October. dejected. slow ac the water & when writing slanting
 of the entire hand. and travel a good deal. one finger first.
 slowed. Numb d. inf at intervals. began to affect the writing
 ruined the writing. 14 ago noted in the leg. a numb sensation.
 sens. along the inter. side of the il through. last we except for 1870
 now 170 & perfectly natural. looking. Tremor in arm speech
 & pain. feel it a shield. in pain in my left arm. Bowels
 regular. Takes care now - 3 or 4 will go hand, fingers
 early. carrying a small hand gets tired. favors the right hand.
 no difficulty down stairs. Sleeps well. Fainted twice 5
 years ago. fall on left side inf. - continued for a year. disappeared
 & a year after the tremor appeared. nasal catarrh always.
 no extra strain or worry. no stools.
The extreme power in the left arm is remarkable.

1. Tremors.

Healthy looking man; good color; good physique; height 5 feet 10 1/2 inches. Face is not Parkinsonian. Expression is perfectly natural. Pupils--left perhaps a trifle wider than the right; both react well to light and on accommodation. No lateral tremor of the head. No feeling of contraction in the right sterno-cleido. There is no characteristic Parkinsonian attitude. General musculature is good. Left hand and arm unaffected; right hand and arm affected, the characteristic clonic flexion of the fingers. Thumb very slightly affected. A good deal of voluntary control over it, but not absolute. It is interesting to note the changes in the intensity of the movements, according to the position of the hand. When put across his body the motion is aggravated, held up it is diminished, and extended straight at night it is much relieved. While making any voluntary effort, as in taking off his shoes and stockings there is a remarkable diminution in the tremor. Skin reflexes are normal in the feet; no Babinski's reflex. The abdomen is natural looking. No enlargement of the liver or of the spleen. Apex beat is palpable in 5th. Soft apex systolic in recumbent posture. Pulse is regular; arteries are palpable. Knee jerks are a little plus. Grasp is pretty good in both hands. Both discs look normal; an atrophic patch just below the disc; no tortuosities in the artery.

Paroxysmal Tachycardia

Dr. J. S. Braenfel.

NY

X 15705

855 Ave

~~██████████~~ 50 New York, N.Y. 3 years

V. W. S. T. as J. won. adams. . married young
has had 2 child. . . die child first. Hiccough. at one
time. No T. Th. occ. Great 3 y ago or left thumb. elysis
return. Has had grippe for many years. - breast bone grippe.
Has had very often - hiccough in early married life - few
days if a time. - & was una custer. - in bed half the time.
Has had curvus & scoliosis. 2 child affected. Very const.

3 years. For nearly 2 1/2 years attacks at night of dysp
when lie down the head palpates - & often枕骨 for
hours - comes & gone. & gas gives up & the lungs fill
& she wheezes & has to sit up straight. belches when seen
Other times will be like for hours & hours. takes last 4 hrs
or so. 2 hrs or as short as 10 minutes. If fall asleep & the
palpates more. attack starts at once. & has to sit up straight.
Has to lie very close in diet. comes etc the day. feels the least least.
The night you sleep will it - pain in finger tips a wrist
& right until actually burst - both hands went & if the
attack get severe it is in the left. until a hand. Pain is
worst always when the heart attack is rapid. Very faint
& cold. but not sweat. Once in winter a cold sweat does
not turn pale. Slips suddenly at time like a 'bounce a ball'
& when goes for 200 + 70 within 5-15". next day looks tired,
worse after night - now.. muscle least. Still has the regular
flaring

Last night when she thought she had a bad attack her pulse was
at 82. After galley audience heart start up.
Attack has lasted 5 hrs. - with body - & face. Of late a rush of
blood + face gets scarlet - flushed.

1. To rest abd. & get away from down & so on.
rest in am.
2. The flatulent dyspepsia.
3. The bleeding.

Healthy looking woman; good color. Eyes are clear; no arcus. No cyanosis of the lips or of the cheeks or of the fingers. The pulse tension is good. Visible pulsation in the radials. Impulse is full, easily compressed; artery not specially sclerotic; no sclerosis of temporals. Heard sounds are loud and clear; first is flapping and valvular. Towards the apex it is unusually flapping. Over the apex region a little tender. No murmur at apex; a little suggestion of an echoing rumble in diastole. The thyroid is not enlarged. The upper limit of cardiac flatness on 4th. Manubrium is clear. There is a great deal of flatulent distension of both stomach and colon. During the examination in r. p. the heart action not rapid; no tachycardia; no gallop rhythm. Lungs are clear; an occasional piping rale on deep inspiration.

Sam Dr Frankel R. 10.04. Mrs B still has all the - 1 leg
stop. with a flop.

XI-10-04. She looks well; color is good; tongue is clean. Pupils react well to light. The pulse is regular, 80; artery not sclerotic; an occasional drop. The temporal arteries are not sclerotic. The brachials are not palpable. Heart sounds are clear at the base. Aortic second is ringing. Clear at apex; no bruit. In recumbent posture upper limit of flatness on lower border of 3rd. No flatness over manubrium. Right border of heart dulness just at the mid-sternal line. Second sound is transmitted loudly into the arteries. Edge of liver is just palpable.

Neurasthenia.

X. 22. 03

D. Clarke
Esquinton.

[Redacted] 31418 Cath st., Deptford Ry

c. ner.. For 10 y. ill health. worked last & got n at 21. broke down in College. Did too much. not strong to climb all - lost most of teeth in bed rest time in sofa. Better now - for a time was an invalid. Then rest cure, not home no better. 2nd time better in health. but nausea for a year after it from the forced feeding gained 15 lbs. Best weight. after this 106. now 92 $\frac{1}{2}$. 84 the usual. Gained this summer fairly good. Cannot sleep very long. She says self given sleepless. It is moral. Then sometimes very "off balance" ver. tension & want things a running in brain is never without it - a confusion, everything going round & can't keep grip on herself. Or not often erg. Least little thing will upset. Has cried in the street. could not hold Mr. F.H. F fair very poor. mother side not. Healthy as boy had frail as child. Latey run & dry trouble, but is now no headache. now cannot do anything. struggle everything tired all the time; blue.

Pale del. looking. Heart clear - nothing in abd. no tend in bowels. nothing to be felt in appendicit. evidently a highly nervous & broken tempered. V. H. Kite - time to do a retail business.

1) Retail business.

2) food. (3) fresh air. (4)

Myxodema

5 Partie

X1. 2705

(Dr W O Kaines

8 Sherman Street
Wash D.C.

~~██████████~~, 51, Quebec Can.

as well all July & I. fishing. all day. had
dizziness in head & short of breath in limbs & got weak,
& in open bed a weakish turn - heart intermitting did
not faint - occ. recur. after that 2 or 3 days Campbell
nothing organic, some clear nothing matter. Wind fishing
face swollen round eyes - fat cold & body cold - & hands
swollen a little - body not swollen. - face a little swollen
esp about the eyes. This was 15 Aug. went out a day,
walked some - up & down. Dizzy & got round. no strength
feels like lead. - tired at once - dragging round with him
at that time a certain species. Came smooth last Friday.
some days feels well after bath. None etc. 2 or 3 days nothing
in it. not sleep in bed without lot under bottle of fat.
so horribly cold. Hands are swollen very dry. Skin has
got dry & hard. Hair is coarse & stiff in button collar been
the fingers are numb. Color has changed. no naus
~~no sinking~~; eleven inches

Height 5 feet, 11 inches. Best weight 200 pounds; now 183. His
face looks a little sallow and yellow. The eyelids are puffy.
There is a little swelling and oedematous condition of the eyelids

and of the skin above. The face looks a little swollen and a very waxy, yellowish look. The tongue is clean. No special swelling of the ears. The skin feels a little dry and hard. The hands are unusually dry, a little bluish, and they are distinctly swollen. Rash is marked, in a way that is quite unusual he says. He thinks the right arm is a little swollen. The general surface of the skin of the body is unchanged, except that it is a little dry. The pad above the left axilla larger than above the right. His speech is husky. Flattening in front of the trachea; no thyroid gland to be felt. The skin of the trunk is dry and harsh. Spleen is just palpable. Edge of liver just palpable. No enlargement of the lymphatic glands. His expression is slow.

Dec. 16th, 1903. Remarkable change in his appearance. All the infiltration has gone from the face and eyes. He still looks a little sallow. The dry appearance has gone from the face. Hands are not nearly so dry; the roughness has gone from them. The stomach is very much out of sorts. Tongue is clean. Pulse has gone from 50 and 55 to 82.

July 20, 1911. I kept in touch with this man off & on. He had to take thyroid gland extract fairly steadily. While it he was perfectly well. He died of pneumonia about 1918.

Thomas McCrae

Mitral & aortic valvulitis
Rheumatism

XI-2-23

~~██████████~~ 25 Durham n.c.

c of ~~Herr~~ Rh. about 5-6 1/2 yrs. badly in legs & legs - all over now in hips. in bed. for 2 or 3 days when get over it. no swelling no redness. Weather did not affect him & when 15-16 yrs old got so bad have tearing & he flew or another. none in hip. Has. been walking & from 87 till last May. Then drove to N. 12 miles. red am feel little pain & ached. Friday. Rh walked on left ankle 2 rollers not red sore. hip - terrible lame, in back & in left hand & suffered agony for 2 days. no fever. no sweat. no swelling after 3 or 4 days. In beds stayed till June 1875. and got for month then left hip. Left hip still sore of 2nd day had bad time with it. now sleeps badly. Aug 1st. on back has thro' chest. lower part. Pain comes in. - no palpitation with it. Got grumpy, the face, & lying in bed - Dr Carr. gave him chlor - left 1. Last Thurs. came back. & some ever since. not all day. up off when lying down at night.

to Tonsillitis

He looks healthy. Tongue is clean. No enlargement or soreness of the smaller joints. Nothing in the elbows, wrists or shoulders. Nothing in the neck. There is a little inequality in the

hip line. The outline of the left hip is decidedly fuller than the right. In the erect posture there is no special soreness. Motion now is not painful at all. In the recumbent posture there is less difference noticed. A little sensitiveness over the hip just behind the greater trochanter. Just a remnant left of the trouble in the hip. Apex beat is in 5th, ~~just~~ inside the nipple line. Heart's action is a little irregular. Soft mitral bruit, more marked in the recumbent than in the erect posture, increases in intensity along the left sternal margin. Rough aortic direct bruit propagated into vessels of the neck; no diastolic even after holding the breath and on exertion. In the erect posture the apex beat is felt directly under the nipple; its maximum is in 5th, ~~in-~~ inside the nipple line. Absolute cardiac flatness on upper border of - 4th. Liver is not enlarged.

July 20th 1922. This patient died in May 1922. From some acute disease - probably pneumonia - I saw him - not professionally - in August 1921 - when he seemed well to ordinary inspection. He had carried on a very large business for many years before his death.

Thomas McGee

DR. A. E. WOEHNERT,

HOURS: 10 TO 12.- 436 FRANKLIN STREET.
1 TO 3.- 155 ALLEN STREET.

ANALYSIS OF BLOOD.

Name L. B. Clark Date Aug 13, 1903
Macroscopic Appearance Pale
Fibrin absent Coag. slow
Specific Gravity 10.57 Haemoglobin 54%
Erythrocytes 2,812,800 Leucocytes 8933
Ratio, leucocytes to erythrocytes 1 - 31/4

ERYTHROCYTES.

Normocytes Pale Microcytes Many present
Macrocytes few Poikilocytes One number
Schistocytes absent Normoblasts 20 to 25%
Microblasts absent Megaloblasts absent
Blood plates absent

LEUCOCYTES.

Lymphocytes, small 24.25%
Lymphocytes, large 10.75%
Polymorphonuclear Neutrophiles 64.50%
Eosinophiles .20-
Myelocytes .25%
Basophiles
Myelocytic Eosinophiles

PARASITES

Plasmodium Malariae

Kindly return

Wohner

Feb 12, 1903

Mr Clark - Blood Exam.

The drop as it flows from the ear is of fairly good color; rather fluid in consistency; puncture bleeds freely.

Fresh Specimen - Rods about of normal diameter; no special variation in size or Rockwood rods; rods possibly a trifle pale. No nucleated rods seen. No apparent leucocytosis.

Blood Count.

Rods - 686,000 ???

Whites - 4,000

Hb - 62%

N.B. It was 1 hour after taking the blood that I was able to make the count. It was then observed that there were numerous blood shadows indicating that there had been an haemolysis of the red cells. I noticed that on taking the specimen with Tissot's Soln that it formed immediately a peculiar looking mixture. As this Tissot Soln has always behaved perfectly before, it suggested that there might be an increased vulnerability of the rods. This was rather confirmed by the dense tugings of the plasma between the cells in the stained

Shearer.

I consequently do not feel that the red count
is correct and if it were possible for the patient
to remain I would like to make another count
with a fresh Tison this afternoon & would let
you have the result report at once.

Differential Count -

Small Mono ²	-	20.0 %
Large " "	-	9.1 %
Transitional	-	5.0 %
Polymorpho ²	-	62.5 %
Eosinophiles	-	3.3 %
Mast'zellen	-	0.0 %
Myelocytes	-	0.0 %

No nucleated reds seen - marked staining of the
plasma.

9/13, Fletcher

Feb 13. 1903

Dear Dr Osler

Mr Black came in again for a blood count this afternoon.

The result was as follows

R.B.C.s	-	924,000
W.B.C.	-	6,000
Hb	-	61%

The red count is still surprisingly low. With the absence of the morphological features of pernicious anaemia, particularly the absence of numerous macrocytes, I am at a loss to explain the high color index. I had no reason to suspect any fault in the technique this afternoon. The red count yesterday was 686,000 + Hb 62%. There was undoubtedly some destruction of reds yesterday owing to delay in count.

T. B. Fincher

soft. order

20 Oct 1910 with

so many more in same locality.

... different with some small
variations in color with

000,450	-	S.D.R.
000,600	-	S.D.W.
of 10	-	H

all H.W. and graceful like in form but all
more or less of slenderer & more delicate than the
earlier ones, & appear to be perfectly, almost
entirely free of scales at least in the middle, though
in fact the surface of the body is covered with
thin skin which is suspended in
long narrow strips of red & H + yellowish and probably
greenish yellow when dry which when pressed
+ dried is yellowish green + greenish yellow

Feb 13, 1903

Langdon B. Clark - Urine Examⁿ

- I. Morning - very high color; turbid (urales); abundant precipitate of amorphous urates.

ac; 10 23

No albumin, sugar or diazo.

Microscopically - no casts; amorphous urates.

- II. Evening - very deep reddish brown; one rarely sees deeper color. no sediment

ac; 10 30.

No albumin, sugar or diazo

Microscopically - no casts; few cylindrads

No urales.

PB Fulcher

Parasthetic Neuralgia

1. 404
or Whiting

[REDACTED] 31 [REDACTED] Spring St Phila Pa

29. Ext. pain in knee & above & to the
hip. Feb. 1802 in 3d as result of Sc. R. C. had
^{or syphilis} stroke & then came on with the ravenous urges
& dy & one night after 4 hrs. start he rolled a knee
front in the centre - laid down, he'd passed away
next cannot tell. but came on in intervals, attack
knee not swollen or it is any cuts attack. not
red now has attacks one in freq & become crud
after 6. w. of intermission. now crust. for a year
keeps awake - worse at night. Aspirin. & antiflamm
tablets & under system relieved pain unbearable
X-ray shows nothing w/ knee & last Spring designed
& went west. & col. did not improve - no effect. last
Jan in Phila in Hosp. rest for 2 weeks - got worse.
& voice wasting of the muscles. Pain is severe since a month
has been everything - my of dec. mass &

Healthy looking man; good color; has lost about twenty pounds
in weight. Pupils are equal, react to light and on accommodation.
Station is good. Cold hands. Radials are a little sclerotic. Pulse

is a little rapid. Body is a little thin; scar just below the anterior superior spine on right side where the external cutaneous nerve has been cut, without any benefit. Pain now is chiefly through the lower end of the , feels deep; when very severe whole leg is affected, and down as low as the ankle. A little wasting of the thigh, of the adductor muscles and the vastus intermus. From behind the wasting is scarcely perceptible. No special difference in the gluteal region. The right thigh, middle, measures 15 1/2, tight; left 16. Thermic sensation is good. No retardation of sensation. Knee jerks are not increased. A little lack of tonicity in the muscles of the right leg. When the pain is severe he walks with a limp.

Brain disease of
Brain vessels - or
Tumour?

Bennett

Jan 12th
1804

[Redacted] - Toronto Ont.

In '87 severe headache

Jan 20 & 1888 ^{at 28} for 2 yrs. delir. & hair
could not put head up when sitting or standing.
in head - Sleepless. For next 10 years attacks of
prolonged tonic spasms in occiput. Complex also
allied to him, ^{not 18} in the same diff in signing name. Has never
drawn and written.

Nov 1902 ... lost all power of speech at funeral and
lasted 4-5 hours & then intermit. all night now

7 Reckoned out of control a delirious ^{later} ~~delirious~~ ^{delirious}
1903. Head & back of neck the most troublesome.
now in neck of the neck & under bone - affects the eye
eyeballs sore. Has been at busyness. 3 hrs off last
spring. - complete rest. Gets peculiar reversal
doddy. - not fall - a week from time lost speech a
bad attack could not walk straight. Could not
not be drawn. just as of drunk. every thing was
multiplied. He had no vomiting no convulsions
¹⁰ degree air attack much sooner in back of head. Headache by
only one motor defect - now gets a start, always runs off fast.
a little & in attempting to follow a line with a pen
there is a little tremor. It is not noticed in the
hands the more. no voluntary tremor.

Gives very good account - no hesitating in speech in
written speech. Reads fast quite well, not any slurring of
words.

arteries are sclerotic - possibly 2c of decerebrate arteries

1901 in March in left leg pain so bad could
not stand and do anything and it - lasted a
month - leg swollen.

J. D. Manchur
Arlington Hotel.
Toronto

Medical Library Historical
Journal

Healthy looking man; good color; good physique. His face looks natural; all the movements of the facial muscles perfect. Masseters and temporals normal. The pupils are equal, react to light and on accommodation; there is no squint. When he rotates his head there is an unpleasant sensation at the back. Head itself is well formed; no special bulging; no distension of the veins. The masseters are large. Nothing to be felt on deep pressure in the occipital region. No grating felt on passive motion of the head. No

12 Jan. '04
Ch. 2

limitation of the forward movement. A little sore on both sides down the course of the trapezius. Dynamometer right hand 70, left hand about the same. Hearing is practically normal. Knee jerks are normal; left perhaps a little exaggerated. Sensation seems perfect on both sides. Station is good. He stands on either foot. Stereognostic sens is perfect on both sides. No hemianopia. Both discs look small; edges are a little blurred; arteries and veins are prominent; no sign of neuritis. The cervical spine as felt from the spine is normal.

Aortic insufficiency

It may be (4.7.04)

= 7th April.

24.7.04

N.B. On July 24th he was arriving
in England. If this is changed
to "14" he was in Liverpool.

If 4th, he was at Hurry Bay.
W.W.F.

~~██████████~~ 38 Lawrence SC

I saw him with Dr Harry Thomas, 3 years ago.

10 1/2 years ago well & strong P. f. h.

He died 5-6 years ago. No trouble that he can make
of. Neurosis. Desires comforts. & had times a
depressed. No trouble, but 2 wks ago in a turn & local
phys said valvular defect. Tightened never in 87.

Phys knew in 1884. No syphilis, no gout.
A b. in 5' not outside nubile line. Run in left limb.
No trouble at a. or. b. Visible but soft at apex.
Along L S in. loud diastol. at Aort. area &
over whole mammae. very intense double murmur.
more intense. max at aortic cavity.
2nd sound not heard. No tracheal coughing. No
dyspnoea shortness but a distinct slight visible pulsation
in 2nd right. arteries are soft not sclerotic.

Remarkable case - no symptoms. no shortness of
breath. no pain.

In Sept. 1903 short. a fine grained exterior & upper.
very bad & turned. ran half a mile up & down. well
then a small cold a month. my turns feeling in
heat a going out - sprouts when he got them.

Neurosthenia

Oct. 7 1948
Dr. Roger Dr. Killen
Dr. Mendenhall

~~2~~ 35- Providence R.I.

c. under Dr care 6 years. at first prof etc
& low Nitro, 2 yrs ago operd Nitro stitched up. no better
sever pain in side all the time & discharge & etc very
days good health till married - 7 yrs. now 10y. 2 mrs.
Health fair - .. not ver. as young girl. Not many ills
happily situated, comes over benefit. Under Drs. care, but
med. do no good..

She looks thin and nervous; cold hands and feet. Pupils are equal, react actively to light. Tongue is coated. Teeth are good. Abdomen is flat, natural looking; intense throbbing of abdominal aorta; it can be readily rolled under the fingers. The right kidney remains in place, just comes down where it can be touched. Edge of liver can be readily felt. Stomach is evidently relaxed. Stomach itself does not extend below the level of the navel. Heart sounds are clear at apex

- 1 To stay in bed till 12 am.
 - 2 Have massage at " ^{at night,} States have a small
 - (3) Diet. Eat less - run some better in room. Don't... and carry touch.
 - 4 At 7 dom, in bed.
 - 5 High - C cold. Sust. 10 days in each up to 3 mos.
 - 6 Ergother. goes 11. Used for 14 days in a run of 3 m.

and base. No enlargement of the heart. Knee jerks are plus plus. A little tremulousness of the fingers. No enlargement of the thyroid. Lungs seem clear at the apices.

acute adiposis..

14/4/84

S. J. S. A.

~~██████████~~ 32. 2130 Oak St. Cj -

GT stout - cannot get about - in ^{the} last year
gained from 133 to 207 -- has been soft of breath &
heart beat so & am so weak. Has always been so
energetic. Has lived almost. walked 10-20 miles. Walked
a great deal. V. w + sl. Has had grippe. Pneum. at 16 had
attack of Rhen. fever. Suff in joints & arm. The arm
will be helpless. feels swollen & tense. always helpless.
^{arm & legs + stick} Her naturally - good appet. strong dig. Not more
to eat than usually. came out 2.7. agt. here ever
since... now eats very little - no abn. large but a good
appetite. Regular - no change in urine. No headache,
P. 120 sitting down. When you sit down heart beat ss.

"I am just a mass of fat" - so she is - soft & flabby.
like by no way robust. Mother not stout - Father not stout
big red cheeks & nose - dilated nostril. small brev. woman.
no cracking of the skin. joints give way

4 yrs went to 160. Saw Dr. York Davies & took his
opinion..

There is no sclerosis of the arteries. The heart sounds are clear at the base; soft systolic. No throbbing in vessels of neck. No enlargement of the thyroid. No special throbbing in apex region. Sounds are clear, perhaps slightly murmurish over the body of the heart, particularly along the left sternal margin and in the pulmonary area. Definite throbbing in sternal notch. Abdomen--liver is not palpable. Spleen not palpable. The upper limit of the heart flatness is one 4th. Feet are not swollen.

X. 11. 04 . weight now 186. - has Glen-Springs
for 6 w. & then to Danville. has all track 3 miles
a day. Taller now.

She has lost 38 1/2 pounds. The heart no longer troubles her. The pulse in the recumbent posture 92, quite regular and of good volume. She feels the stairs. Definitely tender just opposite the third rib. Heart sounds are clear at the base; both are rather snapping and valvular, but perfectly regular. Flatness is still high. At Watkins Glen until July; Nauheim treatment.

Typh.
intermittent sunniness

X. S. O. 4
Dr. Lefflin

[REDACTED] 37 Birmingham, Ala.

many ^{leeches} _{on 1st} in throat. In 1900 Oct. Dr H. spoke of an erub on the face, bad not for few days. Exams & said syphilis 2ndg. Laugher at him. Malaria - no primary rise has to be married in Nov. no chances for a son & mrs. Called in other Drs. had sore throat, croup, & breathing not remained. Specific treatment went 10 days. This the last ever saw. Went on married in Nov. - D. F. - Tom Myr & I. regularly - 1st - Oct. 20th to Aug. 10th 1902, 2 mos. wife had appendicitis - operated on her. Treatment left off. Went on regular treatment. Did not feel well - Feb. '04. a numbness in foot & leg left side - like hot as leech. hand & pulse even to left side of the face - just half of it. Dr H said effect of that other trouble. All the time could not move below the trouble. Followed by adobe - went to hot springs. In March '04 4 mos. Dr Garrett. nerve treatment ended 8-9 '03-4. 200. M-7 1/2 Lied for weeks & months. Numb. feeling changed & ~~now~~ burning. suffers with it. perfect arc of burns. at the burns lost 138 lbs. after 1st burn gen. health good. W. 168.. Feels in the side in heel like roasting beetle. Was bitten off above toe if it was there were in pain & night. No other rash. ap good. Exams. absolutely negative. no abs. spasmable. no relaxable

No atrophy. No ataxia. Station good. Eyes normal - pupils react. Discs normal. muscular power good. Canvus - if mosquito netting touches - painful - or if night shirt as he puts it on - it makes him squirm and is absolutely painful.

Mormotmanis
neurasthenia.

Dr. And. Harris

X. 24. 04

Wilmington NC
(4 W. 2nd & Plaza.)

~~Name of patient~~

34.

Ner. For 2 1/2 yrs. strum. 3 & ago.

had 3 ch. ill & so fever. In conv. husband 4 attack of appen. operation. Is all right now. Dr. Rohl. In a summary. - 2 yrs ago. no eff. at time till June following 8-9 mos. after. Then began giddiness at two head. Indirect circumcision. feet first. & he lie in back of head. In bed a week. period due. not menses. no fracture. & 8 mos. in June began giddiness very bad. following comes a number to back & head, no pain an uncomf. deadened pains - pain just at the wedge-shaped bone. dull ache. No loss in w. 153. now 130. Lives at s. doors. & very athletic. sleeps after home. Never any dys. not good. Tables. other troubles. audity & gives. Has a round head & palpated for me year. Head light & in conv. could not lift head with 2 drivers. Golf. - not since march. Head Clinton 2 days in week. - bottle down. & then in top a period of bad feeling - not able to write a letter without writing on the back, & all summer. food did not agree. Laidly. any sweet like a donut - dough & fat had to vomit. and as time goes. No change. - pen down grade. In fall each a dinner - a big - had to go to school. got "feeble - minded" 2 or 3 or 4 yrs ago. upsets somebody called me name of someone & could not remember & got dizzy. & never any. Is a backache in church. a depression. "I have not told you the main thing in available right thinking of people names. remembers after. tables a bad & nervous. Fast right. ~~Tables~~"

No. Ner.
most in
family.

We went home & remeber the girls - & stayed awake all night,
thinking of their names - that at the last. Then we ran up
so fast i think of them other names. Names, names, name, all
the day ... They drove her crazy. She will spend hours
trying to settle in a new name of a man she has met.
While talking to other people, a name will haunt her &
worry the life out of her.

R. a working woman - also, writer in education.

No med. - To live a quiet life - & keep away from

Army thoracic

X 11.04

hyp. heart.

[REDACTED]

66 A [REDACTED] Wash. D.C.

V. active. 4 g in c. year. one sec. crowded. Went to Cheyenne & the west. 2 yrs. Miss. cont. went to Japan 33 yrs ago. very active life. must opium etc. & after 9 g. palp. trouble which now on - inter. pulse appears 23 beats ago - every 3rd or 4 th beat.. At intervals passed over since. took a long rest 24. but over time when reared pulse intermits. Last winter (has used stimulants & tonics). School swept away. 3 1/2 yrs. left me weakened. Held on. but evg. became more marked. a great shock - upset me. almost kill & run in work - unopened me. Felt had to go on. - at end used up. Then crowded. & had to get off at a job hotel - collapse came in night (8th of Feb) Pulse not strong. Job back in May. Heart very bad. No pain - but heart weak & intermitting. & grade 4 boundary hard & harsh. was in bed 2 hrs a lot & still. Pulse better & quick on journey - Pulse normal. & good sph. Went to Maine just summer. Pulse regular, coming & going. & getting settled & strain a week again. every 3-4 beat. Not short of breath. Rest w- 150. now 150

Dr S. Linn

The pulse is irregular; drops every third beat, sometimes every second beat; often a small beat can be felt. The vessels are a little sclerotic. A good deal of throbbing in apex area. Wide-spread impulse in praecordia, moves the lower sternum and the front of the chest. A. b. in 5th, just in and outside the n. l. The shock of the imp. is quite forcible. Slight inc. in area of transverse c. f. No murmur at a.; just a slight bruit when he holds his breath. Three beats follow each other, and then the 4th is interrupted--two sounds, possibly three, in its place; then a long pause. It sounds as if the 4th beat had run into gallop rhythm; singularly uniform, it can be seen and felt as well as heard. The fourth beat is short, and two distinct impulses are seen, just like the flutter in a gallop rhythm. At the a.c. no murmur. It is remarkable that he does not have any subjective sensation of the forcible impulse. In r. p. no murmur; marked venous imp. on neck. The pulsation in the jugulars is very uniform. The interruptions in the aortic pulse are not seen, perfectly regular, about 34 in 24 seconds. Liver is not enlarged. Spleen is not enlarged.

~~Kewashtewa?~~

I 5.0

or Collett

~~██████████~~

34 Stanton Va.

C head and numbness in legs &
now in walking impaired for 2 weeks. This has
3 attacks. 1st. att. 18 mos. one leg & one arm
Ht., lasted 10 days.. Came on noticed cold
not walk. did not lose power control, no fall
or convulsion. In usual habit when son one
was in April 1803. 2nd. in Feb. 1804.
began severe pain over eye.. much in
side of face & ac half. right.. must t wait
not numb in hand or lg: no loss of power
in h- or leg. Face not drawn. Started in
3rd attack about 2 w before this. none came
suddenly. This we not. in rt leg. first a
cramp felt hot & rt foot. but left felt nothing
later tested & could not feel marble pebbles
cold. & a prickly sens. in rt lg. Hand & arm
not affected. & face not affect. In later visited
by in other part numb. One n. pain in left
side. Dr gave much

R.J.

He has lost 25 pounds in weight. Numbness still persists, but it is better. Pretty healthy looking fellow; perhaps a little pale. Pupils are equal, react to light. Movements of all the facial muscles are perfect; movements of the eyes are perfect. Tongue is protruded straight. The tactile sensation is perfect on the face. He recognizes cold. Station is pretty good. He can stand on the toes and on the heels and on either leg. The knee jerks on both sides a little two active. Tactile sensation in the legs is good; no retardation of sensation. Painful sensation present. Liver not enlarged. H. s. are clear at a. and b.

Hysterical largesimus

TH 11 05

~~██████████~~, 5-5-1204 M. 5 ft. H. w. (1316 + 50) P. Tukman. Dr. Wilson
Raleigh

28.4 ago 516 null in Indeasophis or. Parmaic

began c heart. spinal mening. & heat app'd ever since
that has been "travelling all over". could not eat &
read & feel every body. was bad but all day & in
I have a streak & without then 3 years. also attack
in head & throat. other night. am all day. can bear
nothing & cannot let it out. & inserted a tube. in
lungs & breaths all night. could not get a bow
many things that bothered you. Gr. Heart pain
has never been in L. w. has the attack. Head
now. In bout 4 m. I a had every 2 or 3 days.
& he man - & cost 100s.

Remarkable case.

He looks pretty healthy. Tongue is clear. Pupils react well to light. He has a curious and unusual lunar shaped arcus at the margin of the left eye. No general sclerosis. He keeps his hand over his heart as if in pain. He has a bruise above the left nipple where he was struck over the heart the other night to make him breathe. Heart's action is a little rapid. Lungs are clear at apices and bases. Abdomen looks normal. Liver not enlarged. Spleen not enlarged. Knee jerks are normal. Attacks come on differently; sometimes the pain at the heart; sometimes the breath catches; sometimes his head hurts. It will often come on at the table or just after a meal. He will hold his head or his side. He had an attack last night; quite delirious from 9.30 p. m. to 5 a. m.

Aortic insufficiency.

III 2.05

walking manubrium

~~██████████~~ 4⁸ 2170 E Pratt

slim - heart - has belching over of water
heart colic lasted. In Saranac Lake. an attack
jumps & severe - no fainting. Has had ind. for years.
not abt present. Lost 21 lbs in a year. - Hand & feet
asleep when walking. every arm & ring finger get numb
and cold as of dead. Poor circulation.
one finger gets white. & cold.

Cannabis care - see collapsing pulse. murmur scant.
audible at a.c..

To me - 8ly ch.

She looks a little thin; tongue is clean; pupils react well. No soreness in the abdomen itself. Marked throbbing of the abdominal aorta. She has a very relaxed abdomen. Right ren is freely movable. Apex beat is in 5th; marked systolic shock; slight thrill which feels systolic. Both sounds are loud and clear at the mitral area. As the sternum is reached a definite diastolic murmur; heard best along the left sternal border, loudest opposite the fourth, only just audible a at the aortic cartilage. Clear over the manubrium. Slight throbbing in vessels of neck. Pulse is not collapsing in quality. Both sounds are very loud and ringing over the whole cardiac area.

Renal Tumors.
Case.

III 3.03
Dr Yarrow.
or Stanley.

[REDACTED] 50. Washington D.C.

Dating since 15th of Nov. In Hosp. for typh fever 3 weeks not severe, never indis before also another ailing - lump in left side. life has changed 2-3 yrs active - incamp & saddle - some stem in off's not the usual good appetite. till typhoid. certain foods didn't upset. gen. appet & feeling of pain in left side & sacs thru week. Contin. - ache. Food makes it worse, & has often eating & sleep in the day time ^{at first} never in day time but at night. below 10 a.m. & now indis not so much. for about 2 weeks I did better until in the day. No vomiting - no belching. Lost in weight from 212. to 163 colors good. Has not been taking as much food. No diarrhea. Liver nates. clear urin. const abt past 6 mos. no yellow.

P.H. M'70. ty. diag. in '80 married for in Dakota. in 192 chills & fever. Florida. & in 1898 not urine. 92-96 renal calculus. passed gravel & ache in back & sharp cutting pain in st side - none since 1896.
No pus a little blood.

A very healthy looking man; very good color. Tongue is a little furred. The abdomen is flat, natural looking, a little wasted, no

sign of any bulging, no peristalsis, no shadows. The left cline is fuller than the right and a little fulness in the left flank. Occupying the left side, filling it to the back, easily palpable with the two hands, is an enlarged kidney. It descends with respiration. It is irregular on the surface, not painful, extends anteriorly as far as the middle line, very freely movable, very firm. The flatness is as high in the flank as the 8th rib. The colon can be felt in front of the kidney. The heart sounds are clear. In the sitting posture no special difference between the two sides behind, perhaps a little more fulness on the left. No encroachment upwards on the pleura. No friction at the left base.

Graves disease - from past.

(Indianapolis)

1605
Dr. Page. &
Dr. White

18 Dec¹⁹⁰⁴ grippe - cold & some trouble with nose
blotted - Dr Page said - they said gland swollen. never
before - seemed to come on about 20". Thyroid
swollen to 100. took 4 a day. lost 18 lbs in weight. no
effect on the gland - got nervous after the tablet. Had
been overdoing for sever. years - but not recently now.
no fainting. taking light drugs. M. d. 65. one sister
has swelling of the thyroid.
no heat or rashes - in fact des. - fever is very well. urine
easy. Has been at Cornwell-Hall for 2 mos. May 5th -
tailed - & has been better.

Is steady - hemin deposit. is flushed.
p. 100. regular - good volume.. no from in
gas. lack of convergence marked. Both lobes
of thyroid visible - mid not very slight, on
the side. but up to nose. marked healing
& turbidity. went over the gland - no imm.
excessively ruled from glt. drainage less

March 27th. 1907.

1. Rest. as much as you can - not run too many steps.
2. Ice bag in neck.
3. Eystein grs ii. t.c.s.
4. April 1st may.

{ Good appetite.

looks well, colour good; a little tremulous, face & neck still flushed. The veins on the back of the hand not pulsating. The radials are full. The neck is a little enlarged on the right side, only the right lobe affected no increase in size. The heart sounds are clear, action is visible, no murmur. Soft murmur over the right lobe over the upper sternum. When she sits up murmur is heard at the apex, not transmitted to the back; not the slightest prominence of the lyle no ~~stillwag~~ sugar, measurement of the neck over the greatest prominence, dralon tightly

June 28th 07. In her 7 weeks most of time used ice bag, did not walk. ice bag - continually. ~~had~~ Did take the eystein for 2 months no trotting at heart, improved less, the better, cannot yet claim without feeling the throb, little much better - has gained in weight. h. still takes 120 now in sitting posture.

June 28th. 1907.

The tremor is much less. There is not the slightest protusion of the eyes. There is still a little swelling of the right lobe. The heart's action is forcible; a shock of the first sound is very marked, soft bruit with it which becomes more intense towards the base, heard over the sternum, but not heard over the gland; very distinct capillary pulse. The superficial veins are not engorged; no pulsation.

EDWARD YOUNG,

Duodenal Ulcer.

July 4th '05

~~██████████~~ 48 modern his.

Melasma. 1st attack in Nov. 2nd 7th ago.
never anything like it before.

P.H. in 1894 had fract of hip. 3 w after had phlebitis in left leg, 6 w after in rt. leg. in bed 11 w. up 1 w. & then had typhoid, in bed 8 w. & nine mos. away altogether. Felt quite well. Ac-Rh. 24. ago had attack 11. 4 w. turned on sheets. Ht. 2 mos. worked hard. Nepr 1st attack. some auditory. & constip. and at a visit, a little pain in stomach got sickly & faint. I had to lie down for an hour. made 3 attempts to get home. Next am. saw the blood in stool. Tarry & liquid & 4 or 5 of them. Stopped in 3rd day. Pulled up 4 weeks kept at work all the time. Felt well & did much until the winter. dug good no farm, bowls regular. Then in April began to have pain. Took Soda - 2-3 hrs after eating & often heavy rains in stomach. No urine pains. in April no vomiting. Passed much blood in last attack. more blood did not faint, sweated a bit very pale. Lost 20 lbs in 7 weeks. 3 weeks in milk diet, up every day. - was light headed. Now go began eating a little meat. Some diarrhea every day. Milk all right. 2 qts. butter milk. Constipated. So pale. bowels shallow.

Abd. flat - not dist. no peristalsis. a little tenderness over pylor. & right. no tumor, or dark green. no dist. of abdomen. glands not enlarged. Evidently a duodenal ulcer. no sign of gastric ulc. Has been in hospital ~~at~~ late & has had

more pain

- 1) To lie out - of door.
- (2) To take milk - diet + soda.
- (3) Biscuit.
- (4)

Neurasthenia, males.

Dr. McKenzie

Sept 19. 05

~~F.~~ Ridgway st. Douglas 9 m.

Knees for 20 yrs. past. tired & painful & sore & stiff for
most part after exert. or standing. Pass water 8-10 a day & at
night. Eat 50 times in 2 yrs. Sleep. Sp. fr. night. talk at times, in
whole. Run. etc.. 5 or 6 p.m. all night. No pain. Memory bad, very
bad. a cushion, will come in & will not recog. him. Not often in bed. Head
gets sensitive & feel it. get tired. Any young male head like. Any
woman aggr. Knees, feel it if read any they reading. Cramp in hand
at times. a twitching in arms. Walking - passes in back & below neck.
Sleeps well - wakes often. Blight - sees things more & 8-9. age.
Headache. Stomach dilated 3.3. sq. (evidently a d. - cramp!) Pain in spine
contin. for 2-3. last now. headache. Come at times every hour. at times. Cold
feelings in head. Even half an hour intervals. of phosphates. When water
get very bad a visible of the bladder. Not a night for 2-3. in which he had
not got up to pass water. no pers - no blood. about 8 mos ago the knees
began. Drg. fairly good. Bowels regular. Not able to sleep at night. Sleeps
in the country. Womes without concern. Eat eat. not aggr.

No ripples. F.H. M. d. of h.d. F.d. of Rh. p. & h.d. B₂ w. S₃ w.s. very fair. Not a driller. feels cold very much. H.S. now 10¹. 2. Has been at 9.

It can not. nothing in prostate

Dec 2nd 1905. Returned today. Went to Levant for 3rd. while here came
& slept. was the down. heart beat & palpable. pains. feet hot & painful
stomach off. & off about next day. better - weather beautiful. but at
some pole - improved on deck all the time. at last. better. algiers. in those
waters & some pains & flushed. At Malta ashore. & here. H.A. created
very depressed, as got better. Smyrna. better - const. untilled 1/2 hr. same thing
hated pains in head. & came instead from Constantinople. got better. See
me in the way home! current, no depression, in the brain

- 1 To sleep at bussines
- 2 No exercise
- 3 Plenty of food.
- 4 No meat.

Dec. 7th 1910

Looks well, good colour, pulse regular & good tension

Absentient in 5th, no increase in area of cardiac dulness.

Sounds are clear. Abdomen, Stomach, lower border of trachea,
at naval. Pylorus not palpable. Liver not enlarged.

Sigmoid venous felt. Pulse active. Knee jerk normal.

Drolls Crises
Dietl's

Nov 7 1903.
(Dr. H. D. L.)
Scam.

~~H. C. L. 42.~~ 42. Leamungtin

now attacks. - Bang in pub steady for 3 mos. - For rev.
4. appeared. 5-6 ago. not open. sig. pub open in mid of
abd. Then pain when better, pub perfectly ill. last a week.
no vomiting. cns unspred. no swelling of abd. Pain in center
pub. Had found. years go never with these attacks.
Ever run. & intervals. except last year for 8 mos. perfectly
well. Jan, to Sept. nothing wrong in. is all well. - Then
tired & fatigued. end d. the 1st 1 or 2 days - keep alert - no
pain - Then the pain begins, get severe. no morphine. no
vomiting.. Had 5-7 ago. hæmaturia with pain, quite diff these
Had an attack recently. - last Sunday week an attack. for
3 days - not bad. no food. longer abounding intermission.
walking off food. nothing troubles any diff. not seriously.
more than last 3 mos. affect head, a 'black depression'
comes over. Has got thinner - looks ill. Has 3 child.
^{no babies.} Looks well.. at nat. history. no perverted. H. kid down
calf calf below ext. margin. & can be moved out the r. & f.
at the middle line. in erect posture kid calf felt. very mor
tender on touch. & can be pushed far over.

1. Band & pad.
2. Comfed with diet

1 Attacks continue - as bad as ever, not so violent -
feeling fat.. Constib a dog in her too. - no blood
seen. No abdominal pain and of course no vom. in attack.
Suckling & pain in abd. wrong side - back or back. possibly
from stone in other kidney... In the 5-9. inf 9 mos with perfect freedom
5-9. ago appendix very bad
. now. Kid. well up. nothing felt at first - a m dash
which does not come down but of course it can
the kidney comes out plainly but cannot get it in as
long as it remains & can. suddenly better.

Ch. lymph. ob. leg.
Elephantiasis

Sr. Brooks,
March 17, '06

~~Pitressin~~ " 11

5-4-06 peral. infar. ^{of left leg,} - sit over hot. 1" shant - did not last long.. 9 min & done well. + legs gr. proportioned. no ulcers.

P. I. began 2 or 3 years ago. had a large leg at first. - ever since has been swollen but downward in arm but from knee & ankle swollen - not through, no pain. no redness.

Thigh. left. $1\frac{1}{4}$ smaller. & calf $2\frac{1}{4}$ below 5" above in me ca. Just $10\frac{1}{4}$ off. again $8\frac{1}{2}$. st nothing in abd. Spleen just palpable.. glands engorged palpable. skin clear over leg. Foot & leg markedly enlarged. Toes look bigger. Only puls with the deepest pressure.

To be bandaged

Malignant Neuroasthenia

Jan 1916 '06

~~Her~~ Mrs. ~~F. [REDACTED]~~ 38. Edinboro, S.W.

Graduated in med. a trouble with const - esp. in '07. exposed a clostridial bacillus, an appendicitis case. Spent some time in Ogallala, all 2 mos. cancer after it. R.B.C. for Chicago. saw lots of friends. Practice in Topeka. Back in 8 mos. well but anemia persistent. Jan., 1908, arm had gone & left shoulder up to shoulder. Calif. 6 mos there. Super. agn 7-8 times in gland of right diff in ch. for 1st time. End year '08 came to Edinboro. Spring '09 married in Edinboro. Went to Colo. w/ husband. was manager cattle co. Died in '09 but got well. but 1 year low health. Follow. summer Aug 1909. crossing river in flood & fell in bog - lost - red. cross saddle. Blew in bladder also symptom. slight hemorrhage. Cystitis followed. Bagott in Denver. irrig. bladder. Some spilling m.m. w/ 9 weeks. Thot. all right. Came Scotland next well. next sum. ran to agn, cystitis again. several 3 mos. irrig. not well. Next sum. ran to agn, cystitis again. several 3 mos. irrig. (Dr. Bagott) Mitchell made team. Colon bacillus. 5-6 mos. pee lit ch. cystitis. developed a fibroid. aut. wall. That same summer from reading cystitis. In Chicago winter. runs away. Work. fibroid cut out. (Hegar - fever too). In Chicago winter. runs away. Work. fibroid cut out. ran high T. for 3rd day. Home. Oct. really well - did everything. danced &c. Colorado. had fever - frequently. run & cal. better. back and Oct. Mex for winter. In May cystitis again or w ill. Treatment home & Drs. 3rd well of cystitis. Chills. & ran T. 105°. for 2 w. prof. right scrotum. a red spot recovery (2-3. ago March). Ch. again. saw Bagott said that he found desquamation of bladder - unrelated summer pain &c in Oct. All again left Chicago scolds a day running. Dr. Bagott. came again took specimen & Mitchell - physitite. cystoscopy. Chicago. Nov. 105° no chg. nothing done - odor run & then all goes Dec 15. in Chicago with an attempt to sleeplessness. on culture - has all gone. Thot. Tub. & other "I know about crazy in them". Queen big person. & 24 weeks todo - from small. large team. gross upon life T. b. 9. pigs not fat. In Jan '05. Doing half in the hospital. ("I always do best in hospital") I came to Edinboro last year - not very well. not walk for 2 years. walked in st. I went to Topeka - a year ago. There 2 months. could not get on feet. bad as could be. went to Chi. - afraid. "They smothered at me."

Very slow. Had a "nugie". Said Dr. Long, agam & silver, 1/3 go b.w.
+ then Dr. Van Lieren. Handed over to John Hopkins 3 days. Dr. Kelly
got you trying him out fire of or Cullen. Wombly nerves. Both kidneys
Dr. C. said also. nothing doing either kidney is bladder. Dr. C said well
"It's per. lat. M. Whey - 3 weeks getting over. Old Median just went
home. The mo. & cystite started up when cells & deep irrigated
got better. - also soft. T. agam. T. 101°. From Jan last you irrigated
colon & hot salt. Denver. End Sept. Then Dr. Bright & Dr. Sevell. Mayo
Inst. Inst. Inst. of Dr. B. thought not in bladder - diff. at 6 a.m. to
serve against "nugie". Had not walked for months. Had the pro. bilic
Haemorrhoids continual. In soft. pain gall duct & not gall stone
like - always the colonist. And gall duct - pain. But 2 yrs ago
always present - and a small nodule. start in right side colonists
trem. ferment. good many years. & Sevell gave proktobi. never
the right stools since. Try for a larger proportion "hot" of aperients. &
burrells. of \$40. In End sum + Dec. wt better. Pain

Pain in bladder & abd. stops in asc. weight it is 20 lbs heavy. Hair
ever. at good. indect eat. urine now.

F.H. 7 m. w. M. not rev. F. not rev. - died of pneu. &c. sclerosis
as giving jst. wrinkles hand 20-30 - no break down till sepsis, haemorrhage.
anemic. In practice 5 yrs. unk hard. but no so hard as in course.
"Dr. Sevell says if went to work now would get well"

June 13. H. better for 6 weeks. suddenly stumbled over a hemal meatus penis
aching & never got strong b.w. up & down, headache, & ray of m. eye strain
got glasses & reading. better. & all the pain again. Bright. 135 lbs. Try & walk
1/4 hr. sit all the while. good day. towels all right but 4 night until a
bleeding of the skin. & have walked at 2. no names. "Plunkers".
Cash gate ticket. (West Hundred manor steventon)

7, NORHAM GARDENS,
OXFORD.
April 19th. 1906.

Dear Dr. Taylor:

I saw your patient, [REDACTED], on the 16th. I asked to have a radiograph taken, and I enclose you Dr. Bruce's letter. I have not yet seen the prints. I am leaving for Germany to-morrow and will be away for ten days. So far as I could make out, I do not think it is a case of disease of the bones, nor has she had the pain that is common in the pressure from tumour. It does not seem easy to say upon what the spastic paraplegia depends. If the prints show, as Dr. Bruce suggests, signs of very definite lesion in the caudal equina, the question of operation will have to be considered. I shall be away for ten days. At the end of that time I should like very much to hear from you. I suppose in a case of this long standing she has probably had modide of potassium. If not, I would suggest that it should be tried meanwhile in doses of twenty grains three times a day. Please see [REDACTED] and let him know my opinion. I have not time to write to him before leav

ГАРДИАН
С. МАНН, Г.
С. БОУЧ
1900-1901 № 10

ing. Please return Dr. Bruce's letter.

Sincerely yours,

Notarized

Visceral lesions of Englesea south

May 10th,
1908

Dr. Newland
Bath.

Dr. Emily Thomson
4 Tag S.S.
Dundee.

[REDACTED] 10. Ballingie Broughty Ferry, Forfar
was baby. w., 18 $\frac{1}{2}$, lbs. - not well as baby - mother died. early food
very ill & wet nurse. - Nurse ill reared. some then revealed attacks
of liver & stomach. always walked & pain & fever. bad attack at 1 $\frac{1}{4}$ y.
& then every 2 mos. not longer than 6 w. from 1st. until 7 pain in
stomach. & then so bad he could not walk. not much vomiting.
(3) Diarrhoea.. Fever 3 - days. pain 4 - 5 days. abd swollen. was
swollen very much. Spleen was found enlarged. 4 - 5 days
mucous & large black mucus. one of the worst. had at 5. came suddenly
over blood. urine was said to be affected. after third: no swelling
of joints. Fever & heat rash. his legs bandaged up. with 100
degrees of ab. Dr. said chicken pox., legs & arm & back & abdomen
always. with the attacks. would have past me as other died out.
Heat spots & urticaria. now the last attack. no erythema... little
urine kept on them. T. often 99.8. to 100. 98.2 & 95.8 in even.
Other got hot. In 1907. only two in the year. slight attack in summer
sept. no night. strawberry in a better form. during the winter
though. effects. poor. ~~so~~ 2 children died as infants. 2
girls living. 14 & 15, perfectly healthy.
Very good care. - attacks suddenly & great severity -

He is a healthy looking boy; good colour; he
weighs 4 $\frac{1}{2}$ stones; tongue is clean; teeth are
good; skin of the face clear; his chest is well
formed, good expansion; abdomen
natural looking, no distension, everywhere

soft, no tenderness; descending colon
readily felt; Spleen not palpable; pylorus
not palpable; no distension anywhere of the colon;
liver is not enlarged; right kidney just
palpable; upper limit of liver flatness is on
the 5th; apex beat 5th, normal situation;
Superficial cardiac flatness on 4th, left
sternal border and just inside the nipple
line; heart sounds are clear; second pulmonary
snapping; joints nowhere enlarged, nowhere
tender; no fibroid nodules; the skin is
everywhere clear, nowhere any trace of old
spots; back is clear; reflexes are normal

Walking numbers.
Cardio-respiratory numbers.

Dr. Huger
Aug 16th 06

~~W. H. H. Johnson~~ 49 Worcester ala.

V. h m - lung trouble - spoken one lung. 6³/₄ weight 160
Son of Rev Mr. Stimpfeller. none any sickness. no insurance.
7. m 3 of cows & one mule. No 6 br & ruler lung. no serious
illness. ty. once. & last winter Trichobitis.
Thrush heart - trouble. - Threw 3 times on insurance. not a smeller
not driller. no palpable at heart sometimes pain of lung.
From trouble last year - going in mountain 6-8 hr. (Young rock 2800
ft. strength lungs. walking across the fields from a big toe, 120 ft
a pelle. next day again. nest on his desk, live & one red black
he said it's a blood henel. Passed off. was cleaned. no return. ever seen
hands & feet & they in red bright feathers with hands & feet
or one hand or one foot round. keeps available 1/2 hr. & makes
of nothing. intervals. Has it in the day time - comes making
one crackles in right. left is numb & knees hot. it frightens
me". Prickles more than the numbers. of the cattle half two
or more also meekness.

V. h. worker - many worms in 8 or 10 years. strain & little.
no biting or both 1 head. walks up

Tall & thin. very long neck. a b. not visible not palp. no one in carotid
flat. ares at apex & t mid apx & t Pal area with each nipp
a long explosive running 2-3 in succession - then a deep inspiration
at least four & then stop. when br. & held. none at first or when
& then begins as if p. is finished and the breath is held. none at
any age. Is least behind at the apex of scapula and on left side
very hard & intense. hard. not anything more than cardio - very
no more at respiration or have else

Cerebral Sues

April 9th.
Dr. J. F. Jones.

~~██████████~~ 5-3. "Tindale Workhouse,
^{butcher}

1 y ago had a stroke - came in by paddimer - one dy. it came from needle - next - cannot remember the dy. beg. of May. - Carter has the dy. - Had comp of pain & numb. Next next dy. clean left, pain & numb. at mouth. Went out. did work. could not write. drove in & rode. could not ride a bicycle. came home could barely get out. Spec speech not affected. - Head perfectly clear. - no complete loss.. in bed 2-3 dy. recov. rapidly. went to see Dr. Ferrier - do no work. - & he was better. went to gym. walked and ran. pull with play tennis in July. Then. Magali com. came home one evng. suddenly. put could not breathe & had another attack. in Sept. (fainting & always nody). Since Sept. worked but come again. Saw Ferrier again still go on. Then in autumn more agan. Angel a dy or two. that night sudden agn lost power of pt of sudden heis. & felt very bad next dy recov. faint attacks but recov. until 2nd rec. attacks of bursting to left side. & had blaudy lump on. Saw Dr. Entwistle - I could have sent you to a singer man" then said Ferrier. went to hospital for 3 mos. & recov. well after Angel. now amne of him 5 months now. arm & leg still stiff. nothing apparent can see it but he feel. it dead. or of circulatory dead. a little deafness. & rough & slate hand. When can come very dimly - could not see T. Saw Sister Russell - same same pres. could clear in time

went in with me). but has felt worn again. Ann & by
sheer. & lives quickly. Sons & Mack leave in Friday. men
up. Always a good pulse.

John J. A. ~~Mathews~~

- 1 Pupil very & a little small
- 2 Mental condition good
- 3 ph. side good now.
- 4 pulse very sensibl. - cannot tell if some still or
a knif. Tac. sens. & he said all over

In. care.

Mitral In. canon care.

Aug. 14 15, 1926.

Dr. Harvey. Whitney.

~~Handwritten~~ on 34 ~~Specimen~~ from Chem & Drapet.

M. 63. 1 ch. F. S. 70. Br. M. S. abd. at 53.

Inj.^{7.7. ago right limb.} Hairy trouble at 5. does not remember. no sp. flow. no fits. no R. fever. or H. V. down. No tonsillitis.

Habits - regular. no 2g. pilis. Drinks beer. Smokes 2 gq a week. dressed. 18 mos. 23 up in sitting. In mean while in hospital. no short flr. Muscular. posture & cycling not over std. not race cycles at all. no st. of mouth.

Height 5' 6. 2 l. fair mus. chest. good. 26 sw. p. 100 sitting.

no const.

fell - 82 in recent. Precip. is a little full. a b. not much palp in deep sfp in sit just outside nipp. line. 1. cut at ~~stomach~~ c. fl. abs. just at 2cm at side nipp. line. H. 81. border and uph many 4th. Should of got peak. Aus. low^{sp} mur at apex. hear & mur ax ill. fifth & st. 2nd mur. M. mur in relation to the elev.

max at 40 cc. bp sh margin. Well heard in the 3rd & 4th left elev. Down into towards the cortex art. & not heard in second you the w. least. 2nd sound well heard regular. In recent per. mur more intense. - after 4th. 1st sound is bright at apex. Mur intense & more loudly heard in ab ill. Propag to the pal. art & the art. so press. mur.

Mitral. canon care. until I should say - not a good result tho. the valves & well maintained. 2nd class risk

copy in back of specimen

The general appearance and condition excellent. His pulse is 100 in the erect posture, 92 recumbent. There is no sclerosis of the superficial arteries.

The chest is well formed, the precordia slightly prominent; apex beat not visible; moderate pulsation at ensiform and lower sternum.

On palpation apex beat palpable just below the outside nipple in the fifth interspace; no thrill; shock of second sound palpable.

Superficial cardiac flatness upper border of fourth rib, right sternal margin and 2 cm. (about an inch) outside the nipple.

Auscultation: a loud systolic murmur at apex heard to the mid-axilla, obliterating first sound, second sound loud and snapping towards the sternum. The murmur increases greatly in intensity and the maximum is over the body of the heart and the fourth interspace. It is very loud all along the left sternal margin. It is not heard at the first right interspace and not propagated into the vessels of the neck. The aortic second sound is loud and clear.

The mitral lesion is perfectly compensated. It has probably resulted from some infection in childhood, or from the severe influenza seven years ago. He has no shortness of breath, and the heart's

action does not become excessively rapid after ordinary exercise. Barring the accidents to which such cases are liable--e.g., fresh endocarditis in a slight rheumatic attack or any infection--it is the condition of heart that may remain much the same for fifteen or twenty years.

Boston Neurosclerosis

Aug 30th 06
Dr Tolman.
253

Miss ██████████ Boston Mass

Main point & my opinion - Prof. Kocher says I don't tell 40 years best ever who - 5-6.5 yrs. Kocher said farm & pulling the scutum. I know after you on waves removed... 5-10 days strong now adh. hard scutum to stump of st. overag. half wed. by adhesion when taken at relg. great, requires st-hd relg. 2.7. agr. farm in scutum & st leg. wh - swollen & in ut chair. K. found nothing. st. here swelling & farm in st. leg., round hip & leg not swollen as much as 2-7 yrs ago. Taken out every day, & pressure after & when as rule. But poles of bus & staff in scutum stays in bed & over. New thing is got more & more. more or less strong, but not more than spring & ears now. 6.6. or 2 mos. 2. in eyes very bad. loss. in strength & in weight. 137 $\frac{1}{2}$ 2 mos ago. at Nagy's better. Proctos takes far. 2 knaps. heavier for father, not one omitted. When feels sick goes to with it. Never when y movement & firm form of arm muscle contract & the form & manner. Ill for 15 years. smart.

Mother & Father normal.

Examination negative. scutum clean arms very light. no crores no blemish. on left side a fold & a sort of ridge but the surface is smooth and there is no induration. Pouch very cataceous.

Neurotic breathing

& Palpitation cases

Sept. 15-16 '06

Mrs. ~~Fay~~

Chesters Norham, R.S.

1st 4 a.m. 1st symptoms came on while out walking panting & feet
giddy - tight & hot worst. & has to paint it out. Some then not again till 2nd
a.m. same & 1 1/2 hr after '9. While in Brussels 3rd. not at all. In 2 or 3 year
off & on, lately more & each time more like sudden onset & sudden so
lasting 2-3 days. Last 3 or 4 days of April came on & does not left + 14 days
before a doctor. & then suddenly a violent red flush & needles in fingers. & rest
of tingling all over body. In this case when bad while sitting still - only
difference never cramps from sleep - not attacks in bed. Anything which will
affect nose & fingers, overall thing will catch on. less with cold than
anger. If goes up stairs will have it. Has not been able to walk for a week. &
now in bath-chair - off bed 6 or 7 last year - May & June, better. & the
heart got quieted. & got up in Bath-chair. Then better "bucked up a bit"
came on again with panting. - not a short. but a deep breathing as I do.
last bed.

P.H. w & sl - as yet till went to Paris & at school. 3d. slumped; audience
a run. All audience. went on. Home - picked up no th. f. Had no
ch. pox. wh. conj. - r. h. worked. singing. at ballades etc. worked hard
still singing. - no singing. P.H. F. very. & highly strung. m. not.

P.C. looks well. good colour. not neurotic - nothing. p. pebbles rated 104.
no tremor. no t. b. no galv. H. a. raised a can be felt. short of it pal. no thrill.
no murmur base 2nd apex 3rd. - no presysl. after cold very rapid. & she begins to
paint - rather deep & very breathy - heart, often very rapid.

1. Live quiet life. avoid work - not over do
2. The Nor. slush & age ch must when about in
3. Breathing becomes rapid & am.

July 27th. Unrest in Rome - good, better, in Rome sometimes
comes off by degrees decreases & in last 3 mos hardly
any - 2 yr better & good. less in severity - but one not
much June 20. Thinner longer & one as regular as clockwork

before storm, - not far from a mud. an allad. was shot of her, when got up
no real revenge, nor attack with she has sat down, or have her legs up
able to do everything. Not upset. walked a great deal. - Not bad as she used
to get used. will bring it on. Eared - not disturbed at night.
A throat spander has seen her and adored her like a rock.
She breathes thro both nostrils - exactly reperately without trouble
The two prominent teeth and her mouth is always open. but the
mouth is not big

Dr Taylor

16th

Tuesday & Wednesday

Mrs

~~██████████~~ 31 40 Lovelady Rd West End (South Charleston Wyo.)
 unlisted Ohio.
 Measles in left leg. when became pres 4. 7. ago ^{not before leaving, in way to N.Y.} passed off after baby was born. & for a long time after did not come on 1 or 1/2 years. after all in left leg. Since Feb 1st wth one measles. It is a stiff leg. when child had while swelling but knee bent & had knee resected about 6 years ago. Left leg muscle at first not strong but may gained in strength again in either leg. Not stiff but weak & cannot use them well. She has been in left leg (2.7.) weaker. not walked. but weaker since Xmas.

8th - h. good. for a year. no weakness in arms. Both have been numb at times & right arm became quite weak & could not handle things. passed off in few days. Two or three attacks of numbness in arms &c. looks well. Bowel constipated till 2 mos. Troubles skin. got very weak & faint. had diff in holding the water. In legs no numbness & laughing each morn. a lot numb. but not much. 1.7. ago saw & others said question of pressure of pelvic organ, incl. to spinal tube. Back a month. no fever. 8th health improved.

- (1) left leg weak cannot lift from couch. - not wasted
 - 2 rt leg. Ad does in knee. can lift freely but could.
 - (3) feels of left foot weaker than rt.
 - (4) reflexes deep & supra increased. and cln. knee then no Babinski
 - (5) No skin sense of spine
 - (6) no desire of sensibility
 - (7) no heat in pelvis & the belt.
x-ray took the latter
- 18th write Dr Taylor.

~~E.P.~~ 25^o Eugene, Or. USA. Rhodes Shabar (Kiev)

I metter all the water - feels twice their age. ave 6 hours by
of B. heat. Workers have body hard never bottle down. now feels body
ner & limps & the 16 tender. of will cannot sleep. Excr. lame. Day
m. R. 6⁴⁵ 0166 8¹⁵. work till hour 4. Tuber none. I led a walk
by Easter. On Excr. walk a place, 5- less - eve. work all 10¹⁵-
when normal rate. last mo. not more than 6 hours. no loss in weight.
156 now 170. River at 10¹⁵pm. Home last summer. To teeth. had
been having it
7 ft. now. in mouth with f. not. walked too hard. had spots - numbers
7 ft.

26^o.
On Sat. had a violent spell - as of a sp. of cast disturbance spell and
came on. No control over face. finger get violent. put. & take to
face & hands not cons. but cannot use fingers. Throats lost
blurred, eyes at little brown. sit - still. can't go sleep. creeks up
cries up. & sick at stomach after it. & then headache & a grande
fear. was well 3 pm. and I have them at home. one or
two fish. & cold sore come in lip. was as small by had them
just 10 or 12. Mother has them and sister
just 20 to me. under 7 hours for B. heat.

& am negative. no marked vas water. heat & lungs &
I think all right.

1. 7° abus
2. 2° cold eyes etc
3. 2° until 5-6 hr. damp
4. 7°

June 18th. 07

Dr. Monroe. Smith.

Vertigo

~~Breath~~ d.

cert. des of heart dull. dragging no pain but 7 or 8 w. ago. sudden sharp pain in chest. could not bear to leave turned the left side. at night diff & get out the bed. - any thing in left side sharp pain even "in the sheet" lasted 3 weeks or 4. had diff. of heat in left side. & pain. muscular. not as draw a deep breath. not feel it in walking. Has disapp entirely. - Friend. Passed away walking & talker. a sort of seviri - knees. a head going round. & ETT - dull. with diff. des when sit & lie all. & floating feely stars. Other day preaching. going down stairs. at the bottom gave a great burst - caught at the banister. Then a ms. up at first - to fish... first said billiard. - heated room. played well. felt strokes. then sat down - head thump a lot. felt pulse 56. 52 - 15. weak. If too warm. feel t' bubble. Only last Saturday. am esp of debts said "I made remarks - " but all trace of anxiety now warm & soft. felt pulse rapid rate. over 100 & than without. no throbbing. Last night indicat of - last night alpine club & President - succ. diff guest. Felt it less. taken t' out. head hot &. slept badly. very hot in head. ~~all night~~. Sleeps well as rule. Part. v. act. and undergrad. described in " " Optimal aspect. For 20 years had 6 time in each year was delivvered with intense pain at that point. - P.W. append. 30 year no pain. v. active life cricket. & once when Doctor fully dug. & I must write. & for years careful. Ridng. one day. smash. incense. got all right eyes. crossed. with a while t' get over & vertebral of neck displaced. still good digest. persis. constipation. ~~to~~ - Pyoder. rubor 3. often ~~badly~~ bright & clatter & smart & begins dry well.

very healthy looking man; good colour; slight arcus; no tophi; tongue clean; pulse is regular, 70 in recumbent posture, easily compressed; radials palpable; right temporal easily felt, left not palpable; apex beat not visible; slight diffuse impulse; no throbbing in vessels of neck; cardiac flatness left sternal border, lower margin of fourth rib and just inside the nipple. The sounds are clear apex and base; no accentuation of aortic second. Lungs are clear, breath sounds full and normal; liver not enlarged, edge readily palpable; spleen not palpable; after exertion soft systolic at the base over aortic area, disappears as he gets quiet; definite cardio-respiratory bruit with inspiration.

Spleen Leukemia

Dr Varsi's selnd
Aug 686-
M. Dornan '67
163 Walth St.

~~44~~ Delmit.

not end spleen 2.4. ago last march. Then not so big. Began
blow prof. & abd. increasing. Then quite heavy. weight 212. now
180. no loss in color. Blood count in April '67. Dr. Dornan had
blood count RBC 3,800,000. Lc 82,000. In Jan '67. RBC
370. Wb. 195,000. Drawn out spleen. 2 1/2. rever-
sal H. Hot as Lader. same this summer. Spleen ca. in umbil-
& less rever. Lungs. not a little, only a little now. 8 ft breath-
a little. Dr Varsi had since April Feb. X-ray. from Jan. Spleen
not reduced. Large blood count. No count since April.
Abd. very large. at once all rolled by the two sides about 6" below.
The mass. very distinct. was so large & moving well in a
sternal. Spleen is enormous. filling the whole abd. exceeding the
left ing. & the pubis & extends into the st. area from. It is a bands
Growth beyond the naval. Edge very thin felt. below right
dest. & abnt. It is enlarged but it has better spreading. from
& short. Behind rounded edge is felt. tend region free.
Tend. & semi numm over the whole spleen. Liver enlarged
& soft.

Heart big active action. veins distended. in arm & n.

liver apex numm.
no sign of lymph glom

Blood. Hb. ? 9.6 G. 2840.00.

Whites. 118400.

Dif. P. 58.5%

S.M. 1%

Ferritinophiles 1.5%

Megalocytes 37.5%

Bas. Megacyt. 2

neuritic heart.
metast.

Dr Gray.

Jul 29th
'03

Very, altho. . mitr. regurgitation. broke down. . On 82, brain
fog. . talk much & excuse - all life. 83. after. broke down natural
in '98, allowed to drift into it. signs of heart - for some time, felt
well, but pulse weak. began to run again. had run 1 m. a day.
Had an eve run away night. What happens. Had been running
felt least thumping, legs cold as driving, ran across park & as
had felt pulse like series of volleys of cannon, next am p. still
going rapid. No digitalis, in bed 2 days. . Mus. weakness.
Then, Williams said natural regulation. at end of 95 again
at end of 95. recovered. man. still altho life. till 1900. Only
got run 1. & cycling up passes. when came back to Gray. still
pulse - & sphygm. ^{after} 14 days broke down at head of stairs, heart
beat all to pieces. In mind of Brod. Per cent. curr. I am
Williams. who told go & led that had deliritation. 5 w. in bed
at top of stair felt pulsation & perhaps panted. went to chamber
of bolt. 1902. Then in 1903 Williams said better. still slight
regurgitation delirious. & some time no return of del. Had brief
del. sleeplessness. but in altho nervous altho any
mus. & erection. In 1904 went up hill, awoke with palpitation which
is usual. no delir. but temp. strum. made him nervous. even
little things - a terror of noise, resistance "you be too nervous
to overcome top of a fountain pen"! a - b. shifted. & often do
has del. can do anything in ordinary way but panic terror, any
of destruction... personal conflict so great.

radial sclerosis.

a. b. in 56 when I saw him he was rather
frail. rate 128 - + 140 irregularly. very weak & number
no urine. often resting in sofa still by report. less frail at
times. no pulsation at base. no bruit. a roughness usually
at 1st. & a snap that suggests ventricular disease. but there's no
thump. at apex or base - a no definite prolongation at
minimum. systolic accentuated. but not very. pulsus
at N. st. brad. & H. wt. at out. pt. of niple ++.
Cor dull.

Dilated Stomach.
neurolog.

- Aug. 3rd '03.

~~Glendale~~

30

~~██████████~~

W. F. O'Neil N.Y. age -

N.Y. 6.9. 155 - Ws. studied here & found.. very ill for 4 years.吐ting sc at morn & Sundays. R.R., Recum R.R. ad burden heavy work. Result great loss w. & sinking down - no rest no res. trouble until 2 yrs. ago had sun-stroke. Dr. Jacobs & Jane way. said heart strain & real cold. heavy dull pain in U.G. in all all gone. Last 4 mos same lost w. now & some down. Lost 130 - 25 in last 7. 2 or 3 mos ago lost of aft. or sweetys. lost last meal. and. posterior. & also found blood in it & mixed with pers. Diaph. & and. worned. Dr. S. went to Eng.. came away 11 dgs ago in cloud. always spat up blood. was in throat - always in clearing both. water is blood stained. & little by green with meads. 1/2 h later Gibbs throat. no vomiting of blood. but of my voice in wasting. not heat. (Dr. Warren said post op but st. tube in throat st. of man & when) London 10 dgs. not doing much. Worned 3 mos ago. sleeping well. 2 or 3 hrs written. diet. gen. out in air & heat. not much sleep. no des.. bad teeth

1)

This colour is pretty good; mucous membranes red; tongue is clear; teeth are good; a little tremor of the hands; pulse regular; abdomen flat; natural looking; lower limit of the stomach just at the navel; marked clapping movement;

vertical area of stomach tympany under 10 inches.
The edge of the spleen is just palpable; liver not
enlarged; no pain over the stomach; pylorus
just palpable; no visible peristalsis.

Heart = apex beat in 5th. inside nipple,
no thrill, no forcible impulse; no enlargement
of the heart; lungs are clear in front; good,
clear breath sounds everywhere; percussion
clear behind; nothing on auscultation;
pupils react; knee jerks are normal; skin
reactions very active.

Tic

Dr. J. P. Willard
(Dr. Willard 1904)
Sept. 15th.
1907

~~Name~~ - Tiffin Ohio.

41. 9. aye pain in face - a long intervals - in N.Y had 16 days
it side - Is left handed.. writer a great deal.. Pain not bad till
2. 9. go then more & a more severe. at first - not bad but the sum
very bad. & that had culmin & cum. Pain in ear of nose flamed
at the cheek bone - neither eat nor smile not touch my face.
Dr. Morris. of Memphis - neighbor in Canada. Dr. Kelly. Dr. Battell.
& Cole both away. Dr. Lushing saw her. Pain so severe could not
talk about it. so bad -. Pain very bad. ~~Pain~~ Operation. faced
operation. Days. Dr. Hoffmann comes - a bad case & called in him
be said trained never. . but came back & same agony. Quebec
& the trip - of trouble so night 11 P. Ode. 24 hours not went as if
by magic. In last week grown one made. Run away 6 weeks.
nothing not affected. but in London one - Press a sort of must
knots. not old or old ligature effects &. worse in last 6 mos. not
free a day from May 1st - till August - except the first days or
Hoffmann writes. . does not want.

1. hand wife
2. handsides
3. nose & mouth

Post-paralytic paresesthesia

Sept. 23-07

Liverpool. J. B. Thompson
Springfield Ohio. (C. Mr. (Constantine) C.
Paris Thos Cook & Son

Dr. Wm. R. was ill 3.2 yrs. Vertigo very short from it. No
loss of sens. for a month perhaps. Right armnumbness and numbing
now. Thro. a little band of throat. Vomiting spell caused it. Left
up in the side - did not know it until put hand in water &
found I was - cold for while - & then became sens. & cold. & so so
as. decom. and other. awful custom. 2 years not able to do much.
Still dysaesthesia. I have flushed fingers lost in sleep. Headache - none.
and. E. h. pretty good. a little sensitive. burning in the arm & then all
at time - is actually cold. - no diff in feet. Pretty well - except
burning in head - when dead set all. Malaise when going.
Dull headache. Pain etc. cannot walk much. Massage does not
help. 2nd year. rubber inflated them helped. - app. good & dry. good.
Temperature. not much loss.

A very healthy looking man; good colour; the only thing
noticeable a slight droop in the left eyelid, which
he says is worse at times; Sensation is perfect both
sides of the face; muscular movements of the
face perfect; tongue is clean & to put out
straight; no difference in sensations of
temperature of the two hands; feels where his
fingers are; Sensation of hot and cold
perfect; muscular movement perfect;
small muscles of hands strong; only has
trouble on 1. leg for 2 mos.

The paraesthesia feelings down the arm & leg; pulse
is regular, 80; vessels are not specially sclerosed;
blood tension moderate; slight throbbing in
vessels of neck; apex beat not visible; no
enlargement of heart; soft bruit at the base;
heart sounds are clear; liver is not enlarged;
Spleen not palpable; the right foot looks natural;
reflexes are normal; knee jerks are both
active, not more on one side than on the
other. There is no ankle clonus; stands
well and on either foot; no swaying.

Burnt out batteries:

8/16 Oct '07

F.T. Cornish:

Peoria.

[REDACTED] 25 - Peoria Ill

Beg. Aug 20 Inf. ner. burning face & hands. 12.4. ner
curled in back of neck & shoulder, pain cold not steady. not v. h. swollen.
eyes watery & red. 17. m. Dr. Baldwin who married & doc. took away a
great deal. Some shal. 21. (well in t. front could do nothing) crawled
t. I. striped indigo & took a turmeric. in front. washed out. lot 38
Ms. + eyes gone in bed and. 3.7. ago been over with man 24
y. better. stand - all to pieces. Oppenheimer & Boas. in Berlin
now. St. Blasien. baths. built up. down. flared - flaring &
weak. 3.5. ago. Then later over Berlin. Oppen. & caron.
Pain in neck & shoulder & gen. ner. & sleepless. came out with coughing
got now? thinking about self breathing trouble in back a bad
risk down. too much thinking. now got - about not noticeable.
"perfectly relaxed". Scherlach 3 sessions. Dr. Spiesser. not a
bit of good. mud baths. not did harm. St. Blasien did good.
Mud always high 100 - seen below 80. now no
so warm. Blood always high 100 - seen below 80. now no
so warm. Not strong Arkansas for 3 mos. lot 14 Ms. though
not has dropped me down most. pain & slight stiffness in St. Ruth
was nephritis - 1/2 year stiff & no pain. & now ate & pain
all. At St. Ruth work I am - not much - but today feel it...
used up in slight case. weight now 118. but w. was 150. when
I had got..
m. d. of time in train. well - a F. not v. h. man. off in truck. 100s.
w. & strong. not buskin. always been pale. all day very yellow. 2.4 ago.
clean skin. say yes & go to castro. stayed at home 6 mos.
not able to anything. no responsibility. throwing away for everything.
P.S. pale & yellow. fluffy. - give good acc. eyes clear & skin pebbly.
clean. no. everything. skin pale & flesh is distressing & loud. no
tent trouble. nothing in back or neck. or in spine. no abscesses

in head in nest. no change in reflexes.

Rural Mich.

Dr Fairbanks

8d 17/11-
1907

~~He~~ 17/11-1907. Wells.

Fredderick, about 3 yr ag. severe. one. came in under
night felt wholedround & wind. & then called up. & then a
perpetual wholed & got better. no other seizures soon
followed. & then himself. at about 3 am last 1/2 hr. Docs
not think last. ams.. not well. 2-3 ags had an attack when
awake. & led off. not well. slept a dozen but heavy. has
had good. & had to hold on a few days afterwards. quite
unconscious since. It has to him feels as if everything went
from him - connection lost for a moment. has been under
water for car - boat. came on suddenly in Aug. cap of
cloud in head a thin depression increased was very deep. not
much memory in case. It am in loss. not spiritly running.
he says. violent seizures the depressions & only a bit ruffled
Henry released last Friday. A pain in rt side & rt kidney
tender 3-4 ags - no skin. looks well. & except when cloud
of depression. & open down again in both. Pains in Thighs & Shoulders
recently - almost weak. but else. where. walks with difficulty.
ams stiff. as bad at heart. no dyspepsia. - except at time

Neurus theca.

Dec 13 '03
on Turnell

~~██████████~~ 45 - Springfield, Newton Abbott not h.

H.s. t 20 wh. rig spine athlete with - huge jumping rapidly worse - th. stretched. 24. most of curvy male 1 more has curv. lateral. part posterior. Steel frame 2-3 years. made smaller now & won't fit 2 years. 24. in India - came to 16. Out of the spine. could not sit. always set up right. Dr. Aug. India had menses ac. Dr Ferrier - galvanism Valley, Mass. world. more than over 1800). Did not good... Large 40 lbs operation leg got better. Had the operation by Rose. Same time, did great deal of harm - plebitis after it. Insurane. Found at operation vascular & thickening of ligaments. In ankle. 5 mos after leg got better. Then got pleurisy both lungs. (Not well then) had 2 tappings. 1800. then pneumonia. Gave up over & over again abs. in lung. Crusty cur - muscle shrivels. Veins cut in bad leg. Picked up good. India again. When 16 yrs. Excruciate but pain, shrink t'it & spinal trouble is not bad & can do exercises now. Losing strength from year to year. now extreme weakness. By h in India.. Did a great deal of work in India. Malaria. back $7\frac{1}{2}$ $12\frac{1}{2}$ st to 11. Has dysph. & flat - a melanch cat sparingly. no worms. eyes bad - gen condition?

He has a fairly good colour; looks better in the face than the body; very marked vasomotor reaction; long scar over the upper dorsal region; the scar of an empyema operation below the right scapula; the spine is straight, the mobility perfect.

Heart sounds are clear; lungs seem quite clear; a very high position of the stomach, below reaches just above the level of the gravel.

Abs. Fever?

Dr. Braemerght
Sept. 22 1908
St. Brown. 32 Derby St.
(of Penang)

Mt. Faquin

[redacted] 43. Healey

In May had fever & then got pector. colic. and then attack. 24th
5-30 am violent. ^{ruminal pain.} had fever 3 days before. in bed. 103° - caught cold
no pain. & then end-pain - - fit of stomach - morphine inj. Had
append. 24. ago. severe pain - was in same way. pain in shoulder &
lower. Attack in 20 & lasted a week - & a lump was left to the
right. no pain - no other attack of same severity. and only got
better - in 5 weeks. This summer getting better. gained in weight.
Taking exercise & golf. until. On 28th of Aug. a new attack of
fever. chill. - T. 103° in eve. 3 days after developed pain in
the upper in the back no pain at first not noticeable like the other
attack. no pain again. (no lump again) not a good muscle at the back.
but swelling at back. Fever last left today night. Coming on in
pains. over 100° - no fever except when down deep breath or
fear. Tongue furred.

30th gone in the east. Starts. no illness. till 24th ago breakd. moderate.
no malaise. v. h. life. In Oct 1902 fever attack.

Cold ^{dysenteric} ^{2 1/2 years ago} started for mucus.
in Singapore - anorectic - then plenty &
pneum. haemoptysis or bronch. not well for 1/2 year. the
cold from a year was cured - at Singapore brought up dark
colored phlegm - often follows the plenty & bronchitis.
greenish yellow. & - not blood. not like amber sauce

He is a healthy looking man; good colour; not emaciated; tongue is still a little furred; no trace of sallowness or jaundice; Abdomen is natural looking; respiratory movements normal; no bulging on either side; right flank a little fuller than left, probably due to position; right axilla border a little more prominent, particularly in nipple line; chest moves well, does not hurt him, but if sitting up it would; no bulging of intercostal spaces; Palpation--abdomen everywhere soft, not tender; edge of liver not palpable; organ does not appear to be enlarged; liver can just be felt in parasternal line; no actual tenderness; the parts of the liver are not sensitive anywhere; a little sensitive on deep pressure in mid-axillary line in 9th. interspace; right kidney is not palpable. Percussion--liver flatness is a little high in front, reaching in recumbent posture to level of the nipple and extending to the costal border. Behind--no special bulging; perhaps lower right interscapular a little fuller than left; outer half of lower infrascapular region is flat and clear close to the spine; this flatness extends round the front and to about the level of the navel; fremitus is less marked over this dull area; breath sounds are feeble and distant over the dull area, but there is no friction; very decided reduction in the fremitus; heart sounds are clear apex and base; no enlargement of the lymph glands.

Cortices with Enlargement

Dr Mc Crea
Margrave.

Sept. 10 R.
1908

~~2~~ High cockpit. Very fast.

Liver - stomach. This wif. some mrs. belief. call not
last dinner. no end of work. weak - no run or nose.
loss of weight - considerable. was 18 stone. 16 now. now? by
me h. always pain. in side - as off for year. not walked
at night. "weak nervous". weak noddle - not stiff. 3-4 ins
& 6 ins. first signs. Soreness. Influenza (date from ^{seen}) after flu.
Y. h. m. & strong. married by word brook. Broadbent ^{seen} ~~seen~~
or Dell at Bognor. At one time as "he was walking by behind him"
(married 20 years ago) when at Bognor was ~~paralysed~~. - Could
not move legs. October to July. Followed sun stroke they
said. occ - brain attacks for 15 years. - nothing unusual. Hand
soft - body - liver run by Seester Dr. 4 years ago said it was
big. Hand a "would have it all life".
Never man really got. always like whirly - 2 times.
Never man really got. more bleeding. - a little.
1/2 wt. of whirly -
Jaundice. 10 days. 2 times - bleeding - pale.

(1)

(16) He is a tall man, 6 ft 1 1/2 in.; slight tinge of jaundice; gums are soft and bleeding a little; tongue is red and clean; one or two naevi; one on the right wrist; about a centimetre of capillary congestion about it; no visible veins. There is one above the right eye lid; pulse is regular, a

little rapid; radials are palpable; marked atrophic linea over the front of both shoulders & over the outer part of thighs; in usual situation; above the groin there are 2 or 3 large ones; abdomen is full and large in the upper part; marked prominence below ensiform cartilage extends to the right; it descends with inspiration; very prominent in the upper half; on palpation the 1st line of the liver very definite, prominent, notch in nipple line; 2nd. one in parasternal line; edges very rounded; fingers readily pressed beneath it the whole extent; surface is a little irregular; one or two small prominences, but no very large projecting nodules; surface is very hard; in the left side the edge of the spleen is palpable; about 2 inches below costal border, rides over the fingers; superficial glands are not enlarged; superficial veins not visible; nothing to be felt below the edge of the liver; glands not enlarged above the left clavicle; heart sounds are clear apex and bases; pupils equal, react to light; Rose freckles are present;

Syphilis unsub-
documenta alata

Aug 3 1908

Dr Mollov
Blackpool

[REDACTED] 37 Bridgeport Pa

V. Gord. 84 Sept '07 ill. mid. pains in limbs lying in chair. vom.
+ diarrhoea. In bed 10 days. vom. more or less. sometimes t. lost heat rapidly.
Saw Dr T. Y. in. Thot Gustn disease pres. B. neph. gm v. So over that and back at
work + gained weight, t 150 lb. Dec 23 called at t. practice care. AD + I am
had a chill & fell down. pains in leg very severe in calves + arms + all tho the
body - aches - no fever. got up + for a small gal about 8' finally collapsed legs.
Same way - got pins + needles in finger + feet. In bed, 1 mos could move legs.
and arms in calves + c. feet after now or t you came + order H. H. stayed here
5 weeks. Had stomach vom. + abd. cramps. very nervous could not sleep. 2nd
years vom in waist a few cord. Left in March. never had + return home.
walked. Went to bed at home. Very ner. pains + walked on + off till friend
said in 6 th. in bed more than of - Gentle sensation. severe pain in back
+ 4 years ago had shingles - 3 mos before little stuck. 9 years infibul spina
infibul left finger. Thot res of vacined. Secondly except. Throughly
walked - in off. K. April 1908 not in his mind. Dr Weaver. came in.
see him. + said "a very long time have been along". upset him.
7.45. Hospital released

Pupils unequal. R. pupil dilated both immobile. rest made in exp.
very alatice - cutters but in a normal way. no men of hands or legs
in order test. - eyes ground clear at dusk a little full + veins large

Cervical rib -

17th June
'08
Dr Andrews.

~~2~~ [REDACTED] Shreadage - Name

Pain in shoulder - all day - whole body. Head for 2 mos. Has had cold. been a cold. for year. Sustained with milk leg. Her has 3 children. 3 month old. no trouble. Varicose shd & breath bad. and recently. Said to have Rh fever as girl (?) V. h woman. For 2 or 3 mos shd & breath. For some years. 12 or 15 y. has had an enlarged liver & spleen. her husband says. & the arm got much weaker. 2 mos ago she fainted. 2 or 3 min after making an effort..

She is a healthy looking woman: high colour; no cyanosis; the pulse is regular, about 82; pulsation on both sides of the neck; on the left somewhat forcible; it is just above the clavicle, extends from the outer end upwards and inwards towards the thyroid; it is much the same on the other side, only the pulsation not so forcible; no pulsation to be felt just above the sternal end of either clavicle, but it is just at the

outer margin of the Sterns-clido muscle; there is a little throbbing just above the sternal notch, forcible + palpable; Heart - impulse is a little forcible; there is no thrill; sounds are loud and clear at the apex; a slight rumble in diastole; not a very definite presystolic; the pulmonary second is very loud; no murmur over the tricuspid. In the erect posture throbbing vessel on the left side to well seen; it is a little swollen in comparison with the other side + there is a definite pulsation outside the mastoid muscle; it is a little tender there; the left arm is a little smaller than the right - burns a little + gets numb; on deep pressure it feels as if there were a much more prominent spine on that side than on the other; she feels perfectly where the arm is touched; the two middle fingers of the left hand get stiff; no definite presystolic murmur; both sounds are very loud at apex; there is no murmur at the base; there is a definite murmur over the enlarged vessel on the left side; no murmur over the subclavians, just over the clavicle itself.

Psychastrema malgana

June 6th: 1908

~~R~~ 67 . Local.

all live rev. sy. deb. rec. last - 10th ago acute. first parox.
turned to parox - rev 4th. and I rec walk. but regurg. same thing -
or said rev. also returned suddenly 88. 1500 Broke down utterly - 1501
got wallaby killer - Each time when walked a bark came against his head
& could not walk - not all all - sleep. even able to walk around now.
no mus. par. cold run. - does not cry much beyond a certain
point. but after it sheer exhaustion of all powers. - not dead. but surely
be flat. no pain simply utter exhaust. 1502 struggled on. probably who
lives, & hand. Broke down last oct. utterly. - now able to stand on his feet
but can talk - cannot do anything. set curves. Can walk. but not
more than 150 ft. - 20 ft. at home. legs do not give way. sort of cold
feeling - spine a pain in back of head. Good color. Sleep well. eat well
good spirits. no ulcers. & except. Has been thought to be hysterical! but can
bring well to bear - Does not talk by."

It is a healthy looking man; good colour;
tongue is clean; pupils are active, react
to light; general nutrition is excellent;
vasomotor reaction not very active; very
good respiration; heart sounds are
clear apex and base; knee jerks are
normal; station is good;

Brown - brown -
possibly Syphilis

May 22 '08
Dr. Provost:

~~Hans W.~~ 32 Beechlawn . Okemos.

#

feeling in head quite stiff & cannot hold anything. began
14 days ago - suddenly. At 1st day came numb & could not use
legs or hands much - esp. the right. Day. Lasted 2 mos. went
out in chair - legs were so stiff - drags the leg. ever since. only a little
at first legs bad & afterwards hand so that dropped things suddenly
just had ch. Dr. Shatt. hydrocide fit. - & an a/cg a 2nd & left a 3rd
none w/ slight inc since. Began with a start now & sprung it
in bed. The teeth were set & knocked a great deal w/ st seeds. Late
1/2 hour after was not so long - now. after this a memory
affected. Left her for 4 mos. one sat. Feb. began again a slight
one & bad inc. - now since better. At present numbness in rt hand
& leg. Otherwise fully well. ear bad. Memory better. Dr. P gave
16 lbs. 4/lb 7. ago in the Thorax was on the dressing a wound &
got infected. The thumb. was infected. was lying in in bed
was seamed - bone came out. Dr. thought it possibly syphilis.
Dr. Bassett Hall. did not think it specific - knew however it's syphilis.
friend suggested it. - & it low in system.

She looks pretty well; walks fairly well; no special dragging to-day; pupils are equal; no involvement of the face muscles; right pupil is perhaps a trifle larger than the left, both react to light; arteries are not sclerotic; there is a defect of nearly one half.

of the last joint of the right thumb; no scars especially on skin - one or two little ones about a centimetre in diameter and a little scaly on the surface; grasp is good in the arm; there is no disturbance of sensation; feels the difference between heat and cold. There is no loss of power in the arm or in the leg; knee jerks are markedly increased, more on the left side than on the right; no special rigidity; definite ankle clonus on both sides; well marked Babinski sign; no vesicular clonus; there are 2 dozen spots - two on the back; they are all flat, slightly raised; no indurations of the skin; no special copper colour; walks with a definitely spastic gait, particularly on the right side.

~~House at 1st Street~~ 34 218 Woodstock Rd - W. J. Ford

47). anæmia. - not nervous or tremble sl. - 45 yrs old
leath. & could ride bicycle now cannot do anything - sleep with
any rest. Tangled with bicycle. anæmia - for 4 years. not treated. for it
I wear leather & now the nerves. - does not fit 3 years. now it try to me brain
fit in mind & right - a brain attack - coital, about 2 hrs. & goes
to sleep again prostate, eyes swell. Can go about. Played tennis but used
wh. Heart looks a streak flame. Brain & extremities. Tremulated for
and over 20 German hymns. - too much. Felt bad 23 m. & in health
it seems & seems dark, & used sp. Ap. good, not sp. constipated.
Takes serum 20. takes 4 serum first a hot w.. Not much actual headache
"did not feel pain with headache" by well. Is much worse. Cannot
stand any strain. Sardon went for 3 months. Has a depth. here.
Episodes. & very simple. you for a month - went down & up for a month.
Now I give it twice. After 3 mos. aches all over. When went. much flaccid
Lethargy makes me faint. as child. very sick. & until twelve very slow
7. mother seen man 15-9. paroxysm of. mother nervous. & all there.

112 2. no girl - has made a few. 5. Play fair said as

Pat. at heart. In am when has got fit - very depressed & can't go this
the bed.

- mother says -

The looks pretty well; a little pale about the
cheeks; tongue is clean; pupils react well;
no tremour; pulse is regular, steady; no
enlargement of the thyroid; vasomotor

reaction active; heart sounds are clear
apex and base; abdomen seems normal.
no tenderness anywhere; knee jerks are plus;
toes are not affected.

~~██████████~~ ^{Naubern Table!}
metastatic lesion. Niles

Jan 9th '08
Dr. Poundford

Lent.

Constipation, not better 10 years. always pain - sometime blood
all bordering ub. - last former.

Old Lent lesion. a b. in rectal wall for about 1/2
in well felt. low lent syst in line over Lent. sub
perit area, no aortic. No rectal enlargement. Bowel not
full and relaxed.

- 1) To have Lent.
- 2) not naubern.

Enlarged liver

July 26 1909

Dr R. C. L.

collator (Som.)

~~Father~~ [redacted] 61 chemin. Oren

V. L m. & Aug., 1890 - had infl. 2 m. ago. In 95° slight full $\frac{1}{2}$ yr ago sun had attack gas-attack. - well had some pit - & chills after a few pains & - very bad. Full heat in bed 2 days. & a morn. - so said near Jandia. This began muddy - 8 am. & mud by shells often came in grains skin. & ab. Sun in May. - not much till the present. Some thin pains at times - no long series till 5 weeks - & on good better than before, but now weakness. Jaundice early, a week after a bad belly, but now weakness. Jaundice early, more 3 days after a slight fever 103°. Saw him 2nd visit Jaund. more 3 days after a slight fever 103°. Saw him 2nd visit Jaund. more 3 days after a slight fever 103°. Stools better - losing weight - now inverted. - Jaundice less now. - stools better - losing steadily. Et us. in 5 months.

Looks thin. Veins of cheek & forehead a little distended. Slight but marked jaundice. Tongue is clean. Pulse regular. Slow 64. Abdomen looks natural, a little thin. Marked throbbing in epigastrium. Pulse between navel & umbilicus. No pest. Well marked shadow of the descent of the liver on deep inspiration. Liver can be felt exactly 3 ins. below costal border in the Para Sternal line. In the middle line it extends 2 fingers breadth from the navel. A little tender on left lobe which feels distinctly irregular. The edge is rounded a little irregular. No nodules on surface of the right lobe. Liver does not reach right. Lung tympany is in 6s. Spleen not palpable. No glands enlarged in neck. Appear just below nipple.

Soft apex warmer and breathin. axilla. No cough.

Fainting spells

Aug 1st '09

Dr. Olive
Leamington

[REDACTED] 60 Learment in

v. h. in - not over strong. break down at 2-4 with. hump. hemiplegia
occurred but instant 3 years had a glau cut out of angle of jaw right mouth
fair health... as young man had inc. fainting spell - at 17. very faint. after a
drive. Then after 10 years had occas bad hump. after indigestion. When so
right off not a bad as half a hump. for a small one felt faint on coming from dinner
table. In usual health a snug. of any last year in Learmer like fishing
feet but. just last year. got off boat, said inshore. Start hump.
Then had 3 bad humps in winter. 1st. coming home (VX) & turned bad before
the fort & there went bad & for a day or two felt cheap. If you have
smaller & felt faint. but not always. After heard no sevral times
2nd gave t party of little girl. start a good deal stood by as began to feel
badly. & when all night. & 2 or 3 days. no go & slept in bed. 3rd one
as usually. not falling down to dinner - felt - pains. & had the down.
never vomited. but often. but we was mind of way. All right ready & better
Pubic. in all other feels & drops beats. Dr. Olive has seen me we all think
as sevral at least. - Big as but not too much. - very small cab.
Felts well - lost in w. in winter. W. 11. Down + 10.7. + 5-1/2 in
Often went. Dull esp. 65°.. not much pain.

(Gibson. May 115 - see 90. P. 72. Res 18. . S. May). after rolling
gravel - 60

1) Fishing -

2) Cycle.

3) cover shooting.

The Apex beat just visible in 5th. Normal situation. Not forcible.
No pulsation at the base. Slight impulse in veins of the neck.
No increase in area of Cardiac flatness. Sounds are clear
at apex & at base.
In erect position sounds are clear. Of normal relative
intensity.

August 3rd
09.

[REDACTED] 53- Montreal.

3 days before the myxedema began was deferred & 3 days before the treatment. took 100 gr. & found only. (a lady made the diagnosis) Took it for a few mos & had the pain in heart & arms. The swelling at abdomen even worse. She had had a recurrence - now of none for 3 weeks or characteristic facies. stiff & feels - in upper & right scrotum & then dry. Pain so great the time that she could not stand & went up & down the stairs & over down left arm & looks deathly - if she has a burst goes down the right arm & get breathless. no sweat. If she begins now & took 4 1/2 gr tablet in the day in two days she would have the attack - down the muscle - very remarkable. P. 60. - feels nothing in heart. If lets down slips at once - but is so desperate & peculiar. Has for years taken the salvarsan 1st & 10th of each month. but now two days after the tablet a high tho. - left hand gets numb.

To write in a week - rest in bed while taking the tablet.

V. characteristic facies skin condition.

Tension good. Aortic 2nd sound a little
slurring at apex. Pain begins over 2nd
could be covered by a pillow. No skin sensations.
Entire absence of thyroid.

Pulse slow, regular.

accentuated, 1st is loud
left rib in a space which

Miss [redacted] ^{at the} Lady Club Burlington St.

Gout. F.S. unstable. No persimms. B.F. 54. no such bl in one
v. h as chkd. anemic - white. Dull h. no swellings. P.D. not ussd health
in autumn. & could not had goal. & had chalk stone wch & scabbed him
mt little stone - & no nothing in joints - almost crippled for weeks.
Osteo. stiff of gkt - a few points pain. no swelling in hand. Ego is
weak - & came off for 12. - They grew again 1st & 3 fingers of
L. hand no much for 12 years & now have grown out for 4 yrs
but in other. Hand in fingers - get & go in fine. No loss or gain in
w. goes down in winter. Good appetite. Dry. but. pain in Elbow - no
swellings swelling neck foot feeling not stiff of back. Tongue not firm.
or sticks out or lassive - talk is not agree. Throat better - shingle is
l in summer & longgto, not hard but feel something at back. Tongue
not large but red. P. 1000. Tongue a bit puffed.

~~The~~ enlargement of the liver or spleen.

The right ren truly moveable. Heart action is
a little forcible. Marked throbbing in the abdomen.

Sept 20 '09

~~██████████~~ 47 40 Cards Ch 55. London.

Story appended. - a bit of R. 7 Ht. got out in f.h. f. m. not
but R. B. S., h.w. no govt. one thematic.
P.H. no disease. nothing serious. no epithitis. no rh. fever. no fever.
Sc fever rhythmic. Excr. good but never to excess. 20-25 a day.
A lot of Cramps - likely very little. Food in moderation. not heavy eating. in what he had
P.D. left foot under foot under etc. on wall & over lame. walk for 3/4 hr.
and before this lame. Later on & off over time. Excr. cutaneous at end of day.
and stiff for a minute or two. Confined to foot heel unless stands &
in position in leg. a little in other parts shorts ac. not red. no stiffy
or pain in lame. would be lame at end of a few months a severe under the
feet. Doesnt form. Shape ~~somewhat~~ different. Angle not turned.

b. healthy looking man good physique Good colour.
No tophi. No joints swollen. good muscle. feet are
natural looking. No swelling or redness when hung
down. Veins are not enlarged nor do they
swell specially after standing.
Heel looks natural. Just one point in centre of

heel that is sensitive exactly in the middle.

No sensitive point in the other heel.

Dorsal arteries pulsation well felt in right & in left,
+ in both posterior tibial. Radials are full,
large, pulse good. Heart sounds loud booming.
No enlargement of spleen nor of liver.
Beginning of Heberdens nodes on left hand.

Left 24. 18¹⁰. 3 mos ago began in arm - up & down outer side
of arm - has been on arm - up & down not very troublesome.
Shoulder blade stiff. Does not do. altogether - now itself. - keeps
muscle at right. 6-7 in girth at 2d dist. last few days weaker
with it. G-H goes not away like sunn. In. creased & could not
bear. get ang - "bells".

Looks well good color. Shoulders look symmetrical. No pain in
rotation of the joints nor any pain in handling the joint. A little
tender above the outer side of the biceps & down the back of arm.
At present no disturbance of sensation in the forearm itself.
No actual tenderness in the muscle itself. Nor in the course of nerve.
No special sensation of the ulna nerve behind. Muscular power good.
No wasting of the muscles. Heart sounds clear.

Nyctagrus

Sept 20 09

Dr. Kinsley Taylor.

Dr. John Taylor

& Dr. Fairhurst.

Miss [redacted]

Norwich. Reg Hotel.

V. V. & S. - Only age. 2 1/2 years. Measles not bad attack. no
F.H. F. w. 80. S. 140. H. 11. Lungs 15. abdomen 15. Bowels 9 lungs & well.
S. f. non typhoid. Sore throat - no troubles - not much fever.
P.T.R. when in Balt 2 1/2 passed a shot cold and tell when - was sickly -
could not walk well - had asthma. Vision bad. when jogging is bad.
occ. better. Can see better with one eye shut. at home so bad can see
see at all. one eye same as other. Last Dec. losing sight. 5-6 hrs
a day (in & out more all day) - one time can see another. Can read
at times - but for it was not read the newspaper. Glasses not so good
now as before. Books hard. Toh. no acute pain. Dreadfully in busy place.
Last Sunday in River - a bird hit eye and. Under eye all hurt. Had good
exp. 7. 7. 20. Smashed up. eye now in worse. swollen still a long time. do
now in head. Both weeks & got on not well for a year. Examined by
Balance is hopeless. - judgment of distance not good. Bab. bad for
2 y. has to walk for side & side - sometimes stagger (Mrs. Beebe has not
seen it) but will an effort can do it. Has never fallen. Knock &
stagger going up a door with; an arm around him. Worse in dark. One night
had to get off. Distance. if sleep down a step cannot tell if step or
shallow one - No make a wrong shot at putting on clothes. no trouble
with falling things. Full, speak & well now. Henderson nine -
& sleep well. This can. can walk 14 hrs. Mrs. Beebe said not seen
her for year. no change. Giddiness. some Dec. no rhyme - reason
has to hold on - sees nothing - can still - even at best. - words well
no difficulty. Shut eyes. while she sat her she saw all room
more. - Mrs. B. & I. & argued after a walk. - now almost still. & could recognize
Mrs. B. changes so rapidly - a but not a while ten minutes in abd. could
do. Hymen. upon which one minute can one count. now seven fours
cannot tell Mrs. Beebe - can tell a person. that is all.

Looks well good colour. Nystagmus lateral, curiously
variable. Much more when the eyes are turned far
over. All the movements of the eyeballs perfect.
The pupils are equal & react to light.
Habits. All the movements of the muscles of the
face perfect. Movements of the neck perfect.

Hands, no. v.m. trouble. No tremor.
No voluntary tremor. Perfect control over
movements of the hands. Feels the lightest touch.
Stereognostic sense perfect. Feels count well. Feels
difference in weight. Station is good. Stands
well on toes & in either leg. Gait is
good no special swaying. Feels as if the
were drawn to the left. Knee joints jerks are active.
no chin jerk. no amblo clonus. No Babinski sign.
Arteries are normal. No thickening of any of the
vessels.

Heart action
good.

July 11

Nervasthenic

Sept 25 1869
Dr Hodges.

[REDACTED] 36. Dead night now.

very del: nothing long - 12 or 13 - Great ch trouble, as general
that I don't always deliberate now..(both sides). not. named. lives with
mother. she has epilepsy. 7.0 7 bright. 16. w + strong.. balance & g. ago
had attack in Africa - had when came back. on + off. not very well - last year
sever. feels so body - all sensations - persons of sensation. a day or two
(1) short of breath - feels cannot breath, cannot breath now; in fact feels
burn in back of head. & vertigo. (2) walking is slow. & fatigued. (3) tremor
(4) sleep of neck. (5) chattering of air passages (6) burning of face & feet (7)
never dread of disease. (8) not = going to die (9) insomnia on
(10) acidity " number of fingers & hands in bed. 12 shivering pain
in arms. (11) sleep - 7 a.m. (12) feel in you brace. (13) peculiar &
eccentric in passing - Has lived a very regular life perfectly virtuous
to. marks census. & very high class. no one in Engt like me -
great violator - it a drum. (14) feeling of cold warm. in back (15)
Thread running (16) typhantic element (17) sudden drops.
as if no muscle. (18) heart. (19) dryness of tongue at night.
no loss in w. is there. affect - good at times. sleep bad. does
read for orders - Day reader. does clergymen well. when well.

He is a nervous man; fairly good colour; pupils
are widely dilated; Contract actively; tongue is
clean in front, furrowed at the back; hands are
moist; muscles are thin but hard, no tetanie;

abdomen is flat; stomach tympany is low; organs relaxed & somewhat dilated. The liver is not enlarged; spleen not enlarged; heart sounds are clear apex & base; glands are not enlarged; vasomotor reaction very active; knee jerks are very active; station is good.

Arthritis +

Oct. 18th 05
Dr Wild. (Beth.)

Miss E. H. [redacted] 51. St Petrow Nailsworth

c of 13 yrs. fall on knee. Since since an external lameness in left - not in bed. Still in a wooden bed brace - all lameness gone since. No other joint affected. & after over 3 yrs ago. marriage last Aug 1st feeling in left 2 stiffness. All went well the marriage. but - marriage set up after weather & tiredness of both legs. & not cured. Two better - 94 good. Both legs & left better - in health. - now both legs cannot run. - not walked lame. - in am stiff. uncomf. feeling & few aches. - no bony calls in rev. syst. G. Farm Hrs now & out - but never. V-h. till 50. no illness. very strong. now incapable of doing anything. 3 yrs. feel. (1) in hips & in lower part. (2) down legs - a strange feeling - must sit down. (3) do not give way. & has never fallen.

+ my

send word. (1) as to cause of life

(2) treatment. massage. - no mass seen. 2 months.

(3). - Treatment.

Healthy looking woman. no thickening of the sub joints.
no pain on motion of the arms. no swelling of the ankles
no pain on motion. Both knee-caps are perfectly free.

no pain, no swelling about the joints & no tenderness behind.
Lifts both legs well. Right is let down less easily. When the right
leg is flexed the whole pelvis moves, & in certain positions,
particularly on rotation it is painful. Marked difference between
the two: the left leg can be rotated easily. Tender directly
over the head of the acetabulum. Heart sounds are clear,
pulse regular, good volume, good tension. No enlargement
of the liver. A little tender just below gall bladder. No enlargement
of the spleen.

dicto corris.

04.28/5 '05

~~██████████~~ 26, 14 rue de Seine Paris (Boston)

not over well. some Harvold 1901. suff crusty. ind. urine.
more or less sedentary. slants the chamber, read fatigues. not over worked
exs. to cold catarrh. Bed stable before exp - Pain. in back left back & 1 bottom
always in same place. & some menses. Begun 10 days. ~~now~~ Came in
spells - last for months. wrote a rough typod. last time 13 mos ago.
not sure. Dr Harrington. Blood - not. - not gravel - went 1-2 yrs.
said a bird shot. Then you & had attack - slept. one drink
whiskey. --- warmed by 6 hr. measures. & would keep awake at
night. & at 2 am had a bad 2 or 3 days. - one spell. 90 - say - 24.7. ago
no stink = not sure. Open on f append after 1st. no change.
not jarred. has never passed stool... In sept. attacks & small spasm
at or Rainsford. more shaking. hard walking. Frosty - rain. 8 mds
after. no exp. bed body. came in & lasted all night & next day.
not mouth - stay in bed - accoust with chill. in the warming time -
before the fever often begins. Free from it - better - come a bit
twisted & hide - & one usual thing. Good but y white urine.
no actual pus - & no smell of the urine. - Sometimes an enormous
quantity - a bad review before the attack - half a pint. come as
shot at 2 am a part - bullet & dislodge. feeling in abdomen
after a couple days. another fee. when chill slid across it - Headed
out. Bed w. 150 - 148. not much.
good time here. - Dr. liv. y & Dr. Bright. B. 2. S. & wasl. -

Looks pretty well. a little thin in the face.

Cold off lips good. Pulse regular. Looks healthy.

Abdomen looks natural. Flank lines are equal.
Splenomegaly in lower Zeracic zone. Descending colon
easily felt. Left kidney not palpable. Nothing to
be felt, and deepest bimanual palpation.
On right side kidney not palpable. No friction over
the flank. No increase upwards of the
kidney — — behind.

Headaches.

Nov 12/16 09
St. Whitechapel

Mrs. [redacted] 29 358 Banting Rd

Headaches, had all life - 3 or 4 - not so bad as one started for 6 years as child. - Came at monthly period - now often. Other never a period without. not for years. Vom. not us always. gives headache. - 2 or 3 occur as 3 days. & often we get not. never 3 mos without. never a fortnight - frontal. more. sometimes one eye. agr. not sleep. Ord. Dr. Miller had as young woman. bad ones. not now. 10 b & s. We all suffer with headaches. In Eng. 4 1/2 yrs from mutton. never unless sleep. in white cups. Vom not acute; Started hard. - 4-5 music or my hand.

Diet right - abd. - never on veg diet. no good. - living country life. now meat once a day. Last winter I had a week. - better so far. 1st sy. Waller in am with feeling of headache or heat in night & dreams of it - has had 1 in dreams. - come on any time even in am hour will be prostrated. - so bad he had to walk room for hours. - Then, a good diet. - abd. as sole cause of headache anything.

(1) Veg. diet. rice - bread & milk. Ward marmalade. Potatos. Cabbage.

(2) Veg. diet.

Healthy looking good colour. Tongue clean.

The temporal arteries a little sclerotic, radials normal just palpable. No distension of the abdomen. Not enlarged no dilatation of the stomach. The tympanum is a little high. Heart sounds clear. Aplastic pulse.

Gout. & Tophi.

Dr. Griffin
Bauburg,
Jan. 12. 10.

Mr. ~~Hill~~³⁷ Bauburg.

Gout - for 10 - 12 years. 1st indic. pat. that Rh. had red hives.
and bl.

occup. Dealer cattle & horses. not in dep. - F. d. 3 y. ago 75^o, not. had gout but
for 16 y. before did not a limb - no tophi. In above w & st. 70. no gout but
rheumatics. Knuckle drawing lot. B. G. S. 3. none the gout. Pat is 16
416. Habits. began young beer - & has shirts - but has had a rare lot in
his life lot of opium. would drink 2-3 quarts - whisky. 8-10 glasses.
none now for some time.

Allahs has had many acute attacks - in 6 or 7 yrs. now per-
ent - so stiff. T. up in some cases. 3 weeks at a time. a very tender
area. when big was. Knuckle & shoulder, & the knees.
Good ap. always. since Oct. so myself. in summer. pretty tidy. Passes
moderate amount. v. h col.

Healthy looking man good colour. Marked tophi in both
ears. Large tophus over knuckles left index finger; large
one on left elbow. None on others came first. Both ankles
are a little swollen, the right more than the left. Knuckles
distinctly swollen. Big toe joints are not specially enlarged
and tender. The tissues about both mal. are swollen.
Both joints crook straight knee. The right wrist is just recovering
from an acute attack, a little livid now & swollen. Does not hurt

now. A week since it was involved. Swelling of the outer side of
right thumb. None of the tophi however broken.

Small tophus just over right external malle. The smaller pendents
are free. Pulse regular 64. Arteries not thickened.
Heart sounds are clear apex base. A few wheezing rales in the bases.

Constipation - neuritis.

May 11/10

[REDACTED] 21. (Ballistic) Hill-Hurst Streetly

Conf. constipation seems remember. occ as bz. Began flimble at 17. bzgs & flat seem bad. Then 2 or 3 yrs has bz & const. 2-3 days. Then starts something & bzg. without alarm now & passes down a free now... working not hard. - no worry. - weak nerves over done - new breakdown. - not worn - one late night affect.

7. decd. m. low. 2.6 & 1.5. w & sl. - no del. never.

Diet. 1/2 boiled eggs - br. br. & fruit - ps. lunch cheese br. a slice fruit. 1 am. 3 orders Hell. Large apples -

Best. weight 11. now below... grad. daily to 3 hrs a day.

Evidence v. new man. - good color.

1. Err. nervous.

2. nothing in abd. (old scan I used)

(3) Spasms abd.

(4) chest now

(1) Keep in good cond.

(2) Diet.

(3) Slop med.

(4) massage. three times - small

(5) exercise. daily

Mitral & aortic Disease.
ang. pulmonis furste.
Kent

May 3rd, 1910

Dr. Hardie

~~Mr. G. F. Hart~~ - with 70

C. F. Hart. - as now sitting - of middle build - pain
in breast - long back as 40 years - valves not tight - never had
any attention till last 4 years. walked up hill - pain - never -
had attack - not up neck or down arm - in centre of breast. 2 or
3 yrs. under acc. & had shoulder cut. To dog - when got it suddenly
had it - ~~but~~ of course - after riding in train feels more. not
at night - sleeps well. Eats & drinks very $\frac{1}{2}$ day. - Had attack
of infl. - not more than usual. Of fulminant course. Not eating
heartily - very careful - bowels regular - - light dinner every
night.

Dr Van Ciseen said he had mitral disease
40 years ago. (Father of Drs)

P.T. full & regular.

1. To go slowly.
2. slowly.
3. regular diet.

Healthy looking man; good colour; young looking for
his age; pulse regular, good tension; arteries about
his own age; temporals are quite soft; radial pulses
equal, no arcus. Pupils equal, react well to light.
chest well formed; marked prominence of the manubrium;

no pulsation. Heart impulse not visible, palpable just below nipple line; not forcible; no thrill apex or base; loud mitral systolic, first heard in axilla and round to back; maximum just above apex ~~beat~~. Second sound heard at apex; loud aortic systolic heard up manubrium and in vessels of neck, more intense over manubrium than at a.c.; soft aortic diastolic just audible; no throbbing over manubrium; no pulsation; no tracheal tugging.

In recumbent posture mitral systolic much intensified. Lungs clear; liver not enlarged, edge is just palpable; spleen is not ^{palpable} enlarged.

Heddas Meiss

Sep. 23. 1880.

Miss ~~Wattes~~

Northampton Mass

not very strong - never very strong "well till college" struggle & get thro. Graduated 1884 at Smith. Some teaching in poor school Kansas. in England a year. then in Boston. called to Smith. teaching at Smith about for 2 years while doing a family - strain in vacation - went to Dr Hollis at Cornhill. Fancied much - went back - did college work in 1804-5. A Xmas was just begun & home indigestion - had not had it before. head and lungs - Dr Hollis - said not fellow at Columbia. Went to Italy - got worse. Dr Van. Journeys in Venice. stayed - "Hellenism & Chemistry & not eating well I felt so' & at Cornhill, very ill for 4 mos 1806-7. Stayed here the rest of year. began to get well better during & for 3 years has been teaching. Father died College. and living - sans. 8-10 a week - not have been "unusually tired." Had come work - now not much. can make most of herself - Had gained. owing to cold - feaver'd &c. had bad cough - Throat a touch of it. Came here in June. ill on steamer. very cold. took & tonics - came here. Gainng in w. - point was how much work can I do. Work at Bodleian - 2 weeks in Febt, began to work & study 10-1.

Looks well, good colour, w. about 115. no anaemia.
Coloured lips good. Pupils equal react to light. no discharge from either ear. no tenderness on mastoid. Tympanic clean
Pulse regular, good tension. Slight nervous tremor, no enlargement of the thyroid. Chest is fairly well shaped.
Sternum a little prominent, expansion equal, right clavicles

~~V 12~~
little ^{more} prominent than left. Vasomotor reaction very active.
Slight difference between the 2 apices, on right expectoration
pulverized. Occasionally dry crackle at end of inspiration.
Bronchial secretions tubular. Heart's action is clear.

Oct. 1st. 1900

Dr. Kersh
Wash.

appendicitis

~~██████████~~ a stock manor. London. Br. &
~~██████████~~ well.

mt + Portugal 1808 till Sept. had stomach ache. several days. In Oct. 7th - sd very travel's had ft. pain in rt side - no fever. Dr said append. Home & X-ray. white & pain again Dr K. said append went up. Back + neck Jan 1st. well odd pains at times. not enough of I June Malaria - 20th July. every 2 days. Home & had jaundice - was yellow they would not let him on train. Back + neck Sept 1st. in good condition. Both have one month. on Shanty Harbor. Hart. had bit of bad fish swallowed a lot. at night felt badly. 2 am sick & dark T. 100°. pain in belly. next am Dr comes. said append. hit in pain went to left side. In bed 4 days. 2nd day. Dr. said malaria. very St perspiration. Back to doctor next boat. 11th Sept. Dr. back. Malaria gone & dull pain in rt. side. no more chills. Thirsty & goes on & off & dull pain in rt. side. no pain ^{this am} yesterday a little - always a same place.

Looks a little pale. Tongue clear. Pulse regular. good volume. Abdomen not distended. No swelling in right I. T. Always feels the pain in this region - no tension. easily palpable, distinctly tender in appendix region. Waxes on deep pressure. Appendix not palpable. Edge of liver easily felt. Heart sounds are clear a. 160.

Orthistes spine

Nov 10th 1860

No. 5.

Mrs. [redacted] 62. 28 Walton St.

Came - to you about - had sciatic spine - always -
highly strung spine - but went about & did several days. Then suddenly
banged down - on step of stairs - fell on back & as so often happens
on this venture I went on - - almost any of brain - & another strain &
another accident. slipped & fell a stone floor. 1807. & trao. esp. 1. more the
nerves of spine & began with. but has never ceased since 1807 that lead
to certain affection. Sens. numb. in back - especially; esp. about lower
part. - lumbo sacral on it. Weather will fit. esp. cold - damp.
Lungs very bad, always bronchitic - in winter - always or more or less. Well all the time
I know & - not the lungs - always choky - a very sensitive throat. Can see &
the lungs - - not - of the spine. Cannot sit good enough 20 ft. - what a pain
it is that the legs are affected. - cannot go to early church -

Looks pretty well. Spine clean. Spine is a little bowed.
marked difference between the two sides in the lumbar region
marked flatness in right lumbar region, feels it just
about the beginning of the lumbar. No special tenderness along
the branch nerves. Does not stoop well; the spine moves
altogether, nor does the spine move back well. There is
nothing to be felt deep in lumbar region in front.



Melrose Hosp. Anemia. Opt. Neurohi

Nov 13/10
Dr Bird

Mrs

53

Maine Farm, Warburgh.

2 y. ago (middle) - recd. & farm in back of Head. = & sent to see Adam
he found. retinits both eyes - flame shaped hemorrhage. &c. suggested H.I.
in she lost f & mrs. & rest. ssblis. has continued. Headache still
no localizing - abt. slight low at front 1005.. has 4 or 5 less violent
fervid - an anemia - no fibroid - not as acute but more certain.
sleeps well. not awakened but they are there. H.I. for 3 mos. no change
mrx... not large amount of urine. Et V. L woman. 16 children. younger
by her self. & not dead. are miscarriag. so dry. no Scl fever
as girl. no other serious illness. v.h. human v. w 05- till healer
comes. now weight has gained. a
~~Wester is blood~~. Adam writes that she has subconjunctivally & palpebrally
dark. The bleeding has been going on for several year, she gets anemic at
times... is now at home -

1. very pale. hands & face.

(2) no increased tension in sclerri

(3) Heart normal - anemic whit at base.

(4) N.S. system. not involved. Pupils a bit irregular -- no cutth clonus
no lacr. phenomenon. skin good..

To see what looks like a curvature. & then trace of anem

Newark Newark

Dr. Bartlett
Waddington,
Bartlett
Nov 26 H. 10

Mrs. ~~E. L.~~ Cosgrove. in Leamington

Head - pain for year - from child had radishes - 30 years at least at first on left side only - now all over. not in family. m. well. B., S₄, M & S. the rattle det. as child well. Had other fever, m. b. aches in head. Head exactly as child. Tell told you long time ago not enough does interfere with the pain - just a heavy feeling now.. No loss in w. no nausea or vomiting. Eye sight good. - bad. Glasses.. At very best. If take up new paper. has blurry seen in head &c.. feels it cog cog. Joints feel stiff for days - a week at least. Surgery - not treated. Chest mostly well. - anague of palpitation & a throbbing a pulsation in head. Gums not raised. Hardly after they began. one night the half of eye brown & often eyelids on top of each, were half turned grey - a remains so.

Grey curtain - deep fluster of transparency. in neck

Looks a little grey. Tongue clean. Palpits equal, react well to light. no sclerosis of arteries. no high tension. Heart sounds clear a. s. b. ~~t~~ with a loud mitral murmur, 1st v. snapping. Walvular. After beat is a little outside the nippable line. A sharp rough distalic also at base. no enlargement of liver. Spleen is not palpable. Stomach tympany not increased. Slight tremor of the fingers. no enlargement of thyroid. In erect posture the murmur is not more intense. The thyroid is a little full.

Aug 5, 1911

~~Sixty~~~~Four~~ 43

Exeter Lawyer.

Mrs. [redacted] - sent up. 6 months t married. not come
remarkable. V. h. m. no social vitality. had colds. - not high pressure but
fully occupied. 97 H. F. died 20 m. old at 8, B & S. 9. one dog. - 5 in family.
Tobacco heavy smoker - under 20c. alcohol. very moderate. Gonorrhea 1/2, phthisis
elbow & forearm. Temperature 98¹/2°.

Instinct of sex instant. - Walking at night with sister. averse to marriage. not now
much. Eng. 5 mos.. Eng. came on rather a shock. - at bottom is wrong. - during
sol. man the father - mind depressed. worrying time at home. 2 years had to
look him up. Sister. 2 years trying. mother. long illness. 2 sister married
2 brothers - married. o silent. 35. - M. very des. illness. - stroke & for 2 years distinct
internal religious - a saint. "For me an ideal crusading period." & within a
week of mother death engaged to a girl whom I had not seen since. - constantly
together. She is 22. - Her June and could not face it - mind беспомощна - 300 T. b. 4
for 3 years. Off with this girl - but the girl interferes with work - not brought
up & settled with. M. family - bringing up by trinity. lived abroad. till 27 yrs.
Eng. 2nd time I saw her¹. She is an aristocrat. & in addition - beautiful.
"No man comes near her without preferring". & troubling mental affinity.
but fine. extravagant habits. careless. never brought up to do anything.
"Red-haired girl" & a flirt. -

Her attitude care - nice fellow - mothered & sistered all her life &
then a sudden inflection - now full of doubts - and a perpetual passing of terror
comes over her. she seems franticly to feel like flying from the other or much
if to have 6 more convulsions. & at end of the time to settle.

~~Miss and Joyce line~~

~~South Keir W West line~~

~~to Ryde~~

~~Isle of Wight.~~

Mrs. [REDACTED] 43 Castle Hill

Bad health many years. - heart married 9y, no children
measles at 14. & taken away for school. no other fever. Palpitated no
fever. 3ft of breath at time but is better. Dr. Good heart, regular
temperature 100°. mitral val dis. partially unhealed. Father died
of heart. Dept blue after bad. dark blue. Cannot walk much &
at hill is done alone. June 4 years. Operation bad - warmer
disease. Pork collar. left leg. - End Feb. 5 in house & when came,
house had lot of series of heart attacks - in air. brushing hair & felt faint
fell - back - did not faint. When Phillips said. lay back & rest. moved
house in bed felt faint again. & had thrombosis. Left leg. - 6 w after the op.
Sudden attacks palpitation. Could bear the heart beat near the bed
or could hear it from the window. recurrent attacks. Lay a heart
keeping ball - the Master - Bell - laid seat. Left it. 2M. in December
very bad - Biting dg. collapse - faint & come & worse. Till 6 mos. till may
heart attacks bad. & had swelling in left arm - hand. not much
change in color. When better - well - & does a great deal. nothing bad now
but lives a quiet life. Since Jan fully well - heart - like nerves. etc
Rt over - taken many. along come of the nerve. such. Recurts not worse.
not when run but July in Aug. always & come when not. never before. Had not known it.
a b. possible - diff - less and not. not at slow. possible. skin well marked
slight trembl. Lived up at 8th wing. & transm to 3rd abila. & back -
up L. S. m. - not at pul. - auto. - arteries. good & regular. no pulsation
engorged. - done in 7. 4. am 7. 10. good - dg.
i keep my esp. in good order.

2. expm.
3. nothing for -

Dr. A.

Aug. 28th/11.

M. [redacted] 57 Cairo.

noted a certain numbness 3-4 fingers of left 1st hand - about 10-12 days ago - never anything like it before. not in day. nocturnal in arising - no feeling - had a mass. not improved. numb. now a no strength in fingers.. can now write with right. could not abd
out in fingers.. not in other hand at all.. not in foot. No trouble he.. no
circulation of brachial. - had been in very good health. Had pneumo-
coniosis of brachial. - Has 17 lbs. from cat. v. h. life. In 15. 30 years. very uncommon.
v. healthy. Habits. - good - & Dr. not for a year.

First bad. 2 mos last year. now toes very - a while in left ear.
gentle massage. but attack 23.3. also. That a sprain -

Looks well. Good colour. nothing to be noticed in either hand
Has all the movements of the fingers & the thumb. can
extend them & flex them. Has good power of resistance both
to opening + closing. Picks up a pencil freely -
easily. Writes the name easily well. Feels the touch
but not yet quite naturally. Speech is good. No incoordination
Strength of the arm good. Knee joints normal. Pulse
regular, 80. Good volume. The artery is not palpable
the blood pressure is not high. The brachials just
palpable. Pubis equal, rect active to lifting.
all the movements of the facial muscles are normal.
There is a well marked tophus on the tip of the left ear.

Heart, a. b. not palpable not visible. Heart sounds clear
at apex. Aortic second is a little accentuated at base, but
no murmur. No pulsation at the base. Liver edge is just
palpable, not enlarged. Abdomen is normal. Tongue clean.

Ecterophthisis & -

July 28/11
Dr. Brausen.
Byrman.

Mrs. [REDACTED] ²⁵ Vargh Mawr.

Mrs. for long time. Has colitis "for years & was until recently
desiring." Is 57 yrs. now much mucus. Father had colitis & died 5-8 yrs ago
on dry sugar. High cancer might also be mucus with colitis. Father now
much respite. yesterday had convales. not much mucus. feels much better.
Heart green.. about 2 mos ago put all off. Had appendicitis 6.5 yrs. Started
6 years ago "porous the liver bowel" & causes the colitis. Father had mucus
for many years. not as much pain - not as much colitis. but can't vomit & still has
mucus. 2 or 3 times a week. Mucus appears. 3 mos ag. sort collapse from
falling blood. heart drops to table. Digitalis. Best weight 136. 20 yrs.
ago now 125. 2 children 8 & 6 1/2.

abd bandaged.

2 bland pills

Looks very well, a little thin in the face. Colour of the
mucous membranes a little blue. Blood colour like the
blue. Pulse regular good tension. Aorta beat just
palpable inside the nippertwies. not forcible.

Heart sounds are clear at apex slow.
Normal relative intensity, no accentuation of aortic 2nd.

A little tender in the neighbourhood of the apex.

Descending colon distinctly tender. Liver is not enlarged.
Lower bowel full bladder not palpable. Abdomen is well
relaxed, tender on sharp pressure of the testa.

~~High · press & art-stress~~ Headache

Oct 16 - 1911
Rufus
Dr. Batten
Dr. Wilmer
n Batt - Hotel - Done -
month:

Her [REDACTED] 26 Washington D.C.

Royal Ball - Hotel - Dome -
mouth:

w. & st. a girl (Elvira Phillips) mother dead her. neurologic but
& father had cold - Head & neck at time - came from eyes. no Fever.
recovered. headache in morning. Child born in Sept. 1907. - headache began
before birth - inf one. quite regular. - vary - Ch. will + strong. Occurred 6-
7 m. has had examined. in Phila. - normal.. not diet. cause dysph.
eyes not good. but so below. eyes not yes. - sleep well. wake up after 7. & run
at once when wakes. - last - to know may be all day. - & talk. asperni
then head & slightly the arm. - last. 5-6 aspirn. yesterday bad. no heat &
some bone fever. also called Burns Teller... good digestion
when 2 or 4 had infantile. paralysis. but still over it except - no trace now
no sc. fever. death. nor typhus - no fever of moment. measles. not bad
time for 4 days. after only born but not until. no sore throat.
Time for 4 days. after only born but not until. no sore throat.
7. d. 1. y. ago. 5-6 diet pententi. m. ch. + w. 2 b. & 2. s. well & strong.
m. has had rheumatism & - knee bad sore. - no, just trouble. - Head no headache
for 2 or 4 months when was down too long. drawn. & bled. - headache still
not large appet. - eats little as rule. - always. rev. with still never a new
weakness can't define.

- (1) keep. bowel regular - every 10
(2) moderate diet - very little meat - . Is almost a vegetarian
(3) Cystin for 3 weeks. off the missing am
(4) nitro-glycans gm - 4000. t-d..

(57)

Looks well, good colour. Tongue clean - Pulse regular, recurrent - high tensio. Rectum easily palpable. Temples palpable. Apes heat

not forcible, little outside the normal situation.
Sounds clear, 1st Red loud - aortic and
accelerated.

Dec 27th. no long. spell without - no day without. walks with them
2 or 3 times a day.

- N. G. G. did not come - took for 4 weeks - seemed like headache, more
like cold more than 2 - soon as took - blood went to head.
Systolic. at home took for 2 weeks & in that time - did good - had
headache almost - now he takes me all the time. Other when else a
headache and does not know why.

Has been taking Dr. S. for 4 years.
& he has had 2 bro. sets. turned up. & in 3' feels the difference, nothing helps
with a bad case - last - 12 hrs & nothing stops. not funny of course.

1 - to try the muscle.

2 - urine + be strained again

Solar Neuroasthenia

Oct. 21. 1911

L. M. Dean.

~~██████████~~ 25° - ~~7 Aug (2, 9)~~. Ch.-Ch. nephew of Prof. ~~██████████~~ (Munich)

w. & sl- bill seen stroke 1904. at home evening not sun. hopped day for 60 years. - sand bar near table log in sun he had sun in back of neck - would have all right. In night very bad. had insomnia (?) did not know what was the matter -- hurt. t. down across country road day. did so. & bat very bad. & bad t. log down under bridge. Took tea Doctor said had small sun pulse. I should rest for some weeks. Received from Dr. Allen quickly - : In sun had removal. lot not strong. Tired & got in sun bat Camay & Oxf for 1904 same as. paid no doctor. & the headaches. in sun. at once got headache - & sleep & brain hours gone & fierce headaches. Often happened. When got home. 100% snuff time - & try hard. - So in sun & get rid, but eye screen broke down, but no water fit. I quit in sun for some mos. fit as ever. Doctors procedure never said all right. & after intertemp. studies fit well in winter. fit Oxf for 3 hours & try break down. 100% new, or Allen. & Prof. Christie. said never seen such mal-treatment in his another. Curious procedure. measurable. suddenly & rapidly a pell-mell in sun. Walked 1000 ft. & Christie wrote said of any change of weather avoid the sun. If I have sun working time return. I feel better. This sun stayed in Scotland, big hot. very bad in June. very flushed up. In last ten days in sun immediately burning & again in bed & sun & a bad burning pain in back of head. Generally in late pm when sun comes feels bad. but only at night, awakes with loss of control. a stick & peal of all thins annoyed a kind pressure. a m. day. the same. What puzzles me is in other year has regard often but this time its headache. bad - & not fit for much. & is upset all

day - & such disagreeable feelings. ap. good. - sleeps well - inf. pt.
sweet but it will - gained. m.r. not much.
f. head. of ante-mastitis 46. m.r. w + s + b. a. a. - well. no sister.

Seen for III Td.

Strongly built, muscular man, weighs 14 st. Excellent
muscles - Face a little pale. Tongue clean -
pupils equal size, react actively to light - ocular
muscles perfect.

Vaso motor reaction very active

Pulse regular - Heart sounds clear, A. & P. No
Tenderness in head. No difference in percussion in
different sides of the head. Spine straight. No areas
of hyp.

Knee jerks present, not active.

neuritis - possible
cervical rt

Dr Evans
1911

~~Mr. [redacted]~~ . Morning . Mr H. L. Day. Morris
Basildon Park
^{W.P. Readings}
Mar. Cut - & leg - 7 years go - sun - then dnt, pain. 2^o ago.
of spine 5^o ago. bad attack 3 mos - had t leg still could not move - could
not move legs. P. I. in 6. m. at mt. was starting car and left hand
back pain & not the 'and' & jained the shoulder. ached the arm - chest
not complain till 3 days - that it in sternum & rubbed it then
seen Dr Evans visited & under him car side. Shoulder not swollen - and
just in the big tendon in the shoulder. cannot use arm & if bent & strongly
will 'and' it goes numb - pain to elbow. over shoulder - hand & sh.
from elbow & runs it.

Looks a bit pale. well nourished. good muscles. Nothing
very definite on inspection of shoulder or arm. no wasting
of muscles. Sub clavicular pulsations a little more left than
right.

Movements of shoulder joint perfect. Most pain when the elbow
is put far back - moves out easily, not so painful when it
moves forward. Has always been able to move shoulder.
Tender all along brachial chord. a little more fullness
in left suprascapular space. Pain runs chiefly on
radial side of the two first fingers. No wasting.

at present no great tenderness and no swelling about
the joint itself. Tenderness is under the trap. and
in the supra clavicular space. No wasting of scap. muscles
behind. Left scapulae a little more prominent than the
right.

Pulse good. radials palpable. Heart sounds clear.

Hemphill

Jan 15 - 1813.

~~18~~ 26

26

Rushen College.

6 w^r coughed up blood. 11 inst. 13^o up late - sitting studying
morn.. felt cold - Sustained shudders - & had violent fit. & felt a thrill in
throat - & spat out one little amount of blood. soon it cover'd temp. bark
bed. 12 next. day. was lifting & running & some way cough wh blood
went to the bronch. & yr a tea cup - fit - bright - insin. that "sure
it came with cough - ~~no cough~~ before. 6 mos before no running or
hard & brought up a little. not bad ab. no cough. since. has been
carrying things heavily - - no cough. - no fever - no sweats. No loss
in weight.

F.H. 7. & m. all right. live in Bedlam - Newcastle. 2. b. no s. 2 d. Other
at 30 - & of hemorrhage at 20 - & 5th consumption. his weaker side up
than me".

Healthy looking, good col. good. physique. gen. cond. good. nutrition g.
Chest well formed, expans. pd. clavicles equal, appears same at apices.
note is higher pitched on clavicle & r. superclavicular. but not more so than
is often the case. Inspir. at ap. less full & breezy, but when he draws deep breath
air enters well & freely. no change in rhythm or pitch, no adventitious sound
quite clear in the sides. Behind these is no change to be noted. enters
freely, no rales on coughing, no change on percussion note.
Heart rds. clear. ap. b. in normal vibration. Liver not ab. spleen not ab.
Lymph glands not. infl. pulse g. & pd. of them, no change in arteries

Dr King Dr Smith
Jan 15th 1914

[REDACTED] 33. Liverpool - above 5yrs.

From 4 to 9 yrs - no trouble after the sun - no arthritis - married 2 years.

Jan 18th - no des. at once but now - pain - feet in & out of bed now are swollen - & more so. & stiff next day. Some felt lumbar & pain in muscles - 2 or 3 days after the accident. Not crooked - Jones' Trunking about all the time - never seems well May - June but : Scratches. Bath & in bed - not able - In bed. 7 w. in spirit. not. Throat & enlarged. on left side & my walking - end of esp..

Pain in w. - esp. till Dec. when began - & yet come. Pain comes at Dec. in Liverpool. bed. & active days - 3-4 hours. Coming. come by time. & pain worse. Has to sit up all night. rest again. & had those rumpus - straight as need as 1/2 gr. - a week. no pain as ab. then.

Healthy looking fellow, good colour, attitude a little oblique, the left hip high; he cannot straighten his spine. Obliquity is very marked - a deep indented left coast line and normal right side. Marked atrophy of right leg both above and below knee.

Measurements +

From behind the obl. is very marked, lateral curvature extreme, a little wasting of lumbar muscles on r. side, & decided wasting of [REDACTED], hamstring & calf regions. Cannot bend freely - fairly well to the right, scarcely at all to the left, and very little backwards. Turns round but cannot twist the spine freely. Not specially tender along sacroiliac articulation, or in the lumbar

or sacral spine. To sit down is one of the most painful things he can do, particularly after standing long.

In recumbent posture - the wasting of the right leg is very marked. Measurement - L.calf close fitting, exactly 18 inches; corresponding point on r.l. 14½ inches.

No affection of the joints, no swelling, skin looks normal. muscles are fairly firm, even in the wasted leg.

Inguinal glands are not enlarged; nothing to be felt in either fossa. There is no tenderness in front below Poupard's ligament. He turns with difficulty; marked diff. between two sides. Tender down the right side.

~~acute Insuff.~~

Dr. Comerel.

Jan 16/12

[REDACTED] 38. C COX. (Summerfield Dr.)

- V. h. m. no S. ill. except. Diph. as child. Body. So far. In & W.C.
more bkg. Ballbkg. cricket a lot of football a Hockey. & over did. 1st when
10^g ago went to Dr. who said H was weak. not much inter. till
2 mos ago play hard game of hockey. & comes down at heart &
when dropping asleep wh. is the most combl. heart beat. heart beat -
not much palp. but feels & occas. Spt. of breath when run not not
much. Last night a little chkg. Feels well. Tuckwell road head send
colder passed for coldship at 23. ^{at 8.}
1. apy systole & trans l. axilla.
 2. at base. usual. soft at a. carl. & under at pulmone
& down the sternum to xiphium cart.
 3. not a marked organ. -

1) quiet life -

2.

Near Kalkutta.

Jan 21/12

~~Hospital~~
Brooklin Sanatorium
Jany. 20. 1912.

Dr Pratt.

From Dr. ~~Prawse~~ ^{in Malabar} Singapore ~~and~~ ^{Malabar} Quallah.

7. 4 ago very breakdown. & in a very bad. ever since a few years did no business - 3 3 ago took up again work little & had a Java sleep. last year when art 16m. visiting properties. a m heat of & exhausted. can't eat. Regurg - very uncomfortable. Then in the winter took down. & in 10th assuming being respiratory. & to work... very strain. last 9 & 20 could. not eat - lost 50 lbs. - covering period 7 1/2 years. "Flesh walked off of me" & the physician horrid. Consulted Dr. Lang & Dutch. went to ^{the} famous Naipura (Coblenz) Dr said gastric neuroasthenia & hyperactivity. no vitality. Sixty. San much improved. Sept. this year. Dr Sallan Ferrard - said duodenal ulcer! Then sailed & in first crash at Southampton. not day sailed. 3 d. before sudden death of sister. - Neptune ran away & in remorse state gradually better. gained 30 lbs in weight. but Pres of Co asked to see Dr Colom G. May 27. who has helped me very much - said better & will again. - Gained. Dr Pratt wanted to come to Hospital & Reserve & study case but could not. & he arrested me open. was well in weight. slacks with cold & slight provocation - eggs. cold in ears & in back. feet & hands freeze. - feet. & when so weak very freely. Coming over. cold & sweat. app. good. D. g. well. is certain better. At night has flatulency. motion light. coloured - yellow - not brown. no diarrhoea. sleeping well & well. varies if not a cold sleeps well. Sometimes a head a sort of pectora. & said acidity. sealed like pottery. It am. can run all right. run - flatulency. & 6 ft. 7 & in. & well. 77. a 76 & in. both normal. B. I. S. 3.

Has worked hard. - began at 18. - very ambitious & now can work & not break neck & do it. Only external head.

P-72. no m. tension.

1. V. h. looking man. V. good. no tension. street - not inflated. no sign of fever or spleen. V. m. reading & t. pupils round.

Beller'

Feb. 4th,

~~H~~ [REDACTED] 64 Berlin

Had a temporary one! Heart. was rare inf. a Prof. des. & ton. subject.
 + it - after a few hours stopped heart. for hours being
 + others for . could take exercise .. nothing acc. no change.
 Did not sleep - would for hours. Has been card up for a month.
 on two occasions + 1. 15 days ago. lately not so much. Great care
 taken - . 2 m in bed a month. Until last Oct. was able to do
 everything. since fit. rode + dyed a week - only lacking 2 hours.
 In London last Oct. ride on night felt ill - did not know
 what was matter - by morning all night next eve. went home
 wife took T. 102° - in bed. suff. but . In bed a week + after
 that go about but in - abt time found was on bad date.
 depressed + feeling as if heart go wrong. - took. some + some
 heat in evening in bed a week -(Did not tell me I) see
 and 3 weeks - heart was dilated a good deal + blood pressure
 was weak - yet remained by same 6-8 hr. in muscles full
 and dry.

Looks well. not short. wire looking. wt. about 11 stone
 Col. of lips is good, pulse standing is regular, a little rapid 86
 volume good, no drops.

Recurrent posture, slows very quickly, perfectly regular: tension does
 not feel increased. artery of first palpable with blood wave out: brachials
 just palpable + visible. Temporals are just palpable. Ap. beat is not visible
 no bulging of precordia, no pulsation at the base.
Palpation. impulse is not felt in 5th no shock of sound, no shortening
 impulse at base. Bl. press. 135.

Over.

Sitting. Apex b. not visible, not palpable.

Standing pos. before exercise, a.b. not visible, not palpable

after - , c. b. just visible, in 5th, in n. 2.

on inspiration, not forcible, does not lift rib but is felt
smoothly in $5\frac{1}{4}$ <sup>along in 6^{1/2} when breath is forced out below &
just inside N. line.</sup>

Recurrent. Flatness on upper border of 4th just inside l.s.m. + exactly
at N. 2. No flatness over mammarium, auscultation

Auscultation. sounds clear at a per. of normal intensity (this is just
after exercise) relative intensity of sounds normal. No mur-
mur at base; Aortic 2nd clear, not accentuated. In 5th & 6th
in n.l. sounds are well heard.

During whole exam. no drop.

In vessels of neck, sounds are low & clear

Exam. of abd. neg. liver not enl. spleen not enl.

reflexes normal, pupils react well to light. markd areas.

Joints of fingers a little swollen.

1. Go ahead - live. - any live, - ^{node} - avoid names - none now.

2. blood - from ear. - a little sluggish -

3. food - late - a little sluggish,

4. sluggishness

Bronchitis.

June 17. 113.

Dr Martin,
Clock Hrs. Abingdon

Mrs ~~E. T.~~ 42. Church Farm - Radley.

Letter attached.

Bronchitis, 13 years ago began. Pains in left. Bad all day not tapped. Had fever - sneezes &c. lay in bed - make out most angle of the line. Cough ever since - never a week without it. Coughs ^{at all days} in arm. Every morning up right & dry 1/2 pt. am about 4/4 pt. Smells badly - coughs. Sputum terra cotta colour. never without smell. may be much worse. never any blood. once some years ago - or whitish. Up ten o'clock full. Her health good. No loss in weight, no sneezes or fever. Sometimes a peasant staff

over a good deal. has E. 1.2.4. in July had vaccines prepared for the joint bones from the shoulder joint joints by Horde.

Looks v. w. good col. finger not ~~the~~ clubbed - at wrist 4 years now looks a little swollen. Left wrist not much. Left index finger Chest well formed. Little thin. Clav. prominent. Lungs clear in forey or percussion. air enters well behind no contraction on either side expansion seems good. Air enters well every where, no bubbling sides either on deep breathing or on coughing; no change in respiration note. Right wrist is locked. Five years ago just had trouble with joints left wrist not stiff. Other joints a little affected

~~To swelling of~~ a little thickening of bones of arms.

To use creasite inhalation.

Very moist case.

Feb 17th. Much the same - did get better in summer. Inhalation ^{3 weekly a glass day} steadily less violent. but not lately - Is taking radium water for the doses 10⁵ a bottle. Radium bisulcate. 2 lots of vaccines. Once a fortnight - Dr Martin ^{20 gm 6 w. treatment} - only 3 weeks - not so vapourful.

C Colour pretty good. - Looks thin; no fever. Clavicles are equal; expansion the same on both sides. Resonance very little defective over and above right clavicle. Everywhere else clear, but no change in respiratory murmur in front; sharp and distinct, but not tubular; no râles. Behind, everywhere clear; expiration not prolonged; no coarse râles. In the outer part of both lobes on coughing and deep inspiration a few crackling râles.

Epilepsy.

Aug 5th /12
7:15
Dr. Gurney,
Dr. Burns
111

██████████ Germantown Pa

24.

at 18 mos spent. baby - had convulsions 12 hrs. after that was paralysed in one side - for 6 mos. for & dragged the leg. recovered absolutely - (had been at day.) another ¹⁴ conv. ^{one in a week} started 7 hrs. another in 6 mos. less. lasted 5 hrs. 5 days elapsed before rest one. 1910 at 9. dev sneezes the day after. Had had 2 this winter. one in Feb. (was not well. - 2 weeks before) before having convulsions & not active. lost ap. bowel trouble. so now with given no limb. reading 3 or 4 not very severe. Last we was in April - severe but did not last so long but so severe. went from one to another. & not during - sleeps between & long convulsions at hours. & after this one pain - half an hour & then some. vomits. & is. looks well. Yesterday. had an unprov. attack - was standing still & head dropped. & snatched. spoke then & was second time. better moment. Had him at Salet at Tonnet. or Widmer. - tubes. treatment. Dr. Tissir - at Vevay all sladed with supper. & pills. changed to there at home. - and eat now it. or Tissir changed not April. or Widmer thinks. not epile. & in the bowel. After 2 w. or so. changed mind. said in bowel - fermentation. & causes it. Analy. fermentation. & fat. "abst. changed" curable - while to call the bowel & could cure in 1-2 years" diet. (now absts. 2-3 of meat absts). Slashed - cocoa gran. & sunbeams - creme de vigne. rice pueré & pot. & Macaron - fruit & game an egg. - 5 mos. nothing but starch. - Said more. improv. child more nervous fainted. once. - 2 mos. - absts - the day mother left to go to Paris. July 7th visiting in Eng. changed diet. green veg. & eggs well. Yet. 2 weeks absts. & as diet inc. is better a good diet. no change in starch. no spec bad odor. but no nucleus. - but fer. bad - Boronide since Feb. 2 a day. - has cut it out for a few weeks. . appetite - not large. eaten at times. - got many. runs in the abdomen. only one movement a day or rule - has passed a marvellous - but this last well known. very bright. a normal. . no move of left arm.

Calom.

P.t.o.

Very healthy looking boy, good colour, well nourished; pupils are equal, react to light well, Throat fairly healthy, tonsils a little full.

Abdomen looks normal, no peristalsis visible, no special areas of distension; Liver is not enlarged, spleen not enlarged. Lower limit of stomach tympany just at the navel No special tenderness over the small bowel; large intestine easily felt, can be rolled under the finger; feels normal. head of caecum easily palpable. The right kidney is easily felt. Upper limit of liver flatness on 6th.

No difference between the sides of the face; the eye-brows are even, shoulders are level. The right arm is a little longer than the left, not noticeable when he puts his arms out; practically no difference on measurement. Not more difference in the hands than normal; no apparent atrophy or failure of developement of the left arm. The spine is straight; movements of the spine are perfect, His legs are even; movements of the legs perfect.

No difference between the two sides of his head. The chest is well shaped; no depression, no difference on percussion on the 2 sides. Marked increase in the of the right upper arm, not in the left; no difference in the muscles on the two sides. Heart sounds are clear at apex and base. Apex beat is inside nipple line, normal. Muscles good and firm.

Ch. Nut. depth. & hy. heart.

Sept 9/15 1912

Dr. Compton.

[REDACTED] 62. UX find.

c of respiration upright - not abt. of breath out wheezes - always sleep in left side - began wheezing a month side went feet "out in air" & worse too early. - had slight rheum. pain over knees. - not reg. pain. Cannot sit sleep. & pain in knees. (cannot rule out account for a cens. man). Eyes failing rapidly since mrs. born ang. - vision blurred. - palpable. dig. swol. Passes water but not freq at night & not more? Not abt. of breath - moves about. - asthmatic for years. not leuk in stools. alcohol. To 37 5 ozs. diet of beer - 6.9. a day. "Tuning up for port". Whiskey. Then for years. Tschelcher since 1887. Dried beer. In '96 found lumping in arms in bed. - but all right. Put in 9 after 1902 & sweater. Wearing down legs. 2nd in family. F. died arter. & knees. 66. M. of self of brain 54. B. 4. S. m. very dandruff. 4 ozs. 1/2 diet & 8 ozs. heart. Died of heart dis.

General nutrition looks good; perhaps a little pale; pulse regular, good volume. No swelling of the joints anywhere; no tophi. Arteries are not sclerotic; only just palpable. pulse tension is not increased. Apex beat is in 5th about an inch outside nipple line; visible, but not very forcible.

Chest is full, rather barrel-shaped.

Lungs are full, practically obliterating heart and liver flatness.

Soft systolic at apex, not obliterating first sound. Aortic second is not greatly accentuated. Soft bruit at base; no murmur in neck.

P.t.o.

Liver is not enlarged, edge is just palpable.
Spleen is not to be felt.
Glands are not enlarged.
No swelling of the feet.
Not tender behind in the renal region. Neither kidney to be felt.
In the sitting posture the apex beat is diffuse; murmur not more distinct.

Gen. appearance much better, colour good, pulse is regular, a little rapid, tension does not feel so high. Soft apex beat, aortic 2nd singing. Liver is not enlarged. Lungs, no wheezing, there are in tubes either in front or behind.
Standing - no special change in heart sounds; no great accentuation of aortic second.

Mitral disease

Oct 20th / 1912

Dr. Daly,
Hull.

Mess ~~_____~~ 62. Hull. Mun Home 28 New Rd.

Had very bad arrm 2 yrs ago working in Home. - Hard work. Had never chills & heart bad - "ner centre spun out". But better lately. feel legs & head - have no harmony - helped. Of heart... no res trouble. No fever all life. non alt. has worked very hard. & intense. Chorea is never Rh.

1. Rest.
2. Orbita
3. Bowels. - sub
4. dell.
5. skin body .. hgs.

Looks pretty well, colour good, no cyanosis; pulse a little rapid, trigeminal rhythm, tongue clean; marked arcus in both eyes.

Wide spread cardiac impulse lifts the precordia & as high as first rib; in the lower sternum the shock is easily felt; no definite thrill; marked systolic at base carried along l.s.b. no murmur at tricuspid area. The systolic is propagated along l.s.b. and is heard faintly at the base.

Liver is not enlarged. No hepatic pulsation. No swelling of the feet.

Cohi - probably, Henochs

Dr Newcomer

Had

Jan/14

15. Haddeentarm

3 $\frac{1}{2}$ w ago seized with violent pain in abd & waist line - at rib - no vom but felt sick curled for 2 hr to night, no diarrhoea with it - very severe. Never like it before & last summer holiday - stool & shark, st ever been sick. In the 3 w. has had maz - no swelling today. Food no difference - only mult. - . No ill health or v. com this week - slight swelling tho' thin. But pains abdomen V. in Henre.. No pains in joints - no spots ^{moderately} ~~had~~ bed patches 5 years ago. was in bed 3 or 4 weeks. No harm there. no spots since... no hair.

Looks little pale and thin. Pupils dilated; tongue is little white. Abdomen looks natural; no distension. It is never low down; a little tender on pressure over the stomach. Liver is not palp. Spleen is not palp. Soft apex murmur. No swelling of the joints. Vaso-motor reaction is not very active. In the erect posture the systolic murmur is scarcely audible. Tonsils are not enlarge.

Hysteric + +

Dr Nine.

Feb. 6, 1914

Mrs [redacted]

32 Lexington

Headaches - for 3 years. not so bad until 3 1/2 ago.
Had them as child. - first worn 2-3 yrs - inf one day years
more for several - sometime up to a day. at times completely free
now a little. - Head to go to bed. Saturday - up bad. - Kept awake
at night. vomits - sometimes at time - now all over - began behind
eyes. Mother had ^{her} ~~bad~~ health. 51 ^{7 months} - then never - then at college
teaching. gave up a year ago - went to college. - 2 yrs last Easter
Dr Nine made give up - & began to have attacks - of nerves. Hand
wiff & neck - & breast bad. - wiff for an hour. Thumbs inside
& open a lot of hours - pain in hand. Feet not. but they ache a little
in morning they felt. Eyes ^{as above} 18 days off no change.
^{as above} last Easter had 2 bad attacks last week - One at
home again ^{as above} 11 1/2 at night. felt cold and tremble and - jumping. & still
cannot elongate the feet forward - sometimes walking. then in
hand & legs. - Soreness. attack 6 1/2 will. faint & collapse. then in
hands & wrists. pain & fit. a few days. & then not and very little. Legs and arms
bad in aches and twitches of 1/2 days duration. (slips. worst period)
Jumping began for a hour the 3 afternoons. (or 7 hours of sleep.)
Wakers in night of 1st. Very constipated - the rule. off - good. no
bowels. - Periods a week. no pain. I run in w. much
no use. - & around 13-14 lbs. - Slight. could not play tennis - cannot
run.
I flushed - (2) windly near the 31. pupils dilated. 1Kg ++. 4 hrs
stomach ^{symptoms} not. however. 6. said a bit stiff. but not droopy. and
cannot run. - & cannot - get up stairs well or down (if no walking (S))
not much pain in legs - some in the legs. Pains in hands. & the day
after. No bad (if) to have eyes cleaned. no change in power of reading
(10) memory not so good. no rec of what has read.

Dilatation of Heart past infirm
Very remarkable case

Dr Cheale
Burford
Feb 18/14

~~██████████~~ ³⁰ Fulbrook Burford

not 36. as big-farted at 15 - in church - one or two
or three in a story till last year. ^{about} it noticed. Swelled last
April - right before his marriage. Legs swollen - and a swelling
under neck for sister who said - heart dies. - Age 46 years, suffered
no reg ill. - not high fever. seemed weak. In Dec. in bed ^{with} again
elt of breath - less swollen - last time better since. who could 7
weeks. feel palpable. & elevated. not pale a bone a little ill.
P. 108. C.R. no stem fever. when has diff. so that might be stem fever.

so in family - 2 sons all healthy.

Observe

He is a healthy looking man; good colour; not pale at all;
weighs about 11st. 7. Pupils are equal; tongue is clean;
marked throbbing in vessels of neck and beneath clavicles.
Visible pulsation in all the peripheral vessels. Marked
capillary pulse; marked Corrigan pulse in the arteries;
cardiac impulse diffused, in 5th, in and outside nipple.
Marked throbbing; the whole precordium heaves; transverse
flatness from outside sternal border to just beyond nipple.
Both sounds are loud at apex and at base. Loud intense
systolic at pulmonary area. Aortic second loud, transmitted
up the vessels; at the apex short diffused murmur.
Liver is not enlarged. ^{In sitting posture} cardiac impulse
^{visible} just under the nipple and a little outside
General throbbing not so marked and throbbing in the neck
not so marked. Sounds are clear at the base and the mur-

mur disappears at the apex; at the apex the sounds are very loud and booming. There is no enlargement of the thyroid. The superficial arteries are easily rolled under the fingers.

Cree. mth. Skew rach

Sr. Stegn

S. Lutsk.

March. 26/14

Farmer

Fanner
33. Huntington Jones - Shipton - et al.

Pain in the intestines - first had it 2-3 years ago - not bad & went it same thing - still worse last 6 mos. not bad it comes in all times usually more at night. is in the centre. keeps awake - not wakes. eat 1 hr / left mouth all night. Had a lump last night. Ex. h. good not hot or wet & got poorly higher than 1/2 mos ago not much. Diet no difference. has had a gust the same. Pain doubles him & an hour over off who leave over if sharp will be sore for a couple of days. Otherwise very well. Has weakening out in legs & arms. in cutting an apple as well then. Comes when has the pain. will come out with the pain. will come out in arms. sometimes ~~hand~~ - covered. never broken in arms but in legs has ^{heavily} ~~been ruptured in all the~~ ^{as hard, unbreakable,} & has sores. you the as big a hand spot - always the same - on arms diff to legs - dropped. & red. when on the legs smaller & broader. & will ulcer on arm. get red at first. None had begun 18 mos ago. Had the colic badly before example. Always has bad tendency to itch always of hot. evidently the spots are raised & red & like hives. no other members have it. my sister has had in the intestine.

1. V - h. looks normal. - good colour. at Guy's Hospital. Sister
 2. both legs old & spina. - no fresh spots - few varicose veins. Mary Claire
she has attacks of
clue
 3. arms show patches of scaly & spina.
 4. abd. soft normal. nothing to feel. - colon probable - a lot tender in L.I. 6.
 5. head & arteries normal.
 6. urine clear.

Glo - pedal. circuit in a
colonie muscle.

April 2nd 1914
Dr. Segundo
18 in 15 mos.

Miss [redacted]

[redacted] woodford bridge. South end
Short circuit in vented. 30 Dec. 1912. for ch. circumspection formed
the item into top of rectum. Very bad with ch. con. could go 15 days.
was never one without granulation formed. 8-8° at time. now the same.
not well after vent. went to 6 stone. long time life. typhoid, fever inter-
mittently. no chill. T. to 103° - sun - 40° - Carter sweets off & on. Ordained
douches & then went on again. but perpetual 5 days or it is now. never
got round. my body comes across - one last stop as it was round.
x-ray shows. that it does. T-ray taken 13 Oct 1913 shows punch
in rectum. blunt end 2 1/2"! Then bed off 3 cm from valve.
& diverted below caecum. then passed over & later anastomosis with the
upper portion of rectum. Shaded above
cushion has gone - for 10 days could go 10 days - & feel well then take
18 gr. cal. & start - got up with & then had to use glycerine. still has
to use glycerine a tube. wh will att of 6° - 7° up at will and then
down by & will rest. Has now every day. would have it spontaneously
if when liquid as water. now almost no smell - was flat. unless
swelling wh has a block. Colon fills up. - thing being bathed
no so. not lesser wt. at Lausanne & aged. & the 30 weeks. at each meal
& went with dozen of the a the diarrhea started all in the cecum
& went in small intestine. cut you off in left side. pedaling of
this. which open to the right side. the body.

She looks fairly well; colour is good; teeth are not very good. She has five spider angioma on the one hand, and one on the other. She is thin, but the muscles are fairly good.

Abdomen is a little distended in the hypogastric region; marked excavation between the ensiform and the naval.

Normal descensus of stomach. Fullness is equal in both fossae. There are marked B. Bor. in the lower abdomen. No special gurgling felt, and no coil of the descending colon felt running definite over brim of pelvis.

The head of the caecum is not felt; appendix not felt.

Liver is not enlarged; edge easily palpable.

Upper limit of stomach tympany on 5th, extends to just above naval.

Normal peristalsis heard in small bowel.

Heart sounds are clear.

Pulse regular.

Dr.

Mrs [redacted] 42. Skaggs castle Co. Meath -

3 mos ago bad cold. after went in and occurs cons. but bad cont. and t swollen - would appear & in way & manner - pain like interst of肺 - caused a mere cuff on rt side a noticed swelling in shoulder in slants. - That could see - cold & numb. - an ache - a lump. 3 mos ago. Have cont. & all symptoms are - painful swelling inside - not spec. but the lump seemed to get bigger. Came over here in Jan. Diffl. heel - broken hil. Dr. said. started by ch. but more deeper seated. to cause the trouble. an abs of cor in both heels. 3 w laid up - then not. but this shoulder became so worse. in Jan. looked at most pyorrhea - shoulder affected "go & drink a tea left out". Dr. Lewin Sermers st. - ? celt. but. & he tested - says mouth certain amount he has seen others & strongly against taking out. Went to Langatt throat who said nothing but granulation at the trunk. & asked if adv - Rollerton in 55 up York. 1 hr. & very thorough. Had to call a train. Taken Cal. 10 day. 74 Dr. asked ab. diagnosis - absolute puzzling! swelling not there - a cold feather always now & cold. arm aches when for 5 - 6 hours cannot. left arm - a lead. Cont. feeling cold & deadness. - Feel it now. - feels it in not in the shoulder blade - - feel it down the arm over. Gen h. gen. Hand is 3 years. still men. - saw irregular - 2 odd stiff. wood dogs. No ch. in urine. - no change. Genl in family - 7 d. at 10. m. no h. H. 2. T. 2. w & sln. Fast.. no ver ill. not enter. no ch. drks yellow & no thyroid - skin very dry. -

1. To take Alkalies (2) Burnt rice. (3) St. Harrogate for a good treatment
(4) & over in esp. one table thyroid

She is a healthy looking woman; tongue is clean; slight puffiness of the eye-lids; no tophi, no swelling of the smaller joints. The skin is a little dry - no scaliness at all.

The Thyroid is small, not felt on either side.

Heart sounds are clear; no sign of enlargement; no forcible pulsation.

Pulse is reg., good volume.

Arteries not palpable.

Abdomen is soft. Liver not enlarged. Spleen not enlarged. No tenderness of either side.

The back looks natural; slight difference between the two sides; a little fuller in the right interscapular region, but the line of the trapezius on both sides is equal and the outline of the shoulders the same, but it looks a little fuller over the whole of the right scapula.

A little tenderness over the spine in the right interscapular region, and as one puts the hand over, a little deep fulness.

Has the same sensation on the left side; feeling of numbness and coldness, and distinctly tender on both sides of the spine. Can twist the spine, but feels a little stiff.

Can twist spine on either side; there is no prominence of any one of the spine.

Knee jerks are present.

Pupils are equal and react well to light.

Throat looks normal.

central. n.b.

19/4/14.

Mrs [REDACTED] Abingdon. (not cont)

In some line past had a languid - cut. tare ^{upper left} in chest -
on left side - up neck & shoulder ^{darnum}. has it every time or all day. but
after rest. in now for a year. not bad till recently. Shivering at head
but not always. warmer. ranc. sleep well. not expected. kidneys
& bladder... V. good health. till last year. Married 10 years. & children
in a string. Prolly good ch. good digestion but uncertain. yet heavy pulse &
finished fine after meals. but in weight recently - not weighed. has got
thinner. not since Sept. no cough. - left arm feels heavy & she has stated it
^{for the last few months} occas. numbness & tingling ~~down~~ back & inner ribs.

1. Flushed, healthy, but very hot & warm - cheeks very red - hands
red.
2. Heart normal. nothing in abd.
3. pulse above both clavicles. Left radial ^{pulse} a little smaller. a left brachial
not easy to feel - said, smallest.
4. Feels able cervical rib on left side - more marked on left. can
feel - also from.
5. To be subclavicular - high - & can be easily felt & seen.
6. Inner side of left arm feels smaller than usual. a tho
interosseous space between left & ring fingers on left side is very
much more distinct than on rt.
7. no distension. of sensibiliti - feels well.

~~[REDACTED]~~ aphasia?
nervous aphasia

5th Mar. 14

To Parkhurst

Lindau.

form of mental aphasia .. it me. can. slurred (day ⁱⁿ may)
5 mos. before began to feel it. Suddenly one sort of thinking -- says
words oddly. suddenly lower & lower a small stroke dumb. - & became
very uncompl. = Pyorrhoea. (loss teeth) - not badly. Loss of speech 2 years
ago. Other day, 1st talk - - 5 pm (it q. rest). - can speak. but with effort
Dr. says. Bruxia nocturna - (dec 27. antibiotics - 4 months.) - better.

She sat here at 2¹⁵ & talked incessantly till 2⁵⁵ I could scarcely
get a word in edgewise. She said she had nervous aphasia. It is
undeniably a case of a) natural high strung nature overtaxed, by
1 domestic worries - dual family 2) too many calls upon a
very delicate personality 3) the membranes, in which she is
present. (I did not examine her so she wrote me to see Parkhurst).

Heart Cases.

An Xian - Sc. Slacker!

H. L. Smith, Ed.
1914



21 5-9 Cadogan Sq. Balliol (4th)

V. L. as rule - at Winchester - generally ill. cold influenza &c.
double pneumonia (2015). Do able to do a good deal.
Ft. good, no b or s. F + Mr. well - as rule. Pretty well here. Last
3 or 4 years at Xian 8 times. interested - certain amount. Mem-
dancing. Gov. loss. Pretty good appetite. Sleep well as rule. not well
 lately. could not work a memory test. This letter had a cue, not
able. Enclosed a plan for books a full slack. Schools this year.
What really came to pitch - does what? not able to do anything
but body - hopelessly. only did two questions. Feb 7th 8 HK sat.
am 10 at Oxford. - loafed. - rested! : comb. 6-00 - 8. am not
away. - just slackness. again! doing 6 hr a week. - dumb.. Pen, 3 d.
a small music dancing 1 hr. at time. Other days. other things not clear
etc. - Dined. Board. Bill. 74⁵. Eve. read. but not work - read - paper.
not work in bed. - but slack. Bed. 10³⁰ slept well at time. Very lenient
very collection body. does not work systematically. Just. used go get left.
wanted to work in staff of Xian New recruits. Helped for self class.

To read my way of life

He looks well; good colour; tongue is little furred; not very strongly built; muscles are rather flabby.

V.M. re-action plus plus, hyperaemic.

Pulse is good, reg., no tremor.

Thyroid is not enlarged.

Chest is long and narrow.

Left clavicle little more prominent than right.

A. B. visible in 5th.

Lungs are clear in front.

Heart sounds are clear, apex and base. Sounds are loud and widely transmitted.

Abdomen is normal.

Liver is not enlarged.

Knee Jerks are plus plus.

Loss of personality

I. S. G.
Dr. Bruce Pearson
Buckingham
50 Grosvenor

Miss

[redacted] 39

Bt Jones House Bucknham

Heart so bad. - awful weight in it all the time. - been for 5 years.
not noticed. - never had any an out bulled around. It sometimes hurts.
so diff. & complain - 70 days & feels so extraord. as if world so clean made.
feel outside herself. - Has not a relfect. occup. Taken an auto in every
people at home don't even happen.. no special worries.. no love affairs - no
con for new.. Aft. all right. all good - Phys. perhaps body. - cannot feel any
most. unusual. - no, two people. - any. - smelling world change.
no special content. no interest as new feelings come in. If. any one speaks
is quite nebulous. not too much. Bowels regular. - has lost for 2. 3 to 6. in
this at Cheltenham - slipping with Collier - a few more has this feeling
while we just forgetful as of going mad a sense in head come in
about 5 days. - over some 5 years. - all. Aft. - no depression - cannot feel
anything. Had momentary Paroxysm. - 2-3 days. - Bowels. regular.

She had the - Tumour of head - - - weak tendons - wrote fully to Dr

Dowdell - Thyroid enlarged - movement & card. not full & white -

bad mouth

wrote again Feb 9th 1915

Chrom. Articularis

Oct. 30, 187-

Dr. Adams
Saverty.

Mess ~~to~~ S. 26. West Field Street - York

part is of small sandal - of small & play game out come a rash. in face a over body. cover of cloth over a pins - heat a coarse. Remove. pull out. takes it all off her.

2.3. Not was measles. at first. but all off after scratching sandal under the spot. That measles. lasts - and are here a number days away. - always come in much a face & neck. white & red. begin as red. - one bad attack after day away see. here was all a swollen all over. has a neck a cold not swollen by ill. Swelled. had to go home in a boxy. - face so swollen double the size. a then carpet. other very well. no pain. regular suppuration wth. Died. no culture. but no doubt. not absorbed - many of us were carpet. & had. come. feel it cold at meas. period. at Barmouth was better. some went on. If she goes up a plays off. & they come out a then they will not come up. bally aqua. of plays & red wind. Sums with hot talk.

slight sensitiveness followed. - Feels hot itchy not scratchy. not relieved by scratching. - Urine not high colored

1. Det. (1) Bleeding water. (2) Eff Phorb. soda. 30. c.c. (3) Epsom. as soon. - Then not well. Harrogate.

Ridge like or sand that almost like carpet fever. - - size of 4/4 cm. last for days - and night worst. - But then begin this trouble. all day.

Oct 8th. Remarkable - vertebra comes up at once - all over back. can see the spots come out. There is no increased V. m. mobility. scratching the skin - are red red line, no friction vertebrae to try Palm est. & Harrogate

Three brothers and one sister; nothing in the family. She looks well, good colour, always fresh colour; has walked quickly from Marston Ferry Road on purpose. One would not notice anything about the face except the high colour. It is a very fresh bright complexion, but there are not actual spots on the face. On the neck there is a rash of diffuse erythema, and there are numerous small raised white wheals, some of which go as high as the jaw. Over the chest there are a number of erythematous blotches. The whole back is covered with whitish wheals on a red background. There are none of them very large. It is general, all over, not localized in one place but worst about the mouth and neck. Some of the spots get bigger under observation. Did not notice special sensitiveness of the skin. On drawing a line with the nail there is at first an area of anaemia followed by a great deal of redness in the neighbourhood. No actual factitia urticaria. In front since dictating the note they have become more marked and are very intense over the shoulder. The pulse rate is good, no increase in tension. The heart sounds are clear. Has never had jaundice with it, never had any pain in the region of the liver. No liver trouble in the family; father and mother both well. There is no swelling of the joints, no enlargement of the liver, no tenderness over the gall bladder, which is not palpable. It is much worse on the trunk and on the arms than on the legs. At present it is marked over the abdomen. No enlargement of the lymph glands.

Argusia pectoris

March 21, /13.
Dr. Best

~~Red~~ ~~Black~~

~~Black~~ 59. evanlage

No sen. illness. no end of bad acc. occurs spine & ~~spine~~
& had head killed you. no syphilis - slab.
Last year. felt & never could not walk. - had pain across back
& cornered. Saw Dr. 12 mos ago. 5 w. ran for train. felt badly,
not faint - this began feeling across - pulled up shirt - sense of
cold & tight. & cannot get breath. ~~see~~ ^{old} ~~see~~ ^{old} respiration. & could
not do. cannot. walk. as well. not up stairs.. not felt today.. not
bad indoors but out doors would sit me -- v. active even.
not weakness with it - a bit queasy. chest heat - no pain or
heat or down arm. - feet & legs never swelled. was in bed
a fortnight. & apex beat was st.

Looks well - good colour - grey

Concurring Arcus - Tongue Clean - Good Teeth

Arteries R. Palpable - V.P. Brachials - easily rolled
T. soft - Femorals Large easily felt

Heart

A.B. not visible - manubrium -

Slight pulsation lower sternum

C. Impulse not palpable

Deep diffuse impulse

No increase superf^c area dullness

Soft Apex Systolic - Sounds not loud best

at lower sternum

Systolic audible L.S.B. not at Aortic Cartilage
In sitting posture C.I. not visible

After exertion A.S. much more distinct

Aortic 2nd comes out well

Percussion over Manubrium clear no tracheal

Clear behind - no murmur over Aorta. Tugging

Invaluable heart

Dr. Moon. April 3rd /15.

Major. [redacted] 39. 7th Oct. Keeble College

R. L. M. - began to trouble with heart in 1801 after return
to April 1800 & end of year felt heat & some at various times, was strained
& not insured. - never rejected. Time S.A. Ordin. Dr India 6 mos
Med. Board said could be all right & rested for 2 years. Said it was
heat & swelling from phlebitis. Was 5' 8" in army. On sick leave 1 $\frac{1}{2}$ year
Time discharge. - shooting. but not much. - Since left army has had
2 or 3. breakdowns. heart thump & daddy & could sc. walk.
Jrmed last Sept. has been able to do evg. till 3 or 4 weeks ago. Infu-
sions, & T102°. not well since. Now. has dead beat feeling & far away daddy
remains. no shooting. no palpitation. could do everything till last
Friday night. could do anything. My feeling is run down & dead
beat. in which all day " has indigestion. body. - 7. & 20 t.s. till 7¹⁰

L. sitting & good & d. rather high tension.
Look full in face & ruddy & flushed cheeks -- skin phys. good. best
weight. 12:3.

Sitting - ap. felt in & just now. ruffle. not forcible. flat - - not under
no res. soft brist. wh carries with cop. & ruff. not head along stern.
After exert. sound loud & clear. a. b. not eas. to def. but feet stiff below ruffle
in 5th. sound loud & clear. ruffles goes completely.

Reclining. an ap. brist. about duration in upper. reappears
with open a. of held breath at end of - a. b. not visible - not by. no
increase in pulse rate.

- 1) To stop all tea-coffe-loba + 5 herbs -
- 2) go ahead with work. (3) Table as nutrition with meals as trouble. -

Mrs [redacted] Swanage

56

2 y. complains of headache a nov. of getting a stroke - attacks in her head - pains & gets giddy. Little history. B. pres. 230... goes up. A lot of dyspepsia & has a pain about

R. b. w. nervous & wrong as dis... 43 rd step. of stairs - at 26. upon & pains - at 18 open - for breath. pulse. 7. t.t. on m. side fluctuates & at 76 a stroke. T. 54 d. of chill & fever. 2. s. no b.p.

About 2 y ago not walking & had a giddy fit now in brain & fell to wall & cold wall - at no time he fallen. Has had several attacks since more severe. Get opening & shutting in brain - & similar press in forehead.

b. beating in heart. & p. at 36 & now at 36 was not so at first. was 70. Pulse rate more rapid when up & got up & about rises to 48. Has had 3 giddy attacks - now a down sensation - when to his bed now - a dull feeling & legs go limp. & clutch at anything. diag. in Swan Dr Young 2 years ago.

She looks well, good colour, eyes are clear, no arcus. Pupils react actively to light. Tongue is clean. Teeth are good. Pulse is reg., 36 to the minute. No intervening small beat felt. It is markedly recurrent. Easily rolled under the fingers; with the blood out the artery is scarcely palp. The brachials can be readily

(Over)

rolled under the fingers. The carotids both pulsate; they do not feel specially sclerotic. No venous impulse in neck. Slight pulsation in external jugular vein. A.B. visible in 5th, looks little forcible. It is felt exactly 5ins. from the mid-sternum. The impulse extends over wide area in the interspace; does not lift either the 5th or 6th rib. There is a general jog of the front of the chest. The manubrium looks little prominent; skin is clear; no distended veins. Distinct impulse on manubrium; marked when she holds her breath. Lifts the whole of the front and the top of the chest.

Palpation: it is visible, fingers are lifted; there is a slow heave. It is more marked in the manubrium than in the middle of the sternum, where it is scarcely visible, and it lifts the sternal end of the clavicle on both sides. The finger in the sternal notch is lifted and a diastolic shock felt; no shock of either sound felt over manubrium, or of the heart impulse. A.C.F. begins on upper border of 4th, does not extend beyond right sternal margin.

Manubrium is clear on light percussion. On deep percussion not quite so clear. resonance in the manubrium as in the middle portion. Apex, systolic bruit propagated up left sternal margin, obliterates the first sound, second is audible. Both sounds are heard at the base; distinct systolic with the first, propagated up the manubrium. Second sound is accentuated. No diastolic murmur. The radials are equal on the two sides. The pupils are equal. Throbbing on manubrium is neither so vis. nor so palp in the sitting posture. After exertion no special difference

in the pulse, which remains at 36. Knee jerks are present.

Cardiac Hypertrophy.

Dr. Garrett, Not adelaide, May
July 29th /15.

~~He~~ ~~He~~ ~~He~~ 20. 18 alma Rd Monkstown Dublin

Scl. for 3 $\frac{1}{2}$ yrs ago - right Rhen. stark fever. & had the erg. Herma rash. little blemishes on a rock. (or garnet of Kingston) spots out in crops. clusters more on face - hands raised in blisters on the back - & in feet - esp the legs - not in the body. Father first noticed that he heart was enlarged. not during the sc. fever. Since has been better. a sharp attack of under a Bladder at about 5. or 6 and easier said heart affected. Did not feel the heart. is suppose "spodges across the eyes" - not short of breath. Has not grown well is under a depression. has been blundering lots well. Pulse a bit irregular drops a beat. Father died 8 yrs ago dropped dead in the buffet - great smoker. was 45 - I had been a del. man. small man. 3 children. well a strong very under eight. This boy 5 $\frac{1}{2}$

Current case. - under eye usually looks bad. good under a h. just vs. below niple. res. number in the skin right angle, humdole - def. much more so than obs. - no swelling in fm - by no chills. Shook of, or cold felt (3) vessels not palpable (4) no mur - at apex except when held breath a syst syst. - none at base. or in true region. - possibly some end of the heart but I doubt of val. disease.

To

~~██████████~~ 21 Sutherland Rd Banbury.

"I went cut over about my heart" such a "tirovery" 5 yrs ago
 was pneumonia & suf. I was laid up & a physician named (Dr Heathcote)
 at 10 am. saw Dr. Seward & pass the Dr. at Seward
 saw at 2. (Dr Swincoe) who said heart was "all over the chest"
 came home at 6 saw Dr. B. told him, he was quite normal
 with except a miss beat not a regular heart to be found: Dr. B. then
 ad. saw Dr. S. (Dr. 4 blks) & again me & said nothing wrong but
 only worried. went home & to come back in 14 days. Then saw
 Dr. Cutler. doc. smaller to him. & am, said "heart all right"
 went home & told come back in 4 days seen 5 & co. together. Came
 again & told Dr. S. & Seward & left or for them nothing apparently
 wrong. Went to Dr. S. & told him a he was angry & charged me for
 being other Dr. & still held that heart was all over the chest.. Went
 to Dr. Cutler. wrote to Globe who wrote to Seward.. In suf under
 or books for 14 days & he said no missed beats all night
 doc. went to see again & Dr. Seward said messenger bats &
 doc. went to see again. allowed to start work &
 said not for him & bars are open. allowed to start work &
 a shivering every day from that date till last week working
 night & day 16 hrs a no trouble with heart: Dr. S. ^{wrote} said heart
 again last week & said not quite right.. says now: but
 not tell - has run in many time. Now want telling whether a
 heart is right or wrong. - Last night worked all night
 V. R. M. (2) adenoid & palp. At first a bit ble. in 3rd. in & well n. no
 trouble. not stiff n. & 4. sounds clear. a cracking & not sharp with his voice & no cracks
 no all of time. Excellent from head case.

D.A.H.

Nov 18/15

or history

(Mrs F. The Prinz, Glenelg,
Tasmania)

~~██████████~~ 21. M. 7.5 N.Z. Aug. (Mrs F. The Prinz, Glenelg,
Tasmania) C. of Bradycardia. Dardanelles 25 apr to 10 July. was ill week in June
a death again 1st week in July. was enabled - for the heart. Has headache
+ shortness of breath generally. + had "spells at night". at Paragon
+ often 3 or 4 Alex. in small throb. + P. 26 Aug. There till Sept 14
got fully well. cold + Rh. came on. Heart. better. P. was abt 48
at Alexandra. Rest. at P. gained 25 lb. no dis about heart. not short
of breath. ~~Rest home.~~ now all rest now. Regiments dept.

and suddenly came on.
1) V. b. bounding. p. 84 regular - a bit jolty + deceler. + in res +
is reverberating. 2) a b in s. diff. not atrial nipples line. No thrill
3. Tapping + weak. maximum a n b. reccurrent murmur along left stern
margin (and at P.) 2nd left interspace. p. after 4 or 50.
Cordally still a little D-a-H. . .

July 20. 22. This is the first diagnosis of "D.A.H", that I
found in the records. Thomas Deane

Nerves.

Dr Schopfeld
Nov. 24/05.

Mrs. [redacted] in 30 & Belgrave Terrace Kensington

Nerves. - had a shull - Husband killed in war. SIst wife till 13
then start car spine + neck. long. lay down. later got stronger + all sorts
of things, walked - drained pressure. - For years seen ill. + had
doubt kidney - were told. both kidney drpt + this probly bled + stuck up with
great success. Had begun to get over before that. after that never absolutely
sharply - fears every thing - Had convuls + at night talk a child. Still
sharply. Sleep talk. mother sleep in room. - Dreams. - Bed weight 9.86
now not w. is much thinner. 25 stone. 2. - a day & hours - of greatest
misch. - last girl born May. older one 3. ~~better~~ ill while 9 mos. very bad
but will allow baby born. not nurse. F. H. not never in family. F. d. young
B.O. S; delicate. M. very healthy. always weak climate + no pain till after
triumph with son. had pain. Same only unless. now has it every day?
not persistent. but comes in long bursts. - a few mo. now. + set in recent
other places. On mercury touchable went - Vienna + got typhoid.
4 yrs ago. + then pain comes to diarrhoea - when eaten we get. till
last 3-4 mos. or 8 or 10 always very liquid. Then when come back from
holidays. Lane put in diet. away to surly. about nerve. Had swelling
of thyroid. good. not cause much. pain but come 3-4 hrs. is heat from
+ rubulon.

Erythema.

Dr Wagner & Gibson
July 24/16
Dr Cushing

~~Miss H. [redacted]~~ 10. Tilehurst Rd Reading

Somerset Rd. walking all school 3 terms. who ate
meats. pink eyes a sneezed thumb. went back & walked
with T. 102° red arm. April 5th. Had F. regular.

~~on return~~ Erythema - color rash. in 4th day or latter came - right.
1st. eyes swollen lids ^{very} ~~swollen~~ on arm. right set. a few purple
carried 3 days a few faded purple. no trouble with lids or hands
pulse in left arm stopped & has not come back since. Home
in 10 days. Been getting well - returning to care was a bit
& began walk back - took him to Eric Butcher. said cat
was 60. Pulse irregular. went back all right in Butcher

other ch.
8 - all
Paroxysms
regularly. Had
spell in
sleep 6th
came but
not.
Spent all his life - began at 3. & continued. nelle rashi
recurred attacks - has them when in good health. yet
purpled a day & then faded.

2. colic pains in abd. - a few severe ones - with vomiting
no diarrhea - no blood.

3. Had bad T. at home

r.h.l. good color 1) Tongue bit colored. 2) no ulcers & blisters
3) a few faded spots in eyes 4) neck clear - will part &
after 4 weeks. 5) spleen & liver not enlarged 6) 2 small metastases
& abd. dem. one testis has not come down. P. Blood
and - pro.

Spelapog.

I 13/16 Dr. Lester
Dr. ~~Massachusetts~~ Worcester
Massachusetts
Worcester

~~██████████~~ 23. Stevens have Worcester

6 ch in family. - 1st 2nd. one died as baby. one in India insane
m. died of Cancer when he was 12. T. w. 2nd boy - he has 'cysts'. Father anonymous
young brother is thin - no fits
most as baby was thin & delicate. att well till 8. then petit mal
started. short. it bad habit. Then were occa. attacks of sp. mal. & 1 or 2
a year. got worse. freq. ab 17. got less. & of late much less. & in
last. 18 in 1813, 15 in 1814. & 12 in 1815. when went for Walk
with father & had 3 attacks in month - one a week. He for 3 years
or regards himself. or Borrows money of Lund. sent to Allen Morris
or Second Hospital. circulation poor. spby. & improved him. rest was
tried with various - circulation poor. spby. & improved him. rest was
tried with Sandberg in Sloane st. Sea water by doctor inject. seven course
yellow generally. Then went to Dr. Laverne of W. - under him fine
year. Gave more sea water. & a few med - homeopathic medicines
off & on ever. Feeling down. a carpenter at Castle. pres of Standard
when who has caused so to die knew of 30 other cured. got
his prescription. Then I t^d Dr. Lester. & askt about trying 1. D. Doctor
told similar. & other. but try it. Dr. K. Pres is K. J. \$38. K. For
31 v. Br am 312. Recant pt 4 Dr. & Dr. Col. & Dr. C. last 3xviii

31 v. Br am 312. Recant pt 4 Dr. & Dr. Col. & Dr. C. last 3xviii
31 t. S. & 311 at bed time = about 60 gr of Hbr & qd. Has been taking it
monthly.

In part 3 mos. has had 2 or 3 - 8 am. & now 10 am. 14. 10 am. 2nd 10 am.
See same. Jan 4. at 8:30. most com in am. all at one time under Q. Head
ache - a small - sharp nothing at first spike but followed them all off
hours the day. & never so confident as cure of the pain. not at night
attacks - no warning. does not run & tremble. - sleep. not sleep. Bowels
regular - good appetite - eye right. ear buoy

went to see Dr Cross about eyes who said no trouble turning over but
gave glasses.

1) V. h. m. - good col.

2. Remarkable fact that uric acid

3. nothing in heart or lungs in abdomen

4. Good eyes - nothing in

5. urged to take the K br. - the ones without the

Dr Kaufmann last give him at 15 Kbr & reduced him to state
of droog, - worst anorex -

Notes - adams.

ans. abrillaten

30d. 116

Dr Cox

Hans ~~xxxx~~

of age last July. 1st attack - lying down - muscles &c set
up too soon - noted & wondering it. one day lying a lot - feet a lot
gray & faint - in worn away & so said strained heart. breathless
at times "as going down w. tight feeling". Pulse slow (Dr. Drinker) for first
several days. one day came in & gave to bear feel in throat infant - as
bad faint. (24 Aug 1863) Took up west dog - next Oct. walking a
lot more. death at 8pm & faints were also but not bad. April 10 bad
attack faint & walk all night after. lie bed to 11 A.M. when had very
bad hiccups. breathless. dry spit. faint 2" in bed & would not - always
shaky fainting fit - at night. feet & hands very cold. Ed ip + 10
abst. May 17th cured. walk out. .. next attack Aug 13. about
all. not faint. but was still - forced sea bath. pulse down. Or
nly 40-42. and not slow. all night till early Sunday
barely & home - said. & mind not slow. all night till early Sunday
was still again in arm & pulse down. In winter pulse not all
was still again in arm & pulse down. 40-46.. Sunday evening last attack
in June 80. date not more than 40-46.. Sunday evening last attack

bad index. - What is the word. & it came

1. p. 40. (2) record 60... (3) fibrill in the regular. (4) no change
of heart (5) systole min. at slow border.

Anguina

Det. 3/16
Dr S. G. C.

~~Mr. H. M. 49~~ Take Doctor Hume. I live in the world
as you do. (riding) felt pain across chest - pain no other. &
burned at night. style could not find any thing. Thought
burnt himself. Yesterday went to style again nothing wrong
but himself. am. worse had it in m. a. t. night. sharp. a made several
wounds. am. worse had it in m. a. t. night. sharp. a made several
wounds. Then was not hunting in today - went quickly
and had no pain. Then big one - for moment were made the
long along front big one - for moment were made the
big jump. Sudden hard pain even after jumping the few
days later. pain, very many any time a fresh burn got in a
burned & so the dashed across field or hard as could go & pain
went. at m. Sat. night bad again - sitting wrong & then came
num of slams ran up & got pain a little - went more faster
& then something not quite.
& then something not quite.
. w pain last night.

wound "
7. H. good. P.H. v. h. m. no see Mr. Sc per fed at 39. Had nodes
on. rev. burn. Et deal of green. Burned heart hard. Holes
walking 2. - 3 hours a day. cracked hard first two days of rest.
v. h. smokes 2 cigs. cigar 1/2 in -

1) v. h. m. (1) no rales. (2) not end of the heart (3) sound clear. but
peculiar - esp syst mit. (4) aortic not clear. not accent. (5) qm.
atri. - at 260. No puls. 130. - are not end.

ad

1) To & slow. (2) not less. (3) take this.

Raynards Disease

D. Mc Tady can. st.
or hours ^{new} Oct 26/18
in ^{new} ~~Practitioner~~
~~middle class~~ Egypt.

~~1. P. I.~~ 39 Ellescoo. Shirley. Son allan Lodge ^{new Practitioner}
V. h. m. 9.7. H. in oct... no ver illnes. Dague fever in Egypt. in Aug

2 mos. S. 20 - 9. no

P.I. 3 years not cut walking in Oct. could not hold a stick so painful
very suddenly. not even black. ached. No cold wind. but all all
lasted 14 days went into little finger - blue afterwards. a doctor said
to be shot to be of arsenic. never change in that finger since.. & it
st. well. came in again the next winter at the 3rd finger & was
bad & an abs under nail. Ed better in 2 days. But winter same
as 1. & he was bad all last winter & broken skin under nail &
stayed bad all summer. no pain, & not very blue. The finger & 2. last
winter. This summer. Ed. treated since July. a bad Aug. no
bad, & now all reverse pain would rather been - nothing else
& continued 3 or 4 fingers, & aches. unless could look Valley
& bid under the nail. Never all fingers never in the hand
but - number of times. nothing in liver. undoubt wind & cold
& sun stroke every am.. & numbness at 4 am.. weight 11. 00
feels well. every day. 1) V. h. m. 2) art. a bit thick. (3) heat off. 4. L has
num. 5) Indent pink scar under nail which is small. & rubbed.
whole left. When is red. burns & frequently painful. but to say it
is subsiding, that - may be a bad all last winter. bad till
now since August. looks bad - colour 3 weeks ago only trouble is
not so bad. finger a scar under nail. - very little & doesn't need
nothing in fed.

1) too go in with. Check (2) leg open the foot & the end pur. & not even
ambrep during till his well.

Chronic Purpura.

Oct 25/16

Bethel

~~Heath~~ Miller 36 Cottontown Northern.

w. as child... more bleed at s. & body.

Treats: removed 1880 no bleeding. 1893 - began to bleed body. - 5 years & more... spots began 1904, every year since. never free. for mos. Body for 5 yrs now. not for last year. not bleed. no severe colic except one this spring - had three fits. & vomited, no other

- 1) deb. looking. 2) purp. on forehead & cheeks. 3) gums swollen. 4) no appetites. 5) many bruises on arms & hands. 6) very bog iron in legs. often at knee - by - fallen of hand... 7) no red of spleen. 8) no anemia

Aortic Insufficiency.

Dr Southam

Nov 4/16

Miss E. [redacted] - Willmott 33.. Derby - private school.

R. G. H. as rule - not v. st. good - can. appendy. 10 years ago. had
 16.. ^{16.. Trichinella well.} Malaria in India. & in Africa in Natal. in 14 years now
 ague attacks. *

P.T. 100% to failing - was hauled out a ship. 3 or 4 times
 last week yesterday am. during hours. dropped. felt only for
 moment & then nothing more. was unconscious - a few seconds.
 went on as usual & gave a lesson - in 5.. Has to do a good
 with older woman. Cannot go on. Regia begins? - a great deal of
 busyness. not best in heart. but t. purpura. no one seen - but know
 hole. - but sometimes redder. Extra - comes - all people - 7. Live
 & 4 br.. - work interests. very short winded - for years going
 up stairs.

1. Prod cl. thin. 124 p. reg. not corrug. (3). heart act. under
 spr. left larynx red. (4) no thrill. No thrill in br. or car.
 m. (6) S. clean at abn. (7) low sler. - a def. diastole. Under
 abn left margin slender. heard d. a. c. (8) fund systolic at
 pul. area (9) abd.

Recurring paroxysms.

28th // 6
Dr RiceMay. ~~18~~ 1913 37 army ord dept.

H. & 1913 - 2nd before 11-12 year of cordite exp. small
 worm cutting cordite. had slight pain for over months cordite
 head on Aug 13 - paroxysmal left side suddenly - could not
 walk or sit up & 6 hr left could walk. (Dr Holdane &
 Dr Gallie of Elland saw him - got well but still remain left hand
 shotty & slight feeling in left leg. - Walked at or in May 1914. On
 Aug 14 hand worse & slight relapse. slight pain in same hands
 not able could not move but arm. sleep fit sleeping. That
 is more or less permanent - very slight but there. does not hurt
 unless a shock. Came to Ord Dept in June at which time he
 had a shock & had a second paroxysm attack - lost off of dead point
 of salient & had to pull round. then partly paroxysm. could not
 use left hand (lost it man) - for weeks. could walk about
 house never ran but walked than break. left side up. while
 at Salient in Feb. one day slight loss of power in right
 leg. - quite definite lasted a week. no headache. leg well
 otherwise. not lost in we. but in excuse.
 11th no symptoms. Larsson neg. T 7. 1902. meas. & Testes not much

H.C.W. good physique. pupils equal.
reach to light. muscles face more well.
J. straight - feeling perfect. L.a. the largest.
all movements perfect - grasp is good - sensation
is good. stands on toes & heels. all movements of
legs perfect. knows all the movements.
knows what is hard - K.j. + + .
says he fumbles with his hands. walks his
boots well - no toe or ankle reflex -
achilles + - articular radicles palpable -
Tarsion + - radials recurrent - brachial
very firm. Temp: palpable & tortuous. ap: bt. below & just
inside nippel - lifts reflexes. Convex clear. apex & base -
slt aortic stuff. Cg. tone. 2nd loud. heart not enlarged. spleen
is just palpable.