

NORTH AMERICA  
**NOVA SCOTIA**

SOUTH EAST COAST  
LISCOMB ISLAND TO GREEN ISLAND

SURVEYED BY CAPT<sup>T</sup> RAYFIELD R.N.  
ASSISTED BY COMD<sup>R</sup> J. ORLEBAR, LIET<sup>T</sup> J. HANCOCK, M<sup>T</sup> W. FORBES, MASTER, M<sup>T</sup> C. DES BRISAY, MAST<sup>R</sup> ASST<sup>T</sup> R.N.

1856.

Barometer H<sup>T</sup> 30.000 - 30.000 Mean Spring rise of  $\frac{1}{2}$  T<sup>R</sup> Spring range of  $\frac{1}{2}$  T<sup>R</sup>  
H<sup>T</sup> 30.000 - 30.000 Mean Spring rise of  $\frac{1}{2}$  T<sup>R</sup> Spring range of  $\frac{1}{2}$  T<sup>R</sup>  
T<sup>R</sup> 10.000 - 10.000 Mean Spring rise of  $\frac{1}{2}$  T<sup>R</sup> Spring range of  $\frac{1}{2}$  T<sup>R</sup>  
T<sup>R</sup> 10.000 - 10.000 Mean Spring rise of  $\frac{1}{2}$  T<sup>R</sup> Spring range of  $\frac{1}{2}$  T<sup>R</sup>  
T<sup>R</sup> 10.000 - 10.000 Mean Spring rise of  $\frac{1}{2}$  T<sup>R</sup> Spring range of  $\frac{1}{2}$  T<sup>R</sup>

Figures on the land show the heights in feet above H<sup>T</sup>R

SOUNDINGS IN FATHOMS

Natural Scale 20,000  
Magnetic Variation in 1857 increasing approximately 2' annually

